

Abdelsadik A, Trad A. Toll-like receptors on the fork roads between innate and adaptive immunity. **Hum Immunol** 2011; 72:1188-93.

Abomoelak B, Marcus SA, Ward SK, Karakousis PC, Steinberg H, Talaat AM. Characterization of a novel heat shock protein (Hsp22.5) involved in the pathogenesis of *Mycobacterium tuberculosis*. **J Bacteriol.** 2011; 193(14):3497-505.

Agarwal N, Woolwine SC, Tyagi S, Bishai WR. Characterization of the *Mycobacterium tuberculosis* sigma factor SigM by assessment of virulence and identification of SigM-dependent genes. **Infect Immun.** 2007; 75(1):452-61.

Akhan O, Pringot J. Imaging of abdominal tuberculosis. **Eur Radiol.** 2002; 12:312–23.

Akira S. Toll like receptors and innate immunity. **Advances in Immunology.** 2001, 78; 1-56.

Algood HM, Lin PL, Yankura D, Jones A, Chan J, Flynn JL. TNF influences chemokine expression of macrophages in vitro and that of CD11b+ cells in vivo during *Mycobacterium tuberculosis* infection. **J Immunol.** 2004,172(11):6846-57.

Amanda M, Elena S, Mauricio A, Rajko R. TNF- $\alpha$  in Tuberculosis: A Cytokine with a Split Personality. **Inflamm Allergy Drug Targets.** 2009: 8, 53–62.

Amorim, AGM. Carrington M.A, Miles DC, Barker ML, de Almeida. Identification of the C-terminal region of 70 kDa heat shock protein from

Leishmania (Viannia) braziliensis as a target for the humoral immune response. **Cell Stress Chaperones** 1996;1:177–187

Aneja R, Odoms K, Dunsmore K, Shanley TP, Wong HR. Extracellular heat shock protein-70 induces endotoxin tolerance in THP-1 cells. **J Immunol.** 2006; 177(10):7184-92.

Anuradha S, Kaur R, Singh NP, Baveja UK. Serodiagnosis of extra pulmonary tuberculosis using A-60 antigen. **J Commun Dis.** 2001;33(1):12-6.

Antony VB. Adenosine deaminase isoenzymes and pleural tuberculosis. **J Lab Clin Med.** 1996; 127(4):326–327.

Anzola J, Luft BJ, Gorgone G, Dattwyler RJ, Soderberg C, Lahesmaa R, Peltz G. Borrelia burgdorferi HSP70 homolog: characterization of an immunoreactive stress protein. **Infect Immun.** 1992; 60(9):3704-13.

Apers L, Mutsvangwa J, Magwenzi J, Chigara N et al. A comparison of direct microscopy, the concentration method and the Mycobacteria Growth Indicator Tube for the examination of sputum for acid-fast bacilli. **Int J Tuberc Lung Dis.** 2003; 7(4):376-81.

Areeshi MY, Mandal RK, Panda AK, Haque S. A meta-analysis of the association between the CC chemokine ligand 5 (CCL5) -403 G>A gene polymorphism and tuberculosis susceptibility. **PLoS One.** 2013;8(8):e72139.

Arrigo AP. Human small heat shock proteins: protein interactomes of homo- and hetero-oligomeric complexes: an update. **FEBS Lett** 2013; 587(13):1959-69.

Arvanitakis Z, Long RL, Herschfield ES, Manfreda J, Kabani A, Kunimoto D, et al. M. tuberculosis molecular variation in CNS infection: Evidence for strain-dependent neurovirulence. **Neurology**. 1998; 50(6):1827–1832.

Asea A, Kabingu E, Stevenson MA, Calderwood SK. HSP70 peptide bearing and peptide-negative preparations act as chaperokines. *Cell Stress and Chaperones* 2000a, 5: 425–431.

Asea A., Rehli M., Kabingu E., Boch J.A., Bare O., Auron P.E., Stevenson M.A., Calderwood S.K. Novel signal transduction pathway utilized by extracellular HSP70: role of toll-like receptor (TLR) 2 and TLR4. **J Biol Chem**, 2002c; 277: 15028–34.

Auger I, Escola JM, Gorvel JP, Roudier J. HLA-DR4 and HLA-DR10 motifs that carry susceptibility to rheumatoid arthritis bind 70-kD heat shock proteins. **Nat Med** 1996; 2:306-10.

Baghaei P, Tabarsi P, Sabour H, Dehghani S, Marjani M, Shamaei M, Jabbari A, Amiri MV, Velayati AA. Detection of Antibodies against 6, 16 and 38 kDa antigens of Mycobacterium tuberculosis as a Rapid Test for Diagnosis of Tuberculosis. **Tanaffos**. 2011; 10(4):17-22.

Banchereau J and Steinman RM. Dendritic cells and the control of immunity. **Nature**, 1998, 392,245-52.

Barry CE 3rd, Boshoff HI, Dartois V, Dick T, Ehrt S, Flynn J, Schnappinger D, Wilkinson RJ, Young D. The spectrum of latent tuberculosis: rethinking the biology and intervention strategies. **Nat Rev Microbiol** 2009; 7:845-55.

Barton GM, Medzhitov R. Toll-like receptor signaling pathways. **Science**. 2003; 300(5625):1524-5.

Basu S, Binder RJ, Suto R, Anderson KM, Srivastava PK. Necrotic but not apoptotic cell death releases heat shock proteins, which deliver a partial maturation signal to dendritic cells and activate the NF-kappa B pathway. **Int Immunol**. 2000a; 12(11):1539-46.

Basu S., Binder R.J., Ramalingam T., Srivastava P.K. CD91 is a common receptor for heat shock proteins gp96, hsp90, hsp70, and calreticulin. **Immunity**, 2001b, 14: 303–13.

Bean AG, Roach DR, Briscoe H, France MP, Korner H, Sedgwick JD, Britton WJ. Structural deficiencies in granuloma formation in TNF gene-targeted mice underlie the heightened susceptibility to aerosol Mycobacterium tuberculosis infection, which is not compensated for by lymphotoxin. **J Immunol**. 1999;162(6):3504-11.

Becker J, Craig EA. Heat shock proteins as molecular chaperones. **Eur. J. Biochem**. 1994, 219:11–23.

Becker T, Hartl FU, Wieland F. CD40, an extracellular receptor for binding and uptake of Hsp70-peptide complexes. **J Cell Biol**, 2002, 158: 1277–85.

Belles C, Kuhl A, Nosheny R, Carding SR. 1999. Plasma membrane expression of heat shock protein 60 in vivo in response to infection. **Infect Immun**, 1999, 67: 4191–200.

Berin MC, Dwinell MB, Eckmann L, Kagnoff MF. Production of MDC/CCL22 by human intestinal epithelial cells. **Am J Physiol Gastrointest Liver Physiol.** 2001; 280(6):G1217-26.

Bianchi ME. DAMPs, PAMPs and alarmins: all we need to know about danger. **Journal of Leukocyte Biology,**2007,81(1)1–5.

Binder RJ, Han DK, Srivastava PK.CD91: a receptor for heat shock protein gp96. **Nat Immunol** 2000 1: 151–5.

Boehme CC, Nabeta P, Hillemann D, Nicol MP, Shenai S, Krapp F, et al. Rapid molecular detection of tuberculosis and rifampin resistance. **N Engl J Med** 2010; 363:1005-15.

Boom WH, Chervenak KA, Mincek MA, Ellner JJ. Role of the mononuclear phagocyte as an antigen-presenting cell for human gamma delta T cells activated by live *Mycobacterium tuberculosis*. **Infect Immun.** 1992, 60(9):3480-8.

Bose Dasgupta S, Pieters J. Striking the Right Balance Determines TB or Not TB. **Front Immunol.** 2014 ;5:455.

Braian C, Hoge V, Stendahl O. *Mycobacterium tuberculosis*- induced neutrophil extracellular traps activate human macrophages. **J Innate Immun.** 2013; 5(6):591-602.

Brancusi F, Farrar J, Heemskerk D. Tuberculous meningitis in adults: a review of a decade of developments focusing on prognostic factors for outcome. **Future Microbiol.** 2012, 7(9):1101-16.

Branger J, Leemans JC, Florquin S, Weijer S, Speelman P, Van Der Poll T. Toll-like receptor 4 plays a protective role in pulmonary tuberculosis in mice. **Int Immunol.** 2004; 16(3):509-16.

Britton WJ, Meadows N, Rathjen DA, Roach DR and Briscoe H. Tumor necrosis factor mimetic peptide activates a murine macrophage cell line to inhibit mycobacterial growth in a nitric oxide dependent fashion . **Infection and Immunity**, 1998, 66, 2122-27.

Brooks JB, Daneshvar MI, Haberberger RL, Mikhail IA. Rapid diagnosis of tuberculous meningitis by frequency-pulsed electron-capture gas-liquid chromatography detection of carboxylic acids in cerebrospinal fluid. *J Clin Microbiol.* 1990 ;28(5):989-97.

Bulut Y , Michelsen KS ,Hayrapetian L , Naiki Y , Spallek R , Singh M , et al. Mycobacterium tuberculosis heat shock proteins use diverse Toll-like receptor pathways to activate proinflammatory signals. **J Biol Chem** 2005; 280:20961-7.

Burgess LJ, Swanepoel CG, Taljaard JJ. The use of adenosine deaminase as a diagnostic tool for peritoneal tuberculosis. **Tuberculosis** (Edinb). 2001; 81(3):243-8.

Carra S, Seguin SJ and Landry J. HspB8 and Bag3: a new chaperone complex targeting misfolded proteins to macroautophagy. **Autophagy** 2008, 4, 237–9.

Catriona HT, Stephen GM, Young Howard A. Clinical Use of Interferon- $\gamma$  Cytokine Therapies. *Ann. N. Y. Acad. Sci.* 2009, 1182: 69–79.

Cattamanchi A, Davis JL, Pai M et al. Does bleach processing increase the accuracy of sputum smear microscopy for diagnosing pulmonary tuberculosis? **J. Clin. Microbiol.** 2010; 48: 2433-9.

Caws M, Thwaites G, Dunstan S, Hawn TR, Lan NT, Thuong NT, Stepniewska K, Huyen MN, Bang ND, Loc TH, Gagneux S, van Soolingen D, Kremer K, van der Sande M, Small P, Anh PT, Chinh NT, Quy HT, Duyen NT, Tho DQ, Hieu NT, Torok E, Hien TT, Dung NH, Nhu NT, Duy PM, van Vinh Chau N, Farrar J. The influence of host and bacterial genotype on the development of disseminated disease with *Mycobacterium tuberculosis*. *PLoS Pathog.* 2008 Mar 28;4(3):e1000034.

Cehovin A, Coates AR, Hu Y, Riffo-Vasquez Y, Tormay P, Botanch C, Altare F, Henderson B. Comparison of the moonlighting actions of the two highly homologous chaperonin 60 proteins of *Mycobacterium tuberculosis*. **Infect Immun.** 2010; 78(7):3196-206.

Central TB Division (CTD), Directorate General of Health Services, Ministry of Health and Family Welfare, Government of India. **Revised National TB Control Programme.** Operational guidelines for TB Control. New Delhi: CTD, 1997.

Chackerian AA, Alt JM, Perera TV, Dascher CC, Behar SM. Dissemination of *Mycobacterium tuberculosis* is influenced by host factors and precedes the initiation of T-cell immunity. *Infect Immun.* 2002;70(8):4501-9.

Chambers MA, Gavier-Widen D, Hewinson RG, Antibody bound to the surface antigen MPB83 of *Mycobacterium bovis* enhances survival against high dose and low dose challenge. **FEMS Immunol Med Microbiol** 2004, 93.

Chegou NN, Essone PN, Loxton AG, Stanley K, Black GF et al. Potential of host markers produced by infection phase-dependent antigen-stimulated cells for the diagnosis of tuberculosis in a highly endemic area. **PLoS ONE**, 2012a, 7(6): e38501.

Chegou NN, Hoek KG, Kriel M, Warren RM, Victor TC, Walzl G. Tuberculosis assays: past, present and future. **Expert Rev Anti Infect Ther.** 2011b;9(4):457-69.

Chen L, Xu M, Wang ZY, Chen BW, Du WX, Su C et al. The development and preliminary evaluation of a new *Mycobacterium tuberculosis* vaccine comprising Ag85b, HspX and CFP-10:ESAT-6 fusion protein with CpG DNA and aluminum hydroxide adjuvants. **FEMS Immunol Med Microbiol** 2010; 59: 42–52.

Chen S, Brown IR. Neuronal expression of constitutive heat shock proteins: implications for neurodegenerative diseases. **Cell Stress Chaperones** 2007; 12:51–8.

Chen W, Syldath U, Bellmann K, Burkart V, Kolb H. Human 60-kDa heat-shock protein: a danger signal to the innate immune system. **J Immunol** 1999; 162: 3212–19.

Chen X, Zhang M, Zhu X, Deng Q, Liu H, Larmonier N, Graner MW, Zhou B. Engagement of Toll-like receptor 2 on CD4(+) T cells facilitates local immune



responses in patients with tuberculous pleurisy. **J Infect Dis.** 2009 ;200(3):399-408.

Christopher DJ, Schumacher SG, Michael JS, Luo R, Balamugesh T, Duraikannan P, et al. Performance of Xpert MTB/ RIF on pleural tissue for the diagnosis of pleural tuberculosis. **Eur Respir J** 2013; 42:1427-9.

Citron KM. Tuberculosis. **Br Med J.** 1973; 2(5861):296-8. Review.

Cohen-Sfady M, Nussbaum G, Pevsner-Fischer M, Mor F, Carmi P, Zanin-Zhorov A, Lider O, Cohen IR. Heat shock protein 60 activates B cells via the TLR4-MyD88 pathway. **J Immunol.** 2005; 175(6):3594-602.

Colaco CA, Bailey CR, Walker KB, Keeble J. Heat shock proteins: stimulators of innate and acquired immunity. **Biomed Res Int.** 2013; 2013:461230.

Cole, ST, Brosch R, Parkhill J et al. Deciphering the biology of Mycobacterium tuberculosis from the complete genome sequence. **Nature** 1998, 393:537–44.

Cooper M and Khader SA. The role of cytokines in the initiation, expansion, and control of cellular immunity to tuberculosis. **Immunological Reviews** 2008, 226,191– 204.

Corral I, Quereda C, Navas E, Martín-Dávila P, Pérez-Elías MJ, Casado JL, Pintado V, Cobo J, Pallarés E, Rubí J, Moreno S. Adenosine deaminase activity in cerebrospinal fluid of HIV-infected patients: limited value for diagnosis of tuberculous meningitis. **Eur J Clin Microbiol Infect Dis.** 2004;23(6):471-6.

Costa CP, Kirschning CJ, Busch D, et al. Role of chlamydial heat shock protein 60 in the stimulation of innate immune cells by *Chlamydia pneumoniae*. **Eur J Immunol.** 2002; 32(9):2460-70.

Craig, EA, Weissman JS and Horwich AL. Heat shock proteins and molecular chaperones: mediators of protein conformation and turnover in the cell. **Cell** 1994, 78:365–372.

Creagh EM, Sheehan D, Cotter TG. Heat shock proteins – modulators of apoptosis in tumour cells. **Leukemia** 2000; 14:1161-73.

Crick DC, Brennan PJ and McNeil MR . The cell wall of *Mycobacterium tuberculosis* in Tuberculosis (eds WM Rom and SM Garay), Lippincott Williams & Wilkins, Philadelphia, PA, 2003, pp. 115-134.

Crowle AJ, Ross EJ. Comparative abilities of various metabolites of vitamin D to protect cultured human macrophages against tubercle bacilli. **J Leukoc Biol.** 1990; 47(6):545-50.

Cunningham AF, Spreadbury CL. Mycobacterial stationary phase induced by low oxygen tension: cell wall thickening and localization of the 16-kilodalton alpha-crystallin homolog. **J Bacteriol.** 1998; 180(4):801-8.

D'Souza SM, Brown IR. Constitutive expression of heat shock proteins Hsp90, Hsc70, Hsp70 and Hsp60 in neural and non-neural tissues of the rat during postnatal development. **Cell Stress Chaperones** 1998; 3:188–99.

de Souza GA, Fortuin S, Aguilar D, Pando RH, McEvoy CR, van Helden PD, Koehler CJ, Thiede B, Warren RM, Wiker HG. Using a label-free proteomics method to identify differentially abundant proteins in closely related hypo- and

hypervirulent clinical Mycobacterium tuberculosis Beijing isolates. **Mol Cell Proteomics**. 2010;9(11):2414-23.

Daleine, G., Lagrange, P.H. Preliminary evaluation of a Mycobacterium tuberculosis lipooligosaccharide (LOS) antigen in the serological diagnosis of tuberculosis in HIV seropositive and seronegative patients. **Tub Lung Dis** 1995, 76, 234-239.

de Jong, W., Leunissen, J. and Voorter, C. Evolution of the alphacrystallin/small heat-shock protein family. **Mol. Biol. Evol.** 1993, 10, 103–26.

Del Giudice, G., A. Gervaix, P. Costantino, C.-A. Wyler, C. Tougne, E. R. De Graeff-Meeder, J. van Embden, R. Van der Zee, L. Nencioni, R. Rappuoli, S. Suter, and P.-H. Lambert. Priming to heat shock proteins in infants vaccinated against pertussis. **J. Immunol.** 1993,150:2025–2032.

Denis M. Killing of Mycobacterium tuberculosis within human monocytes: activation by cytokines and calcitriol. **Clin Exp Immunol.** 1991; 84(2):200-6.

Deocaris CC, Kaul SC, Wadhwa R. On the brotherhood of the mitochondrial chaperones mortalin and heat shock protein 60. **Cell Stress Chaperones** 2006; 11(2):116-28.

Detanico T, Rodrigues L, Sabritto AC, Keisermann M, Bauer ME, Zwickey H, Bonorino C. Mycobacterial heat shock protein 70 induces interleukin-10 production: immunomodulation of synovial cell cytokine profile and dendritic cell maturation. **Clin Exp Immunol.** 2004; 135(2):336-42.

Dheda K, Ruhwald M, Theron G, Peter J, Yam WC. Point-of-care diagnosis of tuberculosis: past, present and future. **Respirology.** 2013; 18(2):217-32.

Dhiman N, Khuller GK. Mycobacterial proteins-Immune targets for antituberculous subunit vaccine. **Indian J Exp Biol** 1999, 37:1157–66.

Dinarello CA. Proinflammatory Cytokines. **Chest** 2000, 118:503–8.

Dolasik I, Birtas Atesoglu E, Tarkun P, Mehtap O, Keski H, Dogru A, Hacıhanefioglu Ac .Decreased serum heat shock protein 60 levels in newly diagnosed immune thrombocytopenia patients. **Platelets**2015; 26(3):220-3.

Donald PR, Schaaf HS, Schoeman JF. Tuberculous meningitis and military tuberculosis: the Rich focus revisited. **J. Infect** 2005a. 50(3), 193–5.

Donald PR, Schoeman JF. Tuberculous meningitis. **N. Engl. J. Med.** 2004b, 351(17), 1719–20.

Dragon, EA, Sias SR, Kato EA and Gabe JD. The genome of *Trypanosoma cruzi* contains a constitutively expressed tandemly arranged multicopy gene homologous to a major heat shock protein. **Mol. Cell. Biol** 1987. 7:1271–5.

Drevets DA, Dillon MJ, Schawang JS, Van Rooijen N, Ehrchen J, et al. The Ly-6C high monocyte subpopulation transports *Listeria monocytogenes* into the brain during systemic infection of mice. **J Immunol** 2004; 172:4418–24.

Dubaniewicz, A., Dubaniewicz-Wybieralska, M., Sternau, A. et al. Mycobacterium tuberculosis complex and mycobacterial heat shock proteins in lymph node tissue from patients with pulmonary sarcoidosis. **J Clin Microbiol.**, 2006a, 44, 3448-3451.

Dubaniewicz, A., Kämpfer, S., Singh, M. Serum anti-mycobacterial heat shock proteins antibodies in sarcoidosis and tuberculosis. **Tuberculosis (Edinb)**, 2006b, 86, 60-67.

Duong M, Ouellet N, Simard M, Bergeron Y, Olivier M, Bergeron MG. Kinetic study of host defense and inflammatory response to *Aspergillus fumigatus* in steroid-induced immunosuppressed mice. **J Infect Dis** 1998; 178:1472–82.

Durovni B, Saraceni V, van den Hof S, Trajman A, Cordeiro-Santos M, Cavalcante S, Menezes A, Cobelens F. Impact of Replacing Smear Microscopy with Xpert MTB/RIF for Diagnosing Tuberculosis in Brazil: A Stepped-Wedge Cluster-Randomized Trial. **PLoS Med.** 2014 ;11(12)

Dye C, Scheele S, Dolin P, Pathania V, Raviglione MC, for the WHO/SaMP. Global burden of tuberculosis: Estimated incidence, prevalence, and mortality by country. **JAMA** 1999;282:677-86

Ehrt S, Schnappinger D, Bekiranow S, et al . Reprogramming the macrophage transcriptome in response to interferon gamma and mycobacterium tuberculosis signalling roles of nitric oxide synthase-2 and phagocyte oxidase. **Journal of Experimental Medicine**, 2001, 194, 1123-39.

Ellis RJ, van der Vies SM. Molecular chaperones. **Annu Rev Biochem.** 1991; 60:321-47. Review.

Ernst JD. The immunological life cycle of tuberculosis. **Nat Rev Immunol** 2012; 12:581-91.

Espósito DL, Bollela VR, Feitosa AL, da Fonseca BA. Expression Profiles of Cytokine mRNAs in the Pleural Fluid Reveal Differences among Tuberculosis,

Malignancies, and Pneumonia-Exudative Pleural Effusions. **Lung**. 2015. [Epub ahead of print]

Essone PN, Chegou NN, Loxton AG, Stanley K, Kriel M, van der Spuy G, Franken KL, Ottenhoff TH, Walzl G. Host cytokine responses induced after overnight stimulation with novel M. tuberculosis infection phase-dependent antigens show promise as diagnostic candidates for TB disease. **PLoS One**. 2014; 9(7):e102584.

Eum S-Y, Kong J-H, Hong M-S, et al. NEutrophils are the predominant infected phagocytic cells in the airways of patients with active pulmonary TB. **CHEST** 2010; 137:122-8.

Eurosurveillance editorial team. WHO publishes global tuberculosis report 2013. **Euro Surveill** 2013; 18(43).

Evans CA. GeneXpert – a game-changer for tuberculosis control? **PLoS Med**. 2011;8(7), e1001064 .

Fairbairn IP, Stober CB, Kumararatne DS, Lammas DA. ATP-mediated killing of intracellular mycobacteria by macrophages is a P2X(7)-dependent process inducing bacterial death by phagosome-lysosome fusion. **J Immunol**. 2001; 167(6):3300-7.

Fang H, Wu Y, Huang X, Wang W, Ang B, Cao X, Wan T. Toll-like receptor 4 (TLR4) is essential for Hsp70-like protein 1 (HSP70L1) to activate dendritic cells and induce Th1 response. **J Biol Chem**. 2011a; 286(35):30393-400.

Fang L, Sun L, Yang J, Gu Y, Zhan B, Huang J, Zhu X. Heat shock protein 70 from *Trichinella spiralis* induces protective immunity in BALB/c mice by activating dendritic cells. **Vaccine**. 2014;b 32(35):4412-9.

Feng CG, Collazo-Custodio CM, Eckhaus M, Hieny S, Belkaid Y, Elkins K, Jankovic D, Taylor GA, Sher A. Mice deficient in LRG-47 display increased susceptibility to mycobacterial infection associated with the induction of lymphopenia. **J Immunol**. 2004; 172(2):1163-8.

Ferrarini M, Heltai S, Zocchi MR, Rugarli C. Unusual expression and localization of heat-shock proteins in human tumor cells. **Int J Cancer** 1992;51:613-9.

Flesch IE, Kaufmann SH. Stimulation of antibacterial macrophage activities by B-cell stimulatory factor 2 (interleukin-6). **Infect Immun**. 1990a; 58(1):269-71.

Flesch IEA and Kaufman SHE. Mycobacterial growth inhibition by interferon  $\gamma$ -activated bone marrow macrophages and differential specificity among strains of *Mycobacterium tuberculosis*. **Journal of Immunology**, 1987b, 138,4408-13.

Flesch IEA and Kaufman SHE. Activation of tuberculostatic macrophage functions by  $\gamma$  interferon, interleukin 4 and tumor necrosis factor. **Infection and Immunity**, 1990c, 58, 2675-7.

Flohe SB., J. Bruggemann, S. Lendemans, M. Nikulina, G. Meierhoff, S. Flohe, and H. Kolb. 2003. Human heat shock protein 60 induces maturation of dendritic cells versus a Th1-promoting phenotype. **J. Immunol**. 2003, 170: 2340–8.

Flores LL, Pai M, Colford JM Jr, Riley LW. In-house nucleic acid amplification tests for the detection of *Mycobacterium tuberculosis* in sputum specimens: Meta-analysis and meta-regression. **BMC Microbiol** 2005a; 5:55.

Flores LL, Steingart KR, Dendukuri N et al. Systematic review and meta-analysis of antigen detection tests for the diagnosis of tuberculosis. **Clin. Vaccine Immunol.** 2011b; 18: 1616–27.

Flynn JL, Chan J. 2001. Immunology of tuberculosis. **Annu. Rev. Immunol.** 2001a, 19:93–129

Flynn JL, Goldstein MM, Chan J, Triebold KJ, Pfeffer K, Lowenstein CJ, et al. Tumor necrosis factor-alpha is required in the protective immune response against *Mycobacterium tuberculosis* in mice. **Immunity** 1995b, 2:561–72.

Fortunato, EA, McElroy AK, Sanchez I. and Spector, DH. **Trends Microbiol.** 2000, 8, 111–119.

Friedland JS, Shattock R, Remick DG, Griffin GE. Mycobacterial 65-kD heat shock protein induces release of proinflammatory cytokines from human monocytic cells. **Clin Exp Immunol.** 1993; 91(1):58-62.

Friedrich SO, von Groote-Bidlingmaier F, Diacon AH. Xpert MTB/RIF assay for diagnosis of pleural tuberculosis. **J Clin Microbiol** 2011; 49:4341-2.

Fulton SA, Johnsen JM, Wolf SF, Sieburth DS, Boom WH. Interleukin-12 production by human monocytes infected with *Mycobacterium tuberculosis*: role of phagocytosis. **Infect Immun.** 1996; 64(7):2523-31.



García P, Bahamondes L, Reyes P, Román JC, Poblete H, Balcells ME. [A comparative study for adenosine deaminase and anti-antigen A-60 antibodies detection for the diagnosis of tuberculous meningitis. **Rev Chilena Infectol.** 2012; 29(5):521-6.

Gazda L, Pokrzywa W, Hellerschmied D, et al. The Myosin Chaperone UNC-45 Is Organized in Tandem Modules to Support Myofilament Formation in *C. elegans*. **Cell** 2013; 152(1-2):183-95..

Giacomini E, Remoli ME, Scandurra M, Gafa V, Pardini M, Fattorini L, Coccia EM. Expression of proinflammatory and regulatory cytokines via NF- $\kappa$ B and MAPK-dependent and IFN regulatory factor-3-independent mechanisms in human primary monocytes infected by *Mycobacterium tuberculosis*. **Clin Dev Immunol.** 2011; 2011:841346.

Giusti G, Gakis C. Temperature conversion factors, activation energy, relative substrate specificity and optimum pH of adenosine deaminase from human serum and tissues. **Enzyme.** 1971; 12(4):417-25.

Global tuberculosis Report 2014. WHO

Gobert, AP, Bambou, JC, Werts C, Balloy, V., Chignard, M., Moran, A. P., and Ferrero, R L. *Helicobacter pylori* heat shock protein 60 mediates interleukin-6 production by macrophages via a toll-like receptor (TLR)-2-, TLR-4-, and myeloid differentiation factor 88-independent mechanism. **J. Biol. Chem.** 2004, 279, 245–50.

Gomez, F. J., A. M. Gomez, and G. S. J. Deepe. An 80-kilodalton antigen from *Histoplasma capsulatum* that has homology to heat shock protein 70

induces cell-mediated immune responses and protection in mice. **Infect. Immun.** 1992;60:2565–2573.

Gopi A, Madhavan SM, Sharma SK, Sahn SA. Diagnosis and treatment of tuberculous pleural effusion in 2006. **Chest** 2007; 131:880-9.

Gordon S and Taylor PR.. Monocytes and macrophage heterogeneity. **Nature Reviews Immunology**, 2005, 5, 953-964.

Graustein AD, Horne DJ, Arentz M, Bang ND, Chau TT, Thwaites GE, Caws M, Thuong NT, Dunstan SJ, Hawn TR. TLR9 gene region polymorphisms and susceptibility to tuberculosis in Vietnam. **Tuberculosis (Edinb)**. 2015; 95(2):190-6.

Green JA, Elkington PT, Pennington CJ, Roncaroli F, Dholakia S, Moores RC, Bullen A, Porter JC, Agranoff D, Edwards DR, Friedland JS. Mycobacterium tuberculosis upregulates microglial matrix metalloproteinase-1 and -3 expression and secretion via NF-kappaB- and Activator Protein-1-dependent monocyte networks. **J Immunol.** 2010; 184(11):6492-503.

Grenier J, Pinto L, Nair D et al. Widespread use of serological tests for tuberculosis: data from 22 high-burden countries. **Eur. Respir. J.** 2012; 39: 502–5.

Grzybowski S, Barnett GD, Styblo K. Contacts of cases of active pulmonary tuberculosis. **Bull Int Union Tuberc** 1975; 50:90-106.

Gupta A, Kaul K, Tsolaki AG et al, Mycobacterium tuberculosis: Immune evasion, latency and reactivation. **Immunobiology** 2012; 217:363-374.

Hanna BA, Ebrahimzadeh A, Elliott LB et al. Multicenter evaluation of the BACTEC MGIT 960 system for recovery of mycobacterial. **Journal of Clinical Microbiology**, 1999, 37(3), 748–52.

Harari A, Rozot V, Enders FB, Perreau M, Stalder JM, et al. Dominant TNF- $\alpha$ <sup>+</sup> Mycobacterium tuberculosis-specific CD4<sup>+</sup> T cell responses discriminate between latent infection and active disease. **Nat Med** 2011, 17(3): 372–6.

Harding CV and Boom WH. Regulation of antigen presentation by Mycobacterium tuberculosis: a role for Toll like receptors. **Nature Reviews Microbiology**, 2010, 8(4), 296–307.

Haregewoin A, Soman G, Hom RC, Finberg RW. Human gamma delta<sup>+</sup> T cells respond to mycobacterial heat-shock protein. **Nature** 1989; 340(6231):309-12.

Hernández R, Muñoz O, Guiscafre H. Sensitive enzyme immunoassay for early diagnosis of tuberculous meningitis. *J Clin Microbiol.* 1984 Sep;20(3):533-5.

Harmala LA, Ingulli EG, Curtsinger JM, Lucido MM, Schmidt CS, Weigel BJ, Blazar BR, Mescher MF, Pennell CA. The adjuvant effects of Mycobacterium tuberculosis heat shock protein 70 result from the rapid and prolonged activation of antigen-specific CD8<sup>+</sup> T cells in vivo. **J Immunol.** 2002; 169(10):5622-9.

Hartl FU, Hayer-Hartl M. Converging concepts of protein folding in vitro and in vivo. **Nat Struct Mol Biol** 2009;16:574–81.

Hawn TR, Dunstan SJ, Thwaites GE, Simmons CP, Thuong NT, Lan NT, Quy HT, Chau TT, Hieu NT, Rodrigues S, Janer M, Zhao LP, Hien TT, Farrar JJ, Aderem A. A polymorphism in Toll-interleukin 1 receptor domain containing adaptor protein is associated with susceptibility to meningeal tuberculosis. **J Infect Dis.** 2006; 194(8):1127-34.

He H, Hovey R, Kane J, Singh V, Zahrt TC. MprAB is a stress-responsive two-component system that directly regulates expression of sigma factors SigB and SigE in *Mycobacterium tuberculosis*. **J Bacteriol.** 2006; 188(6):2134-43.

Hedstrom, R., J. Culpepper, R. A. Harrison, N. Agabian, and G. Newport. Schistosome heat-shock proteins are immunologically distinct hostlike antigens. **Mol. Biochem. Parasitol** 1988, 29:275–282.

Helb D, Jones M, Story E et al. Rapid detection of *Mycobacterium tuberculosis* and rifampin resistance by use of on-demand, nearpatient technology. **J. Clin. Microbiol.** 2010; 48: 229–37.

Hemmati M, Seghatoleslam A, Rasti M, Ebadat S, Mosavari N, Habibagahi M, Taheri M, Sardarian AR, Mostafavi-Pour Z. Expression and Purification of Recombinant *Mycobacterium Tuberculosis* (TB) Antigens, ESAT-6, CFP-10 and ESAT- 6/CFP-10 and Their Diagnosis Potential for Detection of TB Patients. **Iran Red Crescent Med J.** 2011; 13(8):556-63.

Hickey TB, Thorson LM, Speert DP, Daffé M, Stokes RW. *Mycobacterium tuberculosis* Cpn60.2 and DnaK are located on the bacterial surface, where

Cpn60.2 facilitates efficient bacterial association with macrophages. **Infect Immun.** 2009; 77(8):3389-401.

Himeno, K., and H. Hisaeda. Contribution of 65-kDa heat shock protein induced by gamma delta T cells to protection against *Toxoplasma gondii* infection. **Immunol. Res.** 1996, 15:258–264.

Hindersson, P., J. D. Knudsen, and N. H. Axelsen. Cloning and expression of *Treponema pallidum* common antigen (Tp-4) in *E. coli* K-12. **J. Gen. Microbiol.** 1987, 133:587–96.

Ho J, Marais BJ, Gilbert GL, Ralph AP. Diagnosing Tuberculous meningitis—have we made any progress? **Trop. Med. Int. Health** 2013; 18:783–93.

Horwitz, J., Huang, Q.-L. and Ding, L.-L. (1992) Alpha-crystallin can function as a molecular chaperone. **Proc. Natl. Acad. Sci. USA** 1992, 89, 10449–53.

Hosoglu S, Geyik MF, Balik I et al. Predictors of outcome in patients with Tuberculous meningitis. **Int. J. Tuberc. Lung Dis.** 2002, 6(1), 64–70.

Houben EN, Nguyen L, Pieters J. Interaction of pathogenic mycobacteria with the host immune system. **Curr Opin Microbiol** 2006; 9:76-85.

Huang L, Min JN, Masters S, Mivechi NF, Moskophidis D. Insights into function and regulation of small heat shock protein 25 (HSPB1) in a mouse model with targeted gene disruption. **Genesis** 2007; 45: 487-501.

Hur YG, Gorak-Stolinska P, Ben-Smith A, Lalor MK, Chaguluka S, Dacombe R, Doherty TM, Ottenhoff TH, Dockrell HM, Crampin AC. Combination of

cytokine responses indicative of latent TB and active TB in Malawian adults.

**PLoS One.** 2013; 8(11):e79742.

Ingolia, TD and Craig, EA. Four small heat shock proteins are related to each other and to mammalian  $\alpha$ -crystallin. **Proc. Natl. Acad. Sci. USA** 1982, 79, 2360–4.

Ireton GC, Greenwald R, Liang H et al. Identification of Mycobacterium tuberculosis antigens of high serodiagnostic value. **Clin. Vaccine Immunol.** 2010; 17: 1539–47.

Iwaki T, Wisniewski T, Iwaki A, Corbin E, Tomokane N, Tateishi J, Goldman JE. Accumulation of  $\alpha$  B-crystallin in central nervous system glia and neurons in pathologic conditions. **Am J Pathol** 1992; 140:345–56.

Jaattela M. Heat shock proteins as cellular lifeguards. **Ann Med** 1999, 31:261-71.

Jadvar H, Mindelzun RE, Olcott EW, Levitt DB. Still the great mimicker: Abdominal tuberculosis. **AJR Am J Roentgenol.** 1997; 168:1455–60.

Jain A. Extra pulmonary tuberculosis: A diagnostic dilemma. **Indian J Clin Biochem** 2011; 26:269-73.

Janeway CA., Jr and Medzhitow R. Innate immune recognition. **Annual Review of Immunology.** 2002. 20; 197-216.

Jang S, Uematsu S, Akira S, Salgame P. IL-6 and IL-10 induction from dendritic cells in response to Mycobacterium tuberculosis is predominantly dependent on TLR2-mediated recognition. **J Immunol.** 2004; 173(5):3392-7.

Jayaraman P, Sada-Ovalle I, Nishimura T, Anderson AC, Kuchroo VK, Remold HG, Behar SM. IL-1 $\beta$  promotes antimicrobial immunity in macrophages by regulating TNFR signaling and caspase-3 activation. **J Immunol.** 2013; 190(8):4196-204.

Jeon BY, Kim SC, Eum SY, Cho SN. The immunity and protective effects of antigen 85A and heat-shock protein X against progressive tuberculosis. **Microbes Infect.** 2011; 13(3):284-90.

Jeon D. Tuberculous pleurisy: an update. **Tuberc Respir Dis (Seoul).** 2014; 76(4):153-9.

Joshi L, Ponnana M, Sivangala R, Chelluri LK, Nallari P, Penmetsa S, Valluri V, Gaddam S. Evaluation of TNF- $\alpha$ , IL-10 and IL-6 Cytokine Production and Their Correlation with Genotype Variants amongst Tuberculosis Patients and Their Household Contacts. **PLoS One.** 2015; 10(9):e0137727.

Kalita J, Misra UK, Ranjan P. Predictors of long-term neurological sequelae of tuberculous meningitis: a multivariate analysis. **Eur. J. Neurol.** 2007, 14(1), 33–7.

Kaneko K, Igarashi S, Watanabe H, Tsuji S, Miyatake T. [Rapid diagnosis of tuberculous meningitis by polymerase chain reaction (PCR)]. *Rinsho Shinkeigaku.* 1992; 32(1):88-90.

Kappe G., Franck E, Verschuure P, Boelens WC, Leunissen JA and de Jong, WW. The human genome encodes 10 alpha-crystallin-related small heat shock proteins: HspB1-10. **Cell Stress Chaperones** 2003, 8, 53–61.

Kashyap RS, Wanjari SS, Panchabhai MS, Purohit HJ, Taori GM, Daginawala HF. Mycobacterium Tuberculosis Heat Shock Protein 16 as a Potential Marker for Latent TB: Preliminary Findings. **J Clin Cell Immunol** 2011a, 2:1-4.

Kashyap RS, Dobos KM, Belisle JT, Purohit HJ, Chandak NH, Taori GM, Daginawala HF. Demonstration of components of antigen 85 complex in cerebrospinal fluid of tuberculous meningitis patients. **Clin Diagn Lab Immunol**. 2005b; 12(6):752-8.

Kashyap RS, Ramteke SP, Deshpande PS, Purohit HJ, Taori GM, Daginawala HF. Comparison of an adenosine deaminase assay with ELISA for the diagnosis of tuberculous meningitis infection. **Med Sci Monit**. 2007c; 13(9):BR200-204.

Kashyap RS, Saha SM, Nagdev KJ, Kelkar SS, Purohit HJ, Taori GM, Daginawala HF. Diagnostic markers for tuberculosis ascites: a preliminary study. **Biomark Insights**. 2010d;5:87-94.

Kashyap RS, Bhullar SS, More RP, Puranik S, Purohit HJ, Taori GM, Daginawala HF. Genome Sequence of Mycobacterium tuberculosis C2, a Cerebrospinal Fluid Clinical Isolate from Central India. **Genome Announc**. 2014e;2(4). pii: e00842-14.

Kashyap RS, Kainthla RP, Satpute RM, Chandak NH, Purohit HJ, Taori GM, Daginawala HF. Demonstration of IgG antibodies to 30 Kd protein antigen in CSF for diagnosis of tuberculous meningitis by antibody-capturing ELISA. **Neurol India**. 2004 f;52(3):359-62.



Kashyap RS, Kainthla RP, Mudaliar AV, Purohit HJ, Taori GM, Dagainawala HF. Cerebrospinal fluid adenosine deaminase activity: a complimentary tool in the early diagnosis of tuberculous meningitis. *Cerebrospinal Fluid Res.* 2006g;3:5.

Kataria YP, Khurshid I. Adenosine deaminase in the diagnosis of tuberculous pleural effusion. **Chest.** 2001; 120(2):334-6.

Katti MK. Assessment of serum IL-1, IL-2 and IFN-c levels in untreated pulmonary tuberculosis patients: role in pathogenesis. **Arch Med Res** 2011a, 42(3): 199–201.

Katti MK. Pathogenesis, diagnosis, treatment, and outcome aspects of cerebral tuberculosis. **Med. Sci. Monit.** 2004b, 10(9), 215–29.

Kaushik A, Singh UB, Porwal C, Venugopal SJ, Mohan A, Krishnan A, Goyal V, Banavaliker JN. Diagnostic potential of 16 kDa (HspX,  $\alpha$ -crystalline) antigen for serodiagnosis of tuberculosis. **Indian J Med Res.** 2012; 135(5):771-7.

Kawasaki K, Nogawa H, Nishijima M. Identification of mouse MD-2 residues important for forming the cell surface TLR4-MD-2 complex recognized by anti-TLR4-MD-2 antibodies, and for conferring LPS and taxol responsiveness on mouse TLR4 by alanine-scanning mutagenesis. **J Immunol.** 2003; 170(1):413-20.

Kenyon TA, Valway SE, Ihle WW, Onorato IM, Castro KG. Transmission of multidrug-resistant *Mycobacterium tuberculosis* during a long airplane flight. **N Engl J Med** 1996; 334: 933-8.

Kiessling R, Grönberg A, Ivanyi J, Söderström K, Ferm M, Kleinau S, Nilsson E, Klareskog L. Role of hsp60 during autoimmune and bacterial inflammation.

**Immunol Rev.** 1991;121:91-111. Review.

Kimura Y, Yamada K, Sakai T, Mishima K, Nishimura H, Matsumoto Y, Singh M, Yoshikai Y. The regulatory role of heat shock protein 70-reactive CD4+ T cells during rat listeriosis. *Int Immunol.* 1998; 10(2):117-30.

Kingston AE, Hicks CA, Colston MJ and Billingham MEJ. A 71-kD heat shock protein from *Mycobacterium tuberculosis* has modulatory effects on experimental rat arthritis, **Clin Exp Immunol** 1996; 103: 77-82

Kivihya-Ndugga L, van Cleeff M, Juma E, Kimwomi J, et al. Comparison of PCR with the routine procedure for diagnosis of tuberculosis in a population with high prevalences of tuberculosis and human immunodeficiency virus. **J Clin Microbiol.** 2004;42(3):1012-5.

Kleinnijenhuis J, Oosting M, Joosten LA, Netea MG, Van Crevel R. Innate immune recognition of *Mycobacterium tuberculosis*. **Clin Dev Immunol** 2011; 2011:405310.

Knodler LA, Celli J, Finlay BB. Pathogenic trickery: deception of host cell processes. **Nat Rev Mol Cell Biol.** 2001; 2(8):578-88. Review.

Konstantinos A. Testing for tuberculosis". **Australian Prescriber** 2010, 33 (1): 12–8.

Kress W, Maglica Z, Weber-Ban E. Clp chaperone-proteases: structure and function. **Res Microbiol.** 2009; 160(9):618-28.

Kuchtey J, Fulton SA, Reba SM, Harding CV, Boom WH. Interferon- $\alpha$  mediates partial controls of early pulmonary *Mycobacterium bovis* bacillus Calmette-Guérin infection. **Immunology**. 2006; 118(1):39-49.

Kumar GS, Venugopal AK, Mahadevan A, Renuse S, et al.. Quantitative proteomics for identifying biomarkers for tuberculous meningitis. **Clin Proteomics**. 2012, 30; 9(1):12.

Kusner DJ, Adams J. ATP-induced killing of virulent *Mycobacterium tuberculosis* within human macrophages requires phospholipase D. **J Immunol**. 2000; 164(1):379-88.

Laemmli UK: Cleavage of structural proteins during the assembly of the head of bacteriophage T4. **Nature** 1970, 227:680-5.

Lamb JR and Young DB. T cell recognition of stress proteins: a link between infectious and autoimmune disease. **Molecular Biology and Medicine**, 1990,7(4), 311–21.

Lammas DA, Stober C, Harvey CJ, Kendrick N, Panchalingam S, Kumararatne DS. ATP-induced killing of mycobacteria by human macrophages is mediated by purinergic P2Z(P2X7) receptors. **Immunity**. 1997, 7(3):433-44.

Lampinen M, Carlson M, Hakansson LD, Venge P. Cytokine-regulated accumulation of eosinophils in inflammatory disease. **Allergy** 2004, 59:793–805. .

Lancaster GI, Febbraio MA. Exosome-dependent trafficking of HSP70: a novel secretory pathway for cellular stress proteins. **J Biol Chem** 2005;280:23349–55.

Lee JH, Geiman DE, Bishai WR. Role of stress response sigma factor SigG in *Mycobacterium tuberculosis*. **J Bacteriol.** 2008; 190(3):1128-33.

Lee MR, Tsai CJ, Wang WJ, Chuang TY, Yang CM, Chang LY, Lin CK, Wang JY, Shu CC, Lee LN, Yu CJ. Plasma Biomarkers Can Predict Treatment Response in Tuberculosis Patients: A Prospective Observational Study. **Medicine (Baltimore)** 2015; 94(39):e1628.

Lee SW, Choi DW, Park SC, Kim HJ, Nam YH, Choi DH, Kang CD, Lee SJ, Chun WJ, Ryu YJ. Expression of Heat Shock Proteins and Cytokines in Response to Ethanol Induced Damage in the Small Intestine of ICR Mice. **Intest Res.** 2014; 12(3):205-13.

Levine H, Szanto PB, Cugell DW. Tuberculous pleurisy. An acute illness. **Arch Intern Med** 1968; 122:329-32.

Lewthwaite, JC, Coates AR, Tormay P, Singh M, Mascagni P, Poole S, Roberts M, Sharp L and Henderson B. *Mycobacterium tuberculosis* chaperonin 60.1 is a more potent cytokine stimulator than chaperonin 60.2 (Hsp 65) and contains a CD14-binding domain. **Infect. Immun.** 2001, 69, 7349–55

Li A, Menoret Z, Shrivastava P. Roles of heat shock proteins in antigen presentation and cross- presentation. **Curr Opin Immunol** 2002; 14:45-51.

Li J, Buchner J. Structure, function and regulation of the hsp90 machinery. **Biomed J.** 2013; 36(3):106-17.

Light RW. Pleural diseases. 5th ed. Baltimore: Lippincott, Williams and Wilkins; 2007a.

Light RW. Update on tuberculous pleural effusion. **Respirology** 2010b ;15:451-8.

Lim J, Kim J, Kim JW, Im C, Sohn YH, Cho HJ, Kim J, Koo SH. Multicenter evaluation of Seegene Anyplex TB PCR for the detection of Mycobacterium tuberculosis in respiratory specimens. **J Microbiol Biotechnol.** 2014; 24(7):1004-7.

Lin Y, Gong J, Zhang M, Xue W, Barnes PF. Production of monocytes chemoattractant protein 1 in tuberculosis patients. **Infect Immun.** 1998; 66(5):2319-22.

Lindquist S and Craig EA.the heat shock proteins. **Annu Rev Genet** 1998, 22:631-77.

Lopes RL, Borges TJ, Araújo JF, Pinho NG, Bergamin LS, Battastini AM, Muraro SP, Souza AP, Zanin RF, Bonorino C. Extracellular mycobacterial DnaK polarizes macrophages to the M2-like phenotype. **PLoS One.** 2014; 9(11):e113441.

Lu CZ, Qiao J, Shen T, Link H. Early diagnosis of tuberculous meningitis by detection of anti-BCG secreting cells in cerebrospinal fluid. **Lancet.** 1990;336(8706):10-3.

Macario AJL , Brocchieri L , Shenoy AR , Conway de Macario E . Evolution of a protein-folding machine: genomic and evolutionary analyses reveal three lineages of the archaeal hsp70(dnaK) gene . **J Mol Evol** 2006a; 63:74-86.

Macario AJL, Conway de Macario E. Sick chaperones, cellular stress, and disease. **N Engl J Med** 2005b; 353:1489-1501.

Mackness GB. The immunological basis of acquired cellular resistance. **Journal of Experimental Medicine**, 1964, 120; 105-20.

Mackey MF, Barth RJ, Jr., Noelle R.J. The role of CD40/CD154 interactions in the priming, differentiation, and effector function of helper and cytotoxic T cells. **J Leukoc Biol** 1998, 63: 418–28.

MacMicking JD. Taylor GA and McKinney JD. Immune control of tuberculosis by IFN- $\gamma$  inducible LRG-47. **Science**, 2003, 302,654-9.

Maguire M, Coates AR, Henderson B. Chaperonin 60 unfolds its secrets of cellular communication. **Cell Stress Chaperones**. 2002; 7(4):317-29.

Marais BJ and Pai M. New approaches and emerging technologies in the diagnosis of childhood tuberculosis. **Paediatric Respiratory Reviews** 2007; 8(2), 124–33.

Mastroianni CM, Lancellata L, Mengoni F, Lichtner M, Santopadre P, D'Agostino C, Ticca F, Vullo V. Chemokine profiles in the cerebrospinal fluid (CSF) during the course of pyogenic and tuberculous meningitis. **Clin Exp Immunol**. 1998; 114(2):210-4.

Mattei, D., L. S. Ozaki, and L. Pereira da Silva. A Plasmodium falciparum gene encoding a heat shock-like antigen related to the rat 78 kD glucose-regulated protein. **Nucleic Acids Res.** 1988, 16:5204–08.

Matthews, R. C., J. P. Burnie, D. Howat, T. Rowland, and F. Walton.. Autoantibody to heat shock protein 90 can mediate protection against systemic candidosis. **Immunology** 1991, 74:20–24.

Maynard-Smith L, Larke N, Peters JA, Lawn SD. Diagnostic accuracy of the Xpert MTB/RIF assay for extrapulmonary and pulmonary tuberculosis when testing non-respiratory samples: a systematic review. **BMC Infectious Diseases.** 2014;14:709.

McNulty S, Colaco CA, Blandford LE, Bailey CR, Baschieri S, Todryk S. Heat-shock proteins as dendritic cell-targeting vaccines--getting warmer. **Immunology** 2013; 139:407-15.

Means TK, Jones BW, Schromm AB, Shurtleff BA, Smith JA, Keane J, Golenbock DT, Vogel SN, Fenton MJ. Differential effects of a Toll-like receptor antagonist on Mycobacterium tuberculosis-induced macrophage responses. **J Immunol.** 2001; 166(6):4074-82.

Merendino AM., Bucchieri F, Campanella C et al. Hsp60 is actively secreted by human tumor cells. **PLoS ONE** 2010, 5(2), e9247.

Michlewska S, Dransfield I, Megson IL, Rossi AG. Macrophage phagocytosis of apoptotic neutrophils is critically regulated by the opposing actions of pro-inflammatory and anti-inflammatory agents: key role for TNF- $\alpha$ . **FASEB J** 2009; 23: 844-54.

Mordue DG, Sibley LD. A novel population of Gr-1+-activated macrophages induced during acute toxoplasmosis. **J Leukoc Biol** 2003; 74:1015–25.

Morosini M, Meloni F, Marone Bianco A, Paschetto E, Uccelli M, Pozzi E, Fietta A. The assessment of IFN-gamma and its regulatory cytokines in the plasma and bronchoalveolar lavage fluid of patients with active pulmonary tuberculosis. **Int J Tuberc Lung Dis**. 2003 ;7(10):994-1000.

Morrison, R. P., R. J. Belland, K. Lyng, and H. D. Caldwell. Chlamydial disease pathogenesis. The 57-kD chlamydial hypersensitivity antigen is a stress response protein. **J. Exp. Med**. 1989.170:1271–83.

Moure R, Martín R, Alcaide F. Effectiveness of an integrated real-time PCR method for detection of the Mycobacterium tuberculosis complex in smear-negative extrapulmonary samples in an area of low tuberculosis prevalence. **J Clin Microbiol**. 2012; 50(2):513-5.

Mudaliar AV, Kashyap RS, Purohit HJ, Taori GM, Dagainawala HF. Detection of 65 kD heat shock protein in cerebrospinal fluid of tuberculous meningitis patients. **BMC Neurology** 2006, 6:34.

Munk ME, Arend SM, Brock I, Ottenhoff TH, Andersen P. Use of ESAT-6 and CFP-10 antigens for diagnosis of extrapulmonary tuberculosis. **J Infect Dis**. 2001; 183(1):175-6.

Muralidharan S, Ambade A, Fulham MA, Deshpande J, Catalano D, Mandrekar P. Moderate alcohol induces stress proteins HSF1 and hsp70 and inhibits proinflammatory cytokines resulting in endotoxin tolerance. **J Immunol**. 2014; 193(4):1975-87.



Murray CJL, DeJonghe E, Chum HJ, Nyangulu DS, Salomao A and Styblo K. Cost effectiveness of chemotherapy for pulmonary tuberculosis in three sub-Saharan African countries. **The Lancet**, 1991, 338 (8778), 1305–8.

Murray PR, Rosenthal KS, Pfaller MA. Medical Microbiology. **Elsevier Mosby** 2005.

Murshid A, Gong J, Calderwood SK. The role of heat shock proteins in antigen cross-presentation. **Frontiers in Immunology**, 2012a, 3: 1–10.

Murshid A, Gong J, Stevenson MA, Calderwood SK. Heat shock proteins and cancer vaccines: developments in the past decade and chaperoning in the decade to come. **Expert Review of Vaccines**, 2011b, 10, 1553–68.

Nair S, Kotrashetti VS, Nayak R, Bhat K, Somannavar P, Hosmani J. HSP70 induces TLR4 signaling in oral squamous cell carcinoma: an immunohistochemical study. **J Cancer Res Ther**. 2013; 9(4):624-9.

Nanbu K, Konishi I, Mandai M, Kuroda H, Hamid AA, Komatsu T, et al. Prognostic significance of heat shock proteins HSP70 and HSP90 in endometrial carcinomas. **Cancer Detect Prev** 1998; 22:549-55.

Nathan CF, Prendergast TJ, Wiebe ME, Stanley ER, Platzer E, Remold HG, Welte K, Rubin BY and Murray HW. Activation of human macrophages. Comparison of other cytokines with interferon gamma. **Journal of Experimental Medicine**, 1984, 160,600-05.

Nau GJ, Richmond JF, Schlesinger A, Jennings EG, Lander ES, Young RA. Human macrophage activation programs induced by bacterial pathogens. **Proc Natl Acad Sci U S A**. 2002; 99(3):1503-8.

Neckers L, Mimnaugh E, Schulte TW. Hsp90 as an anti-cancer target. **Drug Resist Updat** 1999; 2:165-72.

Nemeth J, Winkler HM, Boeck L, Adegnikaa AA, Clement E, et al. Specific cytokine patterns of pulmonary tuberculosis in Central Africa. **Clin Immunol** 2011,138: 50–9.

Neyrolles O, Guilhot C, Recent advances in deciphering the contribution of Mycobacterium tuberculosis lipids to pathogenesis. **Tuberculosis** 2011, 91:187-95.

Noll A , Rogenkamp A, Heesemann J and Autenrieth IB. 1994. Protective role for heat shock protein-reactive ab T cells in murine yersiniosis. **Infect. Immun.** 1994, 62:2784–91.

O'Garra A and Robinson D. Development and function of T helper 1 cells. **Advances in Immunology** 2004a, 83, 133-162.

O'Garra A, Redford PS, McNab FW, Bloom CI, Wilkinson RJ, Berry MP. The immune response in tuberculosis. **Annu Rev Immunol** 2013b; 31:475-527

O'Leary S, O'Sullivan MP, Keane J. IL-10 blocks phagosome maturation in mycobacterium tuberculosis-infected human macrophages. **Am J Respir Cell Mol Biol** 2011; 45:172- 80.

Ohashi K, Burkart V, Flohé S, Kolb H. Cutting edge: heat shock protein 60 is a putative endogenous ligand of the toll-like receptor-4 complex. **J Immunol** 2000; 164: 558-61.

O'Kane CM, Boyle JJ, Horncastle DE, Elkington PT, Friedland JS. Monocyte-dependent fibroblast CXCL8 secretion occurs in tuberculosis and limits survival of mycobacteria within macrophages. **J Immunol**. 2007; 178(6):3767-76.

Osterloh A , Geisinger F , Pie´davent M , Fleischer B , Brattig N , Breloer M . Heat shock protein 60 (HSP60) stimulates neutrophil effector functions. **J Leukoc Biol** 2009a;89: 423–34.

Osterloh A and Breloer M. Heat shock proteins: linking danger and pathogen recognition. **Medical Microbiology and Immunology**, 2008b, 197(1), 1–8.

Osterloh A and Breloer M. Heat shock proteins: linking danger and pathogen recognition. **In Medical Microbiology and Immunology**. 2008; pp. 1–8.

Oura J , Tamura Y , Kamiguchi K , Kutomi G , Sahara H , Torigoe T , et al. Extracellular heat shock protein 90 plays a role in translocating chaperoned antigen from endosome to proteasome for generating antigenic peptide to be cross-presented by dendritic cells. **Int Immunol** 2011; 23:223-37.

Pai M, Flores LL, Hubbard A, Riley LW, Colford JM Jr. Nucleic acid amplification tests in the diagnosis of tuberculous pleuritis: A systematic review and meta-analysis. **BMC Infect Dis** 2004a;4:6.

Pai M, Flores LL, Pai N, Hubbard A, Riley LW, Colford JM Jr. Diagnostic accuracy of nucleic acid amplification tests for tuberculous meningitis: A systematic review and meta-analysis. **Lancet Infect Dis** 2003b; 3:633-43.

Panjwani N, Akbari O, Garcia S, Brazil M, Stockinger B. The HSC73 molecular chaperone: involvement in MHC class II antigen presentation. **J Immunol** 1999; 163:1936-42.

Parsell DA and Lindquist S. The function of heat-shock proteins in stress tolerance: degradation and reactivation of damaged proteins. **Annual Review of Genetics**, 1993, 27, 437– 96.

Parveen N, Varman R, Nair S, Das G, Ghosh S, Mukhopadhyay S. Endocytosis of Mycobacterium tuberculosis heat shock protein 60 is required to induce interleukin-10 production in macrophages. **J Biol Chem**. 2013 23; 288(34):24956-71.

Patel VB, Singh R, Connolly C, Kasprovicz V, Zumla A, Ndungu T, Dheda K. Comparison of a clinical prediction rule and a LAM antigen-detection assay for the rapid diagnosis of TBM in a high HIV prevalence setting. **PLoS One**. 2010 22;5(12):e15664.

Pearl LH, Prodromou C. Structure and mechanism of the Hsp90 molecular chaperone machinery. **Annu Rev Biochem**. 2006; 75:271-94.

Peetermans WE, D'Haens GR, Ceuppens JL, Rutgeerts P, Geboes K. Mucosal expression by B7-positive cells of the 60-kilodalton heat-shock protein in inflammatory bowel disease. **Gastroenterology** 1995, 108: 75–82.

Perkins MD, Cunningham J. Facing the crisis: improving the diagnosis of tuberculosis in the HIV era. **J. Infect. Dis**. 2007; 196(Suppl. 1): S15–27.

Phalane KG, Kriel M, Loxton AG, Menezes A, Stanley K, van der Spuy GD, Walzl G, Chegou NN Differential expression of host biomarkers in saliva and

serum samples from individuals with suspected pulmonary tuberculosis.

**Mediators Inflamm** 2013; 2013:981984.

Philips JA, Ernst JD, Tuberculosis pathogenesis and immunity. **Annu Rev Pathol** 2012, 7:353-84.

Pollock NR, Macovei L, Kanunfre K, Dhiman R, Restrepo BI, Zarate I, Pino PA, Mora-Guzman F, Fujiwara RT, Michel G, Kashino SS, Campos-Neto A. Validation of *Mycobacterium tuberculosis* Rv1681 protein as a diagnostic marker of active pulmonary tuberculosis. **J Clin Microbiol.** 2013; 51(5):1367-73.

Qi Z, Shen L, Zhou H, Jiang Y, Lan L, Luo L, Yin Z. Phosphorylation of heat shock protein 27 antagonizes TNF- $\alpha$  induced HeLa cell apoptosis via regulating TAK1 ubiquitination and activation of p38 and ERK signalling. **Cell Signal.** 2014; 26(7):1616-25.

Quesniaux VF, Jacobs M, Allie N, Grivennikov S, Nedospasov SA, Garcia, et al. TNF in host resistance to tuberculosis infection. **Curr Dir Autoimmun** 2010 11:157–79.

Quintana FJ, Cohen IR. Heat shock proteins as endogenous adjuvants in sterile and septic inflammation. **J Immunol** 2005,175: 2777–82.

Rajan AN, Kashyap RS, Kainthla PR, Taori GM, Dagainawala HF. Serodiagnosis of tuberculosis based on the analysis of 65kD heat shock protein of *Mycobacterium tuberculosis*. **Int J Tuberc Lung Dis** 2007; 11: 792-7.

Rajavelu P, Das SD. Th2-type immune response observed in healthy individuals to sonicate antigen prepared from the most prevalent *Mycobacterium tuberculosis* strain with single copy of IS6110. **FEMS Immunol Med Microbiol** 2005, 45: 95–102.

Raman S, Song T, Puyang X, Bardarov S, Jacobs WR Jr, Husson RN. The alternative sigma factor SigH regulates major components of oxidative and heat stress responses in *Mycobacterium tuberculosis*. **J Bacteriol.** 2001; 183(20):6119-25.

Raviglione M, Marais B, Floyd K, Loönnroth K, Getahun H, et al. Scaling up interventions to achieve global tuberculosis control: progress and new developments. **Lancet** 2012, 379: 1902–13.

Redford PS, Murray PJ, O'Garra A. The role of IL-10 in immune regulation during *M. tuberculosis* infection. **Mucosal Immunol** 2011; 4:261-70.

Rich AR, McCordock HA. The pathogenesis of tuberculous meningitis. **Bull. John Hopkins Hosp.** 1933,52, 2–37.

Riffo-Vasquez Y, Coates AR, Page CP, Spina D. 2012. *Mycobacterium tuberculosis* chaperonin 60.1 inhibits leukocyte diapedesis in a murine model of allergic lung inflammation. **Am. J. Respir. Cell Mol. Biol.** 47:245–52.

Ritossa F. A new puffing pattern induced by temperature shock and DNP in *drosophila*. **Experientia**,1962 18 (12), 571–3.

Rivero-Lezcano OM, González-Cortés C, Reyes-Ruvalcaba D, Díez-Tascón C. CCL20 is overexpressed in *Mycobacterium tuberculosis*-infected

monocytes and inhibits the production of reactive oxygen species (ROS). **Clin Exp Immunol.** 2010; 162(2):289-97.

Roca FJ, Ramakrishnan L. TNF dually mediates resistance and susceptibility to mycobacterial via mitochondrial reactive oxygen species. **Cell** 2013, 153:521–34.

Rock RB, Olin M, Baker CA, Molitor TW, Peterson PK: Central Nervous System Tuberculosis: Pathogenesis and Clinical Aspects. **Clin Microbiol Rev** 2008, 21:243–61.

Rook GA, Steele J, Ainsworth M, Champion BR. Activation of macrophages to inhibit proliferation of Mycobacterium tuberculosis: comparison of the effects of recombinant gamma-interferon on human monocytes and murine peritoneal macrophages. **Immunology.** 1986a; 59(3):333-8.

Rook GA, Steele J, Fraher L, Barker S, Karmali R, O'Riordan J, Stanford J. Vitamin D3, gamma interferon, and control of proliferation of Mycobacterium tuberculosis by human monocytes. **Immunology.** 1986b; 57(1):159-63.

Rook GA. Th2 cytokines in susceptibility to tuberculosis. **Curr Mol Med.** 2007c; 7(3):327-37. Review.

Rothstein, N. M., G. Higashi, J. Yates, and T. V. Rajan. Onchocerca volvulus heat shock protein 70 is a major immunogen in amicrofilaremic individuals from filariasis-endemic area. **Mol. Biochem. Parasitol.** 1989, 33:229– 236.

Rubens R Santos, Jr., Alexandrina Sartori, Deison S Lima, Patricia RM Souza, Arlete AM Coelho-Castelo, Vania LD Bonato, and Celio L Silva, DNA vaccine

containing the mycobacterial hsp 65 gene prevented insulinitis in MLD-STZ diabetes, **Journal of Immune Based Therapies and Vaccines**, 2009, 7:4.

Rucksaken R, Pairojkul C, Pinlaor P, Khuntikeo N, Roytrakul S, Selmi C, Pinlaor S. Plasma Autoantibodies against Heat Shock Protein 70, Enolase 1 and Ribonuclease/Angiogenin Inhibitor 1 as Potential Biomarkers for Cholangiocarcinoma. **PLoS One** 2014; 9(7):e103259.

Rutherford S, Hirate Y, Swalla BJ. The Hsp 90 capacitor, developmental remodelling and evolution: the robustness of gene networks and the curious evolvability of metamorphosis. **Crit rev Biochem mol Biol**. 2007.42:355-72.

Rutledge BJ, Rayburn H, Rosenberg R, North RJ, Gladue RP, et al. High level monocyte chemoattractant protein-1 expression in transgenic mice increases their susceptibility to intracellular pathogens. **J Immunol** 1995; 155:4838–43.

Ryabova NA, Marchenkov VV, Marchenkova SY, Kotova NV, Semisotnov GV. Molecular chaperone GroEL/ES: unfolding and refolding processes. **Biochemistry (Mosc)**. 2013; 78(13):1405-14.

Ryan MT, Herd SM, Sberna G, Samuel MM, Hoogenraad NJ, Hoj PB. The genes encoding mammalian chaperonin 60 and chaperonin 10 are linked head-to-head and share a bidirectional promoter. **Gene** 1997; 196:9–17.

Salari S, Seibert T, Chen YX, Hu T, Shi C, Zhao X, Cuerrier CM, Raizman JE, O'Brien ER. Extracellular HSP27 acts as a signaling molecule to activate NF- $\kappa$ B in macrophages. **Cell Stress Chaperones**. 2013; 18(1):53-63.

Salvette, M., Ristori, G., Buttinelli, C., Fiori, P., Falcone, M., Britton, W., Adams, E., Paone, G., Grasso, M.G., Pozzilli, C. (1996). The immune



response to mycobacterial 70 kDa heat shock proteins frequently involve autoreactive T cells and are quantitatively deregulated in multiple sclerosis. **J Neuroimmunol.**, 1996, 65,143-53.

Samali A, Orrenius S . Heat shock proteins: Regulators of stress response and apoptosis. **Cell Stress Chaperones** 1998, 3: 228-36.

Saunders BM, Frank AA, Orme IM, Cooper AM. Interleukin-6 induces early gamma interferon production in the infected lung but is not required for generation of specific immunity to *Mycobacterium tuberculosis* infection. **Infect Immun.** 2000; 68(6):3322-6.

Schlesinger L. Entry of *Mycobacterium tuberculosis* into mononuclear phagocytes. **Curr Top Microbiol Immunol** 1996; 215:71.

Seibert AF, Haynes J Jr, Middleton R, Bass JB Jr. Tuberculous pleural effusion: twenty-year experience. **Chest** 1991; 99:883-6.

Selkirk, M. E., D. A. Denham, F. Partono, and R. M. Maizels. Heat shock cognate 70 is a prominent immunogen in Brugian filariasis. **J. Immunol.**1989 143:299–308.

Serbina NV, Jia T, Hohl TM, Pamer EG. Monocyte-mediated defense against microbial pathogens. **Annu Rev Immunol.** 2008; 26:421-52.

Shaler CR, Horvath CN, Jeyanathan M, Xing Z. Within the Enemy's Camp: contribution of the granuloma to the dissemination, persistence and transmission of *Mycobacterium tuberculosis*. **Front Immunol** 2013a; 4:30.

Shaler CR, Kugathasan K, McCormick S, et al. Pulmonary mycobacterial granuloma increased IL-10 production contributes to establishing a symbiotic host-microbe microenvironment. **Am J Pathol** 2011b; 178:1622-34.

Shang Y, Xu X, Duan X, Guo J, Wang Y, Ren F, He D, Chang Z. Hsp70 and Hsp90 oppositely regulate TGF- $\beta$  signaling through CHIP/Stub1. **Biochem Biophys Res Commun**. 2014,28;446(1):387-92.

Shankar P, Manjunath N, Mohan KK, Prasad K, Behari M, Shriniwas, Ahuja GK. Rapid diagnosis of tuberculous meningitis by polymerase chain reaction. *Lancet*. 1991; 337(8732):5-7.

Shekhawat S, Kashyap RS, Wanjari SS, Nagdev KJ, Purohit HJ, Taori GM, Daginawala HF. Evaluation of Mycobacterium tuberculosis I6 and 71 Heat shock proteins in the cerebrospinal fluid of tuberculosis meningitis patients, **British Journal Of Medicine and medical Research**, 2012, 2(2),243-53.

Shekhawat SD, Jain RK, Gaherwar HM, Purohit HJ, Taori GM, Daginawala HF, et al. Heat shock proteins: possible biomarkers in pulmonary and extrapulmonary tuberculosis. **Hum Immunol** 2014; 75(2):151-8.

Shu CC, Wang JY, Hsu CL, Keng LT, Tsui K, Lin JF, Lai HC, Yu CJ, Lee LN, Luh KT. Diagnostic role of inflammatory and anti-inflammatory cytokines and effector molecules of cytotoxic T lymphocytes in tuberculous pleural effusion. **Respirology**. 2015; 20(1):147-54.

Sinan T, Sheikh M, Ramadan S, Sahwney S, Behbehani A. CT features in abdominal tuberculosis: 20 years experience. **BMC Med Imaging**. 2002,12;2(1):3.

Sköld M, Behar SM. Tuberculosis triggers a tissue-dependent program of differentiation and acquisition of effector functions by circulating monocytes. **J Immunol.** 2008; 181(9):6349-60.

Song F, Sun X, Wang X, Nai Y, Liu Z. Early diagnosis of tuberculous meningitis by an indirect ELISA protocol based on the detection of the antigen ESAT-6 in cerebrospinal fluid. **Ir J Med Sci.** 2014; 183(1):85-8.

Spratt JM, Britton WJ, Triccas JA. In vivo persistence and protective efficacy of the bacille Calmette Guerin vaccine overexpressing the HspX latency antigen. **Bioeng Bugs** 2010; 1: 61–5.

Srikanth P, Kamesh S, Daley P. Bleach optimization of sputum smear microscopy for pulmonary tuberculosis. **Indian J.Tuberc.** 2009; 56: 174–84.

Srivastava P. Interaction of heat shock proteins with peptides and antigen presenting cells: chaperoning of the innate and adaptive immune responses. **Annu Rev Immunol.** 2002a; 20:395-425.

Srivastava P. Roles of heat-shock proteins in innate and adaptive immunity. **Nat Rev Immunol.** 2002b; 2(3):185-94. Review.

Srivastava P.K., Menoret A., Basu S., Binder R.J., McQuade K.L. Heat shock proteins come of age: primitive functions acquire new roles in an adaptive world. **Immunity** 1998c, 8: 657–65.

Srivastava SK, Ruigrok VJ, Thompson NJ, Trilling AK, Heck AJ, van Rijn C, Beekwilder J, Jongsma MA. 16 kDa heat shock protein from heat-inactivated *Mycobacterium tuberculosis* is a homodimer - suitability for diagnostic

applications with specific llama VHH monoclonals. **PLoS One**. 2013; 8(5):e64040.

Stead WW, Eichenholz A, Stauss HK. Operative and pathologic findings in twenty-four patients with syndrome of idiopathic pleurisy with effusion, presumably tuberculous. **Am Rev Tuberc** 1955; 71:473-502.

Steingart KR, Henry M, Laal S, Hopewell PC, Ramsay A, Menzies D, Cunningham J, Weldingh K, Pai M. A systematic review of commercial serological antibody detection tests for the diagnosis of extrapulmonary tuberculosis. **Postgrad Med J**. 2007a; 83(985):705-12.

Stetler RA, Gan Y, Zhang W, Liou AK, Gao Y, Cao G, Chen J. Heat shock proteins: cellular and molecular mechanisms in the central nervous system. **Prog Neurobiol**. 2010; 92(2):184-211.

Stewart GR, Snewin VA, Walzl G, Hussell T, Tormay P, O'Gaora P, Goyal M, Betts J, Brown IN, Young DB. Overexpression of heat shock proteins reduces survival of *Mycobacterium tuberculosis* in the chronic phase of infection. **Nat Med** 2001: 732-7.

Stricher F, Macri C, Ruff M, Muller S. HSPA8/HSC70 chaperone protein: structure, function, and chemical targeting. **Autophagy**. 2013; 9(12):1937-54.

Sun Y, Zhou M, Fu D, Xu B, Fang T, Ma Y, Chen J, Zhang J. Ubiquitination of heat shock protein 27 is mediated by its interaction with Smad ubiquitination regulatory factor 2 in A549 cells. **Exp Lung Res**. 2011; 37(9):568-73.

Suri S, Gupta S, Suri R. Computed tomography in abdominal tuberculosis. **B J Radiol**.1999; 72:92–8.

Sutherland JS, Lalor MK, Black GF, Ambrose LR, et al. Biomarkers for TB consortium . Analysis of host responses to Mycobacterium tuberculosis antigens in a multi-site study of subjects with different TB and HIV infection states in sub-Saharan Africa. **PLoS One** 2013; 8(9):e74080.

Suzue K, Zhou X, Eisen HN, and Young RA. Heat shock fusion proteins as vehicles for antigen delivery into the major histocompatibility complex class I presentation pathway. **Proceedings of the National Academy of Sciences of the United States of America**, 1997, 94, pp.13146–51.

Szczepanski MJ, Czystowska M, Szajnik M, Harasymczuk M, Boyiadzis M, Kruk-Zagajewska A, et al. Triggering of toll-like receptor 4 expressed on human head and neck squamous cell carcinoma promotes tumor development and protects the tumor from immune attack. **Cancer Res** 2009; 69:3105-13.

Takeuchi O, Hoshino K, Kawai T, Sanjo H, Takada H, Ogawa T, Takeda K, Akira S. Differential roles of TLR2 and TLR4 in recognition of gram-negative and gram-positive bacterial cell wall components. **Immunity**. 1999; 11(4):443-51.

Tang D, Kang R, Cao L, Zhang G, Yu Y, Xiao W, et al. A pilot study to detect high mobility group box 1 and heat shock protein 72 in cerebrospinal fluid of pediatric patients with meningitis. **Crit Care Med**. 2008: 36:291-5.

Tang S, Cui H, Yao L, Hao X, Shen Y, Fan L, Sun H, Zhang Z, Huang JA. Increased cytokines response in patients with tuberculosis complicated with chronic obstructive pulmonary disease. **PLoS One**. 2013;8(4):e62385.

Tay TR and Tee A. Factors affecting pleural fluid adenosine deaminase level and the implication on the diagnosis of tuberculous pleural effusion: a retrospective cohort study. **BMC Infect Dis** 2013; 13: 546.

Taylor PR, Gordon S. Monocyte heterogeneity and innate immunity. **Immunity** 2003; 19:2–4.

TB India 2010, RNTCP status report.

Theriault, J.R., Lambert, H., Chavez-Zobel, A.T., Charest, G., Lavigne, P. and Landry, J. Essential role of the NH<sub>2</sub>-terminal WD/EPF motif in the phosphorylation-activated protective function of mammalian Hsp27. **J. Biol. Chem.** 2004, 279, 23463–71.

Thoma-Uszynski S, Stenger S, Takeuchi O, Ochoa MT, Engele M, et al. Induction of direct antimicrobial activity through mammalian Toll-like receptors. **Science** 2001; 291:1544–47.

Thuong NT, Hawn TR, Thwaites GE, Chau TT, Lan NT, Quy HT, Hieu NT, Aderem A, Hien TT, Farrar JJ, Dunstan SJ. A polymorphism in human TLR2 is associated with increased susceptibility to tuberculous meningitis. **Genes Immun.** 2007; 8(5):422-8.

Thwaites G, Chau TT, Mai NT, Drobniewski F, Mcadam K, Farrar J. Tuberculous meningitis. **J. Neurol. Neurosurg. Psych.** 2000a, 68(3), 289-99.

Thwaites GE, Caws M, Chau TT, Dung NT, Campbell JI, Phu NH, Hien TT, White NJ, Farrar JJ. Comparison of Conventional Bacteriology with Nucleic Acid Amplification (Amplified Mycobacterium Direct Test) for Diagnosis of

Tuberculous Meningitis before and after Inception of Antituberculosis Chemotherapy. **J Clin Microbiol** 2004b ; 42(3):996-1002.

Thwaites GE, Nguyen DB, Nguyen HD et al. Dexamethasone for the treatment of tuberculous meningitis in adolescents and adults. **N. Engl. J. Med.** 2004c, 351(17);1741–51.

Thwaites GE, Simmons CP, Than Ha Quyen N et al. Pathophysiology and prognosis in vietnamese adults with Tuberculous meningitis. **J. Infect. Dis.** 2003d, 188(8), 1105–15.

Thwaites GE, Tran TH. Tuberculous meningitis: many questions, too few answers. **Lancet Neurol.** 2005e, 4(3), 160-170.

Tian J, Guo X, Liu XM, Liu L, Weng QF, Dong SJ, Knowlton AA, Yuan WJ, Lin L. Extracellular HSP60 induces inflammation through activating and up-regulating TLRs in cardiomyocytes. **Cardiovasc Res.** 2013; 98(3):391-401.

Tissieres A, Mitchell HK, and Tracy UM. Protein synthesis in salivary glands of *Drosophila melanogaster*: relation to chromosome puffs. **Journal of Molecular Biology**, 1974, 84, (3), 389–98.

Tobian AAR, Canaday DH, Boom WH and Harding CV. Bacterial heat shock proteins promote CD91-dependent class I MHC cross-presentation of chaperoned peptide to CD8+ T cells by cytosolic mechanisms in dendritic cells versus vacuolar mechanisms in macrophages. **Journal of Immunology**, 2004, 172 (9), 5277–86.

Torrado E, Cooper AM, IL-17 and Th17 cells in tuberculosis. **Cytokine Growth Factor Rev** 2010; 21:455.

Torrelles JB, Schlesinger LS. Diversity in Mycobacterium tuberculosis mannosylated cell wall determinants impacts adaptation to the host.

**Tuberculosis (Edinb)** 2010; 90:84-93.

Tortoli E, Russo C, Piersimoni C, Mazzola E, Dal Monte P, Pascarella M, et al. Clinical validation of Xpert MTB/RIF for the diagnosis of extrapulmonary tuberculosis. **Eur Respir J** 2012; 40:442-7.

Trébucq A, Enarson DA, Chiang CY et al. Xpert MTB/RIF for national tuberculosis programmes in low-income countries: when, where and how? **International Journal of Tuberculosis and Lung Disease**, 2011, 15(12) 1567–72.

Truettner JS, Hu K, Liu CL, Dietrich WD, Hu B. Subcellular stress response and induction of molecular chaperones and folding proteins after transient global ischemia in rats. **Brain Res** 2009; 1249:9–18.

Tuberculosis Division International Union Against Tuberculosis and Lung Disease. Tuberculosis bacteriology--priorities and indications in high prevalence countries: position of the technical staff of the Tuberculosis Division of the International Union Against Tuberculosis and Lung Disease.

**Int J Tuberc Lung Dis**. 2005 Apr;9(4):355-61. Review.

Tuberculosis India 2013, Revised National Tuberculosis Control Programme, Annual status report).

Tuon FF, Higashino HR, Lopes MI, Litvoc MN, Atomiya AN, Antonangelo L, Leite OM. Adenosine deaminase and tuberculous meningitis— a systematic review with meta-analysis. **Scand. J. Infect. Dis** 2010; 42: 198–207.



Underhill DM, Ozinsky A, Smith KD, Aderem A. Toll-like receptor-2 mediates mycobacteria-induced proinflammatory signaling in macrophages. **Proc Natl Acad Sci U S A**. 1999; 96(25):14459-63.

Urdahl KB, Shafiani S, Ernst JD. Initiation and regulation of T-cell responses in tuberculosis. **Mucosal Immunol** 2011; 4:288-93.

Vabulas RM., Ahmad-Nejad P., Ghose S., Kirschning C.J., Issels R.D., Wagner H. HSP70 as endogenous stimulus of the Toll/interleukin-1 receptor signal pathway. **J Biol Chem** 2002a, 277: 15107–12.

Vabulas RM, Raychaudhuri S, Hayer-Hartl M, Hartl FU. Protein folding in the cytoplasm and the heat shock response. *Cold Spring Harb Perspect Biol*. 2010b; 2(12):a004390.

Valdes L, Alvarez D, San Jose E, Penela P, Valle JM, Garcia- Pazos JM, et al. Tuberculous pleurisy: a study of 254 patients. **Arch Intern Med** 1998; 158:2017-21.

Verbon, A., R. A. Hartskeerl, A. Schuitema, A. H. Kolk, D. B. Young, and R. Lathigra. The 14,000-molecular-weight antigen of *Mycobacterium tuberculosis* is related to the alpha crystallin family of low-molecular-weight heat shock proteins. **J. Bacteriol**. 1992; 174:1352–9.

Voskuil MI, Visconti KC, Schoolnik GK. *Mycobacterium tuberculosis* gene expression during adaptation to stationary phase and low-oxygen dormancy. **Tuberculosis(Edinb)** 2004;84:218-27.

Wang Y., Kelly C.G., Karttunen J.T., Whittall T., Lehner P.J., Duncan L., Macary P., Younson J.S., Singh M., Oehlmann W., Cheng G., Bergmeier L.,

Lehner T. CD40 is a cellular receptor mediating mycobacterial heat shock protein 70 stimulation of CC-chemokines. **Immunity** 2001b;15: 971–83.

Who. Global tuberculosis report 2012. Geneva, Switzerland: WHO; 2012.

Wilhelmus MM, Boelens WC, Otte-Holler I, Kamps B, de Waal RM, Verbeek MM. Small heat shock proteins inhibit amyloid-beta protein aggregation and cerebrovascular amyloid-beta protein toxicity. **Brain Res** 2006a; 1089:67–78.

Wilhelmus MM, Otte-Holler I, Wesseling P, de Waal RM, Boelens WC, Verbeek MM. Specific association of small heat shock proteins with the pathological hallmarks of Alzheimer's disease brains. **Neuropathol Appl Neurobiol** 2006b; 32:119–130.

Wolf AJ, Linas B, Trevejo-Nu- ez GJ, et al. Mycobacterium tuberculosis Infects Dendritic Cells with High Frequency and Impairs Their Function In Vivo. **The Journal of Immunology** 2007; 179:2509-19.

World Health Organization: Global Tuberculosis Report 2013. World Health Organization, Geneva, 2013.

Wrighton KH, Lin X, Feng XH. Critical regulation of TGFbeta signaling by Hsp90. **Proc Natl Acad Sci U S A**. 2008; 105(27):9244-9.

Wu L, Hu Y, Li D, Jiang W, Xu B. Screening toll-like receptor markers to predict latent tuberculosis infection and subsequent tuberculosis disease in a Chinese population. **BMC Med Genet**. 2015; 16:19.

Wu QL, Kong D, Lam K, Husson RN. A mycobacterial extracytoplasmic function sigma factor involved in survival following stress. **J Bacteriol.** 1997; 179(9):2922-9.

Xanthoudakis S, Nicholson DW. Heat shock proteins as death determinants. **Nat Cell Biol** 2000; 2: 163-5.

Xu JN, Chen JP, Chen DL. Serodiagnosis efficacy and immunogenicity of the fusion protein of Mycobacterium tuberculosis composed of the 10-kilodalton culture filtrate protein, ESAT-6, and the extracellular domain fragment of PPE68. **Clin. Vaccine Immunol.** 2012; 19: 536–44.

Yang H, Qin L, Wang Y, Zhang B, Liu Z, Ma H, Lu J, Huang X, Shi D, Hu Z. Detection of Mycobacterium tuberculosis based on H37Rv binding peptides using surface functionalized magnetic microspheres coupled with quantum dots - a nano detection method for Mycobacterium tuberculosis. **Int J Nanomedicine.** 2014 10:77-88.

Yang Y, Takeda A, Yoshimura T, Oshima Y, Sonoda KH, Ishibashi T. IL-10 is significantly involved in HSP70-regulation of experimental subretinal fibrosis. **PLoS One.** 2013;8(12):e80288.

Yanmin Hu, Anthony R. M. Coates. Transcription of the Stationary-Phase-Associated hspX Gene of Mycobacterium tuberculosis Is Inversely Related to Synthesis of the 16-Kilodalton Protein. **J Bacteriol.** 1999; 181(5): 1380–7.

Yano M, Naito Z, Yokoyama M, Shiraki Y, Ishiwata T, Inokuchi M, et al. Expression of Hsp90 and cyclin D1 in human breast cancer. **Cancer Lett** 1999; 137:45-51.

Yokota S, Fujii N. Immunomodulatory activity of extracellular heat shock proteins and their autoantibodies. **Microbiol Immunol.** 2010; 54(5):299-307.

Young JC, Agashe VR, Siegers K and Hartl FU. Pathways of chaperone-mediated protein folding in the cytosol. **Nature Reviews Molecular Cell Biology**, 2004, 5(10), 781–91.

Young, DB., Lathringa RB, Hendrix RW, Sweetser D, and Young RA. 1988. Stress proteins are immune targets in leprosy and tuberculosis. **Proc. Natl. Acad. Sci. USA** 1988a; 85:4267–70.

Young DB, Garbe TR. Heat shock proteins and antigens in Mycobacterium tuberculosis. **Infect Immun.** 1991b; 59: 3086-93.

Yuan Y, Crane DD, Barry III CE. Stationary-phase-associated protein expression in Mycobacterium tuberculosis: function of the mycobacterial alpha-crystallin homolog. **J. Bacteriol** 1996; 178:4484–92.

Zeev Theodor Handzel (2013). The Immune Response to Mycobacterium tuberculosis Infection in Humans, Tuberculosis - Current Issues in Diagnosis and Management, Dr. Bassam Mahboub (Ed.), ISBN: 978-953-51-1049-1, InTech, DOI: 10.5772/54986.

Zganiacz A, Santosuosso M, Wang J, Yang T, Chen L, Anzulovic M, Alexander S, Gicquel B, Wan Y, Bramson J, Inman M, Xing Z. TNF-alpha is a critical negative regulator of type 1 immune activation during intracellular bacterial infection. **J Clin Invest.** 2004; 113(3):401-13.

Zhang SL, Zhao JW, Sun ZQ et al. Development and evaluation of a novel multiple-antigen ELISA for serodiagnosis of tuberculosis. **Tuberculosis (Edinb)** 2009; 89: 278–84.

Zhang X, Guo J, Fan S, Li Y, et al. Screening and identification of six serum microRNAs as novel potential combination biomarkers for pulmonary tuberculosis diagnosis. **PLoS One** 2013; 8(12):e81076.

Zhuang YH, Li GL, Zhang XG. [Evaluation of detection of M. tuberculosis in clinical specimens of tuberculosis by DNA amplification]. *Zhonghua Jie He He Hu Xi Za Zhi*. 1993;16(1):26-9, 63.

Zhu C, Liu J, Ling Y, Yang H, Liu Z, Zheng R, Qin L, Hu Z. Evaluation of the clinical value of ELISA based on MPT64 antibody aptamer for serological diagnosis of pulmonary tuberculosis. **BMC Infect Dis**. 2012; 12:96.

Zhu ZY, Zhang D, Wang HB, Xiao JZ, Qiu YF, Yan L, Chen D, Liu AG, Yang X. Expression and serological diagnosis of Mycobacterium tuberculosis CFP-10 and Rv2626c proteins. **Genet Mol Res**. 2014; 13(3):7398-406.

Zimmermann M, Mueller T, Dieplinger B, Bekos C, Beer L, Hofbauer H, Dome B, Ankersmit HJ . Circulating heat shock protein 27 as a biomarker for the differentiation of patients with lung cancer and healthy controls--a clinical comparison of different enzyme linked immunosorbent assays. **Clin Lab** 2014; 60(6):999-1006.

Zugel U, Kaufmann SHE. Role of heat shock proteins in protection from and pathogenesis of infectious diseases. **Clin Microbiol Rev** 1999; 12: 19-39.