

REFERENCES

- Abel S, Oeller PW, Theologis A (1994): Early auxin-induced genes encode short-lived nuclear proteins. *Proc. Natl. Acad. Sci. USA* **91**, 326-330.
- Abo KA, Adeyemi AA, Jegede IA (2000): Spectrophotometric estimation of anthraquinone content and antimicrobial potential of extracts of some *cassia* species used in herbal medicine in Ibadan, Niger. *Sci. Forum* **3(2)**, 57-63.
- Adamu SU, Kela SL, Suleiman MM (2006): Antischistosomal properties of extracts of *Jatropha curcas* (L) on *Schistosoma mansoni* infection in mice. *Afr. J. Trad. Comp. Altern. Med.* **3**, 37-41.
- Adebayo OL, Alphonse, Kofi P (2011): Comparison of antibacterial properties of solvent extracts of different parts of *Jatropha curcas* (Linn). *Int. J. Pharm. Phytopharmacol. Res.* **1(3)**, 117-123.
- Adebowale KO, Adedire CO (2006): Chemical composition and insecticidal properties of underutilized *Jatropha curcas* seed oil. *Afr. J. Biotech.* **5**, 901-906.
- Aderibigbe AO, Johnson C, Makkar HPS, Becker K, Foidl N (1997): Chemical composition and effect of heat on organic matter and nitrogen degradability and some antinutritional components of *Jatropha* meal. *Anim. Feed Sci. Technol.* **67**, 223-243.
- Adjaye JD, Katikaneni SPR, Bakshi NN (1995): Catalytic conversion of canola oil to fuels and chemicals over various cracking catalysts. *Can. J. Chem. Eng.* **73**, 484-497
- Ahirrao RA, Pawar SP, Borse LB, Borse SL, Desai SG, Muthu AK (2009): Anthelmintic activity of leaves of *Jatropha curcas* Linn. and *Vitex negundo* Linn. *Pharmacol. online* **1**, 276-279.

- Ahmad I, Anis I, Malik A, Nawaz SA, Choudhary MI (2003): Cholinesterase Inhibitory Constituents from *Onosma hispida*. Chem. Pharm. Bull. **51(4)**, 412-414.
- Aina R, Sgorbati S, Santagostino A, Labra M, Ghiani A, Citterio S (2004): Specific hypomethylation of DNA is induced by heavy metals in white clover and industrial hemp. Physiol. Plant **121(3)**, 472-480.
- Ainsley PJ, Collins GG, Sedgley M (2001): *In vitro* rooting of almond (*Prunus dulcis* mill.). *In Vitro Cell. Dev. Biol. Plant* **37**, 778-785.
- Ainsley PJ, Lee TC (2010): A method to induce adventitious rooting in microshoot cultures of *Thryptomene ericaea* (Myrtaceae). J. Adelaide Bot. Gard. **24**, 7-9.
- Aiyegoro OA, Akinpelu DA, Afolayan AJ, Okoh AI (2008): Antibacterial activities of crude stem bark extracts of *Distemonanthus benthamianus* Baill. J. Biol. Sci. **8(2)**, 356-361.
- Aiyelaagbe OO, Adesogan K, Ekundayo O, Gloer JB (2007): Antibacterial diterpenoids from *Jatropha podagrica* Hook. Phytochemistry **68**, 2420-2425.
- Ajibade SR, Weeden NF, Chite SM (2000): Inter simple sequence repeat analysis of genetic relationships in the genus *Vigna*. Euphytica **111**, 47-55.
- Aker CL (1997): Growth and reproduction of *Jatropha curcas*. Biofuels and Industrial Products from *Jatropha curcas*. In: Gubitz GM, Mittelbach M, Trabi M (Eds). Proceedings of 'Jatropha 97'. DbvVerlag für die Technische Universität Graz, pp. 2-18.
- Aliero AA, Grierson DS, Afolayan AJ (2006): Antifungal activity of *Solanum pseudocapsicum*. Res. J. Bot. **1**, 129-133.

References

- Alkhimova OG, Kyrylenko TK, Vagyn YV, Heslop-Harrison JS (2001): Alkaloid biosynthesis in *Papaver* sp. cells in culture and during organogenesis. Ukrainian. Biochem. J. **73**, 141-146.
- Altei WF, Cilli EM, Verli H, Giesel G, De Silva VB (2008): Structural Determination of a new cyclic peptide from *Jatropha curcas* L. Activity reports, pp.1-2.
- Ambrosi D.G, Purelli M, Galla G, Fabbri A, Barcaccia G (2009): Genetic diversity and reproductive biology of *Jatropha curcas* L., Proceedings of the 53rd Italian Society of Agricultural Genetics Annual Congress, 7 pp.59.
- Ammirato PV (2004): Yams In: Ammirato PV, Evans DA, Sharp WR, Yamada Y (Eds) Handbook of plant cell culture. Vol.3, Macmillan NY, pp. 329-354.
- Anderson BE, Dawson JE, Jones DC, Wilson KH (1991): *Ehrlichia chaffeensis*, a new species associated with human ehrlichiosis. J. Clin. Microbiol. **29**, 2838–2842.
- Anu A, Babu KN, Peter KV (2004): Variations among somaclones and its seedling progeny in *Capsicum annuum*. Plant Cell Tiss. Org. Cult. **76(3)**, 261-267.
- Apte SS, Kokate CK, Rambhu D (1987): Relation between electrokinetic potentials and growth in callus cultures of *Trigonella foenum-graecum*. J. Biosci. **12(4)**, pp. 393–397.
- Arekemase MO, Kayode RMO, Ajiboye AE (2011): Antimicrobial Activity and Phytochemical Analysis of *Jatropha curcas* plant against Some Selected Microorganisms. Int. J. Biol. **3**, 52-59.

- Argal A, Pathak AK (2006): CNS activity of *Calotropis gigantean* roots. J. Ethnopharmacol. **106(1)**, 142–145.
- Asghari, Farhad H, Bahman H, Abbas S, Habib (2012): Effect of explants source and different hormonal combinations on direct regeneration of basil plants (*Ocimum basilicum* L.). Aust. J. Agric. Eng. **3(1)**, 12-17.
- Ashafa AOT, Grierson DS, Afolayan AJ (2008): Antimicrobial activity of extract from *Felicia muricata* Thunb. J. Biol. Sci. **8(6)**, 1062-1066.
- Auvin C, Baraguey C, Blond A, Lezenven F, Pousset JL, Bodo B (1997): Curcacycline B, a cyclic nonapeptide from *Jatropha curcas* enhancing rotamase activity of cyclophilin. Tet. Lett. **38**, 2845–2848.
- Auvin C, Baraguey C, Blond A, Xavier HS, Pousset JL, Bodo B (1999): Pohfianins A, B and C, Cycfic Peptides from the Latex of *Jatropha pohliana* spp. Molissima. Tet. Lett. **55**, 11495–11510.
- Ayse G, Mehmet K, Naci OA (2009): Development and utilization of diagnostic DAMD- PCR markers for Capsicum accessions. Genet. Resour. Crop Evol. **56(2)**, 211-221.
- Azam MM, Waris A, Nahar NM (2005): Prospects and potential of fatty acid methyl esters of some non-traditional seed oils for use as biodiesel in India. Biomass Bioenerg. **29**, 293–302.
- Bairu MW, Amoo SO, Staden VJ (2011): Comparative phytochemical analysis of wild and in vitro-derived greenhouse-growntubers, *in vitro* shoots and callus-like basal tissues of *Harpagophytum procumbens*. S. Afr. J. Bot. **77(2)**, 479-484.

- Bairu MW, Fennell CW, Staden VJ (2006): The effect of plant growth regulators on somaclonal variation in *Cavendish banana* (Musa AAA cv. 'Zelig'). *Sci. Hortic. (Amsterdam)* **108**, 347–351.
- Bajaj YPS, Gill MS, Mohapatra D (1986): Somaclonal and gametoclonal variation in wheat, cotton and brassica. In *Somaclonal variations and crop improvement*. Semal J, Nijhoff (Eds), Dordrecht, pp. 160-169.
- Baker CM, Munoz NF, Carter CD (1999): Improved shoot development and rooting from mature cotyledons of sunflower. *Plant Cell Tiss. Org. Cult.* **58**, 39-49.
- Balch JF, Balch PA (2000): *Prescription for Nutritional Healing*. Avery, Penguin Putnam Inc. New York, pp. 267-270.
- Banapurmath NR, Tewari PG, Hosmath RS (2008): "Performance and Emission Characteristics of a Di Compression Ignition Engine Operated on Honge, *Jatropha* and Sesame Oil Methyl Esters". *Renewable En.* **33**, 1982–1988.
- Banerjee A, Bandyopadhyay S, Raychaudhary SS (2012): *In vitro* regeneration of *Hypericum perforatum* L. using thidiazuron and analysis of genetic stability of regenerants. *Ind. J. Biotech.* **11**, 92-98.
- Bantawa P, Ghosh SK, Moitra S, Ghosh PD, Mondal TK (2009): Studies on dwindling population of *Picrorhiza scrophulariiflora* Pennell. (Scrophulariaceae): its status and conservation threats in Sikkim Himalayas, India. *Biorem. Biodiv. Bioavail.* **3(1)**, 15-22.
- Barret P, Brinkman M, Beckert M (2006): A sequence related to rice Pong transposable element displays transcriptional activation by *in vitro* culture and reveals somaclonal variations in maize. *Genome* **49**, 1399-1407.

- Baulcombe D, Giorgini J, Key JL (1980): The effect of auxin on the polyadenylated RNA of soybean hypocotyls. In CJ Leaver, Genome Organization and Expression in Plants. Plenum Press, New York, pp. 175-186.
- Bayliss MW (1980): Chromosomal variation in plant tissues in culture. Int. Rev. Cytol. Suppl. **11A**, 113–144.
- Bebeli PJ, Zhou Z, Somers DJ, Gustafson JP (1997): PCR primed with minisatellite core sequences yields DNA fingerprinting probes in wheat. Theor. Appl. Genet. **95**, 276–283.
- Bednarek PT, Oriowska R, Koebner RMD, Zimny J (2007): Quantification of the tissue-culture induced variation in barley (*Hordeum vulgare* L.). BMC Plant Biol. **7**, 10.
- Beet T, Grant T, David W, Harry W (2002): Fuel cycle green house emissions from alternative fuels in Australian heavy vehicles. Atmos. Environ. **36**, 753–763.
- Belaj A, Trujilo I, Rosa R, Rallo L, Gimenez MJ (2001): Polymorphism and discrimination capacity of randomly amplified polymorphic markers in an olive germplasm bank. J. Am. Soc. Hort. Sci. **126**, 64-71.
- Belokurova VB, Glovach IS, Shcherbak NL, Kuchuk NV (2004): *In vitro* regeneration of *Nicotiana africana* plants from explants of different type and mesophyll protoplasts. Tsitol Genet. **38(3)**, 9-15.
- Benkeblia N (2004): Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*). Lebensm.-Wiss. u. Technol. **37**, 263-268.

- Berg VDAJ, Horsten SF, Bosch KVDJJ, Kroes BH, Beukelman CJ, Loefflang BR, Labadie RP (1995): Curcacycline A: A novel cyclic octapeptide isolated from the latex of *Jatropha curcas* Linn. FEBS Lett. **358**, 215–218.
- Bhatia P, Bhatia NP, Ashwath N (2002): *In vitro* propagation of *Stackhousia tryonii* Bailey (Stackhousiaceae): a rare and serpentine-endemic species of central Queensland, Australia. Biodiv. Conser. **11**, 1469–1477.
- Bimakr M, Rahman RA, Taip FS, Ganiloo A, Salleh LM, Selamat J, Hamid A, Zaidul ISM (2011): Comparison of different extraction methods for the extraction of major bioactive flavonoid compounds from spearmint (*Mentha spicata* L.) leaves. Food Bioprod. Process **89**, 1-6.
- Biondi S, Thorpe TA (1982): Growth regulator effects, metabolite changes and respiration during shoot initiation in cultured cotyledon explants of *Pinus rudiata*. Bot. Gaz. **143**, 20-25.
- Biradar S, Waghmare V, Pandhure N (2012): *In Vitro* Callus And Shoot Induction In *Jatropha Curcas* (Linn.). Trends life sci. **1(1)**, 2319 - 2331.
- Bisignino G, Germanó MP, Nostro A, Sanogo R (1996): Drugs used in Africa as dyes: antimicrobial activities. Phytother. Res. **9**, 346-350.
- Bogani P, Simoni LP (2001): Molecular variation in plant cell populations evolving in different physiological contexts. Genome **44**, 549-558.
- Bouaid A, Bajo L, Martinez M, Aracil J (2007): Optimization of biodiesel production from Jojoba oil. Transactions Institution Chemical Engineers part B **85**, 378-382.

- Braun AC (1959): A demonstration of the recovery of the crown-gall tumor cell with the use of complex tumors of single-cell origin. *Proceedings of the National Academy of Sciences of the United States of America* **45**, 932–938.
- Breiman A, Falsenberg T, Galun E (1987): *Nor* loci analysis in progenies of plants regenerated from the scutellar callus of breadwheat: a molecular approach to evaluate somaclonal variation. *Theor. Appl. Genet.* **73**, 827-831.
- Brettell RIS, Dennis ES (1991): Reactivation of a silent *Ac* following tissue culture is associated with heritable alterations in its methylation pattern. *Mol. Gen. Genet.* **229**, 365–372.
- Brettell RIS, Dennis ES, Scowcroft WR, Peacock WJ (1986): Molecular analysis of a somaclonal variant of alcohol dehydrogenase. *Mol. Gen. Genet.* **202**, 335–344.
- Brown PTH, Lange FD, Kranz E, Ldrz H (1993): Analysis of single protoplasts and regenerated plants by PCR and RAPD technology. *Mol. Gen. Genet.* **237**, 311- 317.
- Caboni E, Lauri P, Damiano C, D'Angeli S (2000): Somaclonal variation induced by adventitious shoot regeneration in pear and apple. *Acta Hortic.* **530**, 195-202.
- Campanoni P, Nick P (2005): Auxin-dependent cell division and cell elongation. 1-Naphthaleneacetic acid and 2, 4-dichlorophenoxyacetic acid activate different pathways. *Plant Physiol.* **137(3)**, 939-48.
- Canlih FA, Kazaz S (2009): *Biotechnology of roses: Progress and future prospects*, Department of horticulture, Faculty of agriculture, pp. 170.

- Canoira L, Alcantara R, Martinez GMJ, Carrasco J (2006): Bio diesel from Jojoba oil-wax: Transesterification with methanol and properties as a fuel. *Biomass Bioenerg.* **30**,76–81.
- Capelle SC, Mok DWS, Kirchner SC, Mok MC (1983): Effects of thidiazuron on cytokinin autonomy and the metabolism of N6-(Y2-isopentyl) [8-14c] adenosine in callus tissues of *Phaseolu lunatus* L. *Plant Physiol.* **73**, 796-802.
- Carini F, De Pasquale F (2003): Micropropagation of Citrus. In *Micropropagation of Wood Tree and Fruits*. Mohan, Ishii K (Eds). London : Kluwer Academic Publishers, 75, pp. 589-619.
- Cassells AC, Roche T (1994): The influence of the gas permeability of the vessel lid and growth room light intensity on the characteristics of *Dianthus* micro plants *in vitro* and *ex vitrum*, pp. 204–214.
- Cassells AC, Walsh C (1994): The influence of gas permeability of the culture lid on calcium uptake and stomatal function in *Dianthus* micro plants. *Plant Cell Tiss. Org. Cult.* **37**, 171–178.
- Castello MC, Phatak A, Chandra N, Sharon M (2002): Antimicrobial activity of crude extracts from plant parts and corresponding calli of *Bixa orellana* L. *Ind. J. Exp. Biol.* **40**, 1378-1381.
- Cevallos AM (2000): Establecimiento de una metodología eficiente en el proceso de embriogénesis somática del café (Coffea spp.), mediante el uso de marcadores morfohistológicos y moleculares [Tesis de Doctorado], La Habana. INCA, pp.121.
- Chamberlain JR, Huges CE, Galwey NW (1996): Patterns of isozyme variation in the *Leucaena shannonii alliane*. *Silvae Genetica* **45(1)**, 1-7.

- Cheetham PSJ (1995): Biotransformations: new routes to food ingredients. *Chem Ind.* **7**, 265-268.
- Cho M, Lee OR, Ganguly A, Cho HT (2007): Auxin-signaling: short and long. *J. Plant Biol.* **50**, 79-89.
- Christoffersenr E, Laties G (1982): Ethylene regulation of gene expression in carrots. *Proc. Natl. Acad. Sci. USA* **79**, 4060-4063.
- Chuang SJ, Chen CL, Chen JJ, Chou WY, Sung JM (2009): Detection of somaclonal variation in micro-propagated *Echinacea purpurea* using AFLP marker. *Sci. Hort.* **120**, 121-126.
- Close KR, Ludeman GLA (1989): Structure-activity relationships of auxin-like plant growth regulators and genetic influences on the culture induction responses in maize (*Zea mays* L). *Plant Sci.* **61**, 245-252.
- Coenen C, Lomax LT (1997): Auxin-cytokinin interactions in higher plants: old problems and new tools. *Trends Plant Sci.* **2(9)**, 351-356.
- Croteau R, Kutchan, Lewis NG (2000): Natural products (secondary metabolites), biochemistry and molecular biology of plants, Buchanan BB, Grisse W, Jones RL (Eds). *American Society of Plant Physiologist*. pp. 1251-1319.
- Cubas P, Vincent C, Coen E (1999): An epigenetic mutation responsible for natural variation in floral symmetry. *Nature* **401**, 157-161.
- Cusido RM, Palazon J, Osorio AN, Mallol A, Bonfill M, Morales C, Pinol MT (1999): Production of taxol and baccatin III by a selected *Taxus baccata* callus line and its derived cell suspension culture. *Plant Sci.* **146**, 101-107.

References

- D'Amato F (1975): The problem of genetic stability in plant tissue and cell cultures. In: Frankel OH, Hawkes JG (Eds) *Crop Genetic Resources for Today and Tomorrow*. Cambridge University Press, Cambridge, pp. 333.
- D'Agostino IB, Kieber JJ (1999): Molecular mechanisms of cytokinin action. *Curr. Opinions Plant Biol.* **2**, 359-364.
- Dale PJ, Deambrogio E (1979): A Comparison of Callus Induction and Plant Regeneration from Different Explants of *Hordeum vulgare*. *Zeitschrift für Pflanzenphysiol.* **94(1)**, 65–77.
- Dan Y, Baxter A, Zhang S, Pantazis C J, Veilleux RE (2010): Development of Efficient Plant Regeneration and Transformation System for *Impatiens* Using *Agrobacterium tumefaciens* and Multiple Bud Cultures as Explants. *BMC Plant Biol.* **10**, 165.
- Datta GS, Conger BV (1999): Somatic embryogenesis and plant regeneration from suspension cultures of Switchgrass. *Crop Sci.* **39**, 243-247.
- Datta MM, Mukherjee P, Ghosh B, Jha TB (2007): *In vitro* clonal propagation of biodiesel plant (*Jatropha curcas* L.). *Curr. Sci.* **93**, 1438-1442.
- Davies PJ (1996): *Plant hormones and their role in plant growth and development*. Kluwer Academic Publishers. Dordrecht, Netherlands, pp. 240–256.
- De KGJ (2002): Rooting of microcuttings: Theory and practice. *In vitro Cell. Dev. Biol. Plant* **38**, 415-422.
- De KK (1992): *Callus culture Plant tissue culture*. New Central Book Agency Calcutta 3, pp. 39.

- Deambrogio E, Dale PJ (1980): Effect of 2, 4-D on the frequency of regenerated plants in barley and on genetic variability between them, *Cereal. Res. Comm.* **8**, 417-423.
- Dehgan B, Webster GL (1979): Morphology and intrageneric relationships of the genus *Jatropha* (Euphorbiaceae). *U California Publications Bot.* **74**, pp. 1-73.
- Demoise CF, Partanen CR (1969): Effects of subculture and physical condition of medium on the nuclear behavior of a plant tissue culture. *Amer. J. Bot.* **56**, 147- 152.
- Dennis ES, Brettell RIS, Peacock WJ (1987): A tissue culture induced Adh1 null mutant of maize results from a single base change. *Mol. Gen. Genet.* **210**, 181–183.
- Denwick PM (2002): *Natural Products: A Biosynthetic Approach*. 2nd Edn., England. John Wiley and Sons Ltd, pp. 241-243.
- Deore AC, Johnson TS (2008): High-frequency plant regeneration from leaf-disc cultures of *Jatropha curcas* L.: an important biodiesel plant. *Plant Biotech. Rep.* **2**, 7-11.
- Deshwall RPS, Singh R, Malik K, Randhawa GJ (2005): Assessment of genetic diversity and genetic relationships among 29 populations of *Azadirachta indica* using RAPD markers. *Genet. Resour. Crop Evol.* **52**, 285-292.
- Devappa RH, Makkar, Becker K (2011): *Jatropha* Diterpenes: a Review. *J. Am. Oil Chem.' Soc.* **88(3)**, 301-322.
- Dhar U, Joshi M (2005): Efficient plant regeneration protocol through callus for *Saussurea obvallata* (DC) Edgew. (Asteraceae): effect of

explant type, age and plant growth regulators. *Plant Cell Rep.* **24**, 195-200.

Dharmananda S (2003): Gallnuts and the uses of tannins in chinese medicine. In: proceedings of institute for traditional medicine, Portland.pp. 112-121.

Dhital SP, Lim HT, Manandhar HK (2010): Direct and Efficient Plant Regeneration from Different Explants Sources of Potato Cultivars as Influenced by Plant Growth Regulators. *Nepal J. Sci. Technol.* **12**, 1-6.

Dicosmo F, Misawa M (1995): Plant cell and tissue culture: Alternatives for metabolite production. *Biotechnol. Adv.* **13(3)**, 425-453.

Domenyuk VP, Verbitskaya TG, Belousov AA, Sivolap YM (2002): Marker analysis of quantitative traits in maize by ISSR-PCR. *Russ J. Genet.* **38(10)**, 1161-8.

Doyle JJ, Doyle JL (1987): A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochem Bull.* **19**, 11-15.

Eastman PAK, Webster FB, Pitel JA, Roberts DR (1991): Evaluation of somaclonal variation during somatic embryogenesis of interior spruce (*Picea engelmannii* complex) using culture orphology and isozyme analysis. *Plant Cell Rep.* **10**, 425-430.

Ehsanpour AA, Madani S, Hoseini M (2007): Detection of somaclonal variation in Potato callus induced by UV-C radiation using RAPD, *Plant Physiol.* **33(1-2)**, 3-11.

Ekam V, Ebong P (2007): Serum Protein and Enzyme Levels in Rats Following Administration of Antioxidant Vitamins During Caffeinated and

Non-Caffeinated Paracetamol Induced Hepatotoxicity. Nig. J. Physiol. Sci. **22(1-2)**, 65-68.

Ekundayo FO, Adeboye CA and Ekundayo EA (2011): Antimicrobial activities and phytochemical screening of pignut (*Jatropha curcas* Linn.) on some pathogenic bacteria. J. Med. Plants Res. **5(7)**, 1261-1264.

Eloff JN (1998): Which extractant should be used for the screening and isolation of antimicrobial components from plants. J. Ethnopharmacol. **60**, 1-8.

Eman, Alam A (2010): Cytological And Ultrastructural Studies On Callus Of *Fagonia Arabica*. NY Sci. J. **3(12)**, 154-157.

Fagberno-Beyioku AF, Oyibo WA, Anuforom BC (1998): Disinfectant/antiparasitic activities of *Jatropha curcas*. East Afr. Med. J. **75**, 508-511.

Faure O, Nougarede A (1993): Nuclear DNA content of somatic and zygotic embryos of *Vitis vinifera* cv. Grenache Noir at the torpedo stage- flow cytometry and in situ DNA microspectrophotometry. Protoplasma. **176**, 145-150.

Fayyaz MC, Muhammed KQ, Chaudhary AH (1994): Tissue culture studies in *Jatropha curcas*. Pak. J. Agric. Res. **15(1)**, 19-25.

Feher A, Pasternak T, Dudits D (2003): Transition of somatic plant cells to an embryogenic state. Plant Cell Tiss. Org. Cult. **74**, 201-228.

Fojas FR, Garia LL, Venzon EL, Sison FM, Villamiera BA, Jojas AJ, Liava I (1986): Pharmaceutical studies of *Jatropha curcas* as a possible source of anti-arrhythmic (beta blocker) agent. Phillip. J. Sci. **115**, 317-328.

- Forsyth C, Staden VJ (1986): The metabolism and cell division activity of adenine derivatives in soybean callus. UN/CSIR Res. Plant Growth Dev. **8**, 275–287.
- Fowke LC, Attree SM, Pomeroy MK (1994): Production of vigorous desiccation-tolerant white spruce [*Picea glauca* (Moench) Voss.] synthetic seeds in a bioreactor. Plant Cell Rep. **13**, 601-606.
- Fukui K (1983): Sequential occurrence of mutations in a growing rice callus. Theor. Appl. Genet. **65**, 225–230.
- Gadekar KP (2006): Vegetative propagation of *Jatropha curcas*, Karanji and Mahua by stem cuttings, Grafting, Budding and Air-layering, M.sc. Forestry Thesis, Department of Forestry, Indra Gandhi Agricultural University, Raipur.
- Gaillard Y, Krishnamoorthy A, Bevalot F (2004): *Cerbera odollam*: A 'suicidetree' and cause of death in the state of Kerala, India. J. Ethnopharmacol. **95**, 123–126.
- Gaj MD, Maluszynski M (1987): Genetic variation in callus culture of *Arabidopsis thaliana* (L.). Iaea Proc. Series. **698**, 147-153.
- Gantet P, Memelink J (2002): Transcription factors: tools to engineer the production of pharmacologically active plant metabolites. Trends Pharmacol. Sci. **23**, 563-569.
- Gao YY, Chen WW, Lei H, Liu Y, Lin X, Ruan R (2008): Optimization of transesterification conditions for the production of fatty acid methyl ester (FAME) from Chinese tallow kernel oil with surfactant-coated lipase. Biomass Bioenerg. **33**, 277–82.

- Gawri S, Upadhyay A (2012): A comparative study on the antimicrobial activity and the presence of phytochemicals in the petioles and callus of *J. curcas*. *J. Phytol.* **4(3)**, 18-20.
- Geissman TA (1963): Flavonoid compounds, tannins and related compounds, In: Florkin M, Stotz EH (Eds), *Pyrrole Pigments, Isoprenoid Compounds and Phenolic Plant Constituents*. Elsevier, New York, **9**, 265.
- George EF (1993): Plant propagation by tissue culture. Part 1. The Technology. In: George EF, Sherrington PD (Eds). Edington, wilts, England, pp. 89-91.
- Ghosh A, Gadgil VN (1979): Shift in ploidy level of callus tissue: A function of growth substances. *Ind. J. Exp. Biol.* **17**, 562-564.
- Gimenez C, Garcia DE, Enrech DNX, Blanca I (2001): Soma clonal variation in banana: cytogenetic and molecular characterization of the soma clonal variant CIEN BTA-03. *In Vitro Cell. Dev. Biol. Plant* **37**, 217-222.
- Gohil RH, Pandya JB (2008): Genetic diversity assessment in physicnut (*Jatropha curcas* L.) *Int. J. Plant Prod.* **2(4)**, 321-326.
- Gokhale M, Bansal YK (2010): Assessment of Secondary Metabolites in *In vitro* Regenerated Plantlets of *Oroxylum indicum* (L.) Vent. *Plant Tiss. Cult. Biotech.* **20(1)**, 21-28.
- Goodrum JW, Geller DP (2005): Influence of fatty acid methyl esters from hydroxylated vegetable oils on diesel fuel lubricity. *Bioresource Technol.* **96**, 851-855.

References

- Goonasekera MM, Gunawardana VK, Jayasena K, Mohammed SG, Balasubramaniam S (1995): Pregnancy terminating effect of *Jatropha curcas* in rats. *J. Ethnopharmacol.* **47**, 117–123.
- Gould AR (1984): Control of the cell cycle in cultured plant cells. *C.R.C. Critical Rev. Plant Sci.* **1**, 315-344.
- Grattapaglia D, Machado MA (1998): Micropropagação. In-Cultura de tecidos e transformação genética de plantas, In: Torres, AC, Caldas LS, Buso JA (Eds), Embrapa-SPI/Embrapa-CNPH, Brasília, pp.183-260.
- Green RJ (2004): Antioxidant Activity of Peanut Plant Tissues. Thesis. North Carolina State University. USA.
- Gubitz GM, Mittelbach M, Trabi M (1999): Exploitation of the tropical oil seed plant *Jatropha curcas* L. *Bioresource Technol.* **67**, 73-82.
- Guette A, Baraguey C, Blond A, Xavier SX, Pousset JL, Bodo B (1999): Pohlianins A, B and C, cyclic peptides from the latex of *Jatropha pohliana* spp. *Molissima. Tetrahedron.* **55**, 11495-11510.
- Guillermo SH, Miguel J, Andre G, Dirk Wilken (2005): Secondary Metabolite Content in Rhizomes, Callus Cultures and *in vitro* Regenerated Plantlets of *Solidago chilensis*. *Z. Naturforsch* **60**, 5-10.
- Gunasekaran P (2005): Laboratory Manual in Microbiology, 1st edition, New age international publishers, pp. 40-41.
- Gunes T (2000): Peroxidase and IAA oxidase activities during rooting of poplar species. *Tr. J.Bot.* **24**, 97–101.
- Gupta RC (1985): Pharmacognostic studies on ‘Dravanti’ Part I *Jatropha curcas* Linn. *Plant Sci.* **94**, 65–82.

- Gupta S, Srivastava M, Mishra GP, Naik PK, Chauhan RS, Tiwari SK, Kumar M, Singh R (2008): Analogy of ISSR and RAPD markers for comparative analysis of genetic diversity among different *Jatropha curcas* genotypes. *Afr. J. Biotech.* **7** (23), 4230-4243.
- Gurel S, Gulsen Y (1998): The effect of IBA and BAP on *in vitro* shoot production of almond *Amygdalus communis* L. *Tr. J. Bot.* **22**, 375-379.
- Gyvens EM, Royani JI, Rugini E (2007): Efficient Method of micro propagation and *in vitro* rooting of teak (*Tectona grandis* L.) focusing on large scale industrial plantation. *Ann. For. Sci.* **64**, 73-78.
- Han KH, Gordon MP, Floss H (1999): Genetic transformation of *Taxus* (yew) to improve production of taxol. *In: Biotechnology in Agriculture and Forestry: Transgenic Trees 44* Bajaj YPS (Ed.), Springer-Verlag, Berlin, pp. 291-306.
- Hansen G, Wright MS (1999): Recent advances in the transformation of plants. *Trends Plant Sci.* **4**, 226-231.
- Hanson K, Juel P, Banker PJ (1994): Comparative field performance of tissue culture derived lines and breeder lines of HY 320, spring wheat. *Plant Breeding* **112**(3), 183-191.
- Hao YJ, You CX, Deng XX (2002): Cell size as a morphological marker to calculate the mitotic index and ploidy level of citrus callus. *Plant Cell Rep.* **20**, 1123-1127.
- Hartmann HT, Kester DE (1983): *Plant Propagation. In Principles and Practices.* 4th edition. Prentice-Hall Inc., Englewood Cliffs, N.J, pp. 727.

References

- Hashmi G, Huettel R, Meyer R, Krusberg L, Hammerschlag F (1997): RAPD analysis of somaclonal variants derived from embryo callus cultures of peach. *Plant Cell Rep.* **16**, 624-627.
- Hassan MA, Oyewale AO, Amupitan JO, Abdullahi MS, Okonkwo EM (2004): Preliminary phytochemical and antimicrobial investigation of crude extract of root bark of *Deterium Microcarpum*. *J. Chem. Sci. Niger.* **29**, 36-49.
- He L, Wang SB, Miao XX, Wu H, Huang YP (2007): Identification of necrophagous fly species using ISSR and SCAR markers. *Forensic Sci. Int.* **168(23)**, 148-53.
- Heath DD, Iwama GK, Devlin RH (1993): PCR primed with VNTR core sequence yields species specific patterns and hypervariable probes. *Nucleic Acids Res.* **21**, 5782-5785.
- Hedge HV, Hebber SS, Hegde GR, Kholkute SD (2010): Enhanced antibacterial activity in leaf – callus extracts of *Alophyllus cobbe* L. *J. Med. Plants Res.* **4(12)**, 1085 – 1088.
- Heller J (1996): Physic nut-*Jatropha curcas* L. In: Promoting the conservation and use of underutilized and neglected crops, International Plant Genetic Resources Institute, Rome, Italy.
- Higgins TJV, Jacobsen JV, Zwar JA (1982): Gibberellic acid and abscisic acid modulate protein synthesis and mRNA levels in barley aleurone layers. *Plant Mol. Biol.* **1**, 191-215.
- Hirochika H (1993): Activation of tobacco transposons during tissue culture. *EMBO J* **12**, 2521-2528.

- Hirochika H, Sugimoto K, Otsuki Y, Tsugawa H, Kanda M (1996): Retrotransposons of rice involved in mutations induced by tissue culture. *Proc. Natl. Acad. Sci. USA* **93**, 7783–7788.
- Hitomi A, Amagai H, Ezura H (1998): The influence of auxin type on the array of somaclonal variants generated from somatic embryogenesis of eggplant, *Solanum melongena* L. *Plant Breeding* **117**, 379–383.
- Hlinkova E, Ruzickova C (2000): Gene expression of soybean calli culture affected by auxinoids with various chemical structure. *Soybean Genet. Newslett*, **27**.
- Hodek P, Trefil P, Stiborova M (2002): Flavonoids- Potent and versatile biologically active compounds interacting with cytochrome P450. *Chemico-Biol. Int.* **139(1)**, 1-21.
- Hosseini NM, Rashid A (2000): Thidiazuron-induced shoot-bud formation on root segments of *Albizzia julibrissin* is an apex-controlled, light-independent and calcium-mediated response. *Plant Growth Regul.* **36**, 81-85.
- Huetteman CA, Preece JE (1993): Thidiazuron: a potent cytokinin for woody plant tissue culture. *Plant Cell Tiss. Org. Cult.* **33**, 105-119.
- Hussain SS, Rao AQ, Husnain T, Riazuddin S (2009): Cotton somatic embryo morphology affects its conversion to plant. *Biologia Plantarum* **53**, 307-311.
- Igbinosa OO, Igbinosa EO, Aiyegoro OA (2009): Antimicrobial activity and phytochemical screening of stem bark extracts from *Jatropha curcas* (Linn). *Afr. J.Pharm. Pharmacol.* **3(2)**, 58-62.

- Igoli JO, Ogaji DG, Anyim, TTA, Igoli NP (2005): Traditional Medicine practice among the Igede people of Nigeria. *Afr. J. Tradit. Compliment. Altern. Med.* **2(2)**, 134-152.
- Ipekci Z, Gozukirmizi N (2003): Direct somatic embryogenesis and synthetic seed production from *Paulownia elingata*. *Plant Cell Rep.* **22(1)**, 16-24.
- Irobi ON, Moo-Young M, Anderson WA, Daramola SO (1994): Antimicrobial activity of the bark of *Bridelia ferruginea* (Euphorbiaceae). *Int. J. Pharmacog.* **34**, 87-90.
- Israeli Y, Lahav E, Reuveni O (1995): *In vitro* culture of bananas. In: Gowen S (Ed.): *Bananas and plantians*. Chapman and Hall, London, pp. 147-178.
- Jain SM (2001): Tissue culture-derived variation in crop improvement. *Euphytica* **118**, 153–166.
- Jeffreys AJ, Wilson V, Thein SL (1985): Individual-specific 'fingerprints' of human DNA. *Nature* **316**, 76–79.
- Jha TB, Mukherjee P, Datta MM (2007): Somatic embryogenesis in *Jatropha curcas* Linn., an important biofuel plant. *Plant. Biotechnol. Rep.* **1**, 135–140.
- Jibu T, Raj RK, Mandal AKA (2006): Metabolite profiling and characterization of somaclonal variants in tea (*Camellia* spp.) for identifying productive and quality accession. *Phytochem.* **67(11)**, 1136-1142
- Johnson M, Wesely EG, Kavitha MS, Uma V (2011): Antibacterial activity of leaves and inter-nodal callus extracts of *Mentha arvensis* L. *Asian Pac. J. Trop. Med.* **4(3)**, 196-200.
- Jongschaap REE, Corré WJ, Bindraban PS, Brandenburg WA (2007): Claims and Facts on *Jatropha curcas* L. *Global Jatropha curcas* evaluation,

breeding and propagation programme, Plant Research International B.V, Wageningen U.R. Rep. pp.158.

- Jordan M, Humam M, Bieri S, Chriskn P, Poblete E, Munoz O (2006): *In vitro* shoot and root organizes, plant regeneration and production of tropane alkaloid in some species of *Schizanthus*. *Phytochem.* **67(6)**, 570-578.
- Joyce SM, Cassells AC, Jain SM (2003): Stress and aberrant phenotypes in *in vitro* culture. *Plant Cell Tiss. Org. Cult.* **74**, 103–121.
- Just MJ, Recio MC, Giner RM, Cueller MJ, Manez S, Bilia, Rios JL (1998): Anti-inflammatory activity of unusual lupine saponins from *Bupleurum fruticosens*. *Planta Medica.* **64**, 404-407.
- Kaepler SM, Kaepler HF, Rhee Y (2000): Epigenetic aspects of soma clonal variation in plants. *Plant Mol Biol.* **43**, 179–188.
- Kaepler SM, Phillips RL (1993): Tissue culture-induced DNA methylation variation in maize. *Proc. Natl. Acad. Sci. USA* **90**, 8773–8776.
- Kaepler, SM., Phillips, RL, Olhott P (1998): Molecular basis of heritable tissue culture-induced variation in plants. *Current Plant Sci. Biotech. Agric.* **32**, 465–484.
- Kalimuthu K, Kadarkaral M, Savariar V, Siva K (2011): Larvicidal efficacy of *Jatropha curcas* and bacterial insecticide, *Bacillus thuringiensis*, against lymphatic filarial vector, *Culex quinquefasciatus* Say. (Dipteria: Culicidae). *Parasitol Res.* **109(5)**, 1251-1257.
- Kalimuthu K, Paulsamy S, Senthilkumar R, Sathya M (2007): *In vitro* propagation of bio-diesel plant of *Jatropha curcas* L. *Plant Tiss. cult. Biotech.* **17(2)**, 137-147.

- Kalimuthu K, Vijayakumar S, Senthilkumar R (2010): Antimicrobial activity of the biodiesel plant, *Jatropha curcas*. Int. J. Pharm. Bio. Sci. **1(3)**, 1-5.
- Kam PCA, Liew (2002): Traditional Chinese herbal medicine and anaesthesia. Anaesth. **57(11)**, 1083-1089.
- Kamal S, Manmohan S, Birendra S (2011): A review on chemical and medicobiological applications of *Jatropha curcas*. Int. J. pharm. **2(4)**, 61-66.
- Kannappan N, Jaikumar S, Manavalan R, Muthu AK (2008): Antiulcer activity of methanolic extract of *Jatropha curcas* Linn on aspirin induced gastric lesions in wistar rats. Pharmacol.online **1**, 279-293.
- Kanwar K, Joseph J, Deepika R (2010): Comparison of in vitro regeneration pathways in *Punica granatum* L. Plant Cell Tiss. Org. Cult. **100**, 199-207.
- Karp A (1982): On the current understanding of somaclonal variation. In: Mifflin B J (Ed.), Surveys of Plant Molecular and Cell Biology, Oxford University Press, 7, pp. 1-58.
- Karp A (1994): Origins, causes and uses of variation in plant tissue cultures. In: Vasil IK, Thorpe TA (Eds). Plant cell tissue cult. Dordrecht: Kluwer Academic Publishers, pp. 139-152.
- Karp A (1995): Somaclonal variation as a tool for crop improvement. Euphytica **85**, 295-302.
- Karp A, Bright SWJ (1985): On the causes of origins of soma clonal variation. Oxford Survey Plant Mol. Cell Biol. **2**, 199-234.
- Karp A (1991): On the current understanding of somaclonal variation. Oxf Surv Plant Mol. Cell Biol. **7**, 1-58.

- Kathiresan K, Ravikumar S (1997). Studies on tissue culture aspects of marine halophytes. In: Ravishankar GA, Vekataraman LV (Eds.) Biotechnological applications of plant tissue and cell culture. New Delhi: Oxford and IBH publishing Co. Pvt. Ltd, pp. 290-295.
- Kaul VK, Kachhwaha S, Kothari SL (2010): Direct shoot regeneration from leaf explants of *Jatropha curcas* in response to thidiazuron and high copper contents in the medium. *Biologia Plantarum* **54(2)**, 369-372.
- Kaushik N, Kumar K, Kaushik SN, Roy S (2007): Genetic variability and divergence studies in seed traits and oil content of *Jatropha* (*Jatropha curcas* L.) accessions. *Biomass Bioenerg.* **31**, 497-502.
- Kaushik N, Sharma KD, Deswal RPS (2001): Maturity indices in *Jatropha curcas*. *Seed Res.* **29(2)**, 223-224.
- Kawata M, Ohmiya A, Shimamoto Y, Oono K, Takaiwa F (1995): Structural changes in the plastid DNA of rice (*Oryza sativa* L.) during tissue culture. *Theor. Appl. Genet.* **90**, 364–371.
- Khan IA, Dahot MU, Seema N, Bibi S, Khatri A (2008): Genetic variability in plantlets derived from Callus culture in sugarcane. *Pak J Bot.* **40(2)**, 547-564.
- Kieran PM, MacLoughlin PF, Malone DM (1997): Plant cell suspension cultures: some engineering considerations. *J. Biotech.* **59**, 39-52.
- Kim KH, Park HK, Park MS, Yeo UD (2001). Effects of auxin and cytokinin on organogenesis of soybean *Glycine max* L. *J.Plant Biotech.* **3**, 95–100.
- Kisangau DP, Lyaruu HVM, Hosea KM, Joseph CC (2007): Use of traditional medicines in the management of HIV/AIDS opportunistic

- infections in Tanzania: A case in the Bukoba rural district. *J. Ethnobiol. Ethnomed.* **3**, 29.
- Klug WS, Cummings MR, Spencer CA (2006): *Concepts of Genetics* 8th edition. Pearson Education International, pp. 676.
- Kobilke H (1989): *Jatropha curcas* a promising agroforestry crop. Shree Offset Press, Nashik.
- Kochhar S, Kochhar VK, Singh SP, Katiyar RS, Pushpangadan RSP (2005): Differential rooting and sprouting behaviour of two *Jatropha* species and associated physiological and biochemical changes. *Curr. Sci.* **89**(6), 936-939.
- Kochhar S, Singh SP, VK Kochhar (2008): Effect of auxins and associated biochemical changes during clonal propagation of the biofuel plant *Jatropha curcas*. *Biomass Bioenerg.* **32**, 1136-1143.
- Koduru S, Grierson DS, Afolayan AJ (2006): Antimicrobial activity of *Solanum aculeastrum*. *Pharm. Biol.* **44**, 283 – 286.
- Kolliker R, Jones ES, Jahufer MZZ, Forster JW (2001): Bulked AFLP analysis for the assessment of genetic diversity in white clover (*Trifolium repens* L.). *Euphytica* **121**, 305–315.
- Koona S, Kondeti S, Doulathabath M, Pinnamaneni R (2011): *In vitro* clonal propagation of *Jatropha curcas* (L.) using nodal explants and assessment of genetic fidelity through RAPD markers, *Current Biotica* **5**(1), 1-16.
- Korbitz W (1999): Biodiesel production in Europe and America: an encouraging prospect. *Renew Energ.* **16**(1-4), 1078–1083.
- Kosasi S, Van Der Sluis WG, Labadie RP (1989): Inhibitory activity of *Jatropa multifida* latex on classical complementary pathway activity in

human serum mediated by a calcium binding proanthocyanidin. *J. ethnopharmacol.* **27(1-2)**, 81-90.

- Kovarik A, Koukalova B, Bezdek M, Opatrny Z (1997): Hypermethylation of tobacco heterochromatic loci in response to osmotic stress. *Theor Appl. Genet.* **95**, 301–306.
- Kowalski R, Kedzia B (2007): Antibacterial activity of *Silphium perfoliatum* extracts. *Pharm. Biol.* **45**, 95-500.
- Krings U, Berger RG (1998): Biotechnological production of flavours and fragrances. *Appl. Microb. Biotech.* **49**, 1-8.
- Krishnasatya A, Rao KRS (2009): Micro Propagation of *Jatropha curcas* using Nodal Explants. *Res. J. Biotech.* **4(3)**, 48-62.
- Kuksova VB, Piven NM, Gleba YY (1997): Somaclonal variation and *in vitro* induced mutagenesis in grapevine. *Plant Cell Tiss. Org. Cult.* **49**, 17-27.
- Kumar A, Sharma S (2008): An evaluation of multipurpose oil seed crop for industrial uses (*Jatropha curcas* L.): A review. *Ind. Crops Prod.* **28**, 1-10.
- Kumar N, Anand VKG, Reddy MP (2010): A shoot regeneration from cotyledonary leaf explants of *Jatropha curcas*: a biodiesel plant. *Acta Physiol. Plant* **32**, 917-924.
- Kumar N, Reddy MP (2010): Plant regeneration through the direct induction of shoot buds from petiole explants of *Jatropha curcas*: a biofuel plant. *Ann. Appl. Biol.* **156**, 367-375.
- Kumar S, Chaube A, Jain SK (2012): Critical review of jatropha biodiesel promotion policies in India. *Energy Policy* **41**, 775-781.

- Kumari N, Jaiswal U, Jaiswal VS (1998): Induction of somatic embryogenesis and plant regeneration from leaf callus of "*Terminalia arjuna*" Bedd. Curr. Sci. (75) 10, 1052-1055.
- Kunakh VA (1999): Variation of the Plant Genome mother plant. The availability of growth hormones in the culture. Fiziol Rast. 46, 919-929.
- Labra M, Ghiani A, Citterio S, Sgorbati S, Sala F, Vannini C, Ruffini-Castiglione M, Bracale M (2002): Analysis of cytosine methylation pattern in response to water deficit in pea root tips. Plant Biol 4, 694–699
- Lakshmi PS, Bhonsale LH, Sagodkar UM (1999): Assay of Antibacterial activity in the callus of *Heterostemma tanjorensis* W. Arn. Indian Drugs, 36(3), 196-197.
- Laloue M, Fox JE (1989): Cytokinin oxidase from wheat. Plant Physiol. 90: 899-906.
- Landi L, Mezzetti B (2006): TDZ, auxin and genotype effects on leaf organogenesis in *Fragaria*. Plant Cell Rep. 25, 281–288.
- Lapornik B, Prosek M, Wondra AG (2005): Comparison of extracts prepared from plant by-products using different solvents and extraction time. J Food Eng. 71, 214–222.
- Larkin P, Scowcroft W (1981): Soma clonal variation: A novel source of variability from cell cultures for plant improvement. Theor. Appl. Genet. 60:197-214.
- Larkin PJ, Brettell RIS, Ryan SA, Davies PA, Pallotta MA, Scowcroft WR (1985): Somaclonal variation: Impact on Plant Biology and Breeding Strategies. In: Zaitlin M, Day P, Hollander A (Ed.). Biotechnology in Plant Science: Relevance to Agriculture in the Eighties. Academic Press, New York, pp. 83-100.

- Leal F, Loureiro J, Rodriguez E, Pais MS, Santos C, Pinto-Carnide O (2006): Nuclear DNA content of *Vitis vinifera* cultivars and ploidy level analyses of somatic embryo-derived plants obtained from anther culture. *Plant Cell Rep.* **25**, 978-985.
- Lee M, Phillips RL (1988): The Chromosomal basis of somaclonal variation. *Annu Rev Plant. Physiol. Plant Mol. Biol* **39**, 413-437.
- Lei CP, Jiun KS, Choo CS, Singh R (2006): Analysis of tissue culture-derived regenerants using methylation sensitive AFLP. *AsPac J. Mol. Biol. Biotechnol.* **14(2)**, 47- 55.
- Leva AR, Petruccelli R, Rinaldi LMR (2007): Somaclonal Variation in Tissue Culture: A Case Study with Olive, Recent Advances in Plant *in vitro* Culture, In Tech publishers, pp. 123-150.
- Li C, Yu M, Chen F, Wang S (2010): *In vitro* maturation and germination of *Jatropha curcas* microspores. *Int. J. Agric. Biol.* **12**, 541–546.
- Li D, Wang P (2003): Antifungal activity of Paraguayan plant used in traditional medicine. *J. Ethnopharmacol.* **76**, 93-98.
- Li H, Murch SJ, Saxena PK (2000): Thidiazuron-induced de novo shoot organogenesis on seedlings, etiolated hypocotyls and stem segments of Huang-qin. *Plant Cell Tiss. Org. Cult.* **62**, 169-173.
- Li J, Yan F, Wu FH, Yue BS, Chen F (2004): Insecticidal activity of extracts from *Jatropha curcas* seed against *Lipaphis erysimi*. *Acta Phytophyl Sin.* **31(3)**, 289–293.
- Li M, Li H, Jiang H, Pan X, Wu G (2008): Establishment of *Agrobacterium* mediated cotyledon disc transformation method for *Jatropha curcas*. *Plant Cell Tiss. Org. Cult.* **92**, 173–181.

- Li R, Bruneau AH (2010): Tissue culture induced morphological somaclonal variation in St. Augustinegrass [*Stenotaphrum secundatum* (Walt.) Kuntze]. *Plant Breeding* **129**(1), 96-99.
- Liberalino AAA, Bambirra EA, Moraes ST, Viera CE (1988): *Jatropha curcas* L. seeds. Chemical analysis and toxicity. *Arq. Biol. Technol.* **31**, 539-550.
- Lin J, Yan F, Tang L, Chenm F (2003): Antitumor effects of curcin from seeds of *Jatropha curcas*. *Acta. Pharmacol. Sin.* **24**, 241-6.
- Ling YK, Min ZD, Shi JX, Feng R (1996): Chemical constituents from roots of *Jatropha curcas*. *Acta Bot. Sinica* **38**(2), 161-166.
- Liu CZ, Murch SJ, Demerdash EL, Saxena PK (2003): Regeneration of the Egyptian medicinal plant *Artemisia judaica* L. *Plant Cell Rep.* **21**, 525-530.
- Lorenzetti L, Salisbury R, Beal J (1964): Baldwin, "Bacteriostatic Property of Aloe vera", *J. Pharmacol. Sci.* **3**,1287.
- LoSchiavo F, Pitto L, Giuliano G, Torti G, Nuti-Ronchi V, Marazziti D, Vergara R, Orselli S, Terzi M (1989): DNA methylation of embryo genic carrot cell cultures and its variations as caused by mutation, differentiation, hormones and hypomethylating drugs. *Theor. Appl. Genet.* **77**, 325-331.
- Lourens ACU, Reddy D, Baser KHC, Viljoen AM, Van Vuuren SF (2004). *In vitro* biological activity and essential oil composition of four indigenous South African *Helichrysum* species. *J. Ethnopharmacol.* **9**, 253-258.

- Lucia G, Casstglione MR, Turrini A, Ronchi, Onchi VN, Geri C (2011): Cytogenetic and histological approach for early detection of “mantled” somaclonal variants of oil palm regenerated by somatic embryogenesis. first results on the characterization of regeneration system **64(2)**, 223-234.
- Luo CW, Li K, Chen Y, Yuf SY (2007): Sun Floral display and breeding system of *Jatropha curcas* L. Forestry Studies in China **9(2)**, 114-119.
- Machado DCA, Frick NS, Kremen R, Katinger H, Machado DCML (1997): Biotechnological approaches to the improvement of *Jatropha curcas*. Proceedings of the International Symposium on *Jatropha*, Managua, Nicaragua, Mexico, pp. 15.
- Mahagamasekera MGP, Doran PM (1998): Intergeneric co-culture of genetically transformed organs for the production of scopolamine. *Phytochem.* **47**, 17-25.
- Maharana SB, Mahato V, Behera M, Mishra RR, Panigrahi J (2012): *In vitro* regeneration from node and leaf explants of *Jatropha curcas* L. and evaluation of genetic fidelity. *Indian J. Biotech.* **11**, 280-287.
- Majumder A, Jha A (2009): Biotechnological Approaches For The Production Of Potential Anticancer Leads Podophyllotoxin And Paclitaxel: An Overview. *e J Biol Sci* **1(1)**, ISSN: 2076-9946, EISSN: 2076-9954.
- Malairajan P, Geetha G, Narasimham S, Jessi k veni K (2006): Analgesic Activity of some Indian Medicinal Plants. *J. Ethnopharmacol.* **19**, 425-428.
- Malik KA, Saxena PK (1992): Somatic embryogenesis and shoot regeneration from intact seedlings of *Phaseolus acutifolius* A., *P. aureus* L. Wilezek., *P. coccineus* L. and *P. wrightii* L. *Plant Cell Rep.* **11**, 163-168.

- Marquez, Neuville L, Moreau N, Genet JP, Santos AFD, Andrade MCC, Sant AEG (2005): Ana. Phytochem. **66**, 1804-1811.
- Martin K, Pachathundikandi S, Zhang C, Slater A, Madassery J (2006): RAPD analysis of a variant of banana (*Musa* sp.) cv. grande naine and its propagation via shoot tip culture. *Plant* **42**, 188-192.
- Martin KP, Joseph D, Madassery J, Phillip VJ (2003): Direct shoot regeneration from lamina explants of two commercial cut flowers cultivars of *Anthurium andraeanum* Hort. *In vitro* Cell. Dev. Biol. *Plant* **39**, 500-504.
- Masoud, S, Yahyazadeh F, Farahanei F, Noormohammadi Z (2008): Genetic and morphological variations induced by tissue culture in tetraploid cotton (*Gossypium hirsutum* L.). *Acta Biol. Szegediensis*. **52(1)**, 33-38.
- Matand K, Prakash CS (2007): Evaluation of peanut genotypes for *in vitro* plant regeneration using thidiazuron. *J. Biotechnol.* **130**, 202-207.
- Mathur AK, Ahuja PS, Pandey B, Khureja AK (1989): Potential of somaclonal variation in genetic improvement of aromatic grasses. In Khureja AK, Ahuja PS, Thakur PS (Eds): *Tissue Culture and Biotechnology of Medicinal and Aromatic Plants*. pp. 79-89.
- Matzke, MA Matzke, AJM (1996): Stable epigenetic states in differentiated plant cells: implications for somaclonal variation and gene silencing in transgenic plants. In Russo (Ed): *Epigenetic Mechanisms of Gene Regulation*. Cold Spring Harbor Press, Cold Spring Harbor, NY, pp. 377-392.
- McClintock B (1984): The significance of responses of the genome to challenge. *Sci.* **226**, 792-801.

- Meher LC, Dharmagadda VSS, Naik SN (2005): Optimization of alkali catalyzed transesterification of biodiesel. *Bioresource Technol.* **96**, 1425-1429.
- Mehmet K, Ayse GI (2008): Minisatellites as DNA markers to classify Bermuda grasses (*Cynodon* spp.): confirmation of minisatellite in amplified products. *J. Genet.* **87(1)**, 83-86.
- Meins, F Jr (1989): Habituation: Heritable variation in the requirement of cultured plant cells for hormones. *Annu. Rev. Genet.* **23**, 395-408.
- Mendoza MG, Kaepler HF (2002): Auxin and sugar effects on callus induction and plant regeneration frequencies from mature embryos of wheat (*Triticum aestivum* L.). *In vitro Cell. Dev. Biol. Plant* **38**, 39-45.
- Meng R, Chen THH, Fin CE, Li Y (2004): Improving in vitro plant regeneration from leaf and petiole explants of 'Marion' blackberry. *Hort Sci.* **39(2)**, 316-320.
- Mihalte L, Sestras RE, Feszt G, Tamas E (2011): Assessment of genetic variation on four genera of Cactaceae using taxonomic, cytological and molecular markers methods. *Plant Omics J.* **4**, 142-148.
- Moallem S, Behbahani M, Mousavi E, Karim N (2012): Direct regeneration of *rosa canina* through Tissue culture. *Trakia J. Sci.* **10(3)**, 23-25.
- Modi MK, Reddy JRC, Rao BVSK, Prasad RBN (2007): Lipase mediated conversion of vegetable oils into biodiesel using ethyl acetate as acyl acceptor. *Bioresource Technol.* **98**, 1260-1264.
- Mohan ML, Krishnamurthy KV (2002): Somatic embryogenesis and plant regeneration in pigeon pea. *Biol. Plant* **45**, 19-25.

References

- Mok MC, Mok DWS, Armstrong DJ, Shudo K, Isogai Y, Okamoto T (1982): Cytokinin activity of N-phenyl-N'-1,2,3-thiadiazol-5-yl urea (thidiazuron). *Phytochem.* **21**, 1509-1511.
- Morell M, Peakall R., Appels R., Preston L, Lloya, H (1995): DNA profiling techniques for plant variety identification. *Aust. J. Exp. Agric.* **35**, 807-819.
- Morris P, Scragg AH, Smart NJ, Stafford A (1985): Secondary production formation by cell suspension cultures. In: Dixon RA (Ed.) *Plant cell culture- a practical approach*. London: IRL Press.
- Mujib A, Banerjee S, Dev GP (2007): Callus induction, somatic embryogenesis and chromosomal instability in tissue culture raised hippeastrum (*Hippeastrum hybridum* cv. United Nations). *Propagation of Ornamental Plants* **7**, 169-174.
- Mukherjee P, Varshney A, Johnson TS, Jha TB (2011): *Jatropha curcas*: a review on biotechnological status and challenges. *Plant Biotechnol. Rep.* **5**, 197-215.
- Muller E, Brown PTH, Hartke S, Lorz H (1990): DNA variation in tissue-culture-derived rice plants. *Theor Appl. Genet.* **80**, 673-679.
- Murashige T (1990): Plant Propagation by Tissue Culture: A Practice with Unrealized Potential. In: Ammirato PV, Evans DA, Sharp WR, Bajaj YPS (Eds.): *Handbook of Plant Cell Culture, Ornamental Species*. Vol. 5, McGraw-Hill Publishing Company, USA, pp. 3-9.
- Murashige T, Skoog F (1962): A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant* **15**, 473-479.

- Murthy BNS, Murch SJ, Saxena PK (1995): Thidiazuron induced somatic embryogenesis in intact seedling of peanut (*Arachis hypogaea* L.) Endogenous growth regulator level and significance of cotyledons. *Phys. Plant* **94**, 268-276.
- Musarurwa HT, Van SJ, Makunga NP (2010): *In vitro* seed germination and cultivation of the aromatic medicinal *Salvia stenophylla* (Burch. ex Benth.) provides an alternative source of alpha-bisabolol. *Plant Growth Regul.* **61**, 287-295.
- Muyanga M (2009): Smallholder adoption and economic impacts of tissue culture banana in Kenya. *Afr. J. Biotechnol.* **8**, 6548-6555.
- Naengchomnong W, Tarnchompoo B, Thebtaranonth Y (1994): (+)-Jatrophol, (+)-marmesin, propacin and jatrophin from the roots of *Jatropha curcas* (Euphorbiaceae). *J. Sci. Soc. Thailand* **20**, 73-83.
- Naengchomnong W, Thebtaranonth Y, Wiriyaichitra P, Okamoto KT, Clardy J (1986): Isolation and structure determination of four novel diterpenes of *Jatropha curcas*. *Tetrahed. Lett.*, **27**, 2439-2442.
- Nagaoka T, Ogihara Y (1997): Applicability of inter-simple sequence repeat polymorphisms in wheat for use as DNA markers in comparison to RFLP and RAPD markers. *Theor. Appl. Genet.* **94**, 597-602.
- Nair, Avinash (2010): Artificial blood vessels developed from *Jatropha*. *Popular plastics and packaging* **55(5)**, 67.
- Namuli AN, Abdullah CC, Sieo SW, Zuhainis, Oskoueian E (2011): Phytochemical compounds and antibacterial activity of *Jatropha curcas* L. extracts. *Med. Plants Res.* **5(16)**, 3982-3990.

References

- Nan P, Shi S, Peng SL, Tian CJ, Zhong Y (2003): Genetic diversity in *Primula obconica* (Primulaceae) from central and south-west China as revealed by ISSR markers. *Ann Bot.* **91(3)**, 329-33.
- Nanda KK, Kochhar VK (1985): Vegetative propagation of plants. Kalyani Publishers, Indian Book Trust Publication, pp.52-58.
- Narayanaswamy S (1977): Regeneration of plants from tissue cultures. In: Applied and Fundamental Aspects of Plant Cell Tissue and Organ Culture, Reinert J, Bajaj YPS (Eds.). Springer Verlag, Berlin, pp. 179-248.
- Nas MN, Multu N, Read PE (2004): Random amplified polymorphic DNA (RAPD) analysis of long-term cultured hybrid hazelnut. *Hort Sci.* **39**, 1079-1082.
- Nayak B, Patel K (2010): Screening Of Different Parts Of *Jatropha Curcas* For Antinociceptive And Antipyretic Activity On Rats. *Malay. J. Pharmaceut. Sci.* **8(1)**, 23-28.
- Neumann UP, Berg T, Baha M, Puhl G, Guckelbeger O, Langreh JM, Neuhaus P (2004): Long-term outcome of liver transplant for hepatitis C: A 10 year follow-up. *Transplantation* **77(2)**, 226-231.
- Nezbedová L, Hesse M, Dušek J, Werner C (1999): Chemical potential of *Aphelandra* sp. cell cultures. *Plant Cell Tiss. Org. Cult.* **8(2)**, 133-140.
- Nobori T, Miurak K, Wu DJ, Takabayashik LA, Carson DA (1994): Deletion of the cyclin-dependent kinase-4 inhibitor gene in multiple human cancers. *Nat.* **368 (6473)**, 753-756.
- Nookaraju A, Agrawal DC (2012): Genetic homogeneity of in vitro raised plants of grapevine cv. Crimson Seedless revealed by ISSR and microsatellite markers. *Afr. J. Bot.* **78**, 302-306.

- Nwauzoma AB, Tenkouano A, Grouch JH, Pillay M, Vuylsteke D, Kalio LAD (2002): Yield and disease resistance of plantain (*Musa* spp. AAB group) somaclones in Nigeria. *Euphytica* **123**, 323-331.
- Oeller PW, Theologis A (1995): Induction kinetics of the nuclear proteins encoded by the early indoleacetic acid-inducible genes, PS-IAA4/5 and PS-IAA6 in pea (*Pisum sativum* L.). *Plant J.* **7**, 37-48.
- Okwu DE (2001): Evaluation of the chemical composition of indigenous Spices and flavouring agents. *Global J. Appl. Sci.* **7(3)**, 455-459.
- Olhoft PM, Phillips RL (1999): Genetic and epigenetic instability in tissue culture and regenerated progenies. In: H.R. Lerner (Ed.) *Plant Responses to Environmental Stresses: From Phytohormones to Genome Reorganization*, Marcel Dekker, New York, pp. 111-148.
- Oliveira ALA, Gioielli LA, Oliveira MN (1999): Hidrolise parcialenzimatica da gordua de babaco, u *Cienciae Technol. De Alimentos* **19**, 270-276.
- Oliver-Bever B (1986): *Medicinal plants in tropical West Africa*. Cambridge University Press, London, pp. 129-130.
- Openshaw K (2000): A review of *Jatropha curcas*: an oil plant of unfulfilled promise. *Biomass Bioenerg.* **19**, 1-15.
- Orbovic V, Calovic M, Vilorica Z, Nielsen B, Gmitter F, Castle W, Grosser J (2008): Analysis of genetic variability in various tissue culture-derived lemon plant populations using RAPD and flow cytometry. *Euphytica* **161**, 329-335.
- Oropeza M, Guevara P, García E, Ramírez JL (1995): Identification of sugarcane (*Saccharum* spp.) somaclonal variants resistant to sugarcane mosaic virus via RAPD markers. *Plant Mol. Biol. Rep.* **13**, 182-191.

- Oseni O, Igbe F, Olagboye S (2011): Distribution of antinutrients and antioxidant properties in the plant of Thornapple (*Datura stramonium* L.) Solanaceae. *J. Agric. Biol. Sci.* **2(6)**, 136-140.
- Oskoueian E, Abdullah N, Saad W Z, Omar A R, Ahmad S, Kuan W B, Zolkifli, N A, Hendra R, Ho YW (2011): Antioxidant, anti-inflammatory and anticancer activities of methanolic extracts from *Jatropha curcas* Linn. *J. Med. Plants Res.* **5**, 49–57.
- Osoniyi O, Onajobi F (2003): Coagulant and anticoagulant activities in *Jatropha curcas* latex. *J. Ethnopharmacol.* **89**, 101-5.
- Ovecka M, Bobak M, Samaj J (2000): A comparative structure analysis of direct and indirect shoot regeneration of *Papaver somniferum* L. *in vitro*. *J. Plant Physiol.* **157**, 281-289.
- Pajevic S, Vasic D, Sekulic P (2004): Biochemical characteristics and nutrient content of the callus of sunflower inbred lines. *Helia.* **27(41)**, 143-150.
- Panaia M., Senaratna T, Dixon KW, Sivasithamparam A (2004): The role of cytokinins and thidiazuron in the stimulation of somatic embryogenesis in key members of the Restionaceae. *Aus. J. Bot.* **52**, 257-265.
- Panghal S, Beniwal VS, Laura JS (2012): An efficient plant regeneration protocol from petiole explants of physic nut (*Jatropha curcas* L.). *Afr. Biotechnol.* **11(63)**, 12652-12656.
- Papa R, Bellucci E, Rossi M, Leonard S, Rau D, Gepts P, Nanni L, Attene G (2007): Tagging the signatures of domestication in common bean (*Phaseolus vulgaris*) by means of pooled DNA samples. *Ann. Bot.* **100**, 1039-1051.

- Parekh J, Chanda S (2007): *In vitro* antibacterial activity of crude methanol extract of *Woodfordia fruticosa* Kurz. flower (Lythaceae). Braz. J. Microbiol. **38**(2), 204-207
- Parekh J, Karathia N, Chanda S (2006): Screening of some traditionally used medicinal plants for potential antibacterial activity. Ind. J. Pharm. Sci. **68**, 832-834.
- Park YH, Kim TH, Suk LH, Min KK, Sohn JK (2010): Morphological and progeny variations in somaclonal mutants of Ilpum (*Oryza sativa* L.). Korean J. Breeding **42**(4), 413-418.
- Parthier B (1989): Hormone-induced alterations in plant gene expression. Biochem. Biophys. Pflanz. **185**, 289-314.
- Passey AJ, Barrett KJ, James DJ (2003): Adventitious shoot regeneration from seven commercial strawberry cultivars (*Fragaria ananassa* Duch.) using a range of explant types. Plant Cell Rep. **21**, 397-401.
- Pathak H, Dhawan V (2012): ISSR assay for ascertaining genetic fidelity of micropropagated plants of apple rootstock Merton 793. *In Vitro* Cell. Dev. Biol. Plant **48**, 137-143.
- Patterson GI, Thorpe CJ and Chandler VL (1993): Paramutation, an allelic interaction, is associated with a stable and heritable reduction of transcription of the maize b regulatory gene. Genetics **135**, 881-89.
- Patzak J (2003): Assessment of somaclonal variability in hop (*Humulus lupulus* L.) *in vitro* meristem cultures and clones by molecular methods. Euphytica **131**, 343-350.

References

- Peschke VM, Phillips RL, Gengenbach BG (1987): Discovery of transposable element activity among progeny of tissue culture-derived maize plants. *Sci.* **238**, 804–807.
- Peschke VM, Phillips RL, Gengenbach BG (1991): Genetic and molecular analysis of tissue culture-derived Ac elements. *Theor. Appl. Genet.* **82**, 121–129.
- Phillips RL, Kaeppler SM, Olhoft P (1994): Genetic instability of plant tissue cultures: breakdown of normal controls. *Proc. Natl. Acad. Sci. USA* **91**, 5222–5226.
- Piagnani MC, Maffi D, Rossoni M, Chiozzotto R (2008): Morphological and physiological behaviour of sweet cherry ‘somaclone’ HS plants in field. *Euphytica* **160**, 165–173.
- Pierik RLM (1991): Commercial aspects of micropropagation. *Horticulture New technologies and Applications*. Prakash JK, Pierik RLM (Eds), Dordrecht, Netherlands, pp. 141-153.
- Piola F, Rohr R, Heizmann P (1999): Rapid detection of genetic variation within and among *in vitro* propagated cedar (*Cedrus libani* Loudon) clones. *Plant Sci.* **141**, 159-163.
- Polanco C, Ruiz ML (2002): AFLP analysis of somaclonal variation in *Arabidopsis thaliana* regenerated plants. *Plant Sci.* **162**, 817-824.
- Popescu AN, Isac VS, Coman MS, Radulescu MS (1997): Somaclonal variation in plants regenerated by organogenesis from callus culture of Strawberry (*Fragaria Ananassa*). *ISHS Acta Horticulturae*, III International Strawberry Symposium. pp. 439.

- Popescu CF, Falk A, Glimelius K (2002): Application of AFLPs to characterize somaclonal variation in anther-derived grapevines. *Vitis* **41**, 177-182.
- Potterat O (1997): Antioxidants and free radical scavengers of natural origin. *Curr. Org. Chem.* **1**, 415-440.
- Prabakaran AJ, Sujataha M (1999): *Jatropha tanjorensis* a natural interspecific hybrid occurring in Tamil Nadu India. *Genetic Resources. Crop Evol.* **46**, 213-218.
- Prado M, Rodriguez E, Rey L, González M, Santos C, Rey M (2010): Detection of somaclonal variants in somatic embryogenesis-regenerated plants of *Vitis vinifera* by flow cytometry and microsatellite markers. *Plant Cell Tiss. Org. Cult.* **103**, 49-59.
- Prado MJ, Gonzalez MV, Romo S, Herrera MT (2007): Adventitious plant regeneration on leaf explants from adult male kiwifruit and AFLP analysis of genetic variation. *Plant Cell Tiss. Organ Cult.* **88**, 1-10.
- Puhan S, Vedaraman, N, Ram BVB, Sankarnarayanan G, Jeychandran K (2005): Mahua oil (*Madhuca indica* seed oil) methyl ester as biodiesel-preparation and emission characteristics. *Biomass Bioenerg.* **28**, 83-87.
- Purkayastha J, Sugla T, Paul A, Solleti SK, Mazumdar P, Basu A, Mohommad A, Ahmed Z, Sahoo L (2010): Efficient in vitro plant regeneration from shoot apices and gene transfer by particle bombardment in *Jatropha curcas*. *Biol. Planta.* **54**, 13-20.
- Qin W, Wei DL, Yi L, Shu LP, Ying XU, Lin T, Fang C (2004): . Plant regeneration from epicotyl explants of *Jatropha curcas*. *J. Plant Physiol. Mol. Biol.* **30**, 475-478.

- Quinlan MB, Quinlan RJ, Nolan JM (2000): Ethnophysiology and herbal treatments of intestinal worms in Dominica, West Indies. *J. Ethnopharmacol.* **80**, 75-83.
- Raheman H, Phadatare AG (2004): Diesel engine emissions and performance from blends of karanja methyl ester and diesel. *Biomass Bioenerg.* **27**, 393–397.
- Raheman, H, Ghadge SV (2007): Performance of compression ignition engine with mahua (*Madhuca indica*) biodiesel. *Fuel* **86**, 22568–2573.
- Raja VG, Koul KK, Raina SN, Parida A (1992): Ploidydependent genomic stability in tissue cultures of ornamental *Phlox drummondii* Hook. *Plant Cell Rep.* **12**, 12-17.
- Rajeswari S, Krishnamurthi M, Shinisekar, Prem SA, Thirugnana SK (2009): Performance of somaclones developed from intergeneric hybrids of sugarcane. *Sugar Tech.* **11(3)**, 258-261.
- Rajeswari V, Paliwal K (2008): *In vitro* plant regeneration of red sanders (*Pterocarpus santalinus*.L.) from cotyledonary nodes. *Ind. J. Biotechnol.* **7**, 541-546.
- Rajore S, Batra A (2005): Efficient plant regeneration via shoot tip explants in *J. curcas* L. *J. Plant Biochem. Biotechnol.* **14**, 73-75.
- Raju AJS, Ezradanam V (2002): Pollination ecology and fruiting behavior in a monoecious species, *Jatropha curcas* L. (Euphorbiaceae). *Curr. Sci.* **83**, 1395-1398.
- Ramdhas AS, Jayaraj S, Muraleedharan C (2005): Biodiesel production from high FFA rubber seed oil. *Fuel* **84**, 335-40.

- Ramasamy N, Ugandhar T, Praveen M, Venkataiah P, Rambabu M, Upender M, Subhash K (2005): Somatic embryogenesis and plantlet regeneration from cotyledons and leaf explants of *Solanum surattense*. *Ind. J. Biotech.* **4**, 414-418.
- Ranade AS, Srivastava AP, Rana TS, Srivastava J, Tuli R (2008): Easy assessment of diversity in *Jatropha curcas* L. plants using two single-primer amplification reaction (SPAR) methods. *Biomass Bioenerg.* **32**, 533-540.
- Rani V, Raina S (2000): Genetic fidelity of organized meristem derived micro propagated plants: a critical reappraisal. *In Vitro Cell. Dev. Biol. Plant* **36**, 319-330.
- Rani VA, Parida, Raina SN (1995): Random Amplified Polymorphic DNA (RAPD) markers for genetic analysis in micropropagated plants of *Populus deltoides* Marsh. *Plant Cell Rep.* **14**, 459-462.
- Rao RS, Ravishankar GA (2002): Plant cell cultures: Chemical factories of secondary metabolites. *Biotechnol. Adv.* **20**, 101-153.
- Rashid U, Anwar F, Moser BR, Knothe G (2008): *Moringa oleifera* oil: A possible source of biodiesel. *Bioresource Technol.* **99**, 8175-8179.
- Rasool R, Ganai BA, Kamili AN, Akbar S, Ganai BA, Ahanger I (2012): Comparisonal analysis of Wild and Regenerant products of *Artemisia amygdalina* Decne. against Clinical MDR isolates, *J. Pharm. Res.* **5(5)**, 2562-256.
- Rathore MS, Singh M, Rathore JS, Panwar D, Shekhawat NS (2007): Molecular tools for improvement of forest trees. *Am. Eur. J. Agric. Environ. Sci.* **2(5)**, 545-551.

References

- Ravindra NS, Kulkarni RN, Gayatri MC, Ramesh S (2004): Somaclonal variation for some morphological traits, herb yield, essential oil content and essential composition in an India cultivar of rosescented geranium. *Plant Breeding* **123**, 1-5.
- Ravishankar GA, Rao SR (2000): Biotechnological production of phyto-pharmaceuticals. *J. Biochem. Mol. Biol. Biophys.* **4**, 73-102.
- Razaq M, Heikrujam M, Chetri SK, Agrawal V (2012): *In vitro* clonal propagation and genetic fidelity of the regenerants of *Spilanthes calva* DC. using RAPD and ISSR marker. *Physiol. Mol. Biol. Plants* **20**, 1-10.
- Rechenmann CP (2010): Cellular Responses to Auxin: Division versus Expansion Cold Spring Harb Perspect Biol. **2(5)**, 1943-0264.
- Reddy CS, Babu AP, Swamy BPM, Kaladhar K, Sarla N (2009): ISSR markers based on GA and AG repeats reveal genetic relationship among rice varieties tolerant to drought, flood, or salinity. *J. Zhejiang U. Sci. A* **10(2)**, 133-141.
- Ricci A, Carra A, Torelli A, Maggiali CA, Vicini P, Zani F, Branca C (2001): Cytokinin-like activity of N'-substituted N-phenylureas. *Plant Growth Regul.* **34**, 167-172.
- Ritwik D, Soumen R, Patil D, Chowdhary A, Deshmukh RA (2012): Evaluation of anti-viral activity of *Jatropha curcas* leaf extracts against potentially drug-resistant HIV isolates. *BMC Infect. Dis.* **12(1)**, 14.
- Rojas JJ, Ochoa VJ, Ocampo SA, Monoz JF (2006): Screening for antimicrobial activity of ten medicinal plants used in Colombian folkloric medicine: a possible alternative in treatment of nonnosocomial infections. *BMC Complement. Alternat. Med.* **6**, 2.

- Roopadarshini, Gayatri (2012): Isolation of Somaclonal Variants for Morphological and Biochemical Traits in *Curcuma longa* (Turmeric). *Res. Plant Biol.* **2(3)**, 31-37.
- Rout GR, Debata BK, Das P(1990): *In vitro* clonal multiplication of roses. *Proc Natl. Acad Sci.* **60(3)**, 311–318.
- Rupasinghe HP, Jackson CJ, Poysa V, Berado DC, Bewley JD, Jenkinson (2003): Soyasapogenol A and B distribution in Soybean (*Glycine Max* L.Merr) in relation to seed physiology, genetic variability and growing location. *J. Agric. Food Chem.* **51**, 5888-5894.
- Sagar BP, Zafar R (2000): Hepatoprotective and cardiac inhibitory activities of ethanolic extracts from plant leaves and leaf callus of *Eclipta alba*. *Pharm. Biol.*, **38(5)**, 357-361.
- Sahijram L, Soneji J, Bollamma K (2003): Analyzing somaclonal variation in micropropagated bananas (*Musa* spp.). *In vitro* cell. Dev. Biol. Plant **39**, 551-556.
- Sahrawat A, Chand S (2002): Somatic embryogenesis and plant regeneration from root segments of *Psoralea corylifolia* L., an endangered medicinally important plant. *In Vitro Cell. Dev. Biol.* **38(1)**, 33-38.
- Saieed NT, Douglas GC, Fry DJ (1994): Induction and stability of somaclonal variation in growth, leaf phenotype and gas exchange characteristics of poplar regenerated from callus culture. *Tree Physiol.* **14**, 1-16.
- Saikia M, Shrivastava K, Singh SS (2012): An Efficient Protocol for Callus Induction in *Aquilaria malaccensis* Lam. Using Leaf Explants at Varied Concentrations of Sucrose. *Int. J. Plant Res.* **2(6)**, 188-194.



References

- Sajc L, Grubisic D, Vunjak NG (2000): Bioreactors for plant engineering: an outlook for further research. *Biochem. Eng. J.* **4**, 89-99.
- Saker MM, Bekheet SA, Taha HS, Fahmy AS, Moursy HA (2000): Detection of somaclonal variation in tissue culture- derived date palm plants using isozyme analysis and RAPD fingerprints. *Biol. Plantarum* **43**, 347-351.
- Salas J, Tello V, Zavaleta A, Villegas L, Salas M, Fernández I, Vaisberg A (1994): Cicatrization effect of *Jatropha curcas* latex (Angiospermae: Euphorbiaceae). *Rev. Biol. Trop.* **42**, 323-326.
- Salie F, Eagles PFK, Lens HMJ (1996): Preliminary antimicrobial screening of four South African *Asteraceae* species. *J. Ethnopharmacol.* **52(1)**, 27-33.
- Salvi ND, George L, Eapen S (2001): Plant regeneration from leaf base callus of turmeric and random amplified polymorphic DNA analysis of regenerated plants. *Plant Cell Tiss. Org. Cult.* **66**, 113-119.
- Sanis J, Ravindranb R, Sunil A Ramankuttyb, Ajith Kumar K Gopalanb, Suresh N Naira, Amithamol K Kavillimakkilb, Amitabh Bandyopadhyayc, Ajay Kumar S Rawatd, Srikanta Ghoshe (2012): *Asian Pac. J. Trop. Dis.* **2(3)**, 225-229.
- Sarika S, Meenakshi B (2008): *In vitro* clonal propagation of physic nut (*Jatropha curcas* L.): influence of additives. *Int. J. Integrative Biol.* **3**, 73-79.
- Sathaiah, Reddy V, Tummala P (1985): Seed protein profiles of castor (*Ricinus communis* L.) and some *Jatropha* species, *Genetica Agraria* **39(1)**, 35-43.

- Sato M, Hosokawa M, Doi M (2011): Somaclonal Variation Is Induced *De Novo* via the Tissue Culture Process: A Study Quantifying Mutated Cells in *Saintpaulia*. PLoS ONE **6(8)**, 1-7.
- Satya KA, Rao SKRS (2009): Micro Propagation of *Jatropha curcas* using Nodal Explants. Res. J. Biotechnol. **4(3)**, 7-9.
- Sayyah M, Hadidi N, Kamalinejad M (2004): Analgesic and anti-inflammatory activity of *Lactuca sativa* seed extract in rats. J. Ethnopharmacol. **92**, 325-329.
- Scalbert A (1991): Antimicrobial properties of tannins. Phytochem. **30**, 3875-3883.
- Schmidt W, Schikora A (2001): Different Pathways Are Involved in Phosphate and Iron Stress-Induced Alterations of Root Epidermal Cell Development. Plant Physiol. **125 (4)**, 2078-2084.
- Scholz V, da Silva JN (2008): Prospects and risks of the use of castor oil as a fuel. Biomass Bioenerg. **32**, 95-100.
- Scragg AH (1997): The production of aromas by plant cell cultures. Biochem. Eng. Biotechnol. **55**, 239-263.
- Sefc KM, Lefort F, Grando MS, Scott KD, Steinkellener H (2001): Microsatellite markers for grapevine: A state of the art. In: Roubelakis-Angelakis K A (Ed): Molecular Biology and Biotechnology of Grapevine. Kluwer Acad. Publ., Dordrecht, NL, pp. 433-463.
- Semagn K, Bjornstad A, Ndjioudjop MN (2006): An overview of molecular marker methods for plants. Afr. J. Biotech. **5(25)**, 2540-2568.
- Serkedjieva J, Manolova N (1992): Anti-influenza virus effect of some propolis constituents and their analogues (esters of substituted cinnamic acids). J. Nat. Prod. **55**, 294-297.

- Shah MM, Khalid Q, Khan UW, Shah SAH, Shah SH, Hassan A, Pervez A (2009): Variation in genotypic responses and biochemical analysis of callus induction in cultivated wheat. *Genet. Mol. Res.* **8(3)**, 783-793.
- Sharma AK, Gangwar M, Tilak R, Nath G, Sinha ASK, Tripathi YB, Kumar D (2012): Comparative *in vitro* antimicrobial and phytochemical Evaluation of methanolic extract of root, stem and leaf of *Jatropha curcas* Linn. *Pharmaco. J.* **4**, 34-40.
- Sharma S, Bryan G, Winfield M, Millam S (2007): Stability of potato (*Solanum tuberosum* L.) plants regenerated via somatic embryos, axillary bud proliferated shoots, microtubers and true potato seeds: a comparative phenotypic, cytogenetic and molecular assessment. *Planta* **226**, 1449-1458.
- Sharma YC, Singh B (2008): Development of biodiesel from karanja; a tree found in rural India. *Fuel* **87**, 1740-1742.
- Shawn KM, Kaeppler HF, Rhee Y (2000): Epigenetic aspects of somaclonal variation in plants. *Plant Mol. Biol.* **43**, 179-188.
- Shen X, Chen J, Kane M, Henny RJ (2007): Assessment of somaclonal variation in *Dieffenbachia* plants regenerated through indirect shoot organogenesis. *Plant Cell Tiss. Org. Cult.* **91(1)**, 21-27.
- Shetty D, Nareshchandra (2012): Comparative Study of Chemical Variants In Regenerants And Mother Plants Of Ashwagandha (*W. Somnifera* L.) By HPTLC Finger Printing. *Int. J. Ayur Pharm.* **3(5)**, 717.
- Shimada T (2006): Salivary protein as a defence against dietary tannins. *J. Chem. Ecol.* **32(6)**, 1149-1163.

- Shirish AR, Srivastava AP, Rana TS, Srivastava J, Tuli R (2008): Easy assessment of diversity in *Jatropha curcas* L. plants using two single-primer amplification reaction (SPAR) methods Biomass Bioenerg. **32(6)**, 533-540.
- Shrivastava S, Banerjee M (2008): *In vitro* clonal propagation of physic nut (*Jatropha curcas* L): Influence of additives. Int. J. Integrative Biol. **3**, 73-79.
- Shuangxia J, Ramesh M, Huaguo Z, Lili T, Zhongxu L, Yanxin Z, Xianlong (2008): Detection of soma clonal variation of cotton (*Gossypium hirsutum*) using cytogenetics, flow cytometry and molecular markers. Plant cell Rep. **27**, 1303-1316.
- Siddiqui AA, Ali M (1997): Antimicrobial Activity and Phytochemical Analysis of *Jatropha*. Practical Pharmaceutical Chemistry. Ist Edition, 126-131.
- Siddiqui SH, Khatri A, Javed MA, Khan NA, Nazamani GS (1994): *In vitro* culture. A source of genetic variability and an aid to sugarcane improvement. Pak. J. Agric. Res. **15**, 127-133.
- Sims P, Ruth M, Zimmerman ER (1971): "Effect of Aloe vera on Herpes Simplex and Herpes virus (strain Zoster)", Aloe vera of American Archives **1**, 239-240.
- Sims REH (2001): Bioenergy – a renewable carbon sink. Ren. Energ. **22**, 31-37.
- Singh R, Agarwal T, Rastogi R, Arora N, Rastogi M (2012): Comparative Analysis of Antibacterial Activity of *Jatropha curcas* Fruit Parts. J. Pharmaceutic. Biomed.Sci. **15(15)**, 1-4.
- Singh RP (1970): Structure and development of seeds in Euphorbiaceae, *Jatropha* species. Beitr, Biol, Pflanz **47**, 79-90.

References

- Sivanesan I (2007): Shoot regeneration and soma clonal variation from leaf callus cultures of *Plumbago zeylanica* Linn. *Asian J. Plant Sci.* **6**, 83-86.
- Soh YW, Yang WY (1993): Effect of plant growth regulators on mitotic chromosomes in *Allium cepa* L. *Nucleus.* **36**, 109-113.
- Somers DJ, Demmon G (2002): Identification of repetitive, genome-specific probes in crucifer oilseed species. *Genome* **45**, 485-492
- Somers DJ, KG Briggs, Gustafson JP (1996): Aluminum stress and protein synthesis in near isogenic lines of *Triticum aestivum* differing in aluminum tolerance. *Physiol. Plant.* **97**, 694-700.
- Soniya EV, Banejce NS, Das MR (2001): Genetic analysis of somaclonal variation among callus derived plants of tomato. *Curr. Sci.* **80**, 1213-1215.
- Soomro R, Memon RA (2007): Establishment of callus and suspension culture in *Jatropha curcas*. *Pak. J. Bot.* **39**, 2431-2441.
- Sridhar TM, Naidu CV (2011): An Efficient Callus Induction and Plant Regeneration of *Solanum nigrum* (L.) - An Important Antiulcer Medicinal Plant. *J. Phytol.* **3(5)**, 23-28.
- Srivastava PK, Verma M (2008): Methyl ester of Karanja oil as an alternative renewable source energy. *Fuel* **87**, 1673-1677.
- Srivastava PS, Johri BM (1974): Morphogenesis in mature endosperm cultures of *Jatropha panduraefolia*. *Beitr. Biol. Planz.* **50**, 255-268.
- Staubmann R, Manfred S, Alois H, Theodor K (1999): A complex of 5-hydroxypyrrrolidin-2-one and pyrimidine-2, 4-dione isolated from *Jatropha curcas*. *Phytochem.* **50**, 337-338.
- Stegnii VN, Chudinova YV, Salina EA (2000): RAPD analysis of flax (*Linum usitatissimum* L.) varieties and hybrids of various productivity. *Genetika* **36**, 1370-1373.

- Steward FC (1958): Growth and development of cultivated cells. III. Interpretation of the growth from free cell to carrot plant. *Am. J. Bot.* **45**, 709-713.
- Stfaan PO, Werbrouck, Deberg PC. (1994): Applied aspects of plant regeneration. In Dixon RA, Gonzales RA (Eds): *Plant cell culture: A practical approach*. Oxford University Press, Oxford. 127-145.
- Street HE (1968): The induction of cell division in plant cell suspension cultures. In *Les cultures de tissus de plantes*, Strasbourg: Colloques Internationaux du C.N. R. S, pp. 177-193.
- Sugla T, Purkayastha J, Singh SK, Solleti SK, Lingaraj S (2007): Micropropagation of *Pongamia pinnata* through enhanced axillary branching. *In Vitro Cell. Dev. Biol.* **43**, 409-414.
- Sujatha (2006): Genetic improvement of *Jatropha curcas* (L.) possibilities and prospects, *Ind. J. Agroforestry* **8(2)**, 58-65.
- Sujatha K, Sulekha H (2007): Micropropagation of mature *Pongamia pinnata* Pierre. *In Vitro Cell. Dev. Biol.* **43**, 608-613.
- Sujatha M, Dhingra M (1993): Rapid plant regeneration from various explants of *Jatropha integrimma*. *Plant Cell Tiss. Org. Cult.* **35**, 293-296.
- Sujatha M, Makkar HPS, Becker K (2005): Shoot bud proliferation from axillary nodes and leaf sections of non-toxic *Jatropha curcas* L. *Plant Growth Reg.* **47**, 83-90.
- Sujatha M, Mukta D (1993): Rapid plant regeneration from various explants of *Jatropha integerrima*. *Plant Cell, Tiss. Org. Cult.* **35**, 293-296.
- Sujatha M, Mukta D (1996): Morphogenesis and plant regeneration from tissue cultures of *Jatropha curcas*. *Plant Cell, Tiss. Org. Cult.* **44**, 135-141.

- Sujatha M, Reddy TP (2000): Role of cytokinins and explant interaction on adventitious shoot regeneration in *Jatropha integerrima*. Jacq. Biol. Bratislava **55**, 99-104.
- Suri SS, Saini ARK (2007): Somaclonal Variation in Regenerants from Long-Term Embryonic Cultures of *Chlorophytum borivillianum* Obtained from Agamospermic Seeds of a Triploid Plant Europ. J. Hort. Sci. **72(2)**, 90-96.
- Svetla DY, Sara G, Ervin F, Simcha LY, Moshe AF (2003): Auxin type and timing of application determine the activation of the developmental program during *in vitro* organogenesis in apple. Plant Sci. **165**, 299-309.
- Swartz HJ (1991): Post culture behaviour, genetic and epigenetic effects and related problems. In: Debergh PC, Zimmerman RH (Eds.): Micro propagation: technology and application. Dordrecht: Kluwer Academic Publishers, pp. 95-122.
- Swarup R (2004): Biotechnological interventions to improve *Jatropha* seeds and oil quality. SAARC Oil & Fats Today **8**, 39-41.
- Taiz LE, Zeiger (2002): Mineral Nutrition: Plant Physiology. 2nd ed. Sinaver Associates Inc. Pub. pp. 67-86.
- Thangavel A, Ayyanar M, Pillai YJK, Sekar T (2011): Phytochemical screening and antibacterial activity of leaf and callus extracts of *Centella asiatica*. Bangladesh J. Pharmacol. **6**, 55-60.
- Thenmozhi M, Sivaraj R (2011): *In vitro* evaluation of the antibacterial activity of Petunia leaf and callus extracts. J. agri. Technol. **7(2)**, 321-330.
- Thepsamran N, Thepsithar C, Thongpukdee A (2006): Callus and shoot regeneration from petiole segments of physic nut (*Jatropha curcas*

L.) Nakhon Pathom: Department of Biology, Faculty of Science, Silpakorn University, Thailand.

- Thepsithar C, Chiensil P, Thongpukdee A (2010): Micropropagation of *Caladium bicolor* (Ait.) vent. 'Thep Songsil' and incidence of somaclonal variants. *Acta Hort.* **855**, 273-279.
- Thomas OO (1989): Re-examination of the antimicrobial activities of *Xylopiia aethiopica*, *Carica papaya*, *Ocimum gratissimum* and *Jatropha curcas*. *Fitoterapia* **60**, 147-161.
- Thomas R, Sah NK, Sharma PB (2008): Therapeutic biology of *Jatropha curcas*: a mini review. *Curr. Pharm. Biotechnol.* **9**, 315-24.
- Thorpe TA (1983): Morphogenesis and regeneration in tissue culture. *Beltsville Sym Agric. Res.* **7**, 285-303.
- Thorpe TA, Stefania B (1981): Regulation of plant organogenesis. *Adv. Cell Cult.* **1**, 213-239.
- Tingey SV, Tufo DJP (1993): Genetic analysis with random amplified polymorphic DNA markers. *Plant Physiol.* **101**, 349-352.
- Tiwari P, Kumar B, Kaur M, Kaur G, Kaur H (2011): Phytochemical screening and Extraction: A Review. *Int. Pharmaceut. Sci.* **1(1)**, 98-106.
- Tiwari SK, Tiwari KP, Siril EA (2002): An improved micropropagation protocol for teak. *Plant Cell Tiss. Org. Cult.* **71**, 1-6.
- Tran TVK (1981): Control of morphogenesis in *in vitro* cultures. *Ann. Rev. Plant Physiol.* **32**, 291-311.
- Tyagi RK, Agrawal A, Mahalakshmi C, Hussain Z (2007): Low-cost media for *in vitro* conservation of turmeric (*Curcuma longa* L.) and genetic stability assessment using RAPD markers. *In Vitro Cell. Dev. Biol. Plant* **43**, 51-58.

References

- U.S. DOE (Department of Energy) (2010): "National Algal Biofuels Technology Roadmap." Office of Energy Efficiency and Renewable Energy, Biomass Program.
- Urs NVR, Dunleavy JM (1975): Enhancement of the bactericidal activity of a peroxidase system by phenolic compounds (*Xanthomonas phaseoli* var. *sojensis*, soybeans). *Phytopathol.* **65**, 686-690.
- Usman H, Abdulrahman FI, Ladan AA (2007): Phytochemical and Antimicrobial evaluation of *Tribulus terrestris* L. (Zygophyllaceae) growing in Niger. *Res. J. Biol. Sci.* **2**, 244-247.
- Uthayakumari F, Sumathy M (2011): Pharmacognostical studies on the endemic medicinal plant. *Int. J. Pharm. Tech. Research.* **3(4)**, 2169-2174.
- Vaillancourt A, Nkongolo KK, Michael P, Mehes M (2008): Identification, characterisation, and chromosome locations of rye and wheat specific ISSR and SCAR markers useful for breeding purposes. *Euphytica.* **159(3)**, 297-306.
- Vandana AS (2010): Comparison of TLC fingerprint profile of different extracts of *Embelia ribes*; *Inter. J. Pharm. Tech.* **2(4)**, 2438-2440.
- Vanderhoef LN, Stahl CA, Lu TYS (1976): Two elongation responses to auxin respond differently to protein synthesis inhibition. *Plant Physiol.* **58**, 402-404.
- Varshney A, Johnson TS (2010): Efficient plant regeneration from immature embryo cultures of *Jatropha curcas*, a biodiesel plant, *Plant Biotechnol. Rep.* **4(2)**, 139-148, 2010.
- Vazquez AM (2001): Insight into soma clonal variation. *Plant Bio systems* **135**, 57-62.

- Virsek MM, Bohanec B, Javornik B (1999): Adventitious shoot regeneration from apple leaves optimisation of the protocol and assessment of genetic variation among regenerants. *Phyton* **39**, 61-70.
- Wang GX (2010): *In vivo* anthelmintic activity of five alkaloids from *Macleaya microcarpa* (Maxim) Fedde against *Dactylogyrus intermedius* in *Carassius auratus*. *Veterinary Parasitol.* **171**, 305-313.
- Warakagoda PS, Subasinghe S (2009): *In vitro* culture establishment and shoot proliferation of *Jatropha curcas* L. *Trop. Agric. Res. Extension* **12(2)**, 77-80.
- Wareing PF, Philips IDJ (1981): Growth and differentiation in plants. 3rd Edn. Pergamon Press. Oxford.
- Weida L, Qim W, Lin Tang, Fang Y, Fang C (2003): Induction of callus from *Jatropha curcas* and its rapid propagation. *Ying Yong Yu Huan Jing Sheng Wu Xue Bao.* **9**, 127-130.
- WHO (2002): Traditional Medicine: Growing Needs and Potential, WHO Policy Perspectives on Medicines. World Health Organization, Geneva, pp. 1-6.
- Williams JGK, Kubelik KJ, Livak KJ, Rafalski JA, Tingey SV (1990): DNA polymorphisms amplified by arbitrary primers are useful genetic markers. *Nucleic Acids Res.* **18**, 6531-6535.
- Winarto W, Rachmawati F, Pramanik D, Silva DTJA (2011): Morphological and cytological diversity of regenerants derived from half-anther cultures of anthurium. *Plant Cell Tiss. Org. Cult.* **105**, 363-374.
- Wink M (1993): Quinolizidine alkaloids. In: Waterman PG (Ed): *Methods in Plant Biochemistry*. Academic Press, London, pp. 197-239.

- Wu KR, Jones R, Danneberg L, Scolnik PA (1994): Detection of microsatellite polymorphism without cloning. *Nucleic Acids Res.* **22**, 3257-3258.
- Wurdack KJ (2008): Molecular evolution and phylogenetic of Euphorbiaceae: Beyond the model organisms. *Plant and Animal Genomes, XVI Conference San Diego, CA.*
- Yari R, Farahani F (2011): Study of morphological traits changes in prolonged vegetative reproduction of three olive tree cultivars domesticated (Zard, Roughani and X) in Iran. *Afr. J. Agric. Res.* **6(29)**, 6320-6325.
- Yari R, Farahani F, Sheidai M, Kouhsarri SM, Fahimi H (2011): The effects of prolonged vegetative reproduction of the two Iranian olive cv. tree cultivars (Dezful Baghmalek and Dezful Safiabab) on morphological traits. *Afr. J. Biotech.* **10(45)**, 9076-9081.
- Yeh FC, Yang RC, Boyle T (1997): POPGENE A Microsoft Windows based freeware for population genetic analysis: ver. 1.32 (32 bit).
- Yeoman MM, Evans PK, Naik GG (1966): Changes in mitotic activity during early callus development. *Nature* **209**, 1115-1116.
- Yeoman MM, Evans PK (1967): Growth and differentiation of plant tissue cultures. II. Synchronous cell divisions in developing callus cultures. *Ann. Bot.* **31**, 323-332.
- Yusuf OS, Maxwell EI (2011): The evaluation of the analgesic activity of the methanolic leaf extract of *Jatropha curcas* (Linn) in experimental animals. *Int. J. Biomed. Eng. Technol.* **6(2)**, 200 - 207.
- Zapartan M, Butiuc-Keul A, Deliu C, Deliu-Munteanu C (2000): Regenerative capacity of *Lilium longiflorum* Thumb. species cultivated *in vitro*,

Publications:

- **Jose J** and Nambisan P (2010): Effect of plant growth regulators on somatic embryogenesis in *Jatropha curcas*, *Emerging trends in Biotechnology*, pp. 73-81
- **Jose J**, Anu M A, Nimisha K and Nambisan P (2011): Mitotic index in callus induced from leaf explants of *Jatropha curcas*, *Journal of Cytology and Genetics* **12**, 43-54.
- **Jose J**, Nimisha K, **Anu M A** and Nambisan P (2012): Evaluation of somaclonal variation in callus cultures of *Jatropha curcas* maintained on different hormonal combinations using RAPD markers, *World Journal of Agricultural Sciences* **8 (6)**, 616-623.

Conference Presentations:

- **Jose J**, Habeeba U and Nambisan P (2010): Direct plant regeneration from leaf-disc cultures of *Jatropha curcas* L., 7th National Symposium on Modern Biological Sciences SyMBios- '10, SNMV College of Arts and Science, Malumachampatti, Coimbatore, 5-6 February, 2010.
- **Jose J**, Habeeba U and Nambisan P (2010): A simple protocol for isolation and purification of protoplast from *Jatropha curcas*, International Conference on the green path to sustainability: Prospects and challenges (GRESPEC - 2010): July 7-9, 2010, Assumption College, Changanassery. (Won 3rd Place).

Contribuții Botanice I, Grădina Botanică Alexandru Borza, Cluj-Napoca. 131-137.

Zapartan M (2001): Conservarea florei spontane prin înmulțire *in vitro*, Media group (Ed), Cluj Napoca, pp. 115 -130.

Zehr BE, Williams ME, Duncan RD (1987): Somaclonal variation among the progeny of plants regenerated from callus cultures of seven inbred lines of maize. *Can. J. Bot.* **61**, 491-499.

Zeng LH, Yan F, Chen F (2004): *In vitro* bacteriostasis of *Jatropha curcas* L. extract against chicken *Escherichia coli* and *Staphylococcus aureus*. *Chin. Poult. Sci.* **8(1)**, 35-37.

Zhang CL, Chen DF, Elliott MC Slater A (2001): Thidiazuron-induced organogenesis and somatic embryogenesis in sugar beet (*Beta vulgaris* L.). *In Vitro Cell. Dev. Biol. Plant* **37**, 305-310.

Zhang J, Jiang L (2008): Acid-catalyzed esterification of *Zanthoxylum bungeanum* seed oil with high free fatty acids for biodiesel production. *Bioresource Technol.* **99**, 8995-8998.

Zhang K, Letham DS, John PCL (1996): Cytokinin controls the cell cycle at mitosis by stimulating the tyrosine dephosphorylation and activation of p34^{cdc2}-like HI histone kinase. *Planta* **200**, 2-12.

Zietkiewicz E, Rafalski A, Labuda D (1994): Genomic fingerprinting by simple sequence repeat (SSR)-anchored polymerase chain reaction amplification. *Genomics* **20**, 176-183.