

REFERENCES

1. Aggarwal, MD, Choi, J, Wanf, WS, Bhat, K, Lal, RB, Shield, AD, Penn, BG & Frazier, DO 1999, 'Solution growth of a novel nonlinear optical material: L-histidinetetrafluoroborate', *Journal of Crystal Growth*, vol. 204, pp. 179-182.
2. Aleshin, AN, Lee, JY, Chu, SW, Kim, JS & Park, YW 2004, 'Mobility studies of field-effect transistor structures based on anthracene single crystals', *Applied Physics Letters*, vol. 84, no. 26, pp. 5383-5385.
3. Alex, AV & Philip, J 2004, 'Ultrasonic measurement of the elastic properties of benzoyl glycine single crystals', *Pramana-Journal of Physics*, vol. 62, no. 1, pp. 87-94.
4. Anandha Babu, G, Ramasamy, RP & Ramasamy, P 2009, 'Synthesis, crystal growth and characterization of an efficient nonlinear optical D- π -A type single crystal: 2-Aminopyridinium 4-nitrophenolate 4-nitrophenol', *Materials Chemistry and Physics*, vol. 117, no. 1, pp. 326-330.
5. Anandha Babu, G & Ramasamy, P 2010, 'Crystal structure, crystal growth and characterization of novel organic NLO material: 2,4,4-Trimethoxybenzophenone', *Materials Chemistry and Physics*, vol. 119, no. 3, pp. 533-538.
6. Andreev, GA & Hartmanová, M 1989, 'Flotation method of precise density measurements', *Physica Status Solidi a*, vol. 116, no. 2, pp. 457-468.
7. Anthopoulos, T, Tanase, C, Setayesh, S, Meijer, EJ, Hummelen, JC, Blom, PWM & Leeuw, DMD 2004, 'Ambipolar organic field-effect transistors based on solution processed methanofullerene', *Advanced Materials*, vol. 16, pp. 2174-2179.
8. Arjunan, S, Bhaskaran, A, Mohan Kumar, R, Mohan, R & Jayavel, R 2012, 'Effect of Iodic Acid Dopant on the Growth and Structural, Optical, and Electrical Properties of L-Arginine Phosphate Single Crystals', *Materials and Manufacturing Processes*, vol. 27, no. 1, pp. 49-52.



9. Auston, DH 1975, 'Picosecond optoelectronic switching and gating in silicon', *Applied Physics Letters*, vol. 26, pp. 101-103.
10. Babu Reddy, JN, Vanishri, S, Ganesh Kamath, Suja Elizabeth, Bhat, HL, Isakov, D, Belsley, M, de Matos Gomes, E, & Aroso, TL 2009, 'Growth and physical properties of a new chiral open-framework crystal for NLO applications: Cesium hydrogen L-malate monohydrate', *Journal of Crystal Growth*, vol. 311, pp. 4044-4049.
11. Bailey, RT, Cruikshank, FR, Guthrie, SMG, McArdle, BJ, Morrison, H, Pugh, D, Shepherd, EA, Sherwood, JN, Yoon, CS, Kashyap, R, Nayar, BK & White, KI 1988, 'The quality and performance of the organic non-linear optical material (-)-2-(α -methylbenzylamino)-5-nitropyridine (MBA-NP)', *Optics Communications*, vol. 65, pp. 229-232.
12. Bass, M, Franken, PA, Ward, JF & Weinreich, G 1962, 'Optical rectification', *Physics Review Letters*, vol. 9, pp. 446-449.
13. Baumert, JC, Twieg, RJ, Bjorklund, GC, Logan, JA & Dirk, CW 1987, 'Crystal growth and characterization of 4-(N,N-dimethylamino)-3-acetamidonitrobenzene, a new organic material for nonlinear optics', *Applied Physics Letters*, vol. 51, pp. 1484-1486.
14. Berkovitch-Yellin, Z 1985, 'Toward an ab initio derivation of crystal morphology', *Journal of the American Chemical Society*, vol. 107, pp. 8239-8253.
15. Bhatt, R, Bhaumik, I, Ganesamoorthy, S, Karnal, AK, Swami, MK, Patel, HS & Gupta, PK 2012, 'Urbach tail and bandgap analysis in near stoichiometric LiNbO₃ crystals', *Physica Status Solidi (a)*, vol. 209, no.1, pp. 176-180.
16. Bosshard, Ch, Sutter, K, Gunter, P & Chapuis, G 1989, 'Linear- and Nonlinear-optical properties of 2-cyclooctylamino-5-nitropyridine', *Journal of Optical Society of America B*, vol. 6, pp. 721-725.
17. Bosshard, Ch, Sutter, K, Pretre, PH, Hulliger, J, Florsheimer, M, Kaatz, P & Gunter, P 1995, *Organic nonlinear optical materials*, Gordon and Breach publishers, Switzerland.
18. Bosshard, Ch, Hulliger, J, Florsheimer, M & Gunter P 2001, *Organic Nonlinear Optical Materials*, CRC Press.



19. Bourhill, G, Mansour K, Perry, KJ, Khundkar, L, Sleva, ET, Kern, R, Perry, JW, Williams, ID & Kurtz, SK 1993, 'Powder second harmonic generation efficiencies of saccharide materials', *Chemistry of Materials*, vol. 5, no. 6, pp. 802-808.
20. Brahadeeswara, S, Venkataraman, V, Sherwood, JN & Bhat, HL 1998, 'crystal growth and characterization of semiorganic nonlinear optical material: sodium p-nitrophenolate dehydrate', *Journal of Materials Chemistry*, vol. 8, no. 3, pp. 613-618.
21. Brahadeeswaran, S & Bhat, HL 1999, 'Polymorphism and nonlinear optical activity in sodium p-nitrophenolate', XVIII International Congress and General Assembl, International Union of Crystallography, PP. 534.
22. Brahadeeswaran, S 2000, Crystal growth, characterization and NLO activity of hydrates of semiorganic sodium 4-nitrophenolate. Ph.D. thesis, Indian Institute of Science, India.
23. Brahadeeswaran, S, Bhat, HL, Kini, NS, Umarji, AM, Balaya, P, Goyal, PS 2000, 'Dielectric, thermal, and mechanical properties of the semiorganic nonlinear optical crystal sodium p-nitrophenolate dehydrate', *Journal of Applied Physics*, vol. 88, no. 10, pp. 5935-5940.
24. Brahadeeswaran, S, Bhat, HL, Sherwood, JN & Vrcelj, RM 2002, 'Sodium p-nitrophenolate tetrahydrate', *Acta Crystallographica E*, vol. 58, no. 6, m290-m292.
25. Brahadeeswaran, S, Bhat, HL, Kini, NS, Umarji, AM, Balaya, P & Goyal, PS 2000, 'Dielectric, thermal, and mechanical properties of the semiorganic nonlinear optical crystal sodium p-nitrophenolate dihydrate', *Journal of Applied Physics*, vol. 88, pp. 5935.
26. Brahadeeswaran, S, Onduka, S, Takagi, M, Takahashi, Y, Adachi, H, Yoshimura, M, Mori, Y & Sasaki, T 2006, 'Growth of high-quality DAST crystals for THz applications', *Journal of Crystal Growth*, vol. 292, pp. 441-444.
27. Brahadeeswaran, S, Onduka, S, Takagi, M, Takahashi, Y, Adachi, H, Kamimura, T, Yoshimura, M, Mori, Y, Yoshida, K & Sasaki, T 2006, 'Twin-free and high-quality DAST crystals - effected through solutions of lower supersaturation coupled with isothermal solvent evaporation', *Crystal Growth & Design*, vol. 6, pp. 2463-2468.



28. Brahadeeswaran, S, Takahashi, Y, Yoshimura, M, Tani, M, Okada, S, Nashima, S, Mori, Y, Hangyo, M, Ito, H & Sasaki, T 2013, 'Growth of ultrathin and highly efficient organic nonlinear optical crystal 4'-dimethylamino-N-methyl-4-stilbazolium p-chlorobenzenesulfonate for enhanced terahertz efficiency at higher frequencies', *Crystal Growth & Design*, vol. 13, pp. 415-421.
29. Brahadeeswaran, S, Thirupugalmani, K & Shanmugam, G 2012, Rapid Growth of Thin and Flexible Organic Semiconductor Single Crystals Using Modified Solution Technique, Indian Patent 584/CHE/2012 (Examination pending).
30. Brahadeeswaran, S, Venkataramanan, V & Bhat, HL 1999, 'Nonlinear optical activity of anhydrous and hydrated sodium p-nitrophenolate', *Journal of Crystal Growth*, vol. 205, no. 4, pp. 548-553.
31. Brahadeeswaran, S, Venkataramanan, V, Sherwood, JN & Bhat, H.L 1998, 'Crystal growth and characterization of semiorganic nonlinear optical material: sodium p-nitrophenolate dihydrate', *Journal of Materials Chemistry*, vol. 8, no.3, pp. 613-618.
32. Brahadeeswaran, S 2000, 'Crystal growth, characterization and NLO activity of hydrates of semiorganic sodium 4-nitrophenolate', Ph.D. Thesis, Indian Institute of Science, India.
33. Briseno, AL, Tseng, RJ, Ling, MM, Falcao, EHL, Yang, Y, Wudl, F & Bao, Z 2006, 'High-Performance Organic Single-Crystal Transistors on Flexible Substrates', *Advanced Materials*, vol. 18, no. 17, pp. 2320-2324.
34. Brunner, FDJ 2009, 'Generation and detection of terahertz pulses in the organic crystals OH1 and COANP', Ph. D Thesis, ETH Zurich, Switzerland.
35. Bruker, SAINT (Version 6.28a) & SMART (Version 5.625), Bruker AXS Inc., Madison, Wisconsin, USA, 2001.
36. Buckley, HE 1951, *Crystal Growth*, John Wiley, New York.
37. Burton, WK, Cabera, N & Frank, FC 1951, 'The Growth of Crystals and the Equilibrium Structure of their surfaces', *Philosophical Transactions of the Royal Society A: Mathematical, Physical & Engineering Sciences*, vol.243, pp.299-358.



38. Charles, JB & Ganam, FD 1994, 'Dielectric studies on sodium fluoroantimonate single crystals', *Crystal Research & Technology*, vol. 29, no. 5, pp. 707–712.
39. Chary, BR, Bhat, HL, Sangunni, KS & Narayanan, PS 1985, 'Design and fabrication of a versatile solution growth system to grow large single crystals', *Journal of the Instrument Society of India*, vol. 15, pp. 106-110.
40. Chemla, DS & Zyss, J 1987, *Nonlinear Optical Properties of Organic Materials and Crystals*, Academic Press, New York.
41. Chen, T, Sun, Z, Li, L, Wang, S, Wang, Y, Luo, J & Hong, M 2012, 'Growth and characterization of a nonlinear optical crystal—2,6-diaminopyridinium 4-nitrophenolate 4-nitrophenol (DAPNP)', *Journal of Crystal Growth*, vol. 338, no. 1, pp. 157-161.
42. Chen, T, Sun, Z, Song, C, Ge, Y, Luo, J, Lin, W & Hong, M 2012, 'Bulk Crystal Growth and Optical and Thermal Properties of the Nonlinear Optical Crystal l-Histidinium-4-nitrophenolate 4-Nitrophenol (LHPP)', *Crystal Growth & Design*, vol. 12, no. 5, pp. 2673–2678.
43. Chiang, CK, Fincher Jr., CR, Park, YW, Heeger, AJ, Shirakawa, H, Louis, EJ, Gau, SC & MacDiarmid, AG 1977, 'Electrical conductivity in doped polyacetylene', *Physics Review Letters*, vol. 39, pp. 1098–1101.
44. Colwell, SM, Murray, CW, Handy, NC & Amos, RD 1993, 'The determination of hyperpolarizabilities using density functional theory', *Chemical Physics Letters*, vol. 210, no. 1, pp. 261-268.
45. Cullity, BD 1956, *Elements of X-ray diffraction*, Addison-wesley, USA.
46. Davey, RJ 1986, 'the role of the solvent in crystal growth from solution', *Journal of Crystal Growth*, vol. 76, no. 3, pp. 637-644.
47. Dhanalakshmi, B, Ponnusamy, S & Muthamizhchelvan, C 2010, 'Growth and characterization of a solution grown, new organic crystal: l-histidine-4-nitrophenolate 4-nitrophenol (LHPP)', *Journal of Crystal Growth*, vol. 313, no. 1, pp. 30-36.



48. Dhanaraj, G, Srinivasan, MR, Bhat, HL, Jayanna, HS & Subramanyam, SV 1992, 'Thermal and electrical properties of the novel organic nonlinear crystal L-arginine phosphate monohydrate', *Journal of Applied Physics*, vol. 72, no. 8, pp. 3464-3467.
49. Dhanaraj, PV, Rajesh, NP & Bhagavannarayan, G 2010, 'Synthesis, crystal growth and characterization of an organic NLO material: bis (2-aminopyridinium) maleate', *Physica B: Condensed Matter*, vol. 405, no. 16, pp. 3441-3445.
50. Dhanuskodi, S, Manivannan, S, Kirschbaum, K, Philip, J & Selladurai, S 2006, 'Structural, thermal and dielectric studies on a new solution grown 4-dimethylaminopyridinium dihydrogen phosphate crystal', *Journal of Cryst Growth*, vol. 290, no. 2, pp. 548-553.
51. Draguta, S, Fonari, MS, Masunov, AE, Zazueta, J, Sullivan, S, Antipin, MY & Timofeeva, TV 2013, 'New acentric materials constructed from aminopyridines and 4-nitrophenol', *CrystEngComm*, vol. 15, pp. 4700-4710.
52. Evans, CC, Beucher, MB, Masse, R & Nicoud, JF 1998, 'Nonlinearity Enhancement by Solid-State Proton Transfer: A New Strategy for the Design of Nonlinear Optical Materials', *Chemistry of Materials*, vol. 10, no. 3, pp. 847-854.
53. Exter, MV, Fattinger, Ch & Grischkowsky, D 1989, 'Terahertz time-domain spectroscopy of water vapor', *Optics Letters*, vol. 14, pp. 1128-1130.
54. Fang, T & Lambropoulos, JC 2002, 'Microhardness and indentation fracture of potassium dihydrogen phosphate (KDP)', *Journal of the American Ceramic Society*, vol. 85, no. 1, pp. 174-178.
55. Farhoomand, J & Pickett, HM 1987, 'Stable 1.25 Watts CW far infrared laser radiation at the 119 μm methanol line', *International Journal of Infrared and Millimeter Waves*, vol. 8, pp. 441-447.
56. Faries, DW, Gehring, KA, Richards, PL & Shen, YR 1969, 'Tunable far-infrared radiation generated from the difference frequency between two ruby lasers', *Physical Review*, vol. 180, pp. 363-365.
57. Ferguson, B & Zhang, XC 2002, 'Terahertz Applications by THz Time Domain Spectroscopy', *Nature Materials* vol. 1, pp. 26 - 33.



58. Forty, AJ 1951, 'Observation of growth of cadmium iodine from aqueous solution', *Philosophical Magazine*, vol. 42, pp. 670-672.
59. Frank, FC 1949, 'The influence of dislocations on crystal growth', *Discussions of the Faraday Society*, vol. 5, pp. 48-54.
60. Franken, PA, Hill, AE, Peters, CW & Weinreich, G 1961, 'Generation of optical harmonics', *Physical Review Letters*, vol. 7, no. 4, pp. 118-119.
61. Frazier, CC, Chauchard, EA, Lee, CH & Cockerham, MP 1987, 'Second-harmonic generation in aromatic organic compounds', *Journal of the Optical Society of America B*, vol. 4, no. 11, pp. 1899-1903.
62. Friend, RH, Gymer, RW, Holmes, AB, Burroughes, JH, Marks, RN, Taliani, C, Bradley, DDC, Dos Santos, DA, Bredas, JL, Lögdlund, M & Salaneck, WR 1999, 'Electroluminescence in conjugated polymers', *Nature*, vol. 397, no. 6715, pp. 121-128.
63. Frisch, MJ, Trucks, GW, Schlegel, HB, Scuseria, GE, Robb, MA, Cheeseman, JR, Montgomery, JA, Vreven, JrT, Kudin, KN, Burant, JC, Millam, JM, Iyengar, SS, Tomasi, J, Barone, V, Mennucci, B, Cossi, M, Scalmani, G, Rega, N, Petersson, GA, Nakatsuji, H, Hada, M, Ehara, M, Toyota, K, Fukuda, R, Hasegawa, J, Ishida, M, Nakajima, T, Honda, Y, Kitao, O, Nakai, H, Klene, M, Li, X, Knox, JE, Hratchian, HP, Cross, JB, Adamo, C, Jaramillo, J, Gomperts, R, Stratmann, RE, Yazyev, O, Austin, AJ, Cammi, R, Pomelli, C, Ochterski, JW, Ayala, PY, Morokuma, K, Voth, GA, Salvador, P, Dannenberg, JJ, Zakrzewski, VG, Dapprich, S, Daniels, AD, Strain, MC, Farkas, O, Malick, DK, Rabuck, AD, Raghavachari, K, Foresman, JB, Ortiz, JV, Cui, Q, Baboul, AG, Clifford, S, Cioslowski, J, Stefanov, BB, Liu, G, Liashenko, S, Piskorz, AP, Komaromi, I, Martin, RL, Fox, DJ, Keith, T, Al-Laham, MA, Peng, CY, Nanayakkara, A, Challacombe, M, Gill, PMW, Johnson, B, Chen, W, Wong, MW, Gonzalez, C & Pople, JA 2003, *Gaussian, Inc. Pittsburgh PA, 2003*.
64. Gallagher, HG, Miller, JC, Sheen, DB, Sherwood, JN & Vrcelj, RM 2015, 'Mechanical properties of β -HMX', *Chemistry Central Journal*, vol. 9, no. 22, pp. 1-15.
65. Gaussian 03 Program, Gaussian Inc, Wallingford, 2004.



66. Gong, J, Miao, H, Peng, Z & Qi, L 2003, 'Effect of peak load on the determination of hardness and Young's modulus of hot-pressed Si_3N_4 by nanoindentation', *Materials Science and Engineering: A*, vol. 354, no. 1-2, pp. 140-145.
67. Gordon, GE & Amin, SI 1984, Crystallisation of ibuprofen, U.S. Patent 4476248 A.
68. Green, JHS & Harrison, DJ 1970, 'Vibrational spectra of benzene derivatives-X: Monosubstituted nitrobenzenes', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 26, no. 9, pp. 1925-1937.
69. Griffin, LJ 1950, Observations of unimolecular growth steps on crystal surface', *Philosophical Magazine Series*, vol. 41, pp. 196-199.
70. Gunter, P 1974, 'Electro-optical properties of KNbO_3 ', *Optics Communications*, vol. 11, no. 3, pp. 285-290.
71. Gunter, P, Bosshard, Ch, Sutter, K, Arend, H, Chapuis, G, Twieg, RJ & Dobrowolski, D 1987, '2-cyclooctylamino-5-nitropyridine, a new nonlinear optical crystal with orthorhombic symmetry', *Applied Physics Letters*, vol. 50, pp. 486-488.
72. Guo, R, Ikari, T, Zhang, J, Minamide, H & Ito, H 2010, 'Frequency-agile THz-wave generation and detection system using nonlinear frequency conversion at room temperature', *Optics Express*, vol. 18, pp. 16430-16436.
73. Guruprasad, L, Krishnakumar, V & Nagalakshmi, R 2010, 'Investigations on the physicochemical properties of 2,4-dinitrophenol: Efficient organic nonlinear optical crystal for frequency doubling', *Physica B: Condensed Matter*, vol. 405, no. 6, pp. 1652-1657.
74. Haja Hameed, AS, Rohani, S, Yu, WC, Tai, CY & Lan, CW 2006, 'Surface defects and mechanical hardness of rapidly grown DAST crystals', *Journal of Crystal Growth*, vol. 297, no. 1, pp. 146-151.
75. Halfpenny, PJ, Morrison, H, Ristic, RI, Shepherd, EEA, Sherwood, JN, Simpson, G & Yoon, CS 1993, 'The growth of large single crystals of the organic Nonlinear optical material 2-(α -methylbenzylamino)-5-nitropyridine', *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 440, pp. 683-699.



76. Hanneman, M 1941, 'Indentation size effect and microhardness study', *Metallurgical. Manch*, vol. 23, pp. 135-139.
77. Hashimoto, H, Okada, Y, Fujimura, H, Morioka, M, Sugihara, O, Okamoto, N & Matsushima, R 1997, 'Second-harmonic generation from single crystals for N-substituted 4-nitroaniline', *Japanese Journal of Applied Physics*, vol. 36, pp. 6754-6760.
78. Hatakeyama, T & Liu, Z 1998, *Handbook of thermal analysis*, John Wiley, Chichester.
79. Hirori, H, Doi, A, Blanchard, F & Tanaka, K 2011, 'Single-cycle terahertz pulses with amplitudes exceeding 1 MV/cm generated by optical rectification in LiNbO₃', *Applied Physics Letters*, vol. 98, pp. 091106.
80. Hong, IH, Tan, KJ, Toh, M, Jiang, H, Zhang, K & Kloc, C 2013, 'Impurities in zone-refining anthracene crystals', *Journal of Crystal Growth*, vol. 363, pp. 61-68.
81. Hooper, RM, Mcardle, BJ, Narang, RS & Sherwood, JN 1980, *Crystallization from solution at low temperatures*. In *Crystal Growth*, edition by Pamplin, BR, Newyorkm NY.
82. <http://www.rap.riken.jp/en/labs/twrg/tprt/index.html>
83. Hunziker, C, Kwon, SJ, Figi, H, Jazbinsek, M & Gunter, P 2008, 'Fabrication and phase modulation in organic single-crystalline configurationally locked, phenolic polyene OH1 waveguides', *Optics Express*, vol. 16, no. 20, pp. 15903–15914.
84. Ito, H, Suizu, K, Yamashita, T, Nawahara, A & Sato, T 2007, 'Random frequency accessible broad unabled terahertz-wave source using phase-matched 4-dimethylamino-N-methyl-4-stilbazolium tosylate crystal', *Japanese Journal of Applied Physics*, vol. 46, pp. 7321-7324.
85. Jagadesan, A, Peramaiyan, G, Mohan Kumar, R & Arjunan S 2015, 'Growth, optical, thermal and laser damage threshold studies of 4-aminopyridinium 4-nitrophenolate 4-nitrophenol crystal', *Journal of Crystal Growth*, vol. 418, pp. 153–157.
86. Jagodzinski, H 1963, *Crystallography and Crystal Perfection*, Academic Press, New York.



87. Jazbinsek, M & Zgonik, M 2002, 'Material tensor parameters of LiNbO₃ relevant for electro- and elasto-optics', *Applied Physics B*, vol. 74, no. 4, pp. 407–414.
88. Kafka, JD, Watts, ML & Pieterse. JWJ 1992, 'Picosecond and femtosecond pulse generation in a regeneratively modelocked Ti:sapphire laser', *IEEE Journal of Quantum Electronics*, vol. 28, pp. 2151-2162.
89. Kai, L, Hyun-Shik, K, Tae-Kyu, K & Zhang, X-C 2002, 'Study of ZnCdTe crystals as terahertz wave emitters and detectors', *Applied Physics Letters*, vol. 81, pp. 4115-4117.
90. Kannan, V, Rakhikrishnan, R, Philip, J & Brahadeeswaran, S 2014, 'Studies on thermophysical and mechanical properties of hydrazonium L-tartrate', *Journal of Thermal Analysis and Calorimetry*, vol. 116, no. 1, pp. 339-347.
91. Kannan, V, Thirupugalmani, K, Shanmugam, G & Brahadeeswaran, S 2014, 'Synthesis, growth, thermal, optical, mechanical and dielectric studies of N-succinopyridine: An organic nonlinear optical single crystal', *Journal of Thermal Analysis and Calorimetry*, vol. 115, no. 1, pp. 731-742.
92. Karabacak, M & Yilan, E 2012, 'Molecular structure, spectroscopic (FT-IR, FT-Raman, ¹³C and ¹H NMR, UV), polarizability and first-order hyperpolarizability, HOMO and LUMO analysis of 4'-methylbiphenyl-2-carbonitrile', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 87, pp. 273-285.
93. Karan, S, Gupta, SS & Gupta, SPS 2001, 'Microhardness and its related physical constants in solution-grown ammonium sulphate single crystals', *Materials Chemistry and Physics*, vol. 69, no. 1-3, pp. 143–147.
94. Kawase, K, Mizuno, M, Sohma, S, Takahashi, H, Taniuchi, T, Uratta, Y, Wada, S, Tashiro, H & Ito, H 1999, 'Difference-frequency terahertz-wave generation from 4-dimethylamino-N-methyl-4-stilbazolium-tosylate by use of an electronically tuned Ti:sapphire laser', *Optics Letters*, vol. 24, pp. 1065-1067.
95. Kerkoc, P, Zgonik, M, Sutter, K, Bosshard, Ch & Gunter, P 1989, 'Optical and nonlinear optical properties of 4-(N,N-dimethylamino)-3-acetamidonitrobenzene single crystals', *Applied Physics Letters*, vol. 54, pp. 2062-2064.



96. Kleinman, DA 1962, 'Nonlinear Dielectric Polarization in Optical Media', *Physical Review*, vol. 126, no. 6, pp. 1977-1979.
97. Knopfle, G, Bosshard, C, Schlessler, R & Gunter, P 1994, 'Optical, nonlinear optical, and electrooptical properties of 4'-nitrobenzylidene-3-acetamino-4-methoxyaniline (MNBA) crystals', *IEEE Journal of Quantum Electron.* vol. 30, pp. 1303 -1312.
98. Knox, M, Trifkovic, M & Rohani, S 2009, 'Combining anti-solvent and cooling crystallization: Effect of solvent composition on yield and meta stable zone width', *Chemical Engineering Science*, vol. 64, no. 16, pp. 3555-3563.
99. Koezuka, H, Tsumura, A & Ando, T 1987, 'Field-effect transistor with polythiophene thin film', *Synthetic Metals*, vol. 18, pp. 699-704.
100. Kosar, B & Albayrak, C 2011, 'Spectroscopic investigations and quantum chemical computational study of (E)-4-methoxy-2-[(ptolyimino) methyl] phenol', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 78, pp. 160-167.
101. Kossel, W 1927, *The Theory of Crystal Growth*, *Nachrichten der Akademie der Wissenschaften zu Göttingen, Mathematisch-Physikalische Klasse*, vol. 11A, pp. 135.
102. Krishnakumar, V, Eazhilarasi, G, Nagalakshmi, R, Piasecki, M, Kityk, IV & Bragiel, P 2008, 'Field-induced non-linear optical features of p-aminoazobenzene crystals', *The European Physical Journal - Applied Physics*, vol. 42, no. 3, pp. 263-267.
103. Kuroyanagi, K, Fujiwara, M, Hashimoto, H, Takahashi, H, Aoshima, S-I & Tsuchiya, Y 2006, 'Determination of refractive indices and absorption coefficients of highly purified N-benzyl-2-methyl-4-nitroaniline crystal in terahertz frequency regime', *Japanese Journal of Applied Physics*, vol. 45, pp. L761- L764.
104. Kurtz, SK & Perry, TT 1968, 'A Powder Technique for the Evaluation of Nonlinear Optical Materials', *Journal of Applied Physics*, vol. 39, no. 8, pp. 3798-3813.
105. Kwon, O-P, Kwon, S-J, Jazbinsek, M, Brunner, FDJ, Seo, J-I, Hunziker, C, Schneider, A, Yun, H, Lee, Y-S & Gunter, P 2008, 'Organic phenolic configurationally locked polyene single crystals for electro-optic and terahertz wave applications', *Advanced Functional Materials*, vol. 18, pp. 3242-3250.



106. Kwon, OP, Kwon, SJ, Jazbinsek, M, Choubey, A, Gramlich, V & Gunter, P 2007, 'New Organic Nonlinear Optical Polyene Crystals And Their Unusual Phase Transitions', *Advanced Functional Materials*, vol. 17, no. 11, pp. 1750-1756.
107. Kwon, S-J, Jazbinsek, M, Kwon, O-P & Günter, P 2010, 'Crystal growth and morphology control of OH1 organic electrooptic crystals', *Crystal Growth & Design*, vol. 10, pp. 1552-1558.
108. Lahav M & Leiserowitz, L 2006, 'A Stereochemical approach that demonstrates the effect of solvent on the growth of polar crystals: a perspective', *Crystal Growth & Design*, vol. 6, 619-624.
109. Laudise, RA 1970, *The Growth of Single Crystals*, Prentice-Hall, New York.
110. Lee, AM & Colwell, SM 1994, 'The determination of hyperpolarizabilities using density functional theory with nonlocal functional', *Journal of Chemical Physics*, vol. 101, no. 11, pp. 9704-9709.
111. Leitenstorfer, A, Hunsche, S, Shah, J, Nuss, MC & Knox, WH 2000, 'Femtosecond high-field transport in compound semiconductors', *Physical Review B*, vol. 61, pp. 16642-16652.
112. Levine, BF, Bethea, CG, Thurmond, CD, Lynch, RT & Bernstein, JL 1979, 'An Organic Crystal with an Exceptionally Large Optical Second Harmonic Coefficient: 2-Methyl-4-nitroaniline', *Journal of Applied Physics*, vol. 50, pp. 2523-2527.
113. Li, H, Zhang, D, Duan, L, Dong, G, Wang, L & Qiu, Y 2007, 'Morphological structure and optical property of Anthracene single crystals grown from solution', *Japanese Journal of Applied Physics*, vol. 46, no. 12, pp. 7789-7792.
114. Li, X, Xu, Y, Li, F & Ma, Y 2012, 'Organic light-emitting diodes based on an ambipolar single crystal', *Organic Electronics*, vol. 13, no. 5, pp. 762-766.
115. Lopopolo, G, Fiorella, F, Candia, MD, Nicolotti, O, Martel, S, Carrupt, PA & Altomarea, C 2011, 'Biarylmethoxy isonipecotanilides as potent and selective inhibitors of blood coagulation factor Xa', *European Journal of Pharmaceutical Sciences*, vol. 42, no. 3, pp. 180-191.



116. Ma, DA & Zhu, RY 1993, 'Light attenuation length of barium fluoride crystals', *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 333, no. 2-3, pp. 422-424.
117. Manivannan, S, Dhanuskodi, S, Tiwari, SK & Philip, J 2008, 'Laser induced surface damage, thermal transport and microhardness studies on certain organic and semiorganic nonlinear optical crystals', *Applied Physics B*, vol. 90, no. 3, pp. 489-496.
118. Marder, SR, Perry, JW & Yakymyshyn, CP 1994, 'Organic salts with large second-order optical nonlinearities', *Chemistry of Materials*, vol. 6, pp. 1137-1147.
119. Marder, SR, Perry, JW & Schaefer, WP 1989, 'Synthesis of organic salts with large second order optical nonlinearities', *Science*, vol. 245, no. 4918, pp. 626-628.
120. Masse, R, Nicoud, JF, Bagieu-Beucher, M & Bourgoigne, C 1999, 'Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics', *Chemical Physics*, vol. 245, no. 1-3, pp. 365-375.
121. Mathew, V, Jacob, S, Mahadevan, CK & Abraham, KE 2011, 'Dielectric and magnetic studies of gel-grown copper malonate trihydrate crystals', *Materials Letters*, vol. 65, no. 14, pp. 2142-2145.
122. Matsukawa, T, Mineno, Y, Odani, T, Okada, S, Taniuchi, T & Nakanishi, H 2007, 'Synthesis and terahertz-wave generation of mixed crystals composed of 1-methyl-4-{2-[4-(dimethylamino)phenyl]ethenyl}pyridinium p-toluenesulfonate and p-chlorobenzenesulfonate', *Journal of Crystal Growth*, vol. 299, pp. 344-348.
123. Mazzarello, J, Szatyłowicz, H & Krygowski, TM 2012, 'Interference of H-bonding and substituent effects in nitro- and hydroxy-substituted salicylaldehydes', *Journal of Molecular Modeling*, vol. 18, no. 1, pp. 127-135.
124. McDowell, SAC, Amos, RD & Handy, NC 1995, 'Molecular polarisabilities - a comparison of density functional theory with standard ab initio methods', *Chemical Physics Letters*, vol. 235, no.1, pp. 1-4.



125. Mebi, CA 2011, 'DFT study on structure, electronic properties and reactivity of cis-isomers of $[(NC_5H_4-S)_2Fe(CO)_2]$ ', *Journal of Chemical Science*, vol, 123, no. 5, pp. 727-731.
126. Meena, M & Mahadevan, CK 2008, 'Growth and dielectric properties of L-arginine acetate and L-arginine oxalate single crystals', *Materials Letters*, vol. 62, no. 21-22, pp. 3742-3744.
127. Meier, U, Bosch, B, Bosshard, C, Pan, F & Gunter, P 1998, 'Parametric interactions in the organic salt 4-N, N-dimethylamino-4-N-methylstilbazoliumtosylate at telecommunication wavelengths', *Journal of Applied Physics*, vol. 83, no. 7, pp. 3486-3489.
128. Meijer, EJ, Leeuw, DMD, Setayesh, S, Veenendaal, EV, Huisman, BH, Blom, PWM, Hummelen, JC, Scherf, U & Klapwijk, TM 2003, 'Solution-processed ambipolar organic field-effect transistors and inverters', *Nature Materials*, vol. 2, pp. 678-682.
129. Minemoto, H, Sonoda, N & Miki, K 1992, 'Structure of sodium p-nitrophenolate dihydrate', *Acta Crystallographica C*, vol. 48, no. 4, pp. 737-738.
130. Miyamoto, K, Minamide, H, Fujiwara, M, Hashimoto, H & Ito, H 2008, 'Widely tunable terahertz-wave generation using an N-benzyl-2-methyl-4-nitroaniline crystal', *Optics Letters*, vol. 33, pp. 252-254.
131. Mojumdar, SC & Raki, L 2006, 'Preparation, thermal, spectral and microscopic studies of calcium silicate hydrate-poly(acrylic acid) nanocomposite materials', *Journal of Thermal Analysis and Calorimetry*, vol. 85, no. 1, pp. 99-105.
132. Moulton, PF 1986, 'Spectroscopic and laser characteristics of $Ti:Al_2O_3$ ', *Journal of the Optical Society of America B*, vol. 3, pp. 125-133.
133. Mullin, JW 2001, *Crystallization*, Butterworth-Heinemann Publication, Oxford.
134. Muthuraman, M, Beucher, MB, Masse, R, Nicoud, JF & Desiraju, GR 1999, 'Sodium 4-nitrophenolate 4-nitrophenol dihydrate crystal: a new herringbone structure for quadratic nonlinear optics', *Journal of Materials Chemistry*, vol. 9, no. 7, pp. 1471-1479.



135. Muthuraman, M, Masse, R, Nicoud, JF & Desiraju, GR 2001, 'Molecular complexation as a design tool in the crystal engineering of noncentrosymmetric structures. ideal orientation of chromophores linked by O–H···O and C–H···O hydrogen bonds for nonlinear optics', *Chemistry of Materials*, vol. 13, no. 5, pp. 1473-1479.
136. Mutter, L, Brunner, FDJ, Yang, Z, Jazbinsek, M & Gunter, P 2007, 'Linear and Nonlinear Optical Properties of the Organic Crystal DSTMS', *Journal of Optical Society of America B*, vol. 24, pp. 2556-2561.
137. Nagai, M, Tanaka, K, Ohtake, H, Bessho, T, Sugiura, T, Hirosumi, T & Yoshida, M 2004, 'Generation and detection of terahertz radiation by electro-optical process in GaAs using 1.56 μm fiber laser pulses', *Applied Physics Letters*, vol. 85, pp. 3974-3976.
138. Nagalakshmi, R, Krishnakumar, V, Sudharsana, N, Wojciechowski, A, Piasecki, M, Kityk, IV, Belsley, M & Dmitry, I 2011, 'Studies on physico-chemical properties of hydroxyethylammonium (L) tartrate monohydrate single crystals', *Physica B: Condensed Matter*, vol. 406, no. 21, pp. 4019–4026.
139. Nahata, A, Weling, AS & Heinz, TF 1996, 'A wideband coherent terahertz spectroscopy system using optical rectification and electro-optic sampling', *Applied Physics Letters*, vol. 69, pp. 2321–2323.
140. Nelson, SF, Lin, YY, Gundlach, DJ & Jackson, TN 1998, 'Temperature-independent transport in high-mobility pentacene transistors', *Applied Physics Letters*, vol. 72, no. 15, pp. 1854-1856.
141. Ng, JD, Lorber, B, Giege, R, Koszelak, S, Day, J, Greenwood, A & Mcpherson, A 1997, 'Comparative analysis of thaumatin crystals grown on earth and in microgravity', *Acta Crystallographica D*, vol. D53, pp. 724-733.
142. Notake, T, Nawata, K, Kawamata, H, Matsukawa, T & Minamide, H 2012, 'Solution growth of high-quality organic N-benzyl-2-methyl-4-nitroaniline crystal for ultra-wideband tunable DFG-THz source', *Optical Materials Express*, vol. 2, pp. 119-125.
143. Nye, JF 1960, *Physical properties of crystals*, Clarendon Press, Oxford.
144. Onitsch, EM 1947, 'Over the microhardness of the metals', *Mikroskopie*, vol. 2, pp. 131–151.



145. Oudar, JL & Chemla, DS 1977, 'Hyperpolarizabilities of the nitroanilines and their relations to the excited state dipole moment', *Journal of Chemical Physics*, vol. 66, no, 6, pp. 2664-2668.
146. Oudar, JL 1977, 'Optical nonlinearities of conjugated molecules. Stilbene derivatives and highly polar aromatic compounds', *Journal of Chemical Physics*. vol. 67, no. 2, pp. 446-457.
147. Pan, F, Knopfle, G, Bosshard, Ch, Follonier, S, Spreiter, R, Wong, MS & Gunter, P 1996, 'Electro-optic properties of the organic salt 4-N,N-dimethylamino-4-N-methyl-stilbazolium tosylate', *Applied Physics Letters*, vol. 69, no. 1, pp. 13–15.
148. Pan, F, Wong, MS, Bosshard, C & Gunter, P 1996, 'Crystal growth and characterization of the organic salt 4-N, N-dimethylamino-4'-N-methyl-stilbazolium tosylate (DAST)', *Advanced Materials*, vol. 8, pp. 592-595.
149. Pandi, P, Peramaiyan, G, Krishna Kumar, M, Mohan Kumar, R & Jayavel, R 2012, 'Synthesis, structural, optical and thermal studies of an organic nonlinear optical 4-aminopyridinium maleate single crystal', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 88, pp. 77–81.
150. Paper, W 2008, *Terahertz Spectroscopy Brings a New Dawn of Biological Research*, Applied Research and Photonics, Inc.(ARP), Harrisburg, PA.
151. Parr, RG, Szentpaly, L & Liu, S 1999, 'Electrophilicity Index', *Journal of American Chemical Society*, vol. 121, no. 9, pp. 1922-1924.
152. Paul, IC & Curtin, DY 1973, 'Thermally induced organic reactions in the solid state', *Accounts of Chemical Research*, vol. 6, no. 7, pp. 217-225.
153. Pavlovetc, IM, Draguta, S, Fokina, MI, Timofeeva, TV & Denisyuk, IY 2015, 'Organic noncentrosymmetric complexes of 4-nitrophenol for second harmonic generation', *Pacific Rim Laser Damage 2015: Optical Materials for High-Power Lasers*, ed. J. Shao, T. Jitsuno, W. Rudolph, *Proceeding of SPIE*, pp. 95320Y-1-10.
154. Pierret, RF 1996, *Semiconductor Device Fundamentals*, Addison-Wesley Publishing company, New York.



155. Podzorov, V, Menard, E, Borissov, A, Kiryukhin, V, Rogers, JA & Gershenson, ME 2004, 'Intrinsic Charge Transport on the Surface of Organic Semiconductors', *Physical Review Letters*, vol. 93, pp. 086602-1-4.
156. Podzorov, V, Pudalov, VM & Gershenson, ME 2003, 'Field-effect transistors on rubrene single crystals with parylene gate insulator', *Applied Physics Letters*, vol. 82, pp. 1739-1741.
157. Prakash, MJ & Radhakrishnan, TP 2005, 'SHG Active salts of 4-nitrophenolate with H-bonded Hhelicical formations: structure-directing role of ortho-Aminopyridines', *Crystal Growth & Design*, vol. 5, pp. 721-725.
158. Rasenack, N & Muller, BW 2002 a, 'Properties of ibuprofen crystallized under various conditions: a comparative study', *Drug Development and Industrial Pharmacy*, vol. 28, no. 9, pp. 1077- 1089.
159. Read, WT & Schokely, W 1950, 'Dislocation models of crystal grain boundaries', *Physical Review*, vol. 78, pp. 275-289.
160. Reese, C, Chung, W-J, Ling, M-M, Roberts, M & Bao, Z 2006, 'High-performance microscale single-crystal transistors by lithography on an elastomer dielectric', *Applied Physics Letters*, vol. 89, pp. 202108.
161. Reese, C & Bao, Z 2007, 'Organic single-crystal field effect transistor', *Materialstoday*, vol. 10, pp. 20-27.
162. Rice, A, Jin, Y, Ma, XF, Zhang, X-C Bliss, D, Larkin, J & Alexander, M 1994, 'Terahertz optical rectification from $\langle 110 \rangle$ zinc-blende crystals', *Applied Physics Letters*, vol. 64, pp. 1324-1326.
163. Roberson, LB, Kowalik, J, Tolbert, LM, Kloc, C, Zeis, R, Chi, X, Fleming, R, & Wilkins, C 2005, 'Pentacene Disproportionation during Sublimation for Field-Effect Transistors', *Journal of the American Chemical Society*, vol. 127, pp. 3069-3075.
164. Roncali, J, Leriche, P & Cravino, A 2007, 'From One- to ThreeDimensional Organic Semiconductors: In Search of the Organic Silicon?', *Advanced Materials*, vol. 19, pp. 2045-2060.



165. Rothman, LS, Gordon, IE, Barbe, A, Benner, DC, Bernath, PF, Birk, M, Boudon, V, Brown, LR, Campargue, A, Champion, JP, Chance, K, Coudert, LH, Dana, V, Devi, VM, Fally, S, Flaud, JM, Gamache, RR, Goldman, A, Jacquemart, D, Kleiner, I, Lacome, N, Lafferty, WJ, Mandin, JY, Massie, ST, Mikhailenko, SN, Miller, CE, Ahmadi, NM, Naumenko, OV, Nikitin, AV, Orphal, J, Perevalov, VI, Perrin, A, Cross, AP, Rinsland, CP, Rotger, M, Šimecková, M, Smith, MAH, Sung, K, Tashkun, SA, Tennyson, J, Toth, RA, Vandaele, AC & Auwera, JV 2009, 'The HITRAN 2008 molecular spectroscopic database', *Journal of Quantitative Spectroscopy and Radiative Transfer*, vol. 110, pp. 533–572.
166. Sabarigirisun, TC & Dhanuskodi, S 2009, 'Linear and nonlinear optical properties of tris thiourea zinc sulphate single crystals', *Crystal Research and Technology*, vol. 44, no. 12, pp. 1297-1302.
167. Sakae, R, Yamagishi, M, Matsukawa, T, Takahashi, Y, Yoshimura, M, Kaneko, R, Takeya, K, Kawayama, I, Tonouchi, M, Okada, S & Mori, Y 2011, International symposium on terahertz nanoscience (TeraNano 2011) and workshop of international terahertz research network (GDR-I), Osaka, Japan.
168. Saleh, BEA & Teich, MC 1991, 'Fundamentals of Photonics', John Wiley and Sons Interscience, Canada.
169. Sangwal, K 1987, *Etching of crystals*, North-Holland.
170. Saxena, A, Agrawal, M & Gupta, A 2015, 'Vibrational study, molecular properties and first-order molecular hyperpolarizability of Methyl 2-amino 5-bromobenzoate using DFT method', *Optical Materials*, vol. 46, pp. 154-167.
171. Schneider, A, Neis, M, Stillhart, M, Ruiz, B, Khan, RUA & Günter, P 2006, 'Generation of terahertz pulses through optical rectification in organic DAST crystals: theory and experiment', *Journal of the Optical Society of America B*, vol. 23, pp. 1822–1835.
172. Shah, GD, Pansare, VS & Mulay, VN 1956, 'A modified micro-dumas method for rapid determination of nitrogen', *Microchim. Acta*, vol. 44, no. 7, pp. 1140-1143, 1956.
173. Shalaby, M & Hauri, CP 2015, 'Spectrally intense terahertz source based on triangular Selenium', *Scientific Reports*, vol. 5, pp. 8059.



174. Shalaby, M, Vidal, F, Peccianti, M, Morandotti, R, Enderli, F, Feurer, T & Patterson, B 2013, 'Terahertz macrospin dynamics in insulating ferrimagnets', *Physical Review B*, vol. 88, pp. 140301(1-5).
175. Shanmugam, G, Ravi Kumar, K, Sridhar, B & Brahadeeswaran, S 2012, 'Synthesis, structure, growth and characterization of a novel organic NLO single crystal: Morpholin-4-ium p-aminobenzoate', *Materials Research Bulletin*, vol. 47, pp. 2315–2323.
176. Shanmugam, G, Thirupugalmani, K, Kannan, V & Brahadeeswaran, S 2013, 'Spectroscopic, quantum-chemical and X-ray diffraction studies of Piperidinium p-Hydroxybenzoate-combined experimental and theoretical studies on a novel NLO crystal', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 106, pp. 175-184.
177. Shanmugam, G, Thirupugalmani, K, Rakhikrishna, R, Philip, J & Brahadeeswaran, S 2013, 'Thermophysical, mechanical and dielectric studies on piperidinium p-hydroxybenzoate: A novel organic NLO single crystal', *Journal of Thermal Analysis and Calorimetry*, vol. 114, no. 3, pp. 1245-1254.
178. Sharma, RP, Kumar, S, Bhasin, KK & Tiekink, ERT 1997, 'The crystal structure of polymeric magnesium bis(p -nitrophenolate) dihydrate: $[Mg(O_2NC_6H_4O)_2(OH_2)_2]$ ', *Zeitschrift Fur Kristallographie*, vol. 212, no. 10, pp. 742-744.
179. Sheik-Bahae, M, Said, AA & Van stryland, EW 1989, 'High-sensitivity, single-beam n² measurements', *Optics Letters*, vol. 14, no. 17, pp. 955-957.
180. Sheldrick, GM, SHELXS97 & SHELXL97, Programs for crystal structure solution and refinement, University of Gottingen, Germany, 1997.
181. Shi, W, Ding, YJ, Fernelius, N & Vodopyanov, K 2002 , 'Efficient, tunable, and coherent 0.18–5.27-THz source based on GaSe crystal', *Optics Letters*, vol. 27, pp. 1454-1456.
182. Sirringhaus, H, Friend, RH, Li, XC, Moratti, SC, Holmes, AB & Feeder, N 1997, 'Bis(dithienothiophene) organic field-effect transistors with a high ON/OFF ratio', *Applied Physics Letters*, vol. 71, pp. 3871-3873.



183. SMART & SAINT, Software Reference manuals. Versions 6.28a & 5.625, Bruker Analytical X-ray Systems Inc., Madison, Wisconsin, U.S.A., 2001.
184. Smith, JL 1972, 'Surface damage of GaAs from 0.694 and 1.06 μ laser radiation', *Journal of Applied Physics*, vol. 43, no. 8, pp. 3399-3402.
185. Smith, L.A., Roberts, K.J., Machin, D. and McLeod, G 2001 "An examination of the solution phase and nucleation properties of sodium, potassium and rubidium dodecyl sulphates", *Journal of Crystal Growth*, vol. 226, no.1, pp. 158-167.
186. Srinivasan, P, Kanagasekaran, T, Vijayan, N, Bhagavannarayana, G, Gopalakrishnan, R & Ramasamy, P 2007, 'Studies on the growth, optical, thermal and dielectric aspects of a proton transfer complex – Dimethyl amino pyridinium 4-nitrophenolate 4-nitrophenol (DMAPNP) crystals for non-linear optical applications', *Optical Materials*, vol. 30, no. 4, pp. 553-564.
187. Srinivasan, P, Vidyalakshmi, Y & Gopalakrishnan, R 2008, 'Studies on the Synthesis, Growth, Crystal Structure, and Nonlinear Optical Properties of a Novel Nonlinear Optical Crystal: l-Argininium-4-nitro Phenolate Monohydrate (LARP)', *Crystal Growth & Design*, vol. 8, no. 7, pp. 2329-2334.
188. Stenzel, E, Gogoll, S, Sils, J, Huisinga, M, Johansen, H, Kastner, G, Reichling, M & Matthias, E 1997, 'Laser damage of alkaline-earth fluorides at 248 nm and the influence of polishing grades', *Applied Surface Science*, vol. 109-110, pp. 162-167.
189. Stephens, PJ & Jalkanen, KJ 1989, 'A new formalism for paramagnetic susceptibilities: CH₃F', *Journal of Chemical Physics*, vol. 91, no. 2, pp. 1379-1981.
190. Stranski, IN 1928, 'On the theory of crystal accretion', *Zeitschrift fur Physikalische Chemie-Stochiometric und Verwandtschaftslehre*, vol. 136, pp. 259-278.
191. Sudharsana, N, Keerthana, B, Nagalakshmi, R, Krishnakumar, V & Guru Prasad, L 2012, 'Growth and characterization of hydroxyethylammonium picrate single crystals for third-order nonlinear optical applications', *Materials Chemistry and Physics*, vol. 134, no. 2-3, pp. 736-746.



192. Sun, ZH, Xu, D, Wang, XQ, Zhang, GH, Yu, G, Zhu, LY & Fan, HL 2009, 'Growth and characterization of the nonlinear optical single crystal: L-lysiniun trifluoroacetate', *Materials Research Bulletin*, vol. 44, no. 4, pp. 925–930.
193. Sundar, VC, Zaumseil, J, Podzorov, V, Menard, E, Willett, RL, Someya, T, Gershenson, ME & Rogers, JA 2004, 'Elastomeric transistor stamps: reversible probing of charge transport in organic crystals', *Science*, vol. 303 no. 5664 pp. 1644-1646.
194. Suponitsky, KY, Liao, Y & Masunov AE 2009, 'Electronic Hyperpolarizabilities for Donor-Acceptor Molecules with Long Conjugated Bridges: Calculations versus Experiment', *Journal of Physical Chemistry A*, vol. 113, no. 41, pp. 10994-11001.
195. Suthan, T, Dhanaraj, PV, Rajesh, NP, Mahadevan, CK & Bhagavannarayana, G 2011, 'Growth and characterization of benzil single crystals using nanotranslation by the modified vertical Bridgman technique', *CrystEngComm*, vol. 13, no. 12, pp. 4018-4024.
196. Suthan, T, Rajesh, NP, Mahadevan, CK & Bhagavannarayan, G 2011, 'Studies on crystal growth and physical properties of 2-amino-5-chloropyridine single crystal', *Materials Chemistry and Physics*, vol. 129, no. 1-2, pp. 433–438.
197. Suthan, T, Rajesh, NP, Mahadevan, CK & Bhagavannarayana, G 2011, 'Growth and characterization of 2-hydroxy-4-methoxybenzophenone single crystal using modified vertical Bridgman technique', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 78, no. 2, pp. 771–776.
198. Suthan, T, Rajesh, NP, Mahadevan, CK, Sajan, D & Bhagavannarayana, G 2011, 'Growth and characterization of organic material 2-hydroxypyridine single crystal by modified vertical Bridgman technique', *Materials Chemistry and Physics*, vol. 130, no. 3, pp. 915–20.
199. Suthan, T, Rajesh, NP, Mahadevan, CK, Senthil Kumar, K & Bhagavannarayana, G 2011 'Growth and characterization of organic material 2-methylamino-5-chlorobenzophenone single crystal by modified vertical Bridgman technique', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 79, no. 5, pp. 1443–1448.



200. Sutter, K, Bosshard, Ch, Ehrensperger, M, Gunter, P & Tweig, RJ 1988a, 'Nonlinear optical and electrooptical effects in 2-methyl-4-nitro-N-methylaniline (MNMA) crystals', *IEEE Journal of Quantum Electron*, vol. 24, pp. 2362-2366.
201. Sutter, K, Bosshard, Ch, Wang, WS, Surmely, G & Gunter, P 1988b, 'Linear and nonlinear optical properties of 2-(N-prolinol)-5-nitropyridine', *Applied Physics Letters*, vol. 53, pp. 1779-1781.
202. Tang, CL 1995, *Handbook of Optics*, McGraw-Hill, New York.
203. Tang, CW, VanSlyke, SA & Chen, CH 1989, 'Electroluminescence of doped organic thin films', *Journal of Applied Physics*, vol. 65, no.9, pp. 3610-3616.
204. Taniuchi, T, Okada, S & Nakanishi, H 2004, 'Widely tunable terahertz-wave generation in an organic crystal and its spectroscopic application', *Journal of Applied Physics*, vol. 95, pp. 5984-5988.
205. Taylor, RJ & Kennard, O 1984, 'Hydrogen-bond geometry in organic crystals', *Accounts of Chemical Research*, vol. 17, no. 9, pp. 320-326.
206. Tonouchi, M 2007, 'Cutting-edge terahertz technology', *Nature Photonics*, vol. 1, pp. 97-105.
207. Trisorio, A, Paul, PM, Ple, F, Ruchert, C, Vicario, C & Hauri, CP 2011, 'Ultrabroadband TW-class Ti:sapphire laser system with adjustable central wavelength, bandwidth and multi-color operation', *Optics Express*, vol. 19, pp. 20128-20140.
208. Tsunesada, F, Iwai, T, Watanabe, T, Adachi, H, Yoshimura, M, Mori, Y & Sasaki, T 2002, 'High-quality crystal growth of organic nonlinear optical crystal DAST', *Journal of Crystal Growth*, vol. 237-239, pp. 2104-2106.
209. Twieg, RJ & Jain, K 1983, *Nonlinear optical properties of organic and polymeric materials*, ed. Williams, DJ, American Chemical Society, Washington DC.
210. Urbelis, JH & Swift, JA 2014, 'Solvent effects on the growth morphology and phase purity of CL-20', *Crystal Growth & Design*, vol. 14, pp. 1642-1649.



211. Vanishri, S, Babu reddy, JN, Bhat, HL & Ghosh, S 2007, 'Laser damage studies in nonlinear optical crystal sodium p-nitrophenolate dihydrate', *Applied Physics B*, vol. 88, no. 3, pp. 457–461.
212. Vanishri, S, Brahadeeswaran, S & Bhat, HL 2005, 'Crystal growth of semiorganic sodium p-nitrophenolate dihydrate from aqueous solution and their characterization', *Journal of Crystal Growth*, vol. 275, pp. e141.
213. Venkataramanan, V, Maheswaran, S, Sherwood, JN & Bhat, HL 1997, 'Crystal growth and physical characterization of the semiorganic bis(thiourea) cadmium chloride', *Journal of Crystal Growth*, vol. 179, no. 3-4, pp. 605-610.
214. Verdonck, E, Schaap, K & Thomas, LC 1999, 'A discussion of the principles and applications of Modulated Temperature DSC (MTDSC)', *International Journal of Pharmaceutics*, vol. 192, no. 1, pp. 3-20.
215. Volmer, M & Schultze, W 1931, 'Condensation of crystals', *Zeitschrift fur Physikalische Chemie*, vol. A156, pp. 1-22.
216. Volmer, M 1939, *Kinetic der Phasenbildung*, Steinkoff Dresden und Leipzig.
217. Wang, LN, Wang, XQ, Zhang, GH, Liu, XT, Sun, ZH, Sun, GH, Wang, L, Yu, WT & Xu, D 2011, 'Single crystal growth, crystal structure and characterization of a novel crystal: l-arginine 4-nitrophenolate 4-nitrophenol dehydrate (LAPP)', *Journal of Crystal Growth*, vol. 327, no. 1, pp. 133-139.
218. Williams, D.J 1984, 'Organic Polymeric and Non-Polymeric Materials with Large Optical Nonlinearities', *Angewandte Chemie International Edition*, vol. 23, no. 9, pp. 690-703.
219. Wireko, FC, Shimon, LJW, Frolow, F, Berkovitch-Yellin, Z, Lahav, M & Leiserowitz, L 1987, 'Effect of solvent on the growth of organic crystals. 1. the riddle of .alpha.-resorcinol', *Journal of Physical Chemistry*, vol. 91, pp. 472-481.
220. Wolfersberger, D, Fressengeas, N, Maufoy, J & Kugel, G 2000, 'Laser beam self-focusing in photorefractive materials: optical limiting application', *Journal of Nonlinear Optical Physics & Materials*, vol. 9, no. 4, pp. 441-450.



221. Wooster, WA 1953, 'Physical properties and atomic arrangements in crystals', Reports on Progress in Physics, vol. 16, pp. 62–82.
222. Wu, PL, Feng, XJ, Tam, HL, Wong, MS & Cheah KW 2009, 'Efficient Three-Photon Excited Deep Blue Photoluminescence and Lasing of Diphenylamino and 1,2,4-Triazole Endcapped Oligofluorenes', Journal of American Chemical Society, 131, no. 3, pp. 886-887.
223. Xie, X, Xu, J & Zhang, X-C 2006, 'Terahertz wave generation and detection from a CdTe crystal characterized by different excitation wavelengths', Optics Letters, vol. 31, pp. 978-980.
224. Yang, KH, Richards, PL & Shen, YR 1971, 'Generation of far-infrared radiation by picosecond light pulses in LiNbO₃', Applied Physics Letters, vol. 19, pp. 320-323.
225. Yang, Z, Jazbinsek, M, Ruiz, B, Aravazhi, S, Gramlich, V & Gunter, P 2007, 'Molecular engineering of stilbazolium derivatives for second-order nonlinear optics', Chemistry of Materials, vol. 19, pp. 3512–3518.
226. Yang, Z, Mutter, L, Stillhart, M, Ruiz, B, Aravazhi, S, Jazbinsek, M, Schneider, A, Gramlich, VP & Günter, P 2007, 'Large-size bulk and thin-film stilbazolium-salt single crystals for nonlinear optics and THz generation', Advanced Functional Materials, vol. 17, pp. 2018-2023.
227. Yariv, A 1990, Optical Electronics, Oxford University Press, New York.
228. Yariv, A 1975, Quantum Electronics, John Wiley & Sons, New York.
229. Zain, SM & Ng, SW 2007, 'Bis(dicyclohexylammonium 4-hydroxybenzoate)', Acta Crystallographica Section E, vol. E63, no. 7, pp. o3303.
230. Zernike, F & Midwinter, JE 1973, Applied Nonlinear Optics, Wiley, New York.
231. Zgonik, M, Schlessler, R, Biaggio, I, Voit, E, Tscherry, J & Gunter, P 1993, 'Materials constants of KNbO₃ relevant for electro and acousto optics', Journal of Applied Physics, vol. 74, no. 2, pp. 1287–1297.
232. Zhang, C, Chen, P & Hu, W 2016, 'Organic light-emitting transistors: materials, device configurations and operations', Small, vol. 12, pp. 1252-1294.



233. Zhang, X-C, Jin, Y & Ma, XF 1992, 'Coherent measurement of THz optical rectification from electro-optic crystals', *Applied Physics Letters*, vol. 61, pp. 2764-2766.
234. Zyss, J, Chemla, DS & Nicoud, JF 1981, 'Demonstration of efficient nonlinear optical crystals with vanishing molecular dipole moment: Second-harmonic generation in 3-methyl-4-nitropyridine-1-oxide', *Journal of Chemical Physics*, vol. 74, pp. 4800-4811.
235. Zyss, J, Nicoud, JF & Coquillay, M 1984, 'Chirality and hydrogen bonding in molecular crystals for phase-matched second-harmonic generation: N-(4-nitrophenyl)-(L)-prolinol (NPP)', *Journal of Chemical Physics*, vol. 81, pp. 4160-4167.

