

CONTENTS

CONTENTS

	Page No.
I	
INTRODUCTION	1
1.1 POLYMER ELECTROLYTES	3
1.2 FACTORS DECIDING THE PERFORMANCE OF THE POLYMER ELECTROLYTES	5
1.2.1 Ionic conductivity	
1.2.2 Film forming ability	
1.2.3 Thickness, porosity and wettability	
1.2.4 Chemical, electrochemical and thermal stability	
1.2.5 Low interfacial ion transfer resistance	
1.2.6 Transference numbers	
1.2.7 Electrochemical stability	
1.2.8 Mechanical properties	
1.2.9 Shutdown	
1.2.10 Cost	
1.3 CLASSIFICATION OF POLYMER ELECTROLYTES	10
1.3.1 Solid polymer electrolyte	
1.3.2 Gel polymer electrolyte	
1.3.3 Composite polymer electrolyte	
1.3.4 Micro-porous gel polymer electrolyte	
1.4 MECHANISM OF IONS TRANSPORT IN POLYMER ELECTROLYTES	18
1.4.1 Polymer motion	
1.4.2 Free volume model for ionic conduction	
1.4.3 Ionic mobility	
1.5 FACTORS INFLUENCING THE IONIC CONDUCTIVITY OF THE POLYMER ELECTROLYTES	25
1.5.1 Effect of crystallinity	
1.5.2 Salt concentrations	
1.5.3 Effect of mixed salt systems	
1.5.4 Effect of plasticizers	
1.6 ADVANTAGES OF POLYMER ELECTROLYTES	27

1.6.1	Suppression of dendrite growth	
1.6.2	Self – discharge	
1.6.3	Shape flexibility	
1.6.4	Compatibility with electrodes	
1.7	RECHARGEABLE LITHIUM BATTERIES	29
1.7.1	TYPES OF RECHARGEABLE LITHIUM BATTERIES	
1.8	GENERAL APPLICATIONS OF RECHARGEABLE LITHIUM –ION BATTERIES	35
II	LITERATURE SURVEY AND SCOPE OF THE PRESENT INVESTIGATION	40
2.1	LITERATURE SURVEY	40
2.1.1	PEO based polymer electrolytes	
2.1.2	PAN based polymer electrolytes	
2.1.3	PMMA based polymer electrolytes	
2.1.4	PVdF based polymer electrolytes	
2.1.5	PVDF-co-HFP based polymer electrolytes	
2.2	SCOPE OF THE PRESENT INVESTIGATION	76
III	EXPERIMENTAL DETAILS	91
3.1	MATERIALS USED	91
3.2	SYNTHESIS OF METAL OXIDES NANOPARTICLES BY POLYOL MEDIATED THERMOLYSIS PROCESS	92
3.2.1	Preparation of cerium oxide nanoparticles	
3.2.2	Preparation of zinc oxide nanoparticles	
3.2.3	Preparation of magnesium oxide nanoparticles	
3.3	CHARACTERIZATION OF METAL OXIDE NANOPARTICLES	95
3.3.1	Thermogravimetry/Differential thermal (TG/DTA) analysis	
3.3.2	X-ray diffraction (XRD) studies	
3.3.3	Specific surface area studies	
3.3.4	Scanning electron microscope (SEM) studies	
3.4	PREPARATION OF COMPOSITE MICROPOROUS POLYMER ELECTROLYTES BY CONVENTIONAL PHASE INVERSION METHOD [PD-CMPE]	98

3.5	PREPARATION OF COMPOSITE MICROPOROUS POLYMER ELECTROLYTES BY PREFERENTIAL POLYMER DISSOLUTION METHOD [PD-CMPE]	98
3.6	PHYSICAL CHARACTERIZATIONS	99
3.6.1	Field emission scanning electron microscopy (FE-SEM) analysis	
3.6.2	Determination of porosity [5]	
3.6.3	Electrolyte uptake studies [6]	
3.6.4	Solution leakage studies [7]	
3.6.5	Differential scanning calorimetry (DSC)	
3.6.6	Mechanical strength	
3.7	ELECTROCHEMICAL CHARACTERIZATIONS	102
3.7.1	AC-impedance measurements	
3.7.2	Interfacial stability studies	
3.7.3	Transference number studies	
3.7.4	Linear sweep voltammetry studies	
3.7.5	Charge-discharge studies	
IV	RESULTS AND DISCUSSION	111
4.1	PREPARATION OF CERIUM OXIDE NANOPARTICLES	111
4.1.1	TG/DTA analysis	
4.1.2	XRD analysis	
4.1.3	BET surface area analysis	
4.1.4	SEM and TEM images	
4.2	PREPARATION OF ZINC OXIDE NANOPARTICLES	115
4.2.1	TG/DTA analysis	
4.2.2	XRD studies	
4.2.3	BET surface area analysis	
4.2.4	SEM and TEM studies	
4.3	MAGNESIUM OXIDE NANOPARTICLES	121
4.3.1	TG/DTA analysis	
4.3.2	XRD studies	
4.3.3	BET surface area studies	
4.3.4	SEM and TEM images	

4.4	EFFECT OF CeO ₂ NANOPARTICLES IN THE PREPARATION OF PVdF-HFP BASED COMPOSITE MICROPOROUS POLYMER ELECTROLYTES OBTAINED BY PHASE INVERSION METHOD (PI-CMPE)	130
4.4.1	DSC Studies	
4.4.2	FE-SEM studies	
4.4.3	Porosity, solution uptake and solution leakage studies	
4.4.4	Mechanical strength	
4.4.5	Ionic conductivity studies	
4.4.6	Temperature dependence ionic conductivity	
4.4.7	Interfacial resistance	
4.4.8	Transference number	
4.4.9	Electrochemical stability	
4.4.10	Charge and discharge studies	
4.5	EFFECT OF DIFFERENT wt% OF PVP EXTRACTED PVdF-HFP– CeO ₂ BASED COMPOSITE MICROPOROUS POLYMER ELECTROLYTES OBTAINED BY PREFERENTIAL POLYMER DISSOLUTION METHOD [PD-CMPE]	147
4.5.1	DSC studies	
4.5.2	Morphology studies	
4.5.3	Removal of PVP (wt %)	
4.5.4	Porosity, solution uptake and solution leakage studies	
4.5.5	Mechanical strength	
4.5.6	Ionic conductivity studies	
4.5.7	Temperature dependence ionic conductivity	
4.5.8	Interfacial resistance	
4.5.9	Transference number	
4.5.10	Electrochemical stability	
4.5.11	Charge and discharge studies	
4.6	EFFECT OF ZnO NANOPARTICLES IN THE PREPARATION OF PVdF-HFP BASED COMPOSITE MICROPOROUS POLYMER ELECTROLYTES OBTAINED BY PHASE INVERSION METHOD (PI-CMPE)	165
4.6.1	DSC analysis	
4.6.2	Morphology studies	
4.6.3	Porosity, solution uptake and solution leakage studies	

- 4.6.4 Mechanical strength
 - 4.6.5 Ionic conductivity studies
 - 4.6.6 Temperature dependence ionic conductivity studies
 - 4.6.7 Interfacial stability studies
 - 4.6.8 Transference number
 - 4.6.9 Electrochemical stability studies
 - 4.6.10 Charge and discharge studies
- 4.7 EFFECT OF DIFFERENT wt% OF PVP EXTRACTED PVdF-HFP- ZnO BASED COMPOSITE MICROPOROUS POLYMER ELECTROLYTES OBTAINED BY PREFERENTIAL POLYMER DISSOLUTION METHOD [PD-CMPE] 180
- 4.7.1 Thermal properties of the preferential polymer dissolution composite microporous polymer membrane
 - 4.7.2 Morphology studies
 - 4.7.3 Removal of PVP (%) from the composite microporous polymer membrane
 - 4.7.4 Porosity, solution uptake and solution leakage studies
 - 4.7.5 Mechanical strength
 - 4.7.6 Ionic conductivity studies
 - 4.7.7 Temperature dependence ionic conductivity
 - 4.7.8 Interfacial stability studies
 - 4.7.9 Transference number
 - 4.7.10 Electrochemical stability studies
 - 4.7.11 Charge and discharge studies
- 4.8 EFFECT OF MgO NANOPARTICLES IN THE PREPARATION OF PVdF-HFP BASED COMPOSITE MICROPOROUS POLYMER ELECTROLYTES OBTAINED BY PHASE INVERSION METHOD (PI-CMPEs) 202
- 4.8.1 DSC Studies
 - 4.8.2 Morphological studies
 - 4.8.3 Porosity, solution uptake and solution leakage studies
 - 4.8.4 Mechanical strength
 - 4.8.5 Ionic conductivity studies
 - 4.8.6 Temperature dependence ionic conductivity studies

4.8.7	Interfacial stability studies	
4.8.8	Transference number studies	
4.8.9	Electrochemical stability studies	
4.8.10	Charge and discharge studies	
4.9	EFFECT OF DIFFERENT wt% OF PVP (10, 20, AND 30wt%) EXTRACTED PVdF-HFP-MgO BASED COMPOSITE MICROPOROUS POLYMER ELECTROLYTES OBTAINED BY PREFERENTIAL POLYMER DISSOLUTION METHOD [PD-CMPEs]	221
4.9.1	DSC studies	
4.9.2	FE-SEM studies	
4.9.3	Removal of PVP (wt %)	
4.9.4	Porosity, solution uptake and solution leakage studies	
4.9.5	Mechanical strength	
4.9.6	Ionic conductivity studies	
4.9.7	Temperature dependence ionic conductivity	
4.9.8	Interfacial stability studies	
4.9.9	Transference number studies	
4.9.10	Electrochemical stability studies	
4.9.11	Charge and discharge studies	
4.10	A COMPARATIVE ACCOUNT ON DIFFERENT TYPE OF METAL OXIDES DISPERSED ONTO THE PVdF-HFP BASED COMPOSITE MICRO-POROUS POLYMER ELECTROLYTES OBTAINED BY PHASE INVERSION AND PREFERENTIAL POLYMER DISSOLUTION METHODS.	240
V	SUMMARY AND CONCLUSIONS	243
	LIST OF PUBLICATIONS	253