

Bibliography

BIBLIOGRAPHY

- Agarwal, A. and Said, T.M., 2003. Role of sperm chromatin abnormalities and DNA damage in male infertility. *Human Reproduction Update*, **9(4)**; 331-345.
- Aherne, S.A. and O'Brien, N.M., 2002. Dietary flavonols: chemistry, food content, and metabolism. *Nutrition*, **18**; 75-81.
- Aiyegoro, O.A., Aakinpelu, D.A., Afolayan, A.J. and Okoh, A.I., 2008. Antibacterial activities of crude stem bark extracts of *Distemonanthus benthamianus* Bail *Journal of Biological Science*, **8(2)**; 356-361
- Ajello, L. and Hay, R.J., 1998. Medical mycology, In: Collier, L., Balows, A., Sussmam, M., editors, Topley and Wilson's Microbiology and Microbial Infections. London.
- Ali, M., Thomson, M. and Afzal, M., 2000. Garlic and onions: their effect on eicosanoid metabolism and its clinical relevance. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, **62**; 55-73.
- Ames, B.N., 1989. Endogenous oxidative DNA damage, aging, and cancer. *Free Radical Research*, **7(3)**; 121-128.
- Anaissie, E.J., Mc Ginnis, R.M. and Paller, M.A., 2003. Clinical Mycology 1st ed., New York: Churchill Livingstone.
- Anbuselvam, C., Vijayavel, K. and Balasubramanian, M. P., 2007. Protective effect of *Operculina turpethum* against 7, 12- dimethyl benz(a) anthracene induced oxidative stress with reference to breast cancer in experimental rats. *Chemico-Biological Interaction*, **168(3)**; 229-236.
- Ani, V., Varadaj, M.C. and Naidu, K.A., 2006. Antioxidant and antibacterial activities of polyphenolic compounds from bitter cumin (*Cuminum rigidum* L.). *European Food Research and Technology*, **224(1)**; 109-115.
- Ankri, S. and Mirelman, D., 1999. Antimicrobial properties of allicin from garlic. *Microbes and Infection*, **2**; 125-129.

- Arts, I.C.W. and Hollman, P.C.H., 2005. Polyphenols and disease risk in epidemiologic studies. *American Journal of Clinical Nutrition*, **81**; 317-325.
- Aviram, M., Rosenblat, M., Billecke, S., Erogul, J., Sorenson, R., Bisgaier, C., Newton, R. and La Du, B., 1999. Human serum paraoxonase is inactivated by oxidized low density lipoprotein and preserved by antioxidants. *Free Radical Biology and Medicine*, **26**; 892-904.
- Bailey, J.S., Cox, N.A. and Berrang, M.E., 1994. Hatchery acquired Salmonella in broiler chicks. *Poultry Science*, **73**; 1153-1157.
- Baird-Parker, A.C., 1990. Food borne Salmonellosis. *Lancet*, **336**;1231-1478.
- Barrett, D., 2002. From natural products to clinically useful antifungals. *Biochimica Biophysica Acta*, **1587**; 224-233.
- Benkeblia, N., 2004. Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*). *Lebensm Wiss*
- Bidkar, A., Ghadiali, M., Patel, C., Aswar, M., Sanghai, D. and Adate P., 2012. Anthelmintic activities of the crude extracts of *Allium cepa* bulbs and *Elletatria cardomomum* seeds. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, **3**; 50-58.
- Bison, P.S. and Verma, K., 1994. Hand Book of microbiology. CBS Publications: Delhi.
- Blois, M.S., 1958. Antioxidant determination by the use of a stable free radical. *Nature*, **181**; 1199-1200.
- Borek, C., 2005. Antioxidants and the prevention of hormonally regulated cancer. *Medical Principles and Practice*, **2**; 346-352.
- Byarygaba, D.K., 2004. A review on antimicrobial resistance in developing countries and responsible risk factors. *International Journal of Antimicrobial Agents*, **24**; 105-110.

- Calvey, E.M., White, K.D., Matusik, J.E., Sha, D. and Block, E., 1998. Allium chemistry: identification of organosulfur compounds in ramp (*Allium tricoccum*) homogenates. *Phytochemistry*, **49(2)**; 359-364.
- Chen, H.C., Chang, M.D. and Chang, T.J., 1985. Antibacterial properties of some spice plants before and after heat treatment. *Chinese*, **18(3)**; 190-195.
- Cooke, M.S., Evans, M.D., Dizdaroglu, M. and Lunec, J., 2003. Oxidative DNA damage: mechanisms, mutation, and disease. *FASEB Journal*, **17(10)**; 1195-9214.
- Corzo-Martinez, M., Corzo, N. and Villamiel, M., 2007. Biological properties of onions and garlic. *Trends in Food Science & Technology*, **18**; 609-625.
- Cutler, R.G., 1984. Antioxidant and longevity. In: Free radicals in Molecular Biology, Aging, and Disease, Armstrong, D., Sohal, R.S., Cutler, R.G., Salyer, T.F., Raven, New York, pp. 235-236.
- de Groot, H. and Rauen, U., 1998. Tissue injury by reactive oxygen species and protective effects of flavonoids. *Fundamental and Clinical Pharmacology*, **2**; 249-255.
- De Lucca, A.J. and Walsh, T.J., 1999. Antifungal peptides: novel therapeutic compounds against emerging pathogens. *Antimicrobial Agents and Chemotherapy*, **43(1)**; 1-11.
- Deacon, J.W., 1997. Modern mycology, 3rd ed., Blackwell, Boston.
- Dekkers, J.C., van-Doornen, L.J.P., Han, C.G. and Kemper., 1996. The Role of Antioxidant Vitamins and Enzymes in the Prevention of Exercise-Induced Muscle Damage. *Sports Medicine*, **21**; 213-238.
- Dhan Prakash., Brahma, N., Singh and Garima Upadhyay., 2007. Antioxidant and free radical scavenging activities of phenols from onion (*Allium cepa*). *Food Chemistry*, **102 (4)**; 1389-1393.

- Donnenberg, M.S., 2002. *Escherichia coli*: virulence mechanisms of a versatile pathogen. Academic Press, San Diego, California pp. 1-9.
- Dorant, E., Van Din Brandt, P. and Goldbohm, R., 1994. A prospective cohort study on Allium vegetable consumption, garlic supplement use, and the risk of lung carcinoma in the Netherlands. *Cancer Research*, **54**; 6148-6153.
- Dorsch, W. and Wagner, H., 1991. New antiasthmatic drugs from traditional medicine? *International archives of allergy and applied immunology*, **94**; 262-265.
- Elnima, E.I., Ahmed, S.A., Mekkawi, A.G. and Mossa, J.S., 1983. The antimicrobial activity of garlic and onion extracts. *Pharmazie*, **38(11)**; 747-758.
- Farnsworth, N.R., Akerele, O., Bingel, A.S., Soejarta, D.D. and Eno, A. 1985. Medicinal Plants in Therapy. *Bulletin of World Health Organization*. **63**; 226- 230.
- Farooqi, A.A. and Kumar, N., 2003. Recent progress in medicinal plants. *Ethanomedicine and Pharmacognosy II*, 17, Stadium press LIC: USA.
- Fischetti, V.A., 2003. Novel method to control pathogenic bacteria on human mucous membranes. *Annals of the New York Academy of Sciences*, **987**; 207-214.
- Fiscoeder, F., 1901. Die Paramphistomiden der Säugethiere. *Zoologischer Anzeiger*. **24**; 367-375.
- Fitzpatrick, D., Hirschfield, S. and Coeffey, R., 1993. Endothelium-dependent vasorelaxing activity of wine and other grape products. *The American Physiological Society*, **265(2)**; H774-H778.
- Formica, J.V. and Regelson, W., 1995. Review of the biology of quercetin and related bioflavonoids. *Food and Chemical Toxicology*, **33**; 1061-1080.

- Frazier, W.C. and Westhoff, D.C., 1991. Food Microbiology. 3rd edition. Tata McGraw Hill Publishing Company, New Delhi, pp.313-315.
- Fremont, L., Gozzélino, M.T., Franchi, M.P. and Linard, A., 1998. Dietary flavonoids reduce lipid peroxidation in rats fed polyunsaturated or monounsaturated fat diets. *Journal of Nutrition*, **128**; 1495-1502.
- Fritsch, R. and Friesen, N., 2002. Evolution, domestication and taxonom. In: Rabinowitch H.D and Currah, L (eds.) Allium Crop Science – Recent Advances. CABI Publishing, Wallingford UK, pp. 5-30.
- Garrat, D.C., 1964. The Quantitative Analysis of Drugs, **Vol 3**. Japan: Chapman and Hall, pp. 456 -458.
- Georgopapadakou, N.H. and Walsh, T.J., 1994. Human mycoses: drugs and targets for emerging pathogens. *Science*, **24**; 371-373.
- Georgopapadakou, N.H. and Walsh, T.J., 1996. Antifungal agents: chemotherapeutic targets and immunologic strategies. *Antimicrobial Agents and Chemotherapy*, **40**; 279-291.
- Gillespie, S.H., 2002. Evolution of drug resistance in *Mycobacterium tuberculosis*: clinical and molecular perspective. *Antimicrobial Agents and Chemotherapy*, **46**; 267-274.
- Githiori, J.B., Athanasiadou, S. and Thamsborg, S.M., 2006. Use of plants in novel approaches for control of gastrointestinal helminths in livestock with emphasis on small ruminants. *Veterinary Parasitology*, **31**; 308-320.
- Goldfarb, A.H., 1999. Nutritional antioxidants as therapeutic and preventive modalities in exercise-induced muscle damage. *Canadian Journal of Applied Physiology*, **24**; 249-266.
- Goldman, I., Kopelberg, M., Devaene, J. and Schwartz, B., 1996. Antiplatelet activity in onion is sulfur dependent. *Thrombosis and Haemostasis*, **76**; 450-452.

- Graham, H.D. and Graham, E.J.F., 1986. Inhibition of *Aspergillus parasiticus* growth and toxin production by garlic. *Journal of Food Safety*, **8**; 101-108.
- Graybill, J.R., 1996. The future of antifungal therapy. *Clinical Infectious Diseases*, **22**; 166-177.
- Griffiths, G., Trueman, L., Crowther, T., Thomas, B. and Smith, B., 2002. Onions-A global benefit to health. *Phytotherapy Research*, **16**; 603-615.
- Guarrera, P.M., 1999. Ethnophytotherapeutical research in the high Molise region (Central-Southern Italy). *Journal of Ethnopharmacology*, **66**; 183-192.
- Guo, X., Wang, W.P., Ko, J.K. and Cho, C.H., 1999. Involvement of neutrophils and free radicals in the potentiating effects of passive cigarette smoking on inflammatory bowel disease in rats. *Gastroenterology*, **117**; 884-892.
- Hafez, S.I.I.A. and Said, H.M.E., 1997. Effect of garlic, onion and sodium benzoate on the mycoflora of pepper, cinnamon and rosemary in Egypt. *International Biodeterioration and Biodegradation*, **39**; 67-77.
- Halliwell, B. and Gutteridge, J.M.C., 1985. The identification and measurement of antioxidant in biological system. *Free Radical Biology and Medicine*, **18**; 125-126.
- Halliwell, B. and Gutteridge, J.M.C., 1992. Free radicals-antioxidants and human diseases. *Journal of laboratory and Clinical medicine*, **3**; 598 -620.
- Hannan, A., Humayun, T., Hussain, M.B., Yasir, M. and Sikandar, S., 2010. *In vitro* antibacterial activity of onion (*Allium cepa*) against clinical isolates of *Vibrio cholerae*. *Journal of Ayub Medical College Abbottabad*, **22(2)**; 160-163.

- Harbone, J.B. and Baxter, H.H., 1993. *Phytochemical Dictionary: A hand Book of Bioactive Compound from plants*. Taylor and Francis; Washington. Page. 237.
- Harris, J.C., Cottrell, S.L., Plummer, S. and Lloyd, D., 2001. Antimicrobial properties of *Allium sativum* (garlic). *Applied Microbiology and Biotechnology*, **57**; 282-286.
- Hatano, T., Edamatsu, R., Mori, A., Fujita, Y., Yasuhara, T., Yoshida, T. and Okuda, T., 1989. Effects of the interaction of tannins with co-existing substances. VI. Effects of tannins and related polyphenols on superoxide anion radical, and on 1,1-diphenyl-picrylhydrazyl radical. *Chemical and Pharmaceutical*, **37**; 2016-2021.
- Hedges, L.J. and Lister, C.E., 2007. The nutritional attributes of *Allium* species. *Crop and Food Research*, **18**; 1-15.
- Heffner, J.E. and Repine, J.E., 1989. Pulmonary strategies of antioxidant defence. *American Review of Respiratory Diseases*, **140**; 531-554.
- Hendrich, A.B., 2006. Flavonoid-membrane interactions: possible consequences for biological effects of some polyphenolic compounds. *Acta Pharmacologica Sinica*, **27(1)**; 27-40.
- Hertog, M.G.L., Hollman, P.C.H. and Venema, D.P., 1992. Optimisation of a quantitative HPLC determination of potentially anticarcinogenic flavonoids in vegetables and fruits. *Journal of Agricultural and Food Chemistry*, **40**; 1591-1598.
- Higashio, H., Hirokane, H., Sato, F., Tokuda, S. and Uragami, A., 2005. Effect of UV irradiation after the harvest on the content of flavonoid in vegetables. *Acta Horticulturae*, **682**; 1007-1012.
- Hollman, P.C.H., 2001. Evidence for health benefits of plant phenols: local or systemic effects?. *Journal of the Science of Food and Agriculture*, **81**; 842-852.

- Indian Pharmacopoeia, 1996. Government of India, Ministry of Health and Family welfare, The Controller of Publications, Delhi. **Volume 2**, p. 734.
- Jenner, P., 2003. Oxidative stress in Parkinson's disease. *Annals of Neurology*, **3**; S26-S36.
- Kaczmarek, M., Wojcicki, J., Samochowiec, L., Dutkiewicz, T. and Sych, Z., 1999. The influence of exogenous antioxidants and physical exercise on some parameters associated with production and removal of free radicals. *Pharmazie*. **54**; 303-306.
- Kalt, W., 2005. Effects of production and processing factors on major fruit and vegetable antioxidants. *Journal of Food Science*, **70**; R11-R19.
- Kaneko, T. and Baba, N., 1999. Protective effect of flavonoids on endothelial cells against linoleic acid hydroperoxide-induced toxicity. *Bioscience, Biotechnology, and Biochemistry*, **63**; 323-328.
- Karlsson, J., 1997. Exercise, muscle metabolism and the antioxidant defense. *World Review of Nutrition and Dietetics*, **82**; 81-100.
- Kartikar, K.R. and Basu, B.D., 1975. Indian Medicinal Plants, **Vol II**. Jayyad Press: Delhi.
- Katung P.Y., 2000. Brief review of typhoid fevers in Nigeria. *Nigerian Journal of Clinical Practice*, **3**; 3-6.
- Khare, C.P., 2002. Indian Medicinal Plants-An illustrated dictionary. Springer publications.
- Klaunig, J.E., Kamendulis, L.M. and Hocevar, B.A., 2010. Oxidative stress and oxidative damage in carcinogenesis. *Journal of Toxicologic Pathology*, **38(1)**; 96-109.
- Kokate, C.K., 2003. Practical Pharmacognosy, Vallabh Prakahshan: Pune.
- Lanzotti, V., 2006. The analysis of onion and garlic. *Journal of Chromatography A*, **21**; 3-22.

- Lark, R.L., Saint, S., Chenoweth, C., Zemencuk, J.K., Lipsky, B.A. and Plorde, J.J., 2001. Four-year prospective evaluation of community-acquired bacteremia:epidemiology, microbiology and patient outcome. *Diagnostic Microbiology and Infectious Disease*, **41**; 15-22.
- Lean, M., Norrozi, M., Kelly, L., Burms, J., Talwar, D. and Satter, N., 1999. Dietary Flavanoids protect diabetic human lymphocytes against oxidant damage to DNA. *Diabetes*, **48**; 176-181.
- Linnaeus, C., 1758. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*. Editio decima, reformata. Holmiae. (Laurentii Salvii). 1-824.
- Liu, F., Ooi, V.E.C. and Chang, S.T., 1997. Free radical scavenging activities of mushroom polysaccharide extracts. *Life Science*, **60**; 763-771.
- Liu, J., 2005. Oleanolic acid and Ursolic acid: Reserch Perspectives. *Journal of Ethnopharmacology*, **100**; 92-94.
- Liu, R.H., 2003. Protective role of phytochemicals in whole foods:implications for chronic disease prevention. *Applied Biotechnology Food Science and Policy*, **1**; 39-46.
- Lombard, K.A., Geoffriau, E. and Peffley, E., 2002. Flavonoid quantification in onion by spectrophotometric and high performance liquid chromatography analysis. *Hortscience*, **37**; 682-685.
- Lopez, A., Hudson, J.B. and Towers, G.H.N., 2001. Antiviral and antimicrobial activities of of colombian medicinal plants. *Journal of Ethnopharmacology*, **77**; 189-96.
- Maertens, J.A. and Boogaerts, M.A., 2000. Fungal cell wall inhibitors: Emphasis on clinical aspects. *Current Pharmaceutical Design*, **6**; 225-239.
- Mara D.D. and Caincross, S., 1989. Guidelines for safe use of wastewater and excreta in agriculture and aquaculture. Geneva. World Health Organization and United Nations Environment Programme.

- Marcocci, P.L., Sckaki, A. and Albert, G.M., 1994. Antioxidant action of *Ginkgo biloba* extracts EGP761. *Methods Enzymology*, **234**; 462-475.
- Mbata, T.I, Orji, M.U. Anyaegbunam, B.C. and Ike, N.P., 2006. Presence and persistence of Salmonella in commercial broiler hatchery in Awka, Nigeria. *Nigerian Journal of Microbiology*, **20(2)**; 911-916.
- McCord, J.M. and Fridovich, I., 1969. Superoxide dismutase an enzymatic function for erythrocyte cuprein (chemocuprein). *Journal of Biological Chemistry*, **244**; 6049-6055.
- Meltzer, H.M. and Malterud, K.E., 1997. Can dietary flavonoids influence the development of coronary heart disease?. *Scandinavian Journal of Nutrition*, **2**; 50-57.
- Melvin, J.M., Jayochitra, J. and Vijayapriaya, M., 2009. Antimicrobial activity of some common spices against certain human pathogens. *Journal of Medicinal Plants Research*, **3**; 1134-1146.
- Miller, M.J., Sadowska-krowicka, H., Chotinaruemol, S., Kakkis, J.L. and Clark, D.A., 1993. Amelioration of chronic ileitis by nitric oxide synthase inhibition. *Journal of Pharmacology and Experimental Therapeutics*, **264**; 11-16.
- Mueller-Harvey, I., 1999. Tannins: their nature and biological significance. In: Secondary plants products. Antinutritional and beneficial actions in animal feeding (Caygill J.C. and Mueller-Harvey I., eds.). Nottingham Univ Press (UK), pp. 17-70.
- Mueller-Harvey, I. and Mcallan, A.B., 1992. Tannins. Their biochemistry and nutritional properties. In: Advances in plant cell biochemistry and biotechnology, **Vol. 1** (Morrison I.M., ed.). JAI Press Ltd., London (UK), pp. 151-217.

- Mulligen, M.E., Murry-Leisure, K.A., Ribner, B.S., Standiford, H.C., John, J.F., Karvick, J.A., Kauffman, C.A. and Yu, V.L., 1993. Methicillin resistant *Staphylococcus aureus*. *American Journal of Medicine*, **94**; 313-28.
- Nadkarn, K.M., Curcuma longa and Ājn, K.M., 1976. India Materia Medica, Bombay: Popular Prakashan Publishing Co.pp. 414-416.
- Nofre Sanchez, P., 2009. Report of *Cotylophoron cotylophorum* (Trematoda, Taramphistomidae) in bovine from Loreto, *Peruvian Journal of Biology*, **16**; 141-142.
- Nuutila, A.M., Kammiovirta, K. and Oksman-Caldentey, K.M., 2002. Comparison of methods for the hydrolysis of flavonoids and phenolic acids from onion and spinach for HPLC analysis. *Food Chemistry*, **76**; 519-525.
- Nuutila, A.M., Puupponen-Pimia, R., Aarni, A. and Oksman-Caldentry, M., 2003. Comparison of antioxidant activities of onion and garlic extracts by inhibition of lipid peroxidation and radical scavenging activity. *Food Chemistry*, **81**; 485-493.
- Nwinuka, N.M., Ibeh, G.O. and Ekeke, G.I., 2005. Proximate composition and levels of some toxicants in four commonly consumed spices. *Journal of Applied Science and Environmental Management*, **9**; 150-155.
- Onunkwo, A.U., Nwankwo, C.H. and Umolu, D.N., 2001. Stochastic appraisal of the routine serodiagnostic method for enteric fever in Nigeria. *Journal of Engineering Science and Technology*, **8**; 2964-2973.
- Othman S.F.C., Zahir Idid, S., Suleiman Koya M, Mohamed Rehan, A. and Rahim Kamarudin, K., 2011. Antioxidant Study of Garlic and Red Onion: A Comparative Study. *Pertanika Journal of Tropical Agricultural Scienc*, **34 (2)**; 253-261.
- Pacher, P., Beckman, J.S. and Liaudet, L., 2007. Nitric oxide and peroxynitrite in health and disease. *Physiological Review*, **87(1)**; 315-424.

- Panduranga murthy, G., Mamtharani, D.R., Tejas, T.S., Niranjana and Suarlikerimath., 2011. Phytochemical analysis, *in vitro* anti-bacterial and antioxidant activities of wild onion sps. *International Journal of Pharma and Bio Sciences*, **2**; 230-237.
- Park, S.Y. and Chin K.B., 2010. Effects of onion on physicochemical properties, lipid oxidation and microbial growth of fresh pork patties. *International Journal of Food Science and Technology*, **45**; 1153-1160.
- Park, Y.K. and Lee, C.Y., 1996. Identification of isorhamnetin 4'-glucoside in onions. *Journal of Agricultural and Food Chemistry*, **44**; 34-36.
- Parr A.J. and Bolwell, G.P., 2000. Phenols in the plant and in man. The potential for possible nutritional enhancement of the diet by modifying the phenols content or profile. *Journal of the Science of Food and Agriculture*, **80**; 985-1012.
- Parra Cid, T., Conejo Garcia, J.R., Carballo Alvarez, F. and de Arriba, G., 2003. Antioxidant nutrients protect against cyclosporine-A nephrotoxicity. *Toxicology*, **89**; 99-111.
- Parthasarathy, S., Bin Azizi, J., Ramanathan, S., Ismail, S., Sasidharan, S., Said, M.I.M. and Mansor, S.M., 2009. Evaluation of Antioxidant and Antibacterial Activities of Aqueous, Methanolic and Alkaloid Extracts from *Mitragyna Speciosa* (Rubiaceae Family) Leaves. *Molecules*, **14**; 3964-3974.
- Patil, M.V. and Patil, D.A., 2007. Some herbal remedies used by the tribes of Nasik district, Maharashtra. *Natural Product Radiance*, **6**; 152-157.
- Piddock, K.J.V. and Wise, R., 1989. Mechanisms of resistance to quinolones and clinical perspective. *Journal of Antimicrobial Chemotherapy*, **23**; 475-83.

- Pietta, P. G., 2000. Flavonoids as antioxidants. *Journal of Natural Products*, **63**; 1035-1042.
- Pryor, W.A., 1986. Oxy-radicals and related species: their formation, lifetimes, and reactions. *Annual Review of Physiology*, **48**; 657-667.
- Rangari, V., 2004. Pharmacognosy & Phytochemistry part-1, Career publications, Nashik, Maharashtra , p.130.
- Rathee, J.S., Hassarajani, S.A. and Chattopadhyay S., 2006. Antioxidant activity of *Mammea longifolia* bud extracts. *Food Chemistry*, **99**; 436- 443.
- Rauha, J.P., Remes, S. and Heinonen, M., 2000. Antimicrobial effects of Finnish plant extracts containing flavonoids and other phenolic compounds. *International Journal of Food Microbiology*, **56**; 3-12.
- Roldan,E., Sanchez-Moreno, C., de Ancos, B. and Pilar Cano, M., 2008. Characterisation of onion (*Allium cepa* L.) by-products as food ingredients with antioxidant and antibrowning properties. *Food Chemistry*, **108**; 907-916.
- Santas, J., Carbo, R., Gordon, M.H. and Almajano, M.P., 2008. Comparison of the antioxidant activity of two Spanish onion varieties. *Food Chemistry*, **107**; 1210-1216.
- Scalbert, A., Ian, T., Johnson and Saltmarsh, M., 2005. Polyphenols: antioxidants and beyond. *American Society for Clinical Nutrition*, **81**; 215S–217S.
- Selitrennikoff, C.P., 2001. Antifungal proteins. *Applied and Environmental Microbiology*, **67(7)**; 2883-2894.
- Sellappan, S. and Akoh, C.C., 2002. Flavonoids and antioxidant capacity of Georgia-grown *Vidalia* onions. *Journal of Agricultural and Food Chemistry*, **50**; 5338-5342.

- Sestili, P., Guidarelli, A., Dacha, M. and Cantoni, O., 1998. Quercetin prevents DNA single strand breakage and cytotoxicity caused by tert-butylhydroperoxide: Free radical scavenging versus iron chelating mechanism. *Free Radical Biology and Medicine*, **25**; 196-200.
- Shah, G.L. and Gopal, G.V., 1988. Ethanomedical notes from the tribal inhabitats of the north Gujarat (India). *Journal of Ecology and Taxonomical Botany*, **6**; 193-221.
- Shri, R., 2008. Neuroprotective effect of Methanolic extract of *Allium cepa L.* on ischemia and reperfusion-induced cerebral injury. *Fiterapia*, **79**; 86-96.
- Shutenko, Z., Henry, Y., Pinard, E., Seylaz, J., Potier, P. and Berthet, F., 1999. Influence of the antioxidant quercetin *in vivo* on the level of nitric oxide determined by electron paramagnetic resonance in rat brain during global ischemia and reperfusion. *Biochemical Pharmacology*, **57**; 199-208.
- Singh, H.P., Mittal, S., Kaur, S., Batish, D.R. and Kholi, R.K., 2009. Chemical composition and antioxidant activity of essential oil from resudes of *Artemisia scoparia*. *Food chemistry*, **114**; 642-645.
- Singh, M., Chaudhry, M.A., Yadava, J.N.S. and Sanyal, S.C., 1992. The spectrum of antibiotic resistance in human andveterinary isolates of *Escherichia coli* collected from 1984-1986 in Northern India. *Journal of Antimicrobial Chemotherapy*, **29**; 159-68.
- Singh, R.K. and Watal, A.D., 2010. Antimicrobial potential of *Ficus bengalensis* aerial roots. *International Journal of Pharma and Bio Sciences*, **1(3)**; 1-9.
- Sivalokanathan, S., Ilayaraja, M. and Balasubramanian, M.P. 2004. Anticancer potency of *Terminalia arjuna* bark on N-nitrosodiethylamine induced hepatocellular carcinoma in rats. *Natural Product Sciences*, **10**;190-195.

- Sjodin, T., Westing, Y.H. and Apple F.S., 1990. Biochemical mechanisms for oxygen free radical formation during exercise. *Sports Medicine*, **10**; 236-254.
- Skerget, M.L., Majhenic, M., Bezjak and Knez., 2009. Antioxidant, Radical Scavenging and Antimicrobial Activities of Red Onion (*Allium cepa* L) Skin and Edible Part Extracts. *Chemical and Biochemical Engineering Quarterly*, **23(4)**; 435-444.
- Sreekanth, D., Arunasree, M.K., Roy, K.R., Chandramohan reddy, T., Reddy, G.V. and Reddanna, P., 2007. Betanin a betacyanin pigment purified from fruits of *Opuntia ficus indica* induces apoptosis in human chronic myeloid leukemia Cell line-K562. *Phytomedicine*, **14**; 739-746.
- Steerendeg, P.A., 1998. Protection of UV-induced suppression of skin contact hypersensitivity. *Photochem photobiol*, **67**; 456-461.
- Suzuki, Y., Masahi, I., Segami, T. and Ito, M., 1998. Anti-ulcer effects of antioxidants, Quercetin, a-tocopherol, nifedipine & tetracycline in rats. *Japanese Journal of Pharmacology*, **78**; 435-441.
- Todar., 2008. Online text book of bacteriology. *CIENCE Magazine*, **304**; 14-21.
- Topal, S., 1989. The researches about antimicrobial effects of garlic and onion. International Food Symposium.4-6 April, BursaTurkey, Proceeding Book. pp 450-462 (In Turkish).
- Trammell, K.W. and Peterson, C.E., 1976. Quantitative differences in the flavonol content of yellow onion, *Allium cepa* L. *Journal of the American Society for Horticultural Science*, **101**; 205-207.
- Udayan, P.S. and Venkatesh, S., 2005. Some common medicinal plant used by the Nayaka community, savandurga forest of Magadi taluk, Bangalore District, Karnataka. *Indian Journal of Natural Remedies*, **5**; 35-40.

- Umamaheswari, M. and Chatterjee, T.K., 2008. *In vitro* antioxidant activities of the fractions of *coccinia grandis* l. leaf extract. *African Journal of Traditional, Complementary and Alternative Medicines*, **5 (1)**; 61-73.
- Valentao, P., Fernandes, E., Carvalho, F., Andrade, P.B., Seabra, R.M. and Bastos, M.L., 2001. Antioxidant activity of *Centaurium erythraea* infusion evidenced by its superoxide radical scavenging and xanthine oxidase inhibitory activity. *Journal of Agricultural and Food Chemistry*, **49**; 3476-3479.
- Vamshi Sharath Nath, K., Rao, K.N.V., David Banji., Sandhya, S., Sudhakar, K., Saikumar, P., Sudha, P. and Chaitanya, R.K., 2010. A comprehensive review on *Allium cepa*. *Journal of Advanced Pharmaceutical Research*, **1**; 94-100.
- Votto, A.P., Domingues, B.S., de Souza, M.M., da Silva Júnior, F.M., Caldas, S.S., Filgueira, D.M., Clementin, R.M., Primel, E.G., Vallochi, A.L., Furlong, E.B. and Trindade, G.S., 2011. Toxicity mechanisms of onion (*Allium cepa*) extracts and compounds in multidrug resistant erythroleukemic cell line. *Biological Research*, **43(4)**; 429-437.
- Wang, M., Liz., Rangarajan, M. and Shavo, V., 1998. Antioxidants and Phenolic compounds from sege. *Journal of Agricultural Food Chemistry*, **46**; 4869-4873.
- Wang, P., Kang, J., Zheng, R., Yang, Z., Lu, J., Gao, J. and Jia, Z., 1996. Scavenging effects of phenylpropanoid glycosides from pedicularis on superoxide anion and hydroxyl radical by the spin trapping method. *Biochemical Pharmacology*, **51**; 687-691.
- Wei, L.S., Siregar, J.A., Steinberg, M.P. and Nelson, A.I., 1967. Overcoming the bacteriostatic activity of onion in making standard plate counts. *Journal of Food Science*, **32**; 346-349.

- Williams, R.J. and Heymann, D.L., 1998. Containment of antimicrobial resistance. *Science*, **279**; 1153-1154.
- World Health Organization, 2006. Global strategy for containment of antimicrobial resistance, Geneva. Available from <http://www.who.int/drug-resistance/en/2006>.
- Yakubu, M.T., Oladiji, A.T. and Akanji, M.A., 2007. Evaluation of biochemical indices of male rat reproductive function and testicular histology in wistar rats following chronic administration of aqueous extract of *Fadogia agrestis* (Schweinf. Ex Heirn) stem. *African Journal of Biochemistry Research*, **7**; 156-163.
- Yang, C.S., Landau, J.M., Huang, M.T. and Newmark, H.L., 2001. Inhibition of carcinogenesis by dietary polyphenolic compounds. *Annual Review of Nutrition*, **21**; 381-406.
- Yang, J., Meyers, K.J., Van, D.H. and Rui, H.L., 2004. Varietal differences in phenolic content and antioxidant and antiproliferative activities of onions. *Journal of Agricultural and Food Chemistry*, **52**; 6787-6793.
- Yen, G.C., Duh, P.D. and Tsai, C.L., 1993. Relationship between antioxidant activity and maturity of peanut hulls. *Journal of Agricultural and Food Chemistry*, **41**; 67-70.
- Zhao, C., Dodin, G., Yuan, C., Chen, H., Zheng, R. and Fan, Z.J.B., 2005. *In vitro* protection of DNA from Fenton reaction by plant polyphenols verbascoside. *Biochimica Biophysica Acta*, **1723**; 114-123.
- Zohri, A.N., Abdel-Gawad, K. and Saber, S., 1995. Antibacterial, antidermatophytic and antitoxigenic activities of onion (*Allium cepa* L.) oil. *Microbiological Research*, **150(2)**; 167-72.