

- Abrar, S. (1984) Study of Ostracoda from the coastal and estuary sediments of Karwar- Kasargod, west coast of India, *Unpublished Ph.D. thesis, University of Mysore, Mysore.*
- Adi Slamet Riyadi, Takaai Itai, Tomohiko Isobe, Muhammad Ilyas, Agus Sundaryanto, Iwan Eka Setiawan, Shin Takahashi and Shinsuke Tanabe (2012) Spatial profile of trace elements in marine sediment from Jakartha Bay, Indonesia. *Interdis. Studies on Envi. Chem-Envir. pollu. and Ecotoxi.* pp. 141-150.
- Al. Abdul Razzaq, S. Shublaq, W. and Al. Sheikh, Z. (1982) Ostracod distribution and ecology of the Sulaibikhat Bay, *Mar. Geol.*, v.47, pp.57-75.
- Al. Abdul Razzaq, S., Shublaq, W., Al. Sheikh, Z. and Kittaneh, W. (1983) Ecology and distribution of ostracods in Kuwait Bay, *Micropal.*, Vol.2, pp.39-45.
- Alexander, C.I. (1929) Ostracoda of the Cretaceous of north Texas. *University of Texan Bulletin*, Vol.2907: p.1-137.
- Allison, E.C. and Holden, J.C. (1971) Recent ostracods from Clipperton Island, eastern Tropical Pacific, *San Deigo. Soc. Nat. Hist. Trans.*, v.16 (7), pp.165-214.
- Al-Meshleb. N.F. (2012). Systematic and ecological study of recent Ostracoda from Al-Faw town, south of Iraq. *Mespot. Jor. Mar. Sci.*,27(2):pp. 88-103.
- Anil Bhandari and Singh.S.D. (2006) Recent Ostracoda from the Deltaic subenvironment and shallow inner shelf, east coast of India. *J.Geol.Soc.India.* v.67, pp.663-672.
- Annapurna, C. and Rama Sarma, D.V. (1979a) Occurrence of a new Podocopan ostracod *Tanella vasishta* in the Vasishta-Godavari estuary, east coast of India, *Curro Sci.*, v.48 (1), pp.42-43.
- Annapurna, C. and Rama Sarma, D.V. (1979b) Occurrence of a Podocopan ostracod *Tanella indica* sp. nov. in the marginal water bodies, east coast of India, *Ind. Jour. Mar. Sci.*, v.8 (2), pp.117-118.
- Annapurna, C. (1981) Seasonal quantitative variations in benthic ostracods in the tidal stream of Balacheruvu, east coast of India, *Proc.Ind. Acad. Sci., (Anim. Sci.)*, v.90 (5), pp.519-527.
- Annapurna, C. and Rama Sarma, D.V. (1981) Occurrence of a Podocopan ostracod *Bradleya ganapatii* sp. novo in the marginal water bodies, east coast of India, *Jour. Geol. Soc. India*, v.22 (1), pp.51-53.
- Annapurna, C. and Rama Sarma, D. V. (1982) Sediment-ostracod relationship in the Bimili backwaters and Balacheruvu tidal stream. *Proc. Ind. Acad. Sci. (Anim. Sci.)*, v.91 (3), pp.297-303.
- Annapurna, C. and Rama Sarma, D.V. (1986) Taxonomic studies on the marine Ostracoda from India. Family Leptocytheridae Hanai, 1957, *Jour. Bombay Nat. Hist. Soc.*, v.83 (3), pp.618-622.
- Annapurna, C. and Rama Sarma, D.V. (1987) Taxonomic studies on the marine Ostracoda from the east coast of India, *Jour. Bombay Nat. Hist. Soc.*, v.84 (1), pp.177-180.
- Armynot du Châtelet, E., Debenay, J.P., Soulard, R., (2004) Foraminiferal proxies for pollution monitoring in moderately polluted harbours: *Environmental Pollution*, Vol.127, pp.27-40.
- Arul, B., Sridhar, S.G.D., Hussain, S.M., Darwin Felix, A. and Periakali, P. (2003) Distribution of recent benthic Ostracoda from the sediments of Pitchavaram mangroves, Tamil Nadu, Southeast coast of India. *Bull.of Pure and Appl.Sci.* v.22, pp.55-73.
- Ashok Prabu, V., Rajkumar, M., and Perumal, P (2008) Seasonal variation in physico-chemical characteristics of Pichavaram mangrooves, southeast coast of India. *Jor. of Enivron. Biol.* Vol.26(6): pp. 945-950
- Ayress, M., Neil, H., Passlow, V and Swanson, K.M. (1997). Benthic ostracods and deep watermasses: a qualitative comparison of southwest Pacific, southern and Atlantic Ocean. *Paleogeogr. Paleoclimat. Paleoeco.*131: pp. 287-302.

- Baird, W. (1850). Description of some new Recent Entomostraca from Nagpur, collected by the Rev.S.Hislop. *Proc. Zool.Sec.London*, 27: 231-234.
- Barker, P.A., (1992). Differential diatom dissolution in Late Quaternary sediments from Lake Manyara, Tanzania: an experimental approach. *Journal of Paleolimnology* vol.7, pp.235 – 251.
- Barker, S., Lamy, F., Arz, H.W., Major, C., Kwiecien, O., and Wefer, G. (2003). Abrupt changes of temperature and water chemistry in the late Pleistocene and early Holocene Black Sea. *Geochem. Geophys. Geosyst.* 9, Q01004, DOI: 10.1029/2007GC001683.
- Baskar, K., Sridhar, S.G.D., Sivakumar,T. and Hussain, S.M. (2013). Seasonal comparison of Recent benthic Ostracoda response to sediment type in the Palkbay, off Rameswaram island, Tamil Nadu, southeast coast of India. *IJEE*, Vol.06. pp.1047-1059.
- Bate, R. H. and Gurney, A. (1971). The ostracod genus *Loxoconcha* SARS from Abu Dhabi Lagoon and the neighbouring near shore shelf, Persian Gulf, *Bulletin of the British Museum (Natural History), Zoology*,vol.41 (5), pp.235-251.
- Bate, R.H. (1971) The distribution of Recent Ostracoda in the Abu Dhabi Lagoon, Persian Gulf, In: *Paleoecologie des Ostracodes*, Oertli, H.J. (Ed.), Colloque Pau (1970), *Bull. Centre Rech. Pau-SNPA*. Suppl., vol.5, pp.239-256.
- Battarbee, R.W., Mackay, A.W., Jewson, D.H., Ryves, D.B., and Sturm, M., (2005). Differential dissolution of Lake Baikal diatoms: correction factors and implications for palaeoclimatic reconstruction. *Global and Planetary Change* vol.46, pp.75– 86.
- Benson, R.H. (1959) Ecology of Recent ostracods of the Todos Santos Bay region, Baja California, Mexico, *Paleont. Contr. Univ. Kansas*, 23, (Arthropoda, Article 1), pp.80, 11 pls., 20 figs.
- Benson, R.H. (1961) Ecology of ostracod assemblages, In: *Treatise on Invertebrate Paleontology*, Part Q, Arthropoda 3, Ostracoda, Moore, R.C. (Ed.), *Geol. Soc. Amer.*, pp.Q<sub>56</sub>-Q<sub>63</sub>.
- Benson, R.H. and Coleman, G.L. (1963) Recent marine ostracods from the eastern Gulf of Mexico, *Paleont. Contr. Univ. Kansas*, (Arthropoda, Article 2), 52 p., 8 pls., 33 figs.
- Benson, R.H., and Keasler, R.L. (1963). Recent marine and lagoonal ostracodes from the Estero de Tastia Region, Sonora, Mexico (Northeastern Gulf of California). (Arthropoda. Article 3). *Univ. Kans. Paleont. Contrib*, 23. 1-34.
- Benson, R.H. (1966) Recent marine Podocopid ostracods, *Oceanogr. Mar. Biol. Ann. Rev.*, v.4, pp.213-232.
- Benson, R., (1988). Ostracodspaleoceanography. In P.DeDeckker,J.P. Colon and J.P. Peypouquet (eds), *Ostracoda in the Earth Sciences. Elsevier, Amsterdam*, pp.1-26
- Benson, R. (1990). Ostracoda and the discovery of global Cainozoicpaleoceanography events In R. Whately and C. Maybury (eds), *Ostracoda and global events*. Chapman and Hall, London, pp. 41-58.
- Bentley, C. (1988). Podocopida Ostracods of Brisbane Water, near Sydney, Southeastern Australia. In : Hanai, Ikeya and Ishizaki (eds.). *Proc. IX Int. Symp. Ostracoda*, pp. 439-448.
- Bhasker, B., Mukherjee, S., Chakraborty, R and Nanda, A.K., (2003) Physico-Chemical and Bacteriological investigation on the river Torsa of North Bengal. *J. Environ.Biol.*, 24: 125-133.
- Bhatia, S.B. (1984) Ostracod fauna of the Indian subcontinent - their paleozoogeographic and paleoecologic implications, *Jour. Paleont. Soc. India*, v.20, p.1-8.
- Bhatia, S.B. (1991) Comment 3: Ostracoda in the estuarine sediments, Pulicat Lake estuary, east coast of India, *Jour. Geol. Soc. India*, v.38 (5), pp.541-542.

- Bhatia, S.B. and Kumar, S. (1979) Recent Ostracoda from off Karwar, west coast of India, *Proc.VIII Internatl. Symp. Ostracods*, Beograd, pp.173-178.
- Bindu Sulochanan., Krishnakumar, P.K., Perma, D., Kaladharan, P., Vala, K.K., Bhat, G.S and Muniyandi, K 2007. Trace metal contamination of the marine environment in Palk Bay and Gulf of Mannar. *J. Mar. Biol. Ass. India*, 49(1): pp. 12-18.
- Blake, C.H., 1933, Order Ostracoda: Biol. Survey Mount Desert region, pt. 5, 229-241. Bodergat, A. M., Carbonnel, G., Rio, M. and Keyser, D. (1993). Chemical composition of *Leptocythere psammophila* (Crustacea: Ostracoda) as influenced by winter metabolism and summer supplies. *Marine Biology*, 117. pp. 53-62.
- Bodergat, A.M., 1978. Un marqueur instantane de la pollution en cerium dans la zone de Cortiou (rade sud de Marseille, Bouches-du-Rhone): *Aurila speyeri* Brady, 1868 (Ostracoda, Podocopida). *Doc. Lab. Geol. Fac. Sci. Lyon* 4. pp. 69-83.
- Bodergat, A.M., 1983. Les ostracodes, temoins de leur environnement. Approche chimique et ecologie en milieu lagunaire et oceanique. *Doc. Lab. Geol. Fac. Sci. Lyon*, 88, pp. 246.
- Bodergat, A.M., Ikeya, N., 1988. Distribution of Recent Ostracoda in Ise and Mikawa Bays, Pacific Coast of Central Japan. In: Hanai, T., Ikeya N., Ishizaki K. (Eds.). Evolutionary biology of Ostracoda, its fundamental and applications. Proceedings of the Ninth International Symposium on Ostracoda, held in Shizouka, Japan, vol. 11. Developments in Palaeontology and Stratigraphy. Kodansha, Tokyo and Elsevier, Tokyo, pp. 413-428.
- Bodergat, A.M., Ikeya, N., and Irzi, Z., 1998. Domestic and industrial pollution: use of ostracods (Crustacea) as sentinels in the marine coastal environment. *J. Rech. Oceanogr.* 23. pp. 139-144.
- Bodergat, A.M., Rio, M., Andreani, A.M., 1991. Chemical composition and ornamentation of *Cyprideis torosa* (Crustacea: Ostracoda) in the paralic environment. *Oceanologica. Acta* 14, pp. 505 – 514.
- Boltovskoy, E., and Wright, R. (1976). Recent Foraminifera. Dr. W. Junk Publishers, The Hague, 515p.
- Bonaduce, G. and Pugliese, N. (1975) Ostracoda from Libya, *Publ. Staz. Zool. Napoli*, v.39, pp.129-135.
- Bonaduce, G., Masoli, M. and Pugliese, N. (1976) Ostracoda from the Gulf of Aqaba (Red Sea), *Publ. Staz. Zool. Napoli*, v.490, pp.372-428.
- Bonaduce, G., Masoli, M., Minichelli, G. and Pugliese, N. (1980) Some new benthic marine Ostracoda species from the Gulf of Aqaba (Red Sea), *Bolletino della Soc. Paleontologica Italiana*, v.19 (1), pp.143-178.
- Bradley Sylvester, P. C. , (1948) :Some Ostracod Genotypes . *Ann. Mag. Nat. Hist. Ser.* 11,13, pp.192-199 .
- Bradshaw, J.S., (1955). Preliminary laboratory experiments on ecology of foraminiferal populations. *Micropaleontology*, 1(4): 351-358.
- Bradshaw, J.S., (1961). Laboratory experiments on the ecology of foraminifera. *Cush. Found. Foramin. Res. contr.*, 12: 87-106.
- Brady GS (1868) A monograph of the recent British Ostracoda. *Trans Linn Soc Lond* 26:353-495
- Brady, G.S. (1866) On new or imperfectly known species of marine Ostracoda, *Trans. Zool. Soc. London*, 5, pp.359-393.
- Brady, G.S. (1868a) A monograph of the Recent British Ostracoda, *Trans. Linn. Soc.*, v.20 (2), pp.353-495.
- Brady, G.S. (1868b) In: *Ostracoda*, de Folin, L. and Perier, C. (Eds.), *Les Fonds de la Mer.*, v.1 (1-2), pp.47-54, Paris.
- Brady, G.S. (1869) Contributions to the study of the Entomostraca. IV. Ostracoda from the River Scheldt and the Grecian Archipelago, *Ann. Mag. Nat. Hist.*, Ser.4, 3, pp.45-50.

- Brady, G.S. (1880) Report on the Ostracoda dredged by *H.M.S.Challenger* during the years 1873-76, *Rept. Sci. Results H.M.S.Challenger, Zool.*, v.1 (3), pp.1-184.
- Brady, G.S. (1886) Notes on Entomostraca collected by Mr.A. Haly in Ceylon, *Jour. Linn. Soc. London*, v.19, pp.293-317.
- Brasier, M.D. (1980). Microfossils. George Allen and unwin Ltd, London, 193pp.
- Brusca, R.C., and Brusca, G.J., (2003). Invertebrates. Sinauer Associates, Sunderland, M.A. 2<sup>nd</sup> edition, 936p.
- Buccolieri A, Buccolieri G, Cardellicchio N, Dell'Atti A, Di Leo A, Maci A. (2006) Heavy metals in marine sediments of Taranto Gulf (Ionian Sea, Southern Italy). *Mar Chem* 99:p. 227-235
- Burton, E., Phillips, I. and Hawker, D. (2004) "Trace metals and nutrients in bottom sediments of the Southport Broadwater, Australia", *Marine Pollution Bulletin*, Vol. 48, pp. 378-384, 2004.
- Caccia, V.G, Millero, F.J., and Planques, A. (2003). The distribution of trace metals in Florida Bay sediments. *Mar. Sed. Pollu. Bull*, 46; pp. 1420-1433.
- Carlos A. Alvarez Zarikiran., Anna Yu. Stepanova, and Jens Grutzner (2009) Glacial-interglacial variability in deep sea ostracod assemblage composition at IODP Site U1314 in the subpolar North Atlantic. *Mar. Geol.* 258. p.69-87.
- Carly A. Strasser., Lauren S. Mullineaux., and Benjamin D. Walther. (2008). Growth rate and age effects on *Mya arenaria* shell chemistry: Implications for biogeochemical studies. *Jour. Exper. Marine Biol. and Ecology*, 355: pp. 153-163.
- Chaimanee, N., Di Geronimo, I., Robbia, E. and Sanfilippo, R., (1999). A project on mangrove and shallow marine benthic communities in Phetchaburi coastal area: *Int. Report n°2*.
- Chandran, R., and Ramamoorthi, K. (1984). Hydrobiological studies in the gradient zone of the Vellar Estuary: II. Nutrients Mahasagar. *Bull. Nat. Inst. Oceanogr.*, 17. pp 133-140.
- Cheryl D. Vann., Thomas M. Cronin., and Gary S. Dwyer. (2004). Population ecology and shell chemistry of a phytal ostracode species (*Loxoconcha matagordensis*) in the Chesapeake Bay watershed. *Mar. Micropal.* 53: pp. 261-277.
- Chivas, A.R., P. De Deckker and Shelley, J.M.G. (1983). Magnesium, strontium and barium partitioning in nonmarine astrict shells and their use in paleoenvironmental reconstructions: A preliminary study. In Maddocks, R. F. (ed.), *Applications of Ostracoda. University of Houston, Houston, Geosciences*, 238–249.
- Chivas, A. R., P. De Deckker and Shelley, J. M. G. (1986). Magnesium and strontium in nonmarine astrict shells as indicators of paleosalinity and paleotemperature. *Hydrobiologia* 143: 135–142.
- Chivas, A. R., P. De Deckker, J. A. Cali, E. Kiss and J. M. G. Shelley. (1993). Coupled stable-isotope and trace-element measurements of lacustrine carbonates as paleoclimatic indicators. In Swart, P. K., K. C. Lohman, J. McKenzie & S. Savin (eds), *Climate Change in Continental Isotopic Records. Geophysical Monograph 78. Washinton, D.C.: American Geophysical Union*, 113–121.
- Choudhary, S., & Panigrahy, R. C. (1991). Seasonal distribution and behaviour of nutrients in the creek and coastal waters of Gopalpur East coast of India. *Mahasagar*, 24, 81–83.
- Cole, C. V., and Sanford, R. L. (1989) Biological aspects of the Phosphorus cycle. In *Proc. symp. on phosphorous requirements for sustainable agriculture in Asia and Oceania, 6–10 March*. SCOPE/UNEP.
- Coryell, H.N., Sample, C.H. and Jennings, P.H. (1937). Bairdoppilata, a new genus of ostracoda, with 2 new species. *American mus. Novitates*, 777, pp.1-5.
- Cronin, T.M. (1983). Bathyalostracodes from the Florida-Hatteras slope, the Straits of Florida and the Blake Plateau. *Mar. Micropal.* 8(2): pp. 89-199.

- Cronin, T.M. and Dwyer, G.S. (2003). Deep-sea ostracodes and climate change. *Paleontological society papers, Pittsburgh*, 9: 247-265.
- Cronin, T.M., Kamiya, T., Dwyer, G.S., Belkin, H., Vann, C.D., Schwede, S and Wrangler, R. (2005). Ecology and shell chemistry of *Loxoconcha matagordensis*. *Paleogeography, Paleoclimatology, Paleoecology* 225: pp. 14-67.
- Danielopol, D.L., Ito, E., Wansard, G., Kamiya, T., Cronin, T.M., and Baltanas, A. (2002). Techniques for collection and study of Ostracoda. In the Ostracoda: Application in Quarternary Research. (J.A. Holmes, and A.R. Chivas, Eds). *American Geophysical Union, Washington D.C.* pp. 65-97.
- Das, J., S.N. Das and R.K. Sahoo. (1997). Semidiurnal variation of some physicochemical parameters in the Mahanadi estuary, east coast of India. *Ind. J. Mar. Sci.*, 26, 323-326.
- Davis, K.J., Dove, P.M., De Yoreo, J.J. (2000). The role of Mg<sup>2+</sup> as an impurity in calcite growth. *Science* 290, pp.1134–1137.
- De Deckker, P., Chivas, A.R., Shelley, J.M.G. (1999). Uptake of Mg and Sr in the euryhaline ostracod *Cyprideis* determined from in vitro experiments. *Palaeogeography, Palaeoclimatology, Palaeoecology* 148, pp.105–116.
- De Deckker, P., Forester, R.M. (1988). The use of ostracods to reconstruct continental palaeoenvironmental records. In: De Deckker, P., Colin, J., Peypouquette, J. (Eds.), *Ostracoda in the Earth Sciences*. Elsevier, Amsterdam, pp. 175–199.
- Debenay J.P., Tsakiridis, E., Souldard, R., Grossel, H. (2001). Factors determining the distribution of foraminiferal assemblages in Port Joinville Harbor (Ile d'Yeu, France): the influence of pollution. *Mar Micropal.* 43:pp.75–118
- Decrouy, L., Vennemann, T.W., and Ariztegui, D. (2011). Controls on ostracod shell geochemistry: Part 2. Carbon and oxygen isotope composition. *Geochimica et Cosmochimica Acta* 75, pp. 7380–7399.
- Dewi, K. (1997). Ostracoda from the Java Sea, west of Bawean Island, Indonesia. Marine Geological Institute Special Publication, 4, 85 pp.
- Dinesh Kumar, P. K., G. Gopinath, C. M. Laluraj, P. Seralathan, and D. Mitra. (2007). Change detection studies of Sagar Island, India, using Indian remote sensing satellite 1C linear imaging self-scan sensor III data. *Journal of Coastal Research*, 23 6:1498-1502.
- Dingle, R.V and Giraudeau, J. (1993). Benthic Ostracoda in the Benguela System (SE Atlantic): a multivariate analysis. *Mar. Micropal.*, 22(1-2): pp. 71-92.
- Dingle, R.V and Lord, A.R. (1990). Benthic ostracods and deep water-masses in the Atlantic Ocean. *Paleogeogr. Paleoclimat. Paleoeco.* 80: pp. 213-235.
- Dwyer, G.S., Cronin, T.M.P., Baker, A., Raymo, M.E., Buzas, J.S., and Corregge, T. (1996). North-Atlantic deep-water temperature- change during late pliocene and late quaternary climatic cycles. *Science* 270, 1347–1351.
- Nobi, E. P., Shivaprasad, A., Karikalan, R., Dilipan, E., Thangaradjou, T., and Sivakumar, K. (2010). Microlevel Mapping of Coastal Geomorphology and Coastal Resources of Rameswaram Island, India: A Remote Sensing and GIS Perspective. *Journal of Coastal Research*: v.26, 3: pp. 424 – 428.
- Eagar S. H., (1998) Recent Ostracoda from Tarawa Atoll, Kiribati, in: Crasquin-Soleau S., Braccini E., Lethiers F. (Eds.) What about Ostracoda? 3<sup>e</sup> Congress European des Ostracodologistes, *Bull. Centre Recherche Elf Exploration-Production, Memoire* 20 pp.55-67.
- Eagar S. H., (1999) Intraspecific variation in the shell ornamentation of benthic Ostracoda (Crustacea) from Kiribati, Pacific Ocean. *Ocnologica Acta*- v.22-N<sup>o</sup> 6 pp.603-608.
- Eagar, S.H. (2000). Ostracoda in detection of sewage discharge on a Pacific Atoll. In: R. Martin (ed.), *Environmental Micropaleontology*. Kulwer, New York, pp.151-165.

- Eagar, S.H. and Geoffrey, B.R. (2004). A new species of Pontocyprina (Ostracoda) living on Chaetopterus sp. (Annelida: Polychaeta) from Hauraki Gulf, New Zealand. *New Zealand Natural Sci.*, v.29, pp.49-54.
- Elakkiya, P (2012). Environmental and ecological parameters of recent Ostracoda in Cauvery River Estuary, Poombuhar, Tamil Nadu, India. *Int. Jour. of Environ. Sci.*2(4). pp.2104-2109.
- Elakkiya, P., Hussain, S.M., and Elumalai, K. (2013). Distribution of Foraminifera and Ostracoda in the Kameswaram coast, Nagapattinam, southeast coast of India; Implications for Recognition of Overwash/Extreme wave event deposits. Entitled of the book "On a sustainable Future of the Earth's Natural Resources, (VII)<sup>th</sup> Chapter. pp. 139-148.
- Elofson, O. (1941). Zur kenntnis der marinen Ostracoden Schwedens mitbesonderer Berücksichtigung des Skageraks. *Zool. Bidr. Uppsala Univ.* v.19, pp.215-234.
- Elumalai, K., Hussain, S.M., and Scott Immanuel Dhas, C. (2010) Recent Benthic Ostracoda from the sediments of Ennore Creek, Chennai, Tamil Nadu, India. *Jour. of Palaeo. Soc. of Ind.* 55(1).pp. 11-22.
- Engel, P.L. and Swain, F.M (1967) Environmental relationship of Recent ostracods in Mesquite, Arkansas and Copano Bays, Texas Gulf Coast, *Trans. Gulf Coast Assoc. Geol. Soc.*, v. 17, pp.408-427.
- Engstrom, D. and Nelson, S. (1991) Paleosalinity from trace metals in fossil ostracodes compared with observational records at Devils Lake, North Dakota, USA. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 83: 295–312.
- Ferda Percin Pacal (2011). The ecology of the Ostracoda (Crustacea) species obtain from the coast of Iskenderun Bay (Eastern Mediterranean Sea). *Jour. Black sea/Medit. Envi.* 17(2): pp. 127-144.
- Francisco Ruiz, Maria Luz Gonzalez-Regalado, Emilio Galan, Maria Isabel Gonzalez, Maria Isabel Prudencio, Maria Isabel Dias, Manuel Abad, Antonio Toscano, Jose Prenda and Edith Xiomara Garcia. (2012). Benthic foraminifera as bioindicators of anthropogenic impacts in two north African lagoons: a comparison with ostracod assemblages, *Rev. Mex. de Cie. Geol.*, 29:527-533.
- Freda Chandrasekaran, Issac Rajendran and Malu Pillai (1968) Salinity and temperature variations over pearl and chank beds of Tuticorin, *Madras Jour. Fisheries*, v.4, pp.21-27.
- Gamerico, P.C., and Brotas, V. (2007). Environmental drivers of phytoplankton distribution and composition in Tagus estuary, Portugal. *Estur. Coast. Shelf Sci.*, 75.pp 21-34.
- Ganapathi, P.N. and Raman, A.V. (1979).Organic pollution and Skeletonema blooms in Vishakapatnam Harbour. *Indian J.Mar.Sci.*,8:p.184-187.
- Ganapati, P. N., & Rao, D. V. S., 1958. Qualitative studies of plankton off Lawson's Bay, Waltair. *Proceedings of the Indiana Academy of Sciences*, 48, pp.189–209.
- Ganeasn, P., Hussain, S.M., and Mohan, S.P. (2008). Influence of environmental parameters on the distribution of ostracoda in Tamiraparani estuary and off Punnaikayal, Tamil Nadu, southeast coast of India. *Fifth International conference on Environmental Micropaleontology, Microbiology and Meiobenthology (EMMM, 08), 2008.* pp. 91-92.
- Gaudette, H.E., Flight, W.R., Toner, L. and Folger, D.W. (1974) An inexpensive titration method for determination of organic carbon in Recent sediments, *Jour. Sed. Petrol.*, v.44, pp.249-253.
- Gengo Tanaka., Toshifumi Komatsu and Nguyen Duc Phong (2009). Recent ostracoda assemblage from the northeastern coast of Vietnam and the biogeographical significance of the euryhaline species. *Micropaleontology.* v (55). pp.365-382.
- Ghatak, D.B., and Konar, S.K., (1992). Field Studies on the effects of various industrial effluent on Damodar river ecosystem, West Bengal. *Env. Ecol.*10(4):pp.767-773.

- Ghosh, T.; Bhandar, G., and Hazra, S., (2001). Assessment of land use/land cover dynamics and shoreline changes of Sagar Island through remote sensing. In: *22nd Asian Conference on Remote Sensing (Singapore)*, Vol. 2, pp. 848–852.
- Gibson, R.N. (1982) Recent studies on the biology of intertidal fishes. *Oceanogr. Mar. Biol. Ann. Rev.*, 20, p. 363-414.
- Gopalakrishna K, Shabi B, Bilwa L.M. (2008) Distribution of ostracod assemblages along the nearshore and offshore areas of Malabar Coast, Kerala (west coast of India). *Indian J. Mar. Sci.* 37:298–306
- Gopalakrishna, K., Hussain, S.M., Mahesh Bilwa, L. and Ayisha, V.A. (2007). Recent benthic Ostracoda from the inner-shelf off the Malabar coast, Kerala, Southeast coast of India. *Jour. of the Pal. Soc. of Ind.* v 52(1), pp. 56-68.
- Gou, Y (1990) Recent Ostracoda from Hainan Island, South China Sea; *Cour. Forsch. Inst Senckenberg* 123:19–36, 1 Abb., 3 pls
- Gouda, R. and Panigrahy, R.C. (1995). Seasonal distribution and behaviour of nitrate and phosphate in Rushikulya estuary, east coast of India. *Ind. J. Mar. Sci.*, 24, 233-235.
- Govindaraju, M., Kumar, P., Selvaraj, M and Rajina, C. (2011) Study on Physicochemical parameters along the coastal waters around Kudankulam Nuclear power plant. *Intl. Jour. of Oce. And Oceanography*, v 5(1), pp. 78-83.
- Govindasamy, C. and Kannan L. (1996). Ecology of rotifers of Pichavaram mangroves, southeast coast of India. *Ind. Hydrobiol.*, 1, pp.69-76.
- Govindasamy, C., Kannan, L. and Jayapaul Azariah., (2000). Seasonal variation in physico-chemical properties and primary production in the coastal water biotopes of Coromandel coast India. *J. Environ. Biol.*, 21, pp.1-7.
- Gowda, G., Gupta, T.R.C., Rajesh, K.M., Gowda, H., Lingadhal, C. and Ramesh, A.M., (2001). Seasonal distribution of phytoplankton in Nethravathi estuary, Mangalore. *J. Mar. Biol. Ass. India*, 43, pp.31-40.
- Grafenstein, U., Erlemakeuser, H., and Trimborn, P., (1996). Oxygen and carbon isotopes in modern fresh-water ostracod valves; assessing vital offsets and autecological effects of interest for paleoclimate studies. *Paleogeography, paleoclimatology, paleoecology* 14, pp 133-152.
- Gramman, F. (1975) Ostracoda from Tertiary sediments of Burma with reference to living species, *Geol. Jb.*, v. 14, pp. 1-46.
- Grant, G. M., & Gross, E., (1996). *Oceanography - a view of the Earth*. USA: Prentice-Hall.
- Guan, S., Sun, Q., Jiang, Y., Li, h., Zhao, B., Zhang, X., Yang, r. and Feng., B. (1978). Ostracoda. In palaeontological atlas of central and south China. *Geological publishing house, Beijing*, vol.4, pp.115-324.
- Guha, D.K (1967) Ostracoda from the Lower Miocene of Saurashtra, Western India, *Quat. Jour. Geol. Met. Soc. India*, v.39 (1), pp.35-37.
- Guha, D.K (1968a) On the Ostracoda from Neogene of Andaman Islands, *Jour. Geol. Soc. India*, v.9 (1), pp.58-66.
- Guha, D.K (1968b) Young Cenozoic marine Ostracoda from outcrops of South India, *Mem. Geol. Soc. India*, 2, pp.208-217.
- Guha, D.K. (1975) On some Ostracoda from Miocene of Bombay offshore well, *Bull. Oil Nat. Gas Comm.*, v.11 (2), v.12 (1), combined issue, pp.13-20
- Guha, D.K. (1980) On some Recent Ostracoda from the west coast of India, *Geosci. Jour.*, v.1 (2), pp.41-50.
- H. J. M. Bowen. "Trace Elements 'ii Biochemistry". Academic Press, London, (1966), Chap. 5, pp 61-84.
- Hameed, A., and Achyuthan, H. (2007) Recent ostracoda in the Cuddalore estuary, East coast of Tamil Nadu, India. *Marine Mesopotamica* 22(2): pp.181-195.

- Hanai, T. 1957. Studies on the Ostracoda from Japan. I subfamily: Leptocytheridae. *J.Fac.Sci. Univ.Tokoy, Sec., II.10(3)*: 431-468.
- Harter, S.K. and Mitsch, W.J. (2003). Patterns of short-term sedimentation in a freshwater created marsh. *J. Environm. Qual.*, 32: 325-334pp.
- Hartmann, G. and Puri, H.S. (1974). Summary of Neontological and Paleontological Classification of Ostracoda. *Mit. Hamburg. Zool. Mus. Inst.* v.70, pp.7-73.
- Hartmann, G. (1978) Die Ostracoden der Ordnung Podocopida GW Müller, 1894, der tropisch-subtropischen Westküste Australiens (zwischen Derby im Norden und Perth im Süden). *Mitt Hambg Zool. Mus. Inst.* 75:64–219.
- Hartman, G. (1981). Teil 7. Die Ostracoden der Ordnung Podocopida G.W. Muller, 1894 der subtropisch-tropischen Ostküste Australiens (zwischen Eden im Süden und Heron-Inland im Norden). *Mitteilungen aus den Hamburgischen Zoologischen Museum und Institut*, 78. pp.97-149.
- Hartmann, G. (1991) Ostracoden von Hawaii, insbesondere aus dem marinen Interstitial. *Helgoländer Meeresuntersuch* 45:165–198, 110 Abb., 2 pls.
- Hartmann, G. (1964) Zur Kenntnis der Ostracoden der Roten Meere, *Kieler Meeresforsch*, v.20, pp.35-127.
- Hartmann, S. and Hartmann, G. (1982) Zoogeography and biology of littoral Ostracoda from South Africa, Angola and Mozambique, *Bull. Amer. Paleont.*, v.65 (282), pp.353-367.
- Harvey, H. W., (1960). The chemistry and fertility of seawater. London: Cambridge University Press.
- Helal SA, Abd El-Wahab, M (2004) Recent Ostracodes from marine sediments of Safaga Bay, Red Sea, Egypt. *Egypt Jour Paleontol* 4:75–93, pl.1.
- Holden J.C. (1967) Late Cenozoic ostracodes from the drowned terraces in the Hawaiian Islands. *Pacif Sci* 21(1):1–50, Abb., 2 Tab
- Honnappa (1975) Taxonomy, morphology, ecology and statistical interpretation on *Actinocythereis tumefacientis* (Lubimova and Guha), Ostracoda from the Recent sediments of Mangalore Harbour area, west coast of India, *Revista Espanola de Micropaleontologia*, v.7, pp.417-449.
- Honnappa (1983) Review of Quaternary ostracods from the west and east coast of India, *Geoviews*, v.10 (6), pp.223-240.
- Honnappa and Abrar, S. (1983) Bairdiidae (Ostracoda) from the Recent coastal sediments of Bhatkal area (Karnataka State), west coast of India, *Curr. Sci.*, v.52 (12), pp.588-591.
- Honnappa and Venkatachalapathy, V. (1978) Paleocological and ecological interpretations of sediments of Mangalore Harbour area, west coast of India, on the basis of colour variation of ostracod shells, *Curr. Sci.*, v.47 (20), pp.772-773.
- Honnappa and Venkatachalapathy, V. (1979) Predation and ecology of Ostracoda from the sediments of Mangalore Harbour area, west coast of India, *Recent Researches in Geology*, v.4, pp.351-355.
- Honnappa, pathy, V.V. and syed Abrar (1984). Occurrence of a new genus *Neomangaloria* gen. nov. ostracoda in the Mangalore and Karwar sediments, west coast of India. *Bull. Ind. Geol. Assoc.*, v.17(2), pp.167-173.
- Honnappa, Venkatachalapathy, V. and Abrar, S. (1984) Occurrence of a new genus *Neomangaloria* gen. nov. Ostracoda in the Mangalore and Karwar sediments, west coast of India, *Bull. Indian Geol. Assoc.*, v.17 (2), pp.167-173.
- Horne David, J. (1983) Life cycles of Podocopid Ostracoda - A review (with particular reference to marine and brackish water species), In: *Applications of Ostracoda*, Maddocks, R.F. (Ed.), *Univ. Houston, Geosci.*, pp.581-590.



- Horne, D.J., Cohen, A. and Martens, K. (2002). Taxonomy, morphology and biology of Quaternary and living Ostracoda.- Geophysical Monograph, Washington DC, 131: p.5-36.
- Howe, H.V. and McKenzie, K.G. (1989) Recent marine Ostracoda (Crustacea) from Darwin and north-western Australia, Monograph, Ser.3, *Northern Territory Mus. Arts Sci.*, Australia, pp.1-50.
- Hulyal, S.B., and Kaliwal, B.B., (2008). Water quality assessment of Almatti reservoir of Bijapur (Karnataka state, India) with special reference to zooplankton. *Environ. Monit. Assess* 139: pp. 299-306. DOI 10.1007/s10661-007-9835-7.
- Hurd, D.C., Pankratz, H.S., Asper, V., Fugate, J., and Morrow, H., 1981. Changes in the physical and chemical properties of biogenic silica from the Central Equatorial Pacific: Part III. Specific pore volume, mean pore size and skeletal ultrastructure of acid-cleaned samples. *American Journal of Science* 281, 833–895.
- Hussain, S. M. (1992) *Systematics, ecology and distribution of Recent Ostracoda from the Gulf of Mannar, off Tuticorin, Tamil Nadu*, Ph.D. thesis, submitted to the University of Madras, 218p.
- Hussain, S.M. and Rajeshwara Rao, N. (1996) Faunal affinity, zoogeographic distribution and review on Recent Ostracoda from the east and west coasts of India, *Bull. Pure Appl. Sci.*, v.15 (1), pp.37-50.
- Hussain, S.M., Ragothaman, V. and Manivannan, V. (1996a) Distribution of Ostracoda in waters off Tuticorin, south-east coast of India, *Ind. Jour. Mar. Sci.*, v.25, pp.78-80.
- Hussain, S.M., Ragothaman, V. and Manivannan, V. (1996b) Distribution and species diversity of Recent benthic Ostracoda from the Gulf of Mannar, off Tuticorin, Tamil Nadu, *Jour.Pal. Soc. India*, v.41, pp.17-20.
- Hussain, S.M. (1998) Recent benthic Ostracoda from the Gulf of Mannar, off Tuticorin, south- east coast of India, *Jour. Pal. Soc. India*, v.43, pp.1-22.
- Hussain, S.M., Mohan, S.P. and Manivannan, V. (1998) Recent Cythrellid, Bairdid and Cytherid (Ostracoda) from Gulf of Mannar, off Tuticorin, Southeast coast of India; *Indian Jour. of Earth Sciences*, v.25, nos 1-4, pp. 17-28.
- Hussain, S.M. and Mohan, S.P. (2000) Recent Ostracoda from Adyar River Estuary, Chennai, Tamil Nadu. *Jour. Pal. Soc. India*. Vol.45: pp.471-481.
- Hussain, S.M. and Mohan, S.P. (2001). Distribution of recent benthic Ostracoda in Adyar river estuary, east coast of India. *Ind.Jour.of Mar.Sci.*, v.30, pp.53-56.
- Hussain, S.M., Ravi, G., Mohan, S.P., and Rajeshwara Rao, N. (2004) Recent benthic Ostracoda from the inner shelf off Chennai, Southeast Coast of India—Implication on microenvironments. *Env. Micropaleont Microbiol Meibenth* 1:105–121, 1 p
- Hussain, S.M., Ganesan, P. and Mohan, S.P. (2005). Recent Benthic response to environment in Tambraparni estuary, Punnakayal, Tuticorin, Southeast coast of India. *Gond.Geol.Magz.* v.20, pp.25-30.
- Hussain, S.M, Krishnamurthy, R., Suresh Gandhi, M., Ilayaraja, K., Ganesan, P., Mohan, S.P. (2006) Micropalaeontological investigations on tsunamigenic sediments of Andaman Islands. *Curr. Sci.* 91(12):1655–1667, 2 pls.
- Hussain, S.M., Ganesan, P., Ravi, G., and Sridhar, S.G.D., (2007). Distribution of Ostracoda in in marine habitats off Tamil Nadu and adjoining areas, southeast coast of India and Andaman Island, *Ind. Jour. of Mar. Sci.*, v 36. pp 369-377.
- Hussain, S.M., Ravi, G., Mohan, S.P., and Rajeshwara Rao, N. (2009) Distribution of Recent Ostracoda in the Bay of Bengal, off Karikkattukuppam (near Chennai), southeast coast of India - Implication for Biodiversity. *Gond. Geol. Magz.*, vol. 24 (1), pp.35-39.

- Hussain, S.M., S.P. Mohan and M.P. Jonathan - Ostracoda as an aid in identifying 2004 tsunami sediments: An example from SE coast of India. *Natural Hazards*, (2010), vol.55, no.2, pp.513-522.
- Hussain, S.M., Elakkiya, P., Elumalai, K., Jonathan, M.P., and Nagarajan, R. (2013) Evidence for extreme wave events in Velanganni Coast, southeast coast of India. *Bol. De La Soci. Geol. Mex.* 65(1): pp. 201-205.
- Hutchins, L.W. (1947) The bases for temperature zonation in geographical distribution, *Eco/. Mono.*, v.17, pp.325-335.
- Hyland, J., Balthis, L., Karakassis, I., Magni, P., Petrov, A., Shine, J., Vestergaard, O and Warwick., R. (2005). Organic carbon content of sediments as an indicator of stress in the marine benthos. *Mar. Ecol. Prog. Ser.* v.295: pp.91-103.
- Ian Boomerand Gray Elsenhauer, (2003). Ostracod faunas as paleoenvironmental indicators in marginal marine environments. App. In Quart. Res. AGU, Washington. pp.381-385.
- Ikeya, N. and Shiozaki, M. (1993) Characteristics of the inner bay ostracodes around the Japanese islands-the use of ostracodes to reconstruct paleoenvironments. *Mem. Geol. Soc. Japan*, 39: pp.15–32. *Indian J. Fish.*,2005, 52, pp.501-506.
- Ingram, R.L. (1970). Sieve analysis, procedures in sedimentary petrology, Wiley interscience, Newyork.
- Ishizaki, K. (1966). Miocene and Pliocene ostracodes from the Sendai area, Japan. *Science Reports of the Tohoku University, Sendai* (Series 2, Geology), 37. pp.131-163.
- Ishizaki, K. (1968) Ostracods from Uranouchi Bay, Kochi Prefecture, Japan, *Sci. Rep. Tohoku Univ.*, 2nd Ser. (Geol.), v.40 (1), pp.1-45.
- Ishizaki, K. (1971) Ostracods from Aomori Bay, Aomori Prefecture north-east Honshu, Japan, *Sci. Rep. Tohoku Univ.*, 2nd Ser. (Geol.), v.43 (1), pp.59-97.
- Ishizaki, K. and Gunther, F.J. (1974) Ostracoda of the Family Cytheruridae from the Gulf of Panama, *Sci. Rep. Tohoku Univ.*, 2nd Ser. (Geol.), v.45 (1), pp.1-50.
- Jackson, M.L. (1958) *Soil chemical analysis*. Prentice Hall, New York, 485 p.
- Jain, S.P. (1976) Holocene Ostracoda from the Chilka Lake, Orissa, *Proc. VI Indian Colloq.Micropa/. Strat.*, pp.126-134.
- Jain, S.P. (1978) Recent Ostracoda from Mandvi Beach, west coast of India, *Bull. Ind. Geo/. Assoc.* v.11 (2), pp.89-139.
- Jain, S.P. (1981) Recent Ostracoda from the south-west Kerala Coast, India, *Bull. Ind. Geo/. Assoc.*, v.14 (2) pp.107-120.
- James, C.M. (1973a) New distributional records of species of the Subfamily Asteropinae (Ostracoda) from Indian Seas, *Jour. Mar. Biol. Assoc. India*, v.15, pp.604-615.
- James, C.M. (1973b) *Bathyconchoecia lacunosa* (Muller) a rare Halocypris ostracod from the Arabian Sea, *Jour. Mar. Biol. Assoc. India*, v.15, pp.433-437.
- James, N.P., and Macintyre, I.G., (1985). Carbonate depositional environments modern and ancient, Part 1; Reef zonation, doepositional facies, diagenesis: *Colorado school of Mines Quarterly*, 80: pp. 80-70.
- Javid Ahamad Shan and Ashok K. Pandit (2013) Relation between Physico-chemical Limnology and Crustacean community in Wular Lake of Kashmir Himalaya. *Pakistan J. of Biol. Sci.* 16(19): p. 976-983.
- Jayaraman, R. (1951) Observations in the chemistry of the waters of the Bay of Bengal off Madras city during 1948-49, *Proc. Ind. Acad. Sci.*, 33B, pp.92-99.

- Jayaraman, R. (1954) Seasonal variations in salinity, dissolved oxygen and nutrient salts in the shore waters of the Gulf of Mannar and Palk Bay near Mandapam, *Ind. Jour. Fisheries*, v.1 (1-2), pp.345-364.
- Jellinek Th (1993) Zur Ökologie und Systematik rezenter Ostracoden aus dem Bereich des Kenianischen Barriereriffs. *Senckenberg Leth* 73(1):83–225, 29 pls.
- Jessica M. Reeves., Allan R. Chivas., Adriana Garcia and Patrick De Deckker (2007). Paleoenvironmental change in the Gulf of Carpentaria (Australia) since the last interglacial based on Ostracoda. *Pal. geo., Pal. clim., Pal. ecol.*, 246: pp.163-187.
- Jin, Z., Bickle, M., Chapman, H., Yu, J., Greaves, M., Wang, S., and Chen, S. (2006). An experimental evaluation of cleaning methods for fossil ostracod Mg/Ca and Sr/Ca determination. *Journal of Paleolimnology* 36, pp. 211-218.
- Joao Carlos Coimbra and Ana Luisa Carreno (2012) Richness and paleo-zoogeographical significance of the benthic ostracoda (Crustacea) from the oceanic island of Trindade and Roscas atoll, Brazil. *Rev. bras. paleontol.* 15(2). pp. 189-202.
- Johnson, D.W., (1919). Shore process and shoreline development. *Wiley, New York*, pp:584.
- Jonathan A. Holmes, Philip E. Hales and Alayne Street-Perrott, F. (1992) Trace-element chemistry of non-marine ostracods as a means of paleolimnological reconstruction: An example from the Quaternary of Kashmir, northern India. *Chemical Geology*, 95. pp. 177-186.
- Jonathan, M. P., Rammohan, V., Srinivasalu, S. (2004). Geochemical variations of major and trace elements in recent sediments, off the Gulf of Mannar. The southeast coast of India. *Environ. Geol.*45. 466-480.
- Jones, T.R. (1849). A monograph of the Entomostraca of the Cretaceous Formation of England. *Monograph of the Palaeontographical Society*, 1849; p.1-41.
- Kaesler, R.L. and Waters, J.A (1972) A census of Holocene species of *Xestoleberis* (Ostracoda, Podocopida) from the southern oceans, *Contr. Paleontol. Univ. Kansas*, v.60, pp.1-35.
- Kaimoussi, A., Chafik, A., Mouzdahir, A., and Bakkas, S. (2002). Diagnosis on the state of healthiness, quality of the coast and biological resources 'case of the Moroccan Atlantic coast' (City of El Jadida). *C. R. Biol.* 325. pp. 253–260.
- Kaimoussi, A., Chafik, A., Mouzhdahir, A., and Bakkas, S. (2001). The impact of industrial pollution on the Jorf Lasfar coastal zone (Morocco, Atlantic Ocean): the mussel as an indicator of metal contamination. *C. R. Acad. Sci. Paris* 333. pp. 337–341.
- Kalimurthy, M. (1973). Observations on the transparency of the waters of the Pulicat Lake with particular reference to plankton production. *Hydrobiologia*, 41, pp. 3-11.
- Kamiya, T., (1988). Contrasting population ecology of two species of *Loxoconcha* (Ostracoda, Crustacea) in recent *Zostera* (eelgrass) beds: adaptive differences between phytal and bottom-dwelling species. *Micropaleontology* 34, pp. 316-331.
- Karuppanapandian, T., Karuppudurai, T and Kumaraguru, A. K. (2007). A preliminary study on the environmental condition of the coral reef habit. *Int. J. Environ. Sci. Tech.* 4(3). p. 371-378.
- Karuppasamy, P.K. and P. Perumal., 2000. Biodiversity of zooplankton at Pichavaram mangroves, south India. *Adv. Biosci.*, 19, pp. 23-32.
- Kaufmann, (1990) (Crustacea: Ostracoda) under experimental conditions. *Hydrobiologia* 347:pp. 91-95.
- Keatings, K.W., Heaton, T.H.E., and Holmes, J.A., (2002). Carbon and oxygen isotope fractionation in non-marine ostracods; results from a nature culture environment. *Geochemical Cosmochimica Acta* 66, 1701-1711.

- Keatings, K.W., Holmes, J.A., and Heaton, T.H.E. (2006). Effects of pre-treatment on ostracod valve chemistry. *Chemical Geology*, 235, pp. 250-261.
- Keij, A.J. (1964) Neogene to Recent species of *Cytherelloidea* (Ostracoda) from north-western Borneo, *Micropal.*, v.10 (4), pp.415-430.
- Keij, A.J. (1954). Some recent ostracoda of Manila (Philippines). *Proceeding of the Koninklijke Nederlandse Akademie van Wetenschappen*, pp.351-363.
- Keij, A.J. (1953). Preliminary note on the Recent Ostracoda of the Snellius Expedition, *Proc. Koninkl. Nederl. Akad. Wetensch, Amsterdam*, Ser.B, 56(2).
- Khalaf, S.K and Elewi, A.H. (1989). On some recent Ostracoda from Khor Al-Zubair, Southern Iraq. *Marina Mesopotamica*, 4(1): 97-105.
- Khosla, S.C. (1978) Lower Miocene Ostracoda from Jamnagar and Porbandar districts, Gujarat, India, *Micropal.*, v.24 (3), pp.251-290.
- Khosla, S.C., Mathur, A.K. and Pant, P.C. (1982) Ecology and distribution of Recent ostracods in the Miani lagoon, Saurashtra coast, In: *I Natl. Sem. Quaternary Environments*, Baroda (Recent Researches in Geology series), S.S.Mehr (Ed.), Hindustan Publishing Corp., v.9, pp.361-371.
- Khosla, S.C and Nagori, M.L. (1989). Ostracoda from the Quilon beds (Lower Miocene) of Kerala. Mem, 14, Geol. Soc. India, 57p.
- Kingma, T.J. (1948) Contribution to the knowledge of the Young-Cenozoic Ostracoda from the Malayan region, *Kemink, en. Zoon, N.B.- Utretch. Domeplein.*, pp.1-118, pls. I-XI.
- Knudsen, M. (1901) *Hydrographical Tables*, G.M.Manufacturing Co., New York, 63 p.
- Koli, K. B., and Muley, D.V., (2012). Study of zooplankton diversity and seasonal variation with special reference to physicochemical parameters in Tulshi Reservoir of Kolhapur district (M.S), India. *Intl. Sci. Res. Jorl.* v4(1): pp. 38-46.
- Kornicker, L.S. (1969) Ecology and classification of Bahamian Cytherellidae (Ostracoda), *Micropal.*, v.8 (1), pp.61-70.
- Kornicker, L.S. (1961) Ecology and Taxonomy of Recent Bairdiinae (Ostracoda), *Micropal.*, v.7 (1), pp.55-70.
- Kornicker, L.S. (1965) Seasonal study of living Ostracoda in a Texas bay (Redfish Bay) adjoining the Gulf of Mexico, *Publ. Staz. Zool. Napoli.*, (33), p.45-60.
- Krishna kumar, S., Chandrasekar, N and Seralathan, P. (2011). Trace elements contamination in coral reef skeleton, Gulf of Mannar, India. *Bull. Envi. Cont. Toxic.* 84: 141-146. DOI 10.1007/s00128-009-9905-3.
- Krumbein, W.C. and Pettijohn, F.J. (1938) Manual of Sedimentary Petrography, New York, *D. Appleton Century Co. Inc.*, 549 p.
- Krutak, P.R. (1975) Environmental variation in living and total population of Holocene foraminifera and Ostracoda of coastal Mississippi, U.S.A., *AAPG Bull.*, 59, pp. 140-148.
- Krutak, P.R., (1982). Modern ostracodes of the Veracruz-Anton Lizardo reefs, Mexico. *Micropaleontology* 28, pp.258-288.
- Kumar, V. (1988) *Ecology, distribution and systematics of Recent benthic foraminifera from the Palk Bay, off Rameswaram*, Tamil Nadu, Unpublished Ph.D. thesis, Bharathidasan University, Tiruchirapalli.

- Kumar, V. and Hussain, S.M. (1997) A Report on Recent Ostracoda from Pitchavaram mangroves, Tamil Nadu, *Geosci. Jour.*, v.18 (2), pp.131-139.
- Kumar, V. and Manivannan V. (2001) Benthic foraminifera responses to bottom water characteristics in the Palk Bay, off Rameshwaram, Southeast Coast of India. *Ind. Journ. Mar. Sci.*, v. 30, pp. 173-179.
- Lafond, E.C. (1954) On upwelling and sinking of the east coast of India, *Andhra Univ. Mem. Oceanogr.*, pp.117-121.
- Land, L. S., and Hoops, G. K. (1973). Sodium in carbonate sediments and rocks: a possible index to the salinity of diagenetic solutions. *J. Sediment. Petrol.*, 43: pp. 614-617.
- Laurent Decrouy., Torsten Walter Vennemaan., and Danel Ariztegui. (2012). Mg/Ca and Sr/Ca of ostracoda valves from living species of Lake Geneva. *Cehm. Geol.* pp. 45-56.
- Loring, D. H and Rantala, R. T. T. (1992) Manual for the geochemical analyses of marine sediments and suspended particulate matter. *Earth Sci. Rev.*, v .32, pp.235-283.
- Loring, D.H. and Nota, D.J.G. (1973) Morphology and sediments of the Gulf of St.Lawrence. *J.Fish.Res.Board of Canada*, v.182, 147p.
- Loveson, V. J., and Rajamanickam, G.V. (1988). Coastal Geomorphology of the southern Tamilnadu, India. Proc. Natl. Symp. *Remote sensing in Land transformation and Management, Hyderabad, (Eds.) S.K. Bhan and V.K. Jha.*
- Loveson, V. J., G. V. Rajamanickam, and K. Anbarasu. (1990). Remote sensing application in the study of sea-level variation along the Tamilnadu coast, India. In Victor Rajamanickam, G. (ed.). *Sealevel Variation and Its Impact on Coastal Environment. Tanjavore, India Tamil University.* p. 179-197.
- Loveson, V. J. (1994). Geological and Geomorphological Investigations Related to Sea-Level Variation and Heavy Mineral Accumulation along the Southern Tamilnadu Beaches, India. Madurai, India. *Madurai Kamaraj University. PhD., thesis.* p. 220.
- Lyubimova, P.S., Guha, D.K. and Madan Mohan (1960) On Ostracoda of Jurassic and Tertiary deposits from Kutch and Rajasthan (Jaisalmer) India, *Bull. Geol. Min. Met. Soc. India*, 2, pp.1-60.
- Maddocks (1969,a) Recent ostracodes of family Pontocyprididea chiefly from the Indian Ocean. *Smitsonian Inst. Washington, Zool. Contr.*, V(7), pp.1-56.
- Maddocks, R.F. (1974). Biota of the west Flower Garden Bank. *Publication of the Flower Garden Ocean Research Center*, 200–229.
- Maddocks, (1990). Living and fossil Macrocyprididae (Ostracoda) Univ. *Kansas Paleontol. Contrib. Monogr.*, 2 (1990), pp. 1–404
- Maddocks, R.F (1968) Commensal and free living species of Pontocypris (Ostracoda, Recent) from the Indian and southern Ocean. *Crustaceana*, 15:121-136.
- Maddocks, R.F. (1966,b) Distribution patterns of living and subfossil Podocopid ostracods in the Nosy Be area, northern Madagascar, *Univ. Kansas Paleont. Contr.*, v.12, pp.1-72.
- Maddocks, R.F. (1969a) Recent ostracods of the Family Pontocyprididae chiefly from the Indian Ocean, *Smith. Inst., Contr., Zool.*, v.7, pp.1-56.
- Maddocks, R.F. (1969b) Revision of Recent Bairdiidae (Ostracoda), *Bull. U.S. Nat. Mus.*, 295, pp.1-26.
- Maddocks, R.F. (1995). Bairdiidae (Ostracoda) of Nosy Be, Madagascar. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 92, pp.197–236.

- Madhupratap, M., Nair, K. N. V., Gopalakrishnan, T. C., Haridas, P., Nair, K. K. C., Venugopal, P., and Gauns, M. (2001). Arabian Sea oceanography and fisheries off the west coast of India. *Current Science*, 81, pp. 355–361.
- Madhusudana Rao, C.H., and Murthy, P.S.N. (1969) Studies on the shelf sediments of the Madras coast, *Bull. Nat. Inst. Sci. India*, 38, pp.442-448.
- Malz, H. and Jellinek, T. (1989): Cytherellide Ostracoden aus dem E-afrikanischen kudentengebiet. Modell-Vorstellungen zur Dif-ferenzierung und phylogenetischen Enwickhmg. - Courier For- schungsinstitm Senckenberg, 113: pp.187-233. pls.1-11.
- Malz, H. (1982). New data on Idopacific Hemikrithe (Eds.), Bate, R.H., Robinson, E., and Sheppard, L.M) Fossil Recent Ostracods. Ellis Horwood Limited, pp.219-230.
- Malz, H. (1988) The Bairdia Dynasty Review Activities - Aspects, In: *Evolutionary Biology of Ostracoda, its Fundamentals and Applications*, Developments in Paleontology and Stratigraphy, Hanai, T., Ikeya, N. and Ishizaki, K. (Eds.), Elsevier, Kdansha, Tokyo, pp.75-80.
- Maria Eugenia Montenegro., Nevio Pugliese., and Francesco Sciuto. (2004). Shallow water ostracods near the Mea Khlong river mouth (NW Gulf of Thailand). *Boll. Delta Soc. Pale. Italina*. 43. pp.225-234.
- Mathew, L. and V.N. Pillai. (1990) Chemical characteristics of the waters around Andaman during late winter. Proc. of First Workshop Scient. Resul. FORV. *Sagar Sampada*. pp.15-18.
- McKenzie, K.G. and Swain, F.M. (1967) Recent ostracods from Scammon Lagoon, Baja California, *Jour. Paleont.* v.41 (2). pp.281-305.
- Mezquita, F., Sanz-Brau, A., and Miracle, M. R., (1996). New data on freshwater ostracod assemblages (Crustacea, Ostracoda) from Cuenca (Central Spain). *Bulletin Societe Naturalistes Luxembourgeois* 97:pp. 239- 247.
- Milhau, B., Dekens., N and Wouters, K., (1997). Evaluation de l'utilisation des ostracods comme bio-indicateurs potentiels de pollution. Application aux eaux de la Slack (Boulonnais, France). *Ecologie* 28:pp. 3-12.
- Minikumari, A. (1997) Systematics, distribution and ecology of Recent Ostracoda from off Mahabalipuram, near Madras, Tamil Nadu, South India, *Unpublished Ph.D. thesis, University of Madras, Chennai*.
- Misra, R.S. and Shrivastava, P.C. (1979). Recent foraminifera and Ostracoda of Tuticorin, Gulf of Mannar. *Geol. Surv. India. Misc. Publ.* 45 : 289-309.
- Mitra, A., Patra, K.C. and Panigrahy, R.C., (1990). Seasonal var iat ions of some hydrographical parameters in a tidal creek opening into the Bay of Bengal. *Mahasagar-Bull. Nat. Inst. Oceanogr.*, 23, pp.55-62.
- Mohammed A. Munef, Mohammed A. Al-Wosabi, Dietmar Keyser, and Wafa M. Al-Kadasi. (2012). Distribution and taxonomy of shallow marine Ostracoda from Northern Socotra Island (Indian Ocean) - Yemen. *Revue de micropaleontologie*, 55. pp.149-170.
- Mohammed M (2004) The study of Ostracoda in recent deposits- South West Yemen. *Ph.D., thesis. Baghdad University*.
- Mohammed, A.H. (2006). The vertical distribution of recent benthic ostracoda in Marakkanam and Odinur, east coast, south India. *Barsch journal of sciences* 24(1). pp.103-111.
- Mohan, S. P., Ravi, G., Hussain, S. M. and Rajeshwara Rao, N. (2001). Recent Ostracoda from the Bay of Bengal, off Karikkattukuppam (near Chennai), southeast coast of India. *Jr. of the Palaeon. Soc. of India*, 46. pp.1-14. 4pls
- Mohan, S.P., Ravi, G. and Hussain, S.M. (2002). Distribution of recent benthic Ostracoda off Karikkattukuppam (Near Chennai), southeast coast of India. *Ind.Jour.of Mar.Sci.*, v.31, pp.315-320.

- Mohapatra, G.P., Rao, B.R. and Biswas, N.R.(1992) Morphology and surface sediments of the eastern continental shelf off Peninsular India. *Geol.Surv.India Spec.Pub.*,29: pp.229-243.
- Montenegro, H., Gutierrez., Romero, L.I., Ortega Barria, E., Capson, T. L., and Cubilla Rios, L. (2003) Aporphine alkaloids from *Gratteria* spp. with leishmanicidal activity. *Planta Medica*, 69. pp.677-679
- Morkhoven, F. P. C. M. Van, (1963) Post Paleozoic Ostracoda. Their Morphology, Taxonomy and Economic Use. *Amsterdam, Elsevier Public, Com. 2*: 478. pp
- Mostafawi N (1992) Rezente Ostracoden aus dem mittleren Sunda-Schelf, Zwischen der malaiischen Halbinsel und Borneo. *Senckenberg Leth* 72: pp.129–168, 8 pls
- Mostafawi, N. (2003) Recent ostracods from the Persian Gulf, *Senckenbergiana maritime*. v.32 (1/2) pp.51-75.
- Mostafawi, N., Colin, J. P. and Babinot, J. F. (2005). An account on the taxonomy of ostracodes from recent reefal flat deposits in Bali. *Indonesia.Revue de Micropaléontologie*, 48. pp.123-140.
- Mostafawi, N, (2003). Recent Ostracods from the Persian Gulf. *Senck. Mari*. 32: pp. 51-75.
- Mostafawi, N, Sayed Mohammed B Nabavi and Babak Moghaddasi. (2010). Ostracods from the strait of Hormuz and Gulf of Oman, North Arabian sea. *Revista Espanola de Micropaleontologia*, 42(2): pp.243-265.
- Müller, G. W. (1894) Die Ostracoden des Golfes von Neapel und der angrenzenden Meeres-Abschnitte - Fauna und Flora des Golfes von Neapel, Monogr., 21:434 pp., 91 figs., 40 pis.
- Munif Mohammed and Dietmar Keyser (2012). Recent ostracods from the tidal flats of the coast of Aden City, Yemen. *Mar. Biodiv*. DOI 10.1007/s12526-012-0112-9.
- Munoz, B.A., Gutierrez, G.E., Segovia, Z.J., Delgadillo, H.F., and Sandoval, S.G. (2004). Trace metal enrichment in surficial sediments of the northern coast of Baja California, Mexico. *Mar. Poll. Bull.* 48. pp.587-603.
- Murthy, K.S.R., Rao, T. C. S. and Sarma, K. V. L. N. S. (1987) Sub bottom profiling over the inner shelf off Vishakapatnam, East coast of India. *Indian J. Ear. Sci.*, 14(2). pp.110-113.
- Murthy, P.S.N (1994) Distribution of calcium carbonate in the sediments of the Vishakapatnam shelf, central east coast of India. *J. Geol.Soc.India*, 44. pp.681-684.
- Muthu, M.S. (1965) Studies on Plankton, Unpublished M.Sc. dissertation, *University of Madras, Chennai*.
- Ikeya, N., and Cronin, T.M. (1993) Quantitative analysis of Ostracoda and water masses around Japan: application to Pliocene and Pleistocene paleoceanography, *Micropaleontology*, 39. pp.263–281.
- Naidu, T.Y., Varma, K.U. and Shyam Sunder, V.V. (1997) Diversity and distribution of Recent Ostracoda in the continental shelf sediments off Pentakota and Kalingapatnam, central east coast of India, *Jour. Geol. Soc. India*, v.50. pp.727 -738.
- Nakamura, M. (2005). The 1771 Yaeyama earthquake tsunami. Paper presented at the International Seminar on Tsunami and Coral Reef (*University of the Ryukyus, Okinawa, Japan*), October 17, 2005.
- Nanasaheb C Karkal and Sarita Warudkar (2012) Biodiversity of Phytoplankton, zooplankton and zoobenthos in east coast, Bay of Bengal near Nellore, Andrapradesh (India). *Intl. jour. of Pharma Med. & Bio. Sci.*(2). pp.272-285.
- Nasser Mostafawi, Sayed Mohammad B. Nabavi and Babak Moghaddasi (2010) Ostracods from the strait of Hormuz and Gulf of Oman, Northern Arabian Sea. *Revista Esp. de Micropal.* 42(2). pp. 243-265.
- Neale, J.W., 1988. Ostracods and paleo salinity reconstruction. In P. De Deckker, J.P. Colin and J.P. Peypouquet (eds), *Ostracoda in the earth sciences*. Elsevier, Amsterdam, pp. 125-155.

- Nevio Pgulise, Maria Eugenia Montenegro, Francesco Sciuto and Niram Chaimanee (2006) Environmental monitoring through the shallow marine ostracods of Phetchaburi area (NW Gulf of Thailand). *Grazybowki foundation special Publication*, 11. pp. 85-90.
- Nobi, E.P., Shivaprasad, R., Dilipan, E., Thangaradjou, T., and Sivakumar, K. (2010) Microlevel mapping of coastal Geomorphology and coastal resources of Rameswaram island, India: A Remote sensing and GIS perspective. *Jo. of Coastal Res.* Vol.26. pp.424-428.
- Okhan Kulkoyluoglu., Muzaffer Duger., Muharrem Balci., Aziz Deveci., Derya Avuka and Mustafa Kilic (2010). Limnological relationships between water level fluctuations and ostracod (Crustacea) species composition in lake Sunnet, Bolu, Trukey. *Turk. Jour. Zool.* 34. pp. 429-442. DOI:10.3906/zoo-0904-17.
- Padmanabha, B. and Bellagali, S.L. (2008). Ostracods as indicators of pollution in the lakes of Mysore. *Jour. of Envi. Biology.* 29(5): pp. 711-714.
- Paik, K.H. (1976) Rezente Ostracoden aus oberflachensedimenten des perischen im Golfs und des Golfs von Oman, *Diss. Univ. Kiel.*, 162 p.
- Paik, K.H. (1977) Regionale untersuchungen zur verteilung der Ostracoden im Persischen Golf und im Golf von Oman, *Meteor. Forsch., Reihe C*, v.28, pp.37-76.
- Paimpillil, J.S., Thresiamma, J., Rejomon george., and John gerson (2010) Metals in coastal zooplanktons - A coastal living resource hazards. *Ind. Geo. Congress*: pp.199-207.
- Palacios-Fest, M.R., Park, L.E., Gonza lez-Porta, J., Palacios-Fest, M.R., Dix, G.R. (2002). Quimica de conchas de ostracodos: una alternativa para medir la contaminacion por metales en sistemas acuaticos. *Rev. Mex. Cienc. Geol.* 20, 139-153.
- Pamela Hallock and Wolfgang Schlager (2013) Nutrient Excess and the domestic of coral reefs and carbonate platforms. *PALAIOS*, v1(4), pp.389-398.
- Park, L.E., and Douglas Ricketts, R. (2003). Evolutionary history of the Ostracoda and the origin of non marine faunas. *Paleontological Society Papers*, 9: 11-36, Pittsburgh.
- Pascual, A., Rodriguez Lazaro, J., Weber, O., Jouanneau, J.M., 2002. Late Holocene pollution in the Gernika estuary (southern Bay of Biscay) evidenced by the study of Foraminifera and Ostracoda. *Hydrobiologia* 475/476, pp. 477-491.
- Pearce, F. 1998. Washed up. *New Scientist*, 25 July 1998. pp.32-35.
- Pekey, H. (2006) The distribution and sources of heavy metals in Izmit Bay surface sediments affected by a polluted stream. *Mar. Pollut. Bull.*, 52. pp.1197-1208.
- Phelger, F.B. (1960) Ecology and distribution of Recent Foraminifera, *The John Hopkins Press, Baltimore*, 297 p.
- Piper, F.B. (1947). Soil aand plant analysis. *University of Adelaide Press, Aldelaide*. p.368.
- Poornima, E.H. (2005). Impact of thermal discharge from a tropical coastal power plant on marine phytoplankton. *Ph.D., thesis, University of Madras, India*.
- Prabakaran, K. and Anbarasu, K. (2010). Coastal geomorphology and Evolution of Rameswaram Island, Tamil Nadu. *India. Jou. of Eart. Sci.* 2: pp.30-35.
- Prasannakumar, S., Madhupratap, M., Dileep Kumar, M., Gauns, M., Muraleedharan, P. M., Sarma, V. V., & De Souza, S. N., (2000). Physical control of primary productivity on a seasonal scale in central and eastern Arabian Sea. *Proceedings of the Indiana Academy of Sciences*, 109, pp.433-441.



- Prasannakumar, S., Muralidharan, P. M., Prasad, T. G., Ganus, M., Ramaiah, N., De Souza, S. N., Sardesai, S., & Madhupratp, M. (2002). Why Bay of Bengal is less productive during summer monsoon compared to the Arabian Sea? *Geophysical Research Letter*, 29, pp.88.1– 88.4.
- Puri, H. S. (1953) Contribution to the study of the Miocene of the Florida Panhandle, *Bull. Fla. St. Geol. Surv.*, pp.215-309, Pl. 5, 1-17, Figs. 1-13 .
- Puri, H.S. (1960) Recent Ostracoda from the west coast of Florida, *Trans. Gulf. Assoc. Soc.*, v.X, pp.107-149.
- Puri, H.S. (1966) Ecologic and distribution of Recent Ostracoda, *Proc. Symp. Crustacea, Pt.I, Mar. Biol. Assoc. India*, Mandapam. pp.457-495.
- Puri, H.S., Bonaduce, G. and Malloy, J. (1964) The ostracod problems studies in relation to the environmental factors, ecology of the Gulf of Naples, *Publ. Staz. Zool. Napoli*, 33, Suppl., pp.87-199.
- Purnachandra Rao, V., Mohan Rao, K., Vora, K.H., Almedia, F., Subramaniam, M.M. and Souza, C.G.A. (1998) A potential phosphorite deposit on the continental margin off Chennai. *Curr.Sci.*,74(7). pp.574-577.
- Raghu Prasad, R. (1957) Seasonal variation in the surface temperature of sea water at Mandapam from January 1950 to December 1954, *Ind. Jour. Fisheries*,4(1), pp.20-31.
- Rajamanickam, G.V., and Lovson, V. J. (1990). Result of Radiocarbon dating from some beach terraces around Rameswaram Island, sea level variation and its impact on coastal environment, *published by Tamil University, Thanjavur*. pp.389-396.
- Rajasegar, M., 2003. Physico-chemical characteristics of the Vellar estuary in relation to shrimp farming. *J. Env iron. Biol.*, 24, pp. 95-101.
- Rajesh Reghunath, Sreedhara Murthy, T.R. and Hussain, S.M. (1999). Distribution of ostracodes in the innershelf sediments off Kasargod, southwest coast of India. *Ind.Jour.of Mar.Sci.* v.28. pp.302-306.
- Raman, A.V. (1995) Pollution effects in Vishakapatnam Harbour, India: an overview of 23 years of investigations and monitoring. *Hegolander Meeeresunters*, 49; 633-645.
- Ramanathan, AI., Subramanian,V., and Vaithyanathan, P. (1988) Chemical and sediment characteristic of the upper reaches of Cauvery estuary, East coast of India. *Indian J.Mar.Sci.*,17. pp.114-120.
- Ramanathan, R.M. (1969) Seasonal variations in foraminiferal abundance and their relation to the substrate in Vellar estuary, Madras, *Jour. Geol. Soc. India*, v.2. pp.188-200.
- Ramaraju, V.V., Sarma, T.V., Narasimha Rao and Vijayakumar, R. (1987) Variation of physico-chemical characteristics with Tide in Visakapatnam Harbour waters, East coast of India. *Ind. J.Mar.Sci.*,16. pp.218-222.
- Ramlan, O and Noraswana, N.F, (2009). Distribution of Ostracods in offshore sediment around Pulau Tioman, Pahang. *Malays. App. Bilo.* 38(1). pp.11-19.
- Rao, T.C.S., Machado, X.T., and Murthy, K.S.R (1980) Topographic features over the continental shelf off Vishakapatnam. *Mahasagar-Bull.National Oceanogr.*,13. pp.83-89.
- Rao, U. M. and Sara, S. N. (1993) Geochemistry of sediments along the central east coast of India: Part 1 - Major elements. *Indian J. Mar. Sci.*, v. 22. pp.41-47.
- Rasheed, D.A and Ragothaman, V. (1978) Ecology and distribution of Recent foraminifera from the Bay of Bengal, off Porto Novo, Tamil Nadu State, India. *Proc. VII Indian Colloq. Micropal. Strat.* pp.263-298.
- Ratnam, K. V., and Rao, M.P. (1965) Study of foraminifera and Ostracoda in the coarse fractions of the sediments of Chilka Lake, *Proc. Ind. Sci. Congr.*, 3, pp.193-194.

- Ray, S.B., Rajagopalan, G. and Somayajulu, B.L.K. (1990) Radiometric studies of sediment cores from gulf of manner. *Indian Jr. of Mar. Sci.*, 19. pp.9-12.
- Raymont, J. E. G. (1980). Plankton and productivity in the oceans. In *Phytoplankton* (Vol. 1). Pergamon.
- Reddy, A.N. and Reddy, K.R. (1981) Seasonal variations in the size distribution of the sediments from the Pulicat estuary, Tamil Nadu, India, *Proc. IX Ind. Colloq. Micropal. Strat.*, pp.274-286.
- Remane, A. (1993). Verteilung und organization der benthonischen mikrofauna der kieler Bucht, *Wiss Meeres. Kiel. N.F.* v.21(2): pp.161-221. tab.10, fig.6.
- Reyment, R.A. (1996) Case study of the statistical analysis of chemical compositions exemplified by ostracod shells. *Environmetrics* 7. pp.39- 47.
- Riley, J. P., and Chester, R. (1971). An introduction to marine chemistry. *London: Academic*.
- Rio, M., Bodergat, A.M., Carbonel, G., and Keyser, D. (1997). Anisotropie chimique de la carapace des ostracodes. Exemple de *Leptocythere psammophila*. *C. R. Acad. Sci., Paris* 324. pp.827-834.
- Robert Kesling, V. (1952) Terminology of Ostracod carapaces. University of Michigan Press Ann Arbor. v(IX)4: pp. 93-171.
- Roca, J. R. and Wansard, G. (1997). Temperature influence on development and calcification of *Herpetocypris brevicaudata* Kaufmann, 1900 (Crustacea: Ostracoda) under experimental conditions. *Hydrobiologia* 347. pp.91-95.
- Rosemary Titterton., Robin C., Whatley., and John E. Whittaker (2001) A review of some key species of mainly Indo-Pacific Ostracoda from the collections of G.S. Braddy. *Jour. of Micropal.*, 20: pp.31-44.
- Rosenfeld, A., and Ortal, R. (1983). Ostracods as indicators of water pollution in Nahal Harod, Northern Israel. pp. 229-237 in R.F. Maddocks (ed.), *Applications of Ostracoda*. Houston: Department of Geosciences, University of Houston.
- Ruggieri, G. (1953) Ostracodi del genere *Paijenborchella* viventi nel Mediterraneo, *Atti della societa Italiana di Scienze Naturalie del Museo Civico di Storia, Naturalie di Milano*, v.92, pp.1-7.
- Ruggieri, G. (1962) Gli Ostracodi marini del Tortoriano (Miocene medio-superiore) de Enna, nella Sicilia Centrale. *Paleontogr. Italica, pisa, Italy*, 56 *cn. Serv.*, U. 267, 68, pls. 1-7, text figs. 1-10 .
- Ruggieri, G. (1953b) Eta a faune di un terrazzo marino sulla costa innico della Calabria. *G. Gol. Bologna*, vol.23, no.2A, pp.17-168.
- Ruggieri, G. (1957) Nuovi dati sul contatto Pliocene-Calabriano nella sezione del Santerno (Imola): *Giorn. Geol.*, v. 26, pp. 1-8.
- Ruiz, F., Abad, M., Bodergat, A.M., Carbonel, P., Rodriguez-Lazaro, J., and Yasuhara, M. (2005). Marine and brackish-water ostracods as sentinels of anthropogenic impacts. *Earth-Sciences Reviews*, 72. pp. 89-111.
- Ruiz, F., Abad, M., Bodergat, A.M., Carbonel, P., Rodriguez-Lazaro, J., Gonzalez-Regalado, M.L., Toscano, A., Garcia, E.X., and Prenda, J. (2013) Freshwater ostracods as environmental tracers. *Intl. J. Environ. Sci. Technol.* 10: p. 1115-1128.
- Ruiz, F., Abad, M., Olais, M., Galan, E., Gonzalez, I., Aguila, E., Hamoumi, N., Pulido, I., and Cantano, M. (2006). The present environmental scenario of the Nador lagoon (Morocco). *Environmental research*, 102. pp. 215-229.
- Rutger Rosenberg. (2001) Marine benthic faunal successional stages and related sedimentary activity. *Sci. Mar.* 65 (suppl. 2); pp 107-119.

- Ryves, D.B., Jewson, D. H., Sturm, M., Battarbee, R. W., Flower, R. J., Mackay, A. W., and Granin, N. (2003). Quantitative and qualitative relationships between planktonic diatom communities and diatom assemblages in sedimenting material and surface sediments in Lake Baikal, Siberia. *Limnol. Oceanogr.* 48: pp. 1643–1661.
- Ryves, D.B., Juggins, S., Fritz, S.C., and Battarbee, R.W. (2001). Experimental diatom dissolution and the quantification of microfossil preservation in sediments. *Palaeogeography Palaeoclimatology Palaeoecology* 172, pp.99-113.
- Saisastry, A.G. and Chandramohan, R (1990). Physicochemical characteristics of Vasishta Godavari estuary, east coast of India: Pre pollution status. *Ind. J. Mar. Sci.*, 19, pp.42-46.
- Sampathkumar, P. and Kannan, L. (1998) Seasonal variations in Physico-chemical characteristics in the Tranquebar – Nagapattinam region, Southeast coast of India. *Pollut. Res.*, 17, pp.397-402.
- Sankar, R., Ramkumar, L., Rajkumar, M., Jun sun and Ananthan, G. (2010). Seasonal variations in physico-chemical parameters and heavy metals in water and sediment of Uppanar estuary, Nagapattinam, India. *Jour. Envir. Biol.* 31(5). pp. 681-686.
- Sankara Gomathy, S., Pavaraj, M and Karuppasamy, K. (2013). Physico-chemical characteristics of the water of selected theerthams of Ramanathaswamy temple in Rameswaram, Tamil nadu. *Intl. jou. of Sci Envir.* v2(2). pp.168-175.
- Saravanakumar, A., M. Rajkumar, Sesh Serebiah, J, and Thivakaram, G.A. (2008). Seasonal variation in physico-chemical characteristics of water, sediment and soil texture in arid zone mangroves of Kachchh – Gujarat. *J. Environ. Biol.*, 29, pp. 725-732.
- Sargunam, C.A. (1994). Studies on the micro fouling in the coastal waters of Kalpakkam, West coast of India, with reference to diatoms (Bacillariophyceae), Ph.D., thesis, University of Madras, India.
- Sarma, V.V., Raju, G.R.K. and Bose Babu, T. (1982). Mahasagar – *Bull.Nat.Inst.Oceanogr.*,15:15.
- Sars, G.O. (1925). An account of the Crustacea of Norway with short descriptions and figures of all the species, vol 9: Ostracoda. The Bergen Museum, Bergen, pp 73–208.
- Sars, G.O. (1866). Oversigt of Norges marine Ostracoda. *Forhandl. Vidensk. Selskab charistiania*, v.7,pp.1-130.
- Sasmal, S. K., Panigrahy, R. C., & Misra, S. (2005). Asterionella bloom in the northwestern Bay of Bengal during 2004. *International Journal of Remote Sensing*, 26, pp. 3853–3858.
- Satpathy, K. K., and Nair, K. V. K. (1996). Occurrence of phytoplankton bloom and its effect on coastal water quality. *Indian Journal of Marine Sciences*, 25, pp. 145– 147.
- Satpathy, K.K., Mohanthy, A.K., Natesan, U., Prasad, M.V.R., and Sarkar, S.K. (2010). Seasonal variation in physicochemical properties of coastal waters of Kalpakkam, east coast of India with emphasis on nutrients. *Envi. Mon. Asses.*, 164; pp. 153-171.
- Satpathy, K.K., Mohanthy, A.K., Prasad, M.V.R., Usha Natesan, Sarkar, S.K. (2011). Studies on the variations of heavy metals in the marine sediments off Kalpakkam, East coast of India. *Envi. Earth Sci.* DOI 10.1007/s12665-001-1067-z.
- Satyanarayana, D., Rao, I.M. and Prasada Reddy, B.R. (1985). chemical oceanography of harbour and coastal environment of Vishakapatnam(Bay of Bengal) Part I – Trace metals in water and particulate matter. *Indian J.Mar.Sci.*,14. pp.139-146.
- Schafer, C.T and Sengupta, B.K. (1969). Benthic Foraminifera as pollution indicators in the Bonny estuary, (95), pp. 1-20.

- Scott AALS. (1905). Report on the Ostracoda collected by Professor Herdman at Ceylon in 1902, Ceylon Pearl Oyster Fisheries, supp. Rep.no. XXII, 2pls.
- Setty, M.G.A.P. and Nigam, R. (1982). Foraminiferal assemblages and organic carbon relationship in benthic marine ecosystem of western Indian continental shelf. *Ind. Jour. Mar. Sci.*, 11. pp.225-232.
- Sewell. R.B.S. (1955). A study of the nature of sea-bed and of the deep sea deposits of the Andaman Sea and Bay of Bengal, *Mem. Asiatic. Soc.*, Bengal, v.9, Pt.II, pp.29-49.
- Shannon, C.E., and Weaver, W. (1949). The mathematical theory of communication: Urban, II., Univ. *Illinois Press*. pp. 117.
- Shyam Sunder, V.V., Varma, K.U. and Naidu, T.Y. (1995) Recent Ostracoda of the Goguleru Creek, east coast of India, *Jour. Geol. Soc. India*, v.45 (4). pp.471-481.
- Siddiqui, Q.A. (1971). Early Tertiary ostracoda of the family Trachyleberididae from West Pakistan. *Bull. British Museum (Nat.Hist) suppl.* 9:198.
- Simone Brandao, N. (2008) First Record of living Platycopida (Crustacea, Ostracoda) from Antarctic waters and a Discussion on *Cytherella serratula* (Brady, 1880). *Zootax* 1866: pp.349-372.
- Sohn, I.G. (1958) Chemical constituents of ostracodes; Some application to paleontology and paleoecology, *J. Peleont.*, 32(4). pp.730-736.
- Sreenivas, K., Raju, B.N. Honappa and Reddi, K.R. (1991). Ostracoda in the estuarine sediments, Pulicat Lake estuary, east coast of India. *Jourl. Geol. Soc. India*, 37(5). pp.492-499.
- Sridhar, S. G. D. (1996) Ecology, distribution and systematics of Recent Ostracoda from the Palk Bay, off Rameswaram, Tamil Nadu, *Unpublished Ph.D. thesis, University of Madras, Chennai*.
- Sridhar, S.G.D., Hussain, S.M., Kumar, V. and Periakali, P. (1998) Benthic ostracod responses to sediments in the Palk Bay, off Rameswaram, south-east coast of India, *Jour. Indian Assoc. Sedimentol.*, 17(2). pp.187-195.
- Sridhar, S. G. D., Hussain, S. M., Kumar, V. and Periakali P. (2002) Recent Ostracoda from Palk Bay, off Rameswaram, southeast coast of India. *Jour. Pal. Soc. India*.47: pp.17-39.
- Sridhar, S.G.D., Hussain, S.M., Periakali, P., and Kumar, V. (2007) Ostracoda *Kotoracythere inconspicua* (Brady) from the Palk Bay, off Rameswaram, southeast coast of India: Its Zoogeography and Ecology. *Journal Geological Society of India*, v.70. pp.981-986.
- Srinivasa, M., Basha, S., Sravan, V., Joshi, H., and Ramachandraiah, G. (2004) Distribution enrichment and accumulation of heavy metals in coastal sediments of Alang-Sosiya ship scrapping yard India. *Mar. Poll. Bulletin*, 48. pp.1955-1959.
- Strickland, J.D.H. and Parsons, T.R. (1968) A Practical Handbook of Seawater Analysis, *Bull. Fish. Res. Bd. Canada*, 167, 311 p.
- Subba Rao, M (1958) Distribution of calcium carbonate in the shelf sediments of the east coast of India, *Jour. Sed. Pet.*, 28(3). pp.274-285.
- Subba Rao, M (1962) Manganese in the shelf sediments off east coast of India. *Bull. AAPG*.44 (10). pp.1705-1713.
- Subba Rao, M. (1956) Sedimentary environment of Kalingapatnam-Gopalpur coast by coarse fraction studies, *Curr. Sci.*, v.25. pp.154-155.
- Subba Rao, M. (1960) Organic matter in marine sediments off east coast of India, *Bull. AAPG*.44(10).pp.1705-1713.

- Subba Rao, M. (1962) Manganese in the shelf sediments off east coast of India. *Proc.Indian Acad.Sci.*, 56 A. pp. 274-284.
- Sundararajan, M., and Srinivasalu, S. (2010) Geochemistry of core sediments from Gulf of Mannar, India. *Int. J. Envir. Res*, 4(4). pp.861-876.
- Swain, F.M. (1955) Ostracoda of San Antonio Bay, Texas, *Jour. Paleontol.*, v.29 (4). pp.561-646.
- Swain, F.M. and Gilby, J.M. (1974) Marine Holocene Ostracoda from the Pacific coast of North and Central America, *Micropal.*, v.20 (3). pp.257-352.
- Swami, B.S., Suryavanshi, V.G., and Karande, A.A. (1996) Hydrographic and micronutrient profile of Karwar coastal waters, west coast of India. *Ind. Jour. of Mar. Sci.*, 25. pp.349-351.
- Tapaswi (1980) Recent ostracods from offshore sediments of Nalgond and Adgaru areas, west coast of India, In: *Review of Quaternary ostracods from west and east coast of India, Geoviews*, 1983, Honnappa (Ed.), 10(6), 230 p.
- Teeter, J.W. (1975). Distribution of Holocene marine Ostracoda from Belize, In Wantland, K. F. and Pusey, W.C (Eds), *Belize shelf carbonate sediments, clastic sediments and ecology*. American Association of Petroleum Geologist. Studies in Geology, 2. pp.400-499.
- Tessier, A., and Campbell, P.G.C. (1989) Partitioning of trace metals in sediments: Relationships with bioavailability. *Hydrobiologia* 149: pp. 43-52.
- Tessier, A., Campbell, P.G.C., and Bisson, M. (1979) Sequence Extraction procedure for the speciation of particulate trace elements. *Analy. Chem.* v.51 (7). pp.844-851.
- Theodora Tsourou. (2012). Composition and distribution of recent marine ostracoda, assemblage in the bottom sediment of central Aegean sea (SE Andros Island, Greece). *Internati. Rev. Hydrobiol.* pp. 276-300.
- Titterton, R., Whatley, R.C. (1988) The provincial distribution of shallow water Indo-pacific marine Ostracoda: Origin, antiquity, dispersal routes and mechanisms. In: Hanai T, Ikeya N, Ishizaki K (eds) *Evolutionary Biology of Ostracoda, its fundamentals and applications*. Elsevier, Amsterdam, pp 759–786.
- Titterton, R and Whatley, R.C. (1988a) Recent Bairdiinae (Crustacea, Ostracoda) from the Solomon Islands, *Jour. Micropal.*, v.7 (2). pp.111-142.
- Titterton, R and Whatley, R.C. (1988b) The provincial distribution of shallow water Indo-Pacific marine Ostracoda: origins, antiquity, dispersal routes and mechanism, *Proc. IX Internat. Sym. Ostracoda*, pp.759-786.
- Titterton, R. and Whatley, R. C. (2006) Recent marine Ostracoda from the Solomon Islands. Part 3. Cytheroidea: Bythocytheridae, Cytherideidae, Krithidae, Neocytherideidae, Cytheruridae. *Revista Española de Micropaleontología*, 48 (1). pp.169-189.
- Tooley, M.J. (1974). Recent evolution of Mangroves vegetation in the Cauvery delta: A palynological study. *Jour. Mar. Biol. Ass. India*. 29: (1 – 2).
- Trefethen, J. M. (1950) Classification of sediments. *Amer. Jour. Sci.*, v. 248, pp.55-62.
- Triebel, E. (1954) *Loxoconchella n.sp.* (Crust., Ostr.). *Senckenbergiana Lethaea* 35 (1/2). pp.17–21.
- Vadiya, A.S. (1993) A study on Recent ostracoda around Karwar, west coast of India. *Ph.D. thesis submitted to Karnataka University, Dharwar (M.S)* 207 p., pls 1-20.
- Vaidya, A. S., and Mannikeri, M.S. (1994) Faunal affinity and zoogeographical of Recent marine ostraoda from Karwar, West coast of India. *Current Science*, v67(5). p. 735-738.

- Vaidya, A.S. (1993) A study on Recent Ostracoda around Karwar, west coast of India, *Unpublished Ph.D. thesis, Karnataka University, Dharwar.*
- Vaidya, A.S., Mannikeri, M.S. and Chavadi, V.C. (1995) Some relationship between the bottom sediments and Recent Ostracoda: A case study., *Jour. Ind. Assoc. Sedimentol.*, v.14, pp.83-88.
- Valentine, H. (1952) Die kusten der Erde. Petermanns Geo. mit. Ergantung shelf, pp. 246.
- Van den Bold, W.A (1950) *Hemikrithe*, a new genus of Ostracoda from the Indo-Pacific, *Ann. Mag. Nat. Hist.*, v.3, pp.900-904.
- Vanmathi, G. (1995). Trace metals in Tuticorin coast, *Proc. National Symp. Electrochem. Marine Environment, Madras, India:* pp. 92-96.
- Varma, K.U., Shyam Sunder, V.V. and Naidu, T.Y. (1993) Recent Ostracoda of the Tekkali Creek, east coast of India, *Jour. Geol. Soc. India*, v.41 (6), pp.551-560.
- Varshney, P.K., Nair, V.R., and Abidi, S.A.H. (1983) Primary productivity in near shore waters of Thal, Maharashtra Coast. *Indian Journal of Marine Sciences*, 12, pp. 27–30.
- Veerasingam, S., Venkatachalapathy, R., and Ramkumar, T. (2013). Historical environmental pollution trend and ecological risk assessment of trace metals in marine sediments off Adyar estuary, Bay of Bengal, India. *Envir. Earth Sci:* DOI 10.1007/s12665-013-2781-5.
- Veizer, J., Lemieux, J., Jones, B., Gibling, M.R. and Savelle, J. (1977). Sodium Paleosalinity indicator in ancient carbonate rocks. *Geology*, 5:pp. 177-179.
- Venkataraman, K. and Mohideen Wafar. (2005) Coastal and marine biodiversity of India, *Indian Journal of Mar. Sci*, v 34(1), pp. 57-75.
- Venkatrathnam, K. (1968) Studies on the sediments in the continental shelf off the region Visakhapatnam-Pudimadaka and Pulicat lake Pennar river confluence along the east coast of India. *Bull. National Inst. Sci.*, v. 38, pp. 472-482.
- Viswanathan, R. (1959) Characteristics of seawater off Mandapam 1950-1954; *J. Mar. boil. Ass. India*, 1(1); pp. 85-88.
- Wagner, G.W. (1957) Ostracods as environmental indicators in Recent and sub-Recent estuarine deposits of the Netherlands, *Publ. Staz. Zool. Napoli*, 33, pp.480-495.
- Walton, W.R. (1952) Techniques for recognition of living foraminifera, *Contr. Cush. Found. Foram. Res.*, v.3, pp.56-60.
- Walton, W.R. (1964) Recent foraminiferal ecology and paleoecology, In: *Approaches to Paleoecology*, Imbrie and Newell (Eds.), John Wiley and Sons, pp.151-237.
- Wang, P., Zhao, Q. (1985). Micropaleontology of China, China Ocean Press Beijing. Springer-Verlag, Beijing. pp.70–92.
- Wansard, G. (1996) Quantification of paleo-temperature changes during isotopic stage 2 in the La Draga continental sequence (NE Spain) based on the Mg/Ca ratio of freshwater ostracods. *Quaternary Science Review* 15, 237–245.
- Whatley, R and Quanhong, Z . (1987) Recent Ostracoda of the Malacca straits part I. *Rev.Exp. de Micropaleontol.*, 19 (3):327-366.
- Whatley RC, Zhao Q (1988) Recent Ostracoda of the Malacca Straits. Part II. *Rev Esp Micropaleontol.*, 20(1):5–73, 5 pls.

- Whatley, R.C., and Keeler, N. (1989) Ostracodes actuels de l'Ile de la Reunion (sud-ouest de l'Océan Indien). *Rev. Micropaleontol* 32:63–84, 3 Abb., 5 pls.
- White, L. (1993) Taxonomy and biogeography of West African beach ostracods, *Verhandelingen Koninklijke Nederlandse Akademie van Wetenschappen. Aft Natuurkunde, Eerste Reeks deel*, Vol. 39. pp. 1-11.
- Whatley, R.C. (1996). The bonds unloosed: the contribution of Ostracoda to our understanding of deep-sea events and processes. In A. Moguilevsky and R.C. Whatley, *Microfossil and oceanic environments. University of Wales, Aberystwyth Press, Aberystwyth*, pp.3-25.
- Whittar, G.R., Megonigal, J.P. and Darke, A.K. (2001). Sedimentation pattern within tidal fresh-water marshes, Mattaponi river, Virginia. *GSA Annual Meeting Boston, Session 180, both 69*.
- Witte, L.J. (1985) On *Gambiella caelata* Witte gen. et sp. nov. *StereoAtlas of Ostracod Shells* 12:141–148.
- Witte, L.J., Van Harten, D. (1991). Polymorphism, biogeography, and systematics of *K. inconspicua* (Brady, 1880) (Ostracoda: Pectocytheridae). *Journal of Biogeography* 18, 427–436.
- Witte, L.J. (1993) Taxonomy and biogeography of west African beach ostracods. In: *Taxonomy and Origin of Modern West African Shallow Marine Ostracoda. Part I. Taxonomy*. In: *Academisch Proefschrift Vrije Universiteit Amsterdam*, pp. 13–105.
- Wouters, K., (1997) A new genus of the family Pontocyprididae (Crustacea, Ostracoda) from the Indian and the Pacific Oceans, with the description of two new species. *Bulletin de l' Institut royal des Sciences naturelles de Belgique, Biologie*, 67: 67-76.
- Wouters, K., (2003) Taxonomy and Zoogeography of intertidal Ostracoda (Crustacea) from the Cape Verde Islands (Atlantic Ocean). *Bulletin de l' Institut royal des Sciences naturelles de Belgique, Biologie*, 69: 83-92.
- Xia, J., Haskell, D.R., Engstrom, D.R., and Ito, E. (2007) Holocene climate reconstruction from tandem trace-element and stable-isotope composition of ostracodes from Coldwater Lake, North Dakota, U.S.A. *Jour. of Paleolim.* 17. pp. 85-100.
- Xia, J., Ito, E., and Engstrom, D.R. (1997). Geochemistry of ostracode calcite: part 1. The experimental determination of oxygen isotope fractionation. *Geochemica et Cosmochimica Acta*, 61 (2): 377-382, New York.
- Yassini, I. and Jones, B.G. (1995). Foraminifera and Ostracoda from Estuarine and shelf Environment on the Southern Coasts of Australia. *University of Wollongong Press, Wollongong*, 384 pp.
- Yiğit, S. (2006). Analysis of the zooplankton community by the Shannon–Weaver index in Kesikköprü Dam Lake, Turkey. *Ankara Üniversitesi Ziraat Fakültesi Tarım Bilimleri Dergisi* 12(2): 216–220.
- Yogesh Kumar, J.S, and Geetha, S. (2012) Seasonal variations of trace metal accumulation on coral reef in Gulf of Mannar, India. *Int. Jour. of App. Biol. and Phar. Tech.* 3: 61-88pp.
- Zhao yuhong (1990). Trace elements of Ostracoda shell used as an indicator for Paleoenvironmentary reconstruction. *Paleontologia cathayana* (5): p 269-276.
- Zhao, Q. (1987) A study of the distribution of Recent Ostracod faunas from coastal areas of the East China and Yellow Seas, *Acta Oceanologica Sinica*, v.6 (3), pp.413-420.
- Zhao, Q. and Whatley, R. (1988) The genus *Neomonoceratina* (Crustacea: Ostracoda) from the Cainozoic of the West Pacific Margins, *Acta Oceanologica Sinica*, v.7 (4), pp.562-577.
- Zhao, Q. and Whatley, R. (1989a) Recent Podocypid Ostracoda of the Sedili River and Jason Bay, south-eastern Malay Peninsula, *Micropal.*, v.35 (2), pp.168-187.

- Zhao, Q. and Whatley, R. (1989b) A taxonomic revision of the new species of Ostracoda described by T.J. Kingma (1948) from the Late Cainozoic of Indonesia, *Acta Micropalaeontologica Sinica*, v.6 (3), pp.229-246.
- Zhao, Q., Wang, P. (1988). Distribution of modern ostracoda in the shelf seas off China. In: Hanai, T., Ikeya, N., Ishizaki, K. (Eds.), *Evolutionary Biology of Ostracoda: Its Fundamentals and Applications*. Elsevier/Kodansha, Amsterdam/Tokyo, pp. 759–786.
- Zhao, Q., Wang, P., Zhang, J. (1985). Ostracoda in bottom sediments of the South China Sea. In: Wang, P., et al. (Eds.), *Marine Micropaleontology of China*. Ocean Press, Beijing, pp. 196–217.
- Zhao, Q., Whatley, R.C. (1989). Recent podocopid ostracoda of the Sedili River and Jason bay, southeastern Malay Peninsula. *Micropaleontology* 35 (2), 168–187.
- Zhao, Y. Y. (1985) Some geochemical patterns of shelf sediments of the China Seas. *Chin. J. Oceanol. Limnol.*, 3 (2): 200- 211.
- Ziegler, A. (2008). The cationic composition and pH in the moulting fluid of *Porcellio scaber* (Crustacea, Isopoda) during calcium carbonate deposit formation and resorption. *Journal of Comparative Physiology. B, Biochemical, Systemic, and Environmental Physiology*. 178, 67–76.