

## LIST OF TABLES

<b>Table No.</b>	<b>Description</b>	<b>Page No.</b>
3.1	Precision and Recall For Euclidean Distance	63
3.2	Precision and Recall For Canberra Distance	63
3.3	Precision and Recall for Manhattan Distance	63
4.1	Confusion matrix using SVM classifier for Wang dataset	103
4.2	Statistical performance matrices using SVM classifier for Wang dataset	103
4.3	Confusion matrix using SVM classifier with Shape feature for Corel dataset	104
4.4	Statistical performance using SVM classifier	104
4.5	Confusion matrix using K-NN classifier for Wang dataset	111
4.6	Statistical performance matrices using K-NN classifier for Wang dataset	112
4.7	Confusion matrix using K-NN classifier with Shape feature for Corel dataset	113
4.8	Statistical performance using K-NN classifier	117
5.1	Confusion matrix using SVM classifier with Shape and HOG feature	134
5.2	Statistical performance using SVM classifier	135
5.3	Confusion matrix using SVM classifier with Shape feature for Corel dataset	136
5.4	Statistical performance using SVM classifier	140
5.5	Confusion matrix using K-NN classifier with Shape and HOG feature	143
5.6	Statistical performance using K-NN classifier	144
5.7	Confusion matrix using K-NN classifier with Shape feature for Corel dataset	145
5.8	Statistical performance using K-NN classifier	149

## LIST OF FIGURES

Figure No.	Description	Page No.
1.1	A Conceptual Framework for Content-Based Image Retrieval	10
3.1	Framework for CBIR using shape descriptor	37
3.2	Sobel_Edge_Detection Technique	29
3.3	Laplacian_Edge_Detection Technique	40
3.4	Prewitt_Edge_Detection Technique	41
3.5	(a) Histogram representation for Class Flower	42
	(b) Histogram representation for the Class Dinosaur	43
3.6	Gray Scale Conversion Method	44
3.7	Filtering Image using Bilateral Filter	45
3.8	Edge Detection of the Image using Canny Operator	46
3.9	Dilation operation on the Image	47
3.10	Flood Fill operation on Dilated Image	48
3.11	Displaying output of the Eroded Image	49
3.12	Contour of the image	50
3.13	Euclidean Distance Computation	50
3.14	(a) Centroid point on the Contour Image for Dinosaur Class	53
	(b) Centroid point on the contour image for the Flower Class	53
3.15	Euclidean Distance from centroid to each point on boundary	54
3.16	Column 1 (a,c,e) represents query images from Wang dataset, column(b,d,f) represents top 10 retrievals from buildings, dinosaurs and flowers category respectively	56
3.17	Column 1 (a,c,e) represents query images from Wang dataset, column(b,d,f) represents top 15 retrievals from buildings, dinosaurs and flowers category respectively	57
3.18	Column 1 (a,c,e) represents query images from Wang dataset, column(b,d,f) represents top 20 retrievals from buildings, dinosaurs and flowers category respectively	59

3.19	Column 1 (a,c,e) represents query images from Wang dataset, column(b,d,f) represents top 10 retrievals from buildings, dinosaurs and flowers category respectively	61
3.20	Column 1 (a,c,e) represents query images from Wang dataset, column(b,d,f) represents top 10 retrievals from buildings, dinosaurs and flowers category respectively	62
4.1	Block diagram of proposed CBIR model	66
4.2	General CBIR Framework	77
4.3	Shape Extraction Process	79
4.4	Resultant Image (used for shape descriptor)	79
4.5	Proposed flow chart for Image Retrieval	80
4.6	Basic Architecture of Classification system	82
4.7	Basic SVM classification	85
4.8	Basic K-NN classifier	86
4.9	Class 1(Africa) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	88
4.10	Class 2 (Beach) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	89
4.11	Class 3(Monuments) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	90
4.12	Class 4(Buses) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	91
4.13	Class 5(Dinosours) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	92
4.14	Class 6(Elephnats) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	93

4.15	Class 7(Flowers) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	94
4.16	Class 8(Horse) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	95
4.17	Class 9(Mountains) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> ,3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	96
4.18	Class 10(Food) 1 <sup>st</sup> row represents original images and 2 <sup>nd</sup> , 3 <sup>rd</sup> and 4 <sup>th</sup> rows represents corresponding preprocessing results for shape	97
4.19	Precision and Recall analysis for the proposed system for SVM classifier	98
4.20	Sensitivity and Specificity analysis of the proposed system for SVM classifier	99
4.21	Precision and Recall analysis for the proposed system for K-NN classifier	99
4.22	Sensitivity and Specificity analysis for the proposed system for K-NN classifier	100
4.23	Precision and Recall analysis for the proposed system using SVM classifier	100
4.24	Sensitivity and Specificity analysis for the proposed system using SVM classifier	101
4.25	Precision and Recall analysis for the proposed system using K-NN classifier	101
4.26	Sensitivity and Specificity analysis for the proposed system using K-NN classifier	102
5.1	Sample templates constructed using shape and encompassing internal feature	123

5.2	(a) Original image, (b) Shape template construction using part templates. (c) Horse image with shape and shape internal features identified	125
5.3	A complete process towards achieving the Shape Descriptor	128
5.4	Precision and Recall analysis for the proposed system using SVM classifier	129
5.5	Sensitivity and Specificity analysis for the proposed system for SVM classifier	130
5.6	Precision and Recall analysis for the proposed system using K-NN classifier	130
5.7	Sensitivity and Specificity analysis for the proposed system using K-NN classifier	131
5.8	Precision and recall analysis for the proposed system using SVM classifier	132
5.9	Sensitivity and Specificity analysis for the proposed system for SVM classifier	132
5.10	Precision and recall analysis for the proposed system for K-NN classifier	133
5.11	Sensitivity and Specificity analysis for the proposed system for K-NN classifier	133
5.12	Classification accuracy performance analysis using SVM and K-NN classifier	152
5.13	Average precision performance analysis using SVM and K-NN classifier	152
5.14	Average recall performance analysis using SVM and K-NN classifier	153
5.15	Average sensitivity performance analysis using SVM and K-NN classifier	153
5.16	Average specificity performance analysis using SVM and K-NN classifier	154
5.17	Average Fscore performance analysis using SVM and K-NN classifier	154