

REFERENCES

- [1] J. Drews, Drug discovery a historical perspective. *Science*. 287 (2000) 1960-1963.
- [2] G. Wess, M. Urmann, B. Sickenberger, Medicinal chemistry: challenges and opportunities. *Angew. Chem. Int. Ed.* 40 (2001) 3341-3350.
- [3] A. Baeyer, Ueber die Reduction aromatischer Verbindungen mittelst Zinkstaub [On the reduction of aromatic compounds by means of zinc dust, *Annalen der Chemie und Pharmacie*. 140 (1866) 295-296.
- [4] A. Baeyer, A. Emmerling, Synthese des Indols [Synthesis of indole]. *Berichte der Deutschen Chemischen Gesellschaft*. 2 (1869) 679-682.
- [5] M. Berger, J.A. Gray, B.L. Roth, The expanded biology of serotonin. *Annu. Rev. Med.* 60 (2009) 355-366.
- [6] J. Hannon, D. Hoyer, Molecular biology of 5-HT receptors, *Behav. Brain Res.* 195 (2008) 198-213.
- [7] A. Altun, B. Ugur-Altun, Melatonin: therapeutic and clinical utilization, *Int. J. Clin. Pract.* 61 (2007) 835-845.
- [8] A. Hofmann, Psychotomimetic agents, in: A. Burger, *Drugs Affecting the Central Nervous System*, Marcel Dekker, ed.1, New York, 1968, pp.169-235.
- [9] H. E. Johnson, D.G. Crosby, 3-Indoleacetic Acid, *J. Org. Chem.* 28 (1963) 1246-1248.
- [10] T.L. Williams, Y.W. Yin, C.W. Carter Jr, Selective Inhibition of Bacterial Tryptophanyl-tRNA synthetases by Indolmycin is mechanism-based, *The Journal of Biological Chemistry*. 291 (2016) 255-265.
- [11] J.L. Archibald, B.J. Alps, J.F. Cavalia, J.L. Jackson, Synthesis and hypotensive activity of benzamidopiperidylethyl indoles, *J. Med. Chem.* 14 (1971) 1054-1059.
- [12] B. Gueremy, F. Audiau, A. Champseix, 3-(4-Piperidinylalkyl)indoles, selective inhibitors of neuronal 5-hydroxytryptamine uptake, *J. Med. Chem.* 23 (1980) 1306-1310.

- [13] D.W. Yesir, M. Callahan, L. Remington, C.J. Kensler, Comparative effects of salicylic acid, phenylbutazone, probenecid and other anions on the metabolism, distribution and excretion of indomethacin by rats. *Biochem.Pharmacol.* 19 (1970) 1579-1590.
- [14] M. Camilleri, Efficacy and safety of alosetron in women with irritable bowel syndrome: a randomised, placebo-controlled trial. *Lancet.* 355 (2000) 1035-1040.
- [15] A.J. Ewins, The alkaloids of quebracho bark. Part I. The constitution of aspidospermine, *J. Chem. Soc.* 105 (1914) 2738-2748.
- [16] C. Auclair, Multimodal action of antitumor agents on DNA: The ellipticine series, *Archives of Biochemistry and Biophysics.* 259 (1987) 1-14.
- [17] M.R. Bell, T.E.D. Ambra, V. Kumar, M.A. Eissenstat, J.L. Herrmann Jr, J.R. Wetzel, D. Rosi, R.E. Phillion, S.J. Daum, D. J. Hlasta, R.K. Kullnig, J.H. Ackerman, D.R. Haubrich, D.A. Luttinger, E.R. Baizman, M.S. Miller, S.J. Ward, Antinociceptive (Aminoalkyl) Indoles, *J. Med. Chem.* 34 (1991) 1099-1110.
- [18] Z. Zhang, H. Xue, H. Li, H. Kang, J. Feng, A. Lin, S. Liu, Collective synthesis of 3-acylindoles, Indole-3-carboxylic esters, Indole-3-sulfinic acids, and 3-(methylsulfonyl)indoles from free (N-H) Indoles *via* common *N*-Indolyltriethyl borate, *Org. Lett.* 18 (2016) 3918-3921.
- [19] F. Momicchioli, A. Rastelli, On the benzo-derivatives of five-membered hetero cycles. Theoretical treatment and UV spectra, *J. Mol. Spectroscopy*, 22 (1967) 310-324.
- [20] J.A. Pople, G.A. Segal, Approximate Self-Consistent Molecular Orbital Theory-III.CNDO Results for AB₂ and AB₃ Systems, *J.Chem.Phys.* 44 (1966) 3289-3296.
- [21] R.D. Brown, B.A.W Coller, A theoretical study of the chemistry of Furan, Pyrrole, Benzofuran, Indole, Dibenzofuran, and Carbazole, *Australian J. of Chem.* 12 (1959) 152-165.

- [22] S. Clementi, P. Linda, G. Marino, Reactivity of indoles in electrophilic substitution, *J. Chem. Soc., Chem. Commun.* (1972) 427b-428.
- [23] M.E. Speeter, W.C. Anthony, The action of oxalyl chloride on indoles: a new approach to tryptamines, *J. Am. Chem. Soc.* 76 (1954) 6208-6210.
- [24] R.L. Winmann, E.B. Whipple, The Protonation of Indoles: Position of protonation, *J. Am. Chem. Soc.* 1962 (84) 2534-2539.
- [25] A. Vilsmeier, A. Haack, On the reaction of phosphorus halides with alkyl formanilides, A new method for the preparation of secondary and tertiary *p*-alkyl amino-benzaldehyde, *Chem. Ber.* 1927 (60) 119-122.
- [26] G. Bartoli, M. Bartolacci, M. Bosco, G. Foglia, A. Giuliani, E. Marcantoni, L. Sambri, E. Torregiani, The Michael addition of Indoles to α,β -unsaturated ketones catalyzed by $\text{CeCl}_3 \cdot 7\text{H}_2\text{O}$ -NaI combination supported on Silica Gel, *J. Org. Chem.* 68 (2003) 4594-4597.
- [27] R. Ghorbani-Vaghei, H. Veisi, The Michael addition of indoles and pyrrole to α - β -unsaturated ketones and double-conjugate 1,4-addition of indoles to symmetric enones promoted by pulverization-activation method and Thia-Michael addition catalyzed by wet cyanuric chloride, *Mol Divers.* 14 (2010) 385-392.
- [28] R. Sundberg, *The Chemistry of Indoles*, Academic press, Newyork and London, 1970.
- [29] R. B. Vanorder, H. G. Lindwall, 3-Indole aldehyde and certain of its condensation products, *J. Org. Chem.* 10 (1945) 128-133.
- [30] R.B. Carlin, E.E. Fisher, Studies on the Fischer Indole synthesis. I, *J. Am. Chem. Soc.* 70 (1948) 3421-3424.
- [31] A. Bischler, P. Fireman, Zur Kenntnisseiniger, α - β - Diphenylindole. *Berichte der deutschen chemischen Gesellschaft.* 26 (1893) 1336-1349.
- [32] G. Blasko, Chapter 1: Reissert synthesis of Isoquinoline and Indole Alkaloids, *The Alkaloids: Chemistry and Pharmacology.* 31 (1987) 1-28.

- [33] S.N. Pandeya, Heterocyclics and biomolecules, in: A text book of pharmaceutical organic chemistry, 1st ed., SG publisher, varansi, 2003, pp. 108-113.
- [34] P. Kiuru, J. Yli-Kauhaluoma, Pyridine and its Derivatives, in: K. Majumdar, S. K. Chattopadhyay (Eds.), Heterocycles in Natural Product Synthesis, Wiley-VCH Verlag GmbH & Co. KGaA: Weinheim, Germany, 2011, pp. 267–297.
- [35] G.S. Timmins, V. Deretic, Mechanisms of action of isoniazid, *Molecular Microbiology*. 62 (2006) 1220–1227.
- [36] S. Johannson, S. Lindstedt, H. Tiselius, Metabolic interconversions of different forms of Vitamin B₆, *J. Biol. Chem.* 249 (1973) 6040–6046.
- [37] P. Brooks, P. Kubler, Etoricoxib for arthritis and pain management, *Ther. Clin. Risk Manag.* 2 (2006) 45–57.
- [38] P.H. Long, The clinical use of sulfanilamide, sulfapyridine, sulfathiazole, sulfaguanidine, and sulfadiazine in the prophylaxis and treatment of infections, *Can. Med. Assoc. J.* 44 (1941) 217–227.
- [39] H. Stege, B. Hofmann, T. Ruzicka, Topical Application of Tazarotene in the Treatment of Nonerythrodermic Lamellar Ichthyosis, *Arch. Dermatol.* 134 (1998) 640-641.
- [40] P.D. Home, S. J. Pocock, H. Beck-Nielsen, R. Gomis, M. Hanefeld, N. P. Jones, M. Komajda, J.J.V. McMurray, Rosiglitazone Evaluated for Cardiovascular Outcomes -An Interim Analysis, *N. Engl. J. Med.* 357 (2007) 28-38.
- [41] F.T. Tam, R. Leung-Toung, Wanren Li, S. Michael, K. Khashayar, Medicinal Chemistry and Properties of 1,2,4-Thiadiazoles, *Mini Reviews in Medicinal Chemistry*. 5 (2005) 367-379.
- [42] F. James, Y.L. Chiu, W.J. Pan, N. Lukasik, J. Taubel, Effects on 24-hour intragastric pH: a comparison of lansoprazole administered nasogastrically in apple juice and pantoprazole administered intravenously, *The American Journal of Gastroenterology*. 96 (2001) 2058-2065.

- [43] L. Bauer, Libero A. Gardella, The Chemistry of Pyridine. I. Nucleophilic Substitution of 1-Alkoxy pyridinium Salts by Mercaptide Ions, *J. Org. Chem.* 28 (1963) 1320–1323.
- [44] J. F. Bunnett, R. E. Zahler, Aromatic Nucleophilic Substitution Reactions, *Chem. Rev.* 49 (1951) 273-412.
- [45] R. L. Frank, R.P. Seven, Pyridines.IV. A Study of the Chichibabin Synthesis, *J. Am. Chem. Soc.* 71 (1949) 2629 -2635.
- [46] M. C. Bagley, J. W. Dale, J. Bower, A New Modification of the Bohlmann-Rahtz Pyridine Synthesis, *Synlett.* (2001) 1149-1151.
- [47] A.P. Phillips, Hantzsch's Pyridine Synthesis, *J. Am. Chem. Soc.* 71 (1949) 4003-4007.
- [48] B.B Toure, D.G. Hall, Natural Product Synthesis using Multicomponent Reaction Strategies, *Chem. Rev.* 2009 (109) 4439-4486
- [49] L.E. Orgel, Prebiotic adenine revisited: eutectics and photochemistry, *Origins of Life and Evolution of the Biosphere* 2004 (34) 361-369.
- [50] Y. Perez-Fuertes, J.E. Taylor, D.A. Tickell, M.F. Mahon, S.D. Bull, T.D. James, Asymmetric Strecker Synthesis of α -Arylglycines, *J. Org. Chem.* 76 (2011) 6038-6047.
- [51] A.P. Phillips, Substituted Dihydropyridines related to Hantzsch's Pyridine Synthesis, *J. Am. Chem. Soc.* 73 (1951) 2248-2248.
- [52] F. Damkaci, A. Szymaniak, Multicomponent Heterocyclic chemistry for undergraduate organic laboratory: Biginelli reaction with multiple unknowns, *J. Chem. Educ.* 91 (2014) 943-945.
- [53] I. Ugi, The α -addition of immonium ions and anions to isonitriles accompanied by secondary reactions, *Angew. Chem. Int. Ed.* 1 (1962) 8-21.
- [54] J.E. Appleton, K.N. Dack, A.D. Green, J.A. Steele, mild and selective C-3 reductive alkylation of indoles, *Tetrahedron Lett.* 34 (1993)1529-1532.

- [55] J.A. Campbell, V. Bordunov, C. A. Broka, J. Dankwardt, R. T. Hendricks, J. M. Kress, K. A. M. Walker, J.H. Wang, Preparation of 3-arylmethylindoles as selective COX-2 inhibitors, *Tetrahedron Lett.* 45 (2004) 3793-3796.
- [56] A. Kumar, S. Sharma, R. A. Maurya, A novel multi-component reaction of indole, formaldehyde, and tertiary aromatic amines, *Tetrahedron Lett.* 50 (2009) 5937-5940.
- [57] A. Ravichandran, K. Rajkumar, S. Rajendra, One-pot synthesis of 3-substituted indole derivatives using moisture stable, reusable, and task specific ionic liquid catalysts, *Ind. J. Chem., Sec.B.* 52B (2013)129-135.
- [58] S.R. Sarda, J.D. Kale, S.K. Wasmatkar, V.S. Kadam, P.G. Ingole, W.N. Jadhav, R.P. Pawar, An efficient protocol for the synthesis of 2-amino-4, 6-diphenyl pyridine-3-carbonitrile using ionic liquid ethyl ammonium nitrate, *Mol. Divers.* 13 (2009) 545-549.
- [59] P. Satya, G. Rajive, L. Andre, Improved Synthesis of 2-Amino-3-cyanopyridines in Solvent Free Conditions under Microwave Irradiation, *J. Chem. Res.(S)* (1998) 330-331.
- [60] M.M. Heravi, Y.S Beheshtia, M. Khorshidi, B. Baghernejad, F.F. Bamoharram, Application of Heteropolyacids as Heterogeneous and Recyclable Catalysts for One-Pot Synthesis of 3-Cyanopyridine Derivatives, *Chin. J. Chem.* 27 (2009) 569-572.
- [61] P. Thirumurugan, T. Paramasivan Perumal, InCl₃ mediated one-pot synthesis of indol-3-yl pyridine and 2, 2'-bipyridine derivatives through multi-component reaction, *Tetrahedron.* 65 (2009) 7620-7629.
- [62] V. Raghukumar, D. Thirumalai, V.T. Ramakrishnan, V. Karunakara, P. Ramamurthy, Synthesis of nicotinonitrile derivatives as a new class of NLO materials, *Tetrahedron.* 59 (2003) 3761-3768.

- [63] X. Zhang, X. Li, X. Fan, X. Wang, J. Wang, G. Qu, Controllable Synthesis of Pyrazolo [3, 4-b] pyridines or Substituted Malononitrile Derivatives through Multi-Component Reactions in Ionic Liquid, *Aust. J. Chem.* 62 (2009) 382-388.
- [64] M.N. Jachak, A.B. Avhale, B.K. Ghotekar, D.B.Kendre, R.B. Toche, Synthesis of pyrazolo [3,4-b]pyridines using ammonium acetate as green reagent in multi-component reactions *J. Heterocyclic Chem.* 45 (2008) 1221-1224.
- [65] F. Li-Ping, S. Qing-Qing, S. Yu, J. Bo, T. Shu-Jiang, Three-component domino reactions for regioselective formation of Bis-indole derivatives, *ACS Comb. Sci.* 15 (2013) 135-140.
- [66] S. Maity, S. Pathak, A. Pramanik, Three-component domino reactions for regioselective formation of Bis-indole Derivatives, *Eur. J. Org. Chem.* (2014) 4651-4662.
- [67] F. Zhang, C. Li, C. Qi, An efficient and mild synthesis of tetrahydro-4H-indol-4-one derivatives via a domino reaction in water, *Synthesis.* 45 (2013) 3007-3017.
- [68] A. Khorshidi¹, S. Shariati, -OSO₃H Functionalized Mesoporous MCM-41 coated on Fe₃O₄ nanoparticles: an efficient and recyclable nano-catalyst for preparation of 3, 2'-Bisindoles, *Int. J. Nanosci. Nanotechnol.* 12 (2016) 139-147.
- [69] I. Ugi, B. Wernwer, A. Domling, The Chemistry of Isocyanides, their Multi Component Reactions and their Libraries, *Molecules.* 2003 (8) 53-66.
- [70] A. Domling, The discovery of new isocyanide-based multi-component reactions, *Curr. Opin. Chem. Biol.* 4 (2000) 318-323.
- [71] L. Weber, Multi-component reactions and evolutionary chemistry, *Drug Disc. Today.* 7 (2002) 143-147.
- [72] B. Jiang, C.G. Yang, J. Wang, Enantioselective Synthesis for the (-)-Antipode of the Pyrazinone marine alkaloid, Hamacanthin A, *J. Org. Chem.* 66 (2001) 4865-4869.
- [73] M.P. Leze, M. Le Borgne, P. Marchand, D. Loquet, M. Kogler, G.Le Baut, A. Paluszczak, R.W. Hartmann, 2 and 3-[(aryl)(azolyl)methyl]indoles as potential non-steroidal aromatase inhibitors, *J. Enz. Inhib. Med. Chem.* 19 (2004) 549-557.

- [74] J. Deng, T. Sanchez, N. Neamati, J.M. Briggs, Dynamic Pharmacophore Model Optimization: Identification of Novel HIV-1 Integrase Inhibitors, *J. Med. Chem.* 49 (2006) 1684-1692.
- [75] R. J. Sundberg, *Indoles*; Academic Press: San Diego, 1996.
- [76] J. H. Wynne, W. M. Stalick, Synthesis of 3-[(1-Aryl)aminomethyl] indoles, *J. Org. Chem.* 67 (2002) 5850-5853.
- [77] J. A. Joule, K. Mills, *Heterocyclic Chemistry at a Glance*, Blackwell Publishing Ltd., Oxford, 2007.
- [78] A. Uzan, G. Le Fur, J. Rataud, 3-(4-Piperidinylalkyl) indoles, selective inhibitors of neuronal 5-hydroxytryptamine uptake, *J. Med. Chem.* 23 (1980) 1306-1310.
- [79] K.W. Rahman, Y. Li, Z. Wang, S.H. Sarkar, F.H. Sarkar, Gene expression profiling revealed Survivin as a target of 3, 3V-Diindolylmethane-induced cell growth inhibition and apoptosis in Breast cancer cells, *Cancer Res.* 66 (2006) 4952-4960.
- [80] C. Hong, G.L. Firestone, L.F. Bjeldanes, Bcl-2 family-mediated apoptotic effects of 3, 3'-diindolylmethane (DIM) in human breast cancer cells, *Biochem. Pharmacol.* 63 (2002) 1085-1097.
- [81] R.G. Mehta, J. Liu, A. Constantinou, C.F. Thomas, M. Hawthorne, M. You, C. Gerhuser, J.M. Pezzuto, R.C. Moon, R.M. Moriarty, Cancer chemopreventive activity of brassinin, a phytoalexin from cabbage, *Carcinogenesis.* 16 (1995) 399-404.
- [82] E. Freidonk-Mueschenborn, A. Fox, Resolution of concentration-response differences in onset of effect between subcutaneous and oral sumatriptan, *Headache.* 45 (2005) 632-637.
- [83] S. Ferreira, S. Moncada, J. Vane, Indomethacin and aspirin abolish prostaglandin release from the spleen, *Nat. New Biol.* 231 (1971) 237-239.
- [84] R. Horton, Lotronex and the FDA: A fatal erosion of integrity, *Lancet.* 375 (2001) 1544-1545.

- [85] S. Cohen, *The Beyond Within: The LSD Story*; Atheneum, New York, NY, USA, 1964.
- [86] P. Srihari, K.S. Vinay, C.B. Dinesh, J.S. Yadav, One-pot three-component coupling reaction: solvent-free synthesis of novel 3-substituted indoles catalyzed by PMA–SiO₂, *Tetrahedron Lett.* 50 (2009) 3763–3766.
- [87] V. Kameshwara Rao, S. Ch. Bhupender, S. Amir Nasrolahi, T.Rakesh, P. K. Anil kumar, 3-Substitued indoles: One-pot synthesis and evaluation of anticancer and Src kinase inhibitory activities, *Bio.org & Med .Chem. Lett.* 21 (2011) 3511–3514.
- [88] J. Liu, T. He, L. Wang, FeCl₃ as Lewis acid catalyzed one-pot three-component aza-Friedel-Crafts reactions of indoles, aldehydes, and tertiary aromatic amines, *Tetrahedron.* 67 (2011) 3420–3426.
- [89] S. S. Ganesan, A. Ganesan, ZnCl₂ promoted efficient, one-pot synthesis of 3-arylmethyl and diarylmethylindoles, *Tetrahedron Lett.* 55 (2014) 694–698.
- [90] X. Zhang, X. Zhang, N. Li, X. Xu, R. Qiu, S. Yin, Synthesis and structure of an air-stable binuclear complex of bis (ethylcyclopentadienyl) zirconium perfluorooctane sulfonate and its catalytic application in one-pot three-componentaza-Friedel-Crafts reactions, *Tetrahedron Lett.* 55 (2014) 120–123.
- [91] I. V. Kozhevnikov, *Advances in Catalysis by Heteropolyacids*, *Russ. Chem. Rev.* 56 (1987) 811–825.
- [92] K.Murugan, S. Srimurugan, C.A. Chen, Mild, catalytic and efficient Nazarov cyclization mediated by phosphomolybdic acid, *Chem. Commun.* 46 (2010) 1127–1129.
- [93] S. Maiti, S. Biswas, U. Jana, Iron(III)-Catalyzed Four-Component Coupling Reaction of 1,3-Dicarbonyl Compounds, Amines, Aldehydes, and Nitroalkanes: A Simple and Direct Synthesis of Functionalized Pyrroles, *J. Org. Chem.* 75 (2010) 1674–1683.
- [94] B. B. Toure, D. G. Hall, Natural product synthesis using multicomponent reaction strategies, *Chem. Rev.* 109 (2009) 4439–4486.

- [95] Y. L. Gu, Multicomponent reactions in unconventional solvents: state of the art, *Green Chem.* 14 (2012) 2091-2128.
- [96] A. Domling, I. Ugi, Multicomponent Reactions with Isocyanides, *Angew. Chem., Int. Ed.* 39 (2000) 3168-3210.
- [97] C. F. Gers, J. Nordmann, C. Kumru, W. Frank, T.J.J. Muller, Solvatochromic fluorescent 2-substituted 3-ethynyl Quinoxalines: Four-component synthesis, photophysical properties and electronic structure, *J. Org. Chem.* 79 (2014) 3296-3310.
- [98] B. Ganem, Strategies for Innovation in Multicomponent reaction design, *Acc. Chem. Res.* 42 (2009) 463-472.
- [99] N. Isambert, M.M.S. Duque, J.C. Plaquevent, Y. Genisson, J. Rodriguez, T. Constantieux, Multicomponent reactions and ionic liquids: a perfect synergy for eco-compatible heterocyclic synthesis, *Chem. Soc. Rev.* 40 (2011) 1347-1357.
- [100] A. K. Bhattacharya, K. C. Rana, D.S. Raut, V.P. Mhaidarkar, M.I. Khan, An efficient synthesis of benzodiazepinylphosphonates as clostripain inhibitors *via* FeCl₃ catalyzed four-component reaction, *Org. Biomol. Chem.* 9 (2011) 5407-5413.
- [101] T. Hatakeyama, R. Imayoshi, Y. Yoshimoto, S.K. Ghorai, M. Jin, H. Takaya, K. Norisuye, Y. Sohrin, M. Nakamura, Iron-catalyzed aromatic amination for nonsymmetrical Triarylamine synthesis, *J. Am. Chem. Soc.* 134 (2012) 20262-20265.
- [102] T. B. Nguyen, L. Ermolenko, A. Al-Mourabit, Iron sulfide catalyzed redox/condensation cascade reaction between 2-Amino/ Hydroxy nitrobenzenes and activated methyl Groups: A straightforward atom Economical approach to 2-Hetarylbenzimidazoles and benzoxazoles, *J. Am. Chem. Soc.* 135 (2013) 118-121.
- [103] M. Sengoden, T. Punniyamurthy, On Water: Efficient Iron-catalyzed cyclo addition of Aziridines with Heterocumulenes, *Angew. Chem., Int. Ed.* 52 (2013) 572-575.

- [104] T. Sengupta, K.S. Gayen, P. Pandit, D.K. Maiti, FeCl₃·6H₂O-catalyzed inter molecular-cascade cyclization of Acetoacetanilide: Aldehyde-tuned synthesis to valuable 2-pyridone analogues, *Chem. Eur. J.* 18 (2012) 1905-1909.
- [105] S.F. Zhu, Y.L. Xiao, Z.J. Guo, H.F. Jiang, Iron-catalyzed benzannulation reactions of 2-alkyl benzaldehydes and alkynes leading to Naphthalene derivatives, *Org. Lett.* 15 (2013) 898-901.
- [106] L. Becerra-Figueroa, A. Ojeda-Porras, D. Gamba-Sanchez, Transamidation of carboxamides catalyzed by Fe (III) and water, *J. Org. Chem.* 79 (2014) 4544-4552.
- [107] G. Abbiati, E. Rossi, Silver and gold-catalyzed multicomponent reactions, *Beilstein J. Org. Chem.* 10 (2014) 481-513.
- [108] R.J.K. Taylor, M.A. Reid, Stannous chloride-induced deacetalisation–cyclisation process to prepare the ABC ring system of upenamide, *Tetrahedron Lett.* 45 (2004) 4181-4183.
- [109] R.J.K. Taylor, P. J Schmidt, C.M. Moyon, R.J. Cox, A.N. Cayley, Deacetalisation -bicyclisation routes to novel polycyclic heterocycles using stannous chloride dehydrate, *Tetrahedron Lett.* 48 (2007) 6556-6560.
- [110] D. Russowsky, F.A. Lopes, V.S.S. da Silva, K.F.S Canto, M.G.M D'Oca, M. N. Godoi, Multicomponent Biginelli's Synthesis of 3,4-Dihydropyrimidin-2(1*H*)-ones Promoted by SnCl₂·2H₂O, *J. Braz. Chem. Soc.* 15 (2004) 165-169.
- [111] T. Akiyama, Y. Onuma, Tin(II) chloride mediated allylation of aldimines generated *in situ* with allylstannane in water, *J. Chem. Soc., Perkin Trans.1.* (2002) 1157-1158.
- [112] M. Wang, Z. Song, T. Zhang, SnCl₂·2H₂O-catalyzed one-pot synthesis of 4(3*H*)-quinazolinones from anthranilic acid, ortho esters, and amines under solvent free conditions, *J. Heterocyclic Chem.* 47 (2010) 468-471.

- [113] L. Sahoo, A. Singhamahapatra, K.J.V. Paul, D. Loganathan, SnCl₄/Sn catalyzed chemoselective reduction of glycopyranosylazides for the synthesis of diversely functionalized glycopyranosylchloroacetamides, *Tetrahedron Lett.* 54 (2013) 5361-5365.
- [114] Z.G. Zhang, D. Wang, B. Wang, Q. F. Liu, T. X. Liu, W. Zhang, B.B. Yuan, Z.J. Zhao, D.D. Han, G.S. Zhang, SnCl₄ mediated synthesis of γ -amino ketones derivatives via the ring-opening reaction of 4,5-dihydropyrroles, *Tetrahedron.* 69 (2013) 9063-9067.
- [115] S.Q. Hu, Z.F. Zhang, J.L. Song, Y.X. Zhou, B.X. Han, Efficient conversion of glucose into 5-hydroxymethylfurfural catalyzed by a common Lewis acid SnCl₄ in an ionic liquid, *Green Chem.* 11 (2009)1746-1749.
- [116] Y.J. Zhao, T.P. Loh, Bio-inspired polyene cyclization: synthesis of tetra cyclic terpenoids promoted by steroidal acetal-SnCl₄, *Chem. Commun.* (2008) 1434-1436.
- [117] A.O. Plunkett, Pyrrole, pyrrolidine, pyridine, piperidine and azepine alkaloids, *Nat. Prod. Rep.* 11 (1994) 581-590.
- [118] J.W. Daly, A.R. Pinder, Azetidines, pyrrole, pyrrolidine, piperidine and pyridine alkaloids, *Nat. Proc. Rep.* 9 (1992) 491-504.
- [119] T.F. Spande, In the Alkaloids; A. Brossi, Ed, Academic Press, New York, 1987.
- [120] H. Chen, W. Zhang, R. Tam, A.K. Raney, Novel heterocyclic compounds as IKK2 inhibitors with anti-HBV activity, 2005, PCT Int. Appl. WO 2005058315A1.
- [121] V. Perrier, A.C. Wallace, K. Kaneko, J. Safar, S.B. Prusiner, F.E. Cohen, Mimicking dominant negative inhibition of prion replication through structure-based drug design, *Proc. Natl. Acad. Sci. U.S.A.* 97 (2000) 6073-6078.
- [122] S.B. Levy. M.N. Alekshun. B.L. Podlogar. K. Ohemeng, A.K. Verma, T. Warchol, B. Bhatia, T. Bowser; M. Grier, Transcription factor modulating compounds and methods of use thereof, 2005, U.S. Patent Appl. 2005124678A1.

- [123] T.R.K. Reddy, R. Mutter, W. Heal, K. Guo, V.J. Gillet, S. Pratt, B. Chen, Library Design, Synthesis, and Screening: Pyridine Dicarbonitriles as Potential Prion Disease Therapeutics, *J. Med. Chem.* 49 (2006) 607-615.
- [124] B.B. Fredholm, A.P. Ijzerman, K. A. Jacobson, K.N. Klotz, Linden, International Union of Pharmacology. XXV. Nomenclature and classification of adenosine receptors, *J. Pharmacol. Rev.* 53 (2001) 527-552.
- [125] K. Guo, R. Mutter, W. Heal, T.R.K. Reddy, H. Cope, S. Pratt, M.J. Thompson, B. Chen, Synthesis and evaluation of a focused library of pyridine dicarbonitriles against prion disease, *Eur. J. Med. Chem.* 43 (2008) 93-106.
- [126] R. Ando, H. Ikegami, M. Sakiyama, S. Ooike, M. Hayashi, Y. Fujino, D. Abe, H. Nakamura, T. Mishina, H. Kato, Y. Iwase, H. Tomozane, M. Morioka, 3-Cyano-6-(5-Methyl-3-Pyrazoloamino) pyridines: Selective Aurora a Kinase Inhibitors, *Bioorg. Med. Chem. Lett.* 20 (2010) 4709-4711.
- [127] R. Qingyun, M. Wenyan, G. Ling, H. Hongwu, G. Yucheng, Facile synthesis and herbicidal activity of novel multisubstituted pyridine derivatives, *J.Heterocycl. Chem.* 47 (2010) 171-178.
- [128] D.H. Vyas, S.D. Tala, J.D. Akbari, M.F. Dhaduk, K.A. Joshi, H.S. Joshi, Synthesis and microbial activity of some new cyanopyridines and cyanopyrans towards microbacterium tuberculosis and other micro organisms, *Ind. J. Chem., Sect. B* 48B (2009) 833-839.
- [129] T. Murata, M. Shimada, S. Sakakibara, T. Yoshino, T. Masuda, T. Shintani, H. Sato, Y. Koriyama, K. Fukushima, N. Nunami, M. Yamauchi, K. Fuchikami, H. Komura, A. Watanabe, K.B. Ziegelbauer, K.B. Bacon, T.B. Lowinger, Synthesis and structure–activity relationships of novel IKK- β inhibitors. Part 3: Orally active anti-inflammatory agents, *Bioorg. Med. Chem. Lett.* 14 (2004) 4019-4028.
- [130] T.M. Murata Shimada, S. Sakakibara, T. Yoshino, H. Kadono, T. Masuda, M. Shimazaki, T. Shintani, K. Fuchikami, K. Sakai, H. Inbe, K. Takeshita, T. Niki, M. Umeda, K.B. Bacon, K.B. Ziegelbauer, T.B. Lowinger, Discovery of novel

- and selective IKK- β serine-threonine protein kinase inhibitors. Part 1, *Bioorg. Med. Chem. Lett.* 13 (2003) 913-918.
- [131] V. R. Dangar, K. N. Borkhataria and V. R. Shah, Synthesis, Characterization and antimicrobial activity of Cyanopyridine derivatives with Vanillin, *Int. J. Pharm. Sci. & Res.* 5 (2014) 20-24.
- [132] Mantri M, O. De Graaf, J. Van Veldhoven, A. Goblyos, J.K. Von Frijtag Drabbe Kunzel, T. Mulder-Krieger, R. Link, H. De Vries, M.W. Beukers, J. Brussee, A.P. Ijzerman, 2-Amino-6-furan-2-yl-4-substituted Nicotinonitriles as A_{2A} Adenosine Receptor Antagonists, *J. Med. Chem.* 51 (2008) 4449-4455.
- [133] F. Zhang, Y. Zhao, L. Sun, L. Ding, Y. Gu, P. Gong, Synthesis and anti-tumor activity of 2-amino-3-cyano-6-(1H-indol-3-yl)-4-phenylpyridine derivatives in vitro, *European J. Med. Chem.* 46 (2011) 3149-3157.
- [134] C.J. Shishoo, M.B. Devani, V.S Bhadti, S. Ananthan, G.V. Ullas, Reaction of nitriles under acidic conditions: a novel, direct formation of condensed 4-chloropyrimidines, *Tetrahedron Lett.* 24 (1983) 4611-4612.
- [135] S. Shujiang Tu, Bo Jiang, Junyong Zhang, Yan Zhang, Runhong Jia, Chunmei Li, Dianxiang Zhou, Longji Cao, Qingqing Shao, A facile and efficient synthesis of new polysubstituted Indeno[1,2-*b*] pyridines *via* one-Pot, three-Component microwave assisted Reaction, *Synlett.* 3 (2007) 0480-0484.
- [136] J. Bo, C. Li, T. Shu-Jiang, S. Feng, Iodine-Promoted Domino Reaction Leading to *N*-Substituted 2-Aminoquinoline-3-carbonitriles under Microwave Irradiation, *J. Comb. Chem.* 12 (2010) 482-487.
- [137] P.V. Shinde, S.S. Sonar, B.B. Shingate, M.S. Shingare, Boric acid catalyzed convenient synthesis of 2-amino-3,5-dicarbonitrile-6-thio-pyridines in aqueous media, *Tetrahedron Lett.* 51 (2010) 1309-1312.
- [138] B. Das, B. Ravikanth, A.S. Kumar, B.S. Kanth, An efficient procedure for the synthesis of substituted pyridines using KF·Al₂O₃, *J. Heterocyclic Chem.* 46 (2009) 1208-1212.

- [139] S. Kumar, P. Sharma, K.K. Kapoor, M.S. Hundal, An efficient, catalyst- and solvent-free, four-component, and one-pot synthesis of polyhydroquinolines on grinding, *Tetrahedron*. 64 (2008) 536-542.
- [140] X. He, Y. Shang, Z. Yu, M. Fang, Y. Zhou, G. Han, F. Wu, FeCl₃-catalyzed four-component nucleophilic addition/ intermolecular cyclization yielding poly substituted pyridine derivatives, *J. Org. Chem.* 79 (2014) 8882-8888.
- [141] H. Nechamkin, *The Chemistry of the Elements*. New York, McGraw-Hill, 1968.
- [142] J. Alvarez-Builla, J. J. Vaquero, J. Barluenga, *Modern Heterocyclic Chemistry*, ed., Wiley-VCH, Weinheim, 2011.
- [143] J.A. Varela and C. Saa, Construction of Pyridine Rings by Metal-Mediated [2+2+2] Cycloaddition, *Chem. Rev.* 103 (2003) 3787-3802.
- [144] A. R. Katritzky, Introduction: □ Heterocycles, *Chem. Rev.* 104 (2004) 2125-2126.
- [145] A. K. Matsumoto, P. F. Cavanaugh Jr, Etoricoxib, *Drugs Today*. 40 (2004) 395-414.
- [146] A. Kodimuthali, S.S.L. Jabarisi, M. Pal, Recent advances on phospho diesterase 4 inhibitors for the treatment of asthma and Chronic Obstructive Pulmonary Disease, *J. Med. Chem.* 51 (2008) 5471-5489.
- [147] D. Price, A. Chisholm, D. Ryan, A. Crockett and R. Jones, The use of roflumilast in COPD: a primary care perspective, *Prim. Care Respir. J.* 19 (2010) 342-351.
- [148] T. R. Reddy, G. R. Reddy, L. S. Reddy, S. Jammula, Y. Lingappa, R. Kapavarapu, C. L. T. Meda, K. V. L. Parsa and M. Pal, Montmorillonite K-10 mediated green synthesis of cyano pyridines: Their evaluation as potential inhibitors of PDE4, *Eur. J. Med. Chem.*, 48 (2012) 265-274.
- [149] M. Abdalla, A. Essawy, A. Deeb, Synthesis and reaction of 3-cyano 2-(1H)-Pyridones, *Pakistan J. Sci. Ind. Res.* 20 (1977) 139-149.
- [150] A.A.M. Abdel-Aziz, H. I. El-Subbagh and T. Kunieda, Lewis acid-promoted transformation of 2-alkoxypyridines into 2-aminopyridines and their antibacterial

- activity. Part 2: Remarkably facile C–N bond formation, *Bioorg. Med. Chem.* 13 (2005) 4929-4935.
- [151] S. Tu, B. Jiang, Y. Zhang, R. Jia, J. Zhang, C. Yao, F. Shi, An efficient and chemoselective synthesis of *N*-substituted 2-aminopyridines *via* a microwave-assisted multicomponent reaction, *Org. Biomol. Chem.* 5 (2007) 355-359.
- [152] M. Zhang, B. Xiong, T. Wang, X. Wang, F. Yan, Y. Ding, Expedient *N*-arylation for the synthesis of 2-arylamino-3-cyano pyridines using ionic copper (I) complex as a catalyst, *Heterocycles*. 85 (2012) 1393-1404.
- [153] A. Zonouzi, Z. Izakian, H. Salehi, K. Abdi, S. Weng Ng, 3-Cyano-4,6-diphenyl-2-(phenethylamino) pyridine, *Molbank*. M831 (2014) 1-6.
- [154] G. Cravotto, P. Cintas, Power ultrasound in organic synthesis: moving cavitation chemistry from academia to innovative and large-scale applications, *Chem. Soc. Rev.* 35 (2006) 180-196.
- [155] J.T. Li, S.X. Wang, G.F. Chen, T.S. Li, Some Applications of Ultrasound irradiation in organic synthesis, *Curr. Org. Synth.* 2 (2005) 415-436.
- [156] J. Chen, S.K. Spear, J.G. Huddleston, R.D. Rogers, Polyethylene glycol and solutions of polyethylene glycol as green reaction media, *Green Chem.* 7 (2005) 64-82.
- [157] F. Bigi, M.L. Conforti, R. Maggi, A. Piccinno, G. Sartori, Clean synthesis in water: uncatalysed preparation of ylidenemalononitriles, *Green Chem.* 2 (2000) 101-103.
- [158] M.N. Khan, S. Pal, S. Karamthulla, L.H. Choudhury, Imidazole as organocatalyst for multicomponent reactions: diversity oriented synthesis of functionalized hetero- and carbocycles using *in situ*-generated benzyldenemalononitrile derivatives, *RSC Adv.* 4 (2014) 3732-3741.
- [159] A. Khalafi-Nezhad, S. Sarikhani, E.S. Shahidzadeh, F. Panahi, L-Proline-promoted three-component reaction of anilines, aldehydes and barbituric acids/malononitrile: regioselective synthesis of 5-arylpyrimido[4,5-*b*]quinoline-diones and 2-amino-4-arylquinoline-3-carbonitriles in water, *Green Chem.* 14 (2012) 2876-2884.

- [160] B.P. Bandgar, V.T. Kamble, Organic reactions in aqueous medium: FeF₃catalyzed chemoselective addition of cyanotrimethylsilane to aldehydes, *Green Chem.* 3 (2001) 265-266.
- [161] C.W. Suh, D.Y. Kim, Organo catalytic Asymmetric Michael Addition of 1, 3-Cyclohexanedione to Benzylidenemalonitriles, *Bull. Korean Chem. Soc.* 35 (2014) 98-102.
- [162] T.J. Mason, D. Peters, *Practical Sonochemistry*, Ellis Horwood, New York, NY, USA, 1991.
- [163]. T.J. Mason, Sonochemistry and the environment-Providing a green link between chemistry, physics and engineering. *Ultrason.Sonochem.* 14 (2007) 476-483.
- [164] M. Zhang, Z. Ai-Qin, Catalyzed preparation of Ylidenemalonitriles and 3-Cyanocoumarin in Water, *Syn. Commun.* 34 (2004) 4531-4535.
- [165] P. Wang, J.G. Myers, P. Wu, B. Cheewatrakoolpong, R.W. Egan, M.M. Billah, Expression, purification, and characterization of human cAMP-specific phosphodiesterase (PDE4) subtypes A, B, C, and D, *Biochem. Biophys. Res. Commun.* 234 (1997) 320-324.
- [166] J. Demnitz, L. LaVecchia, E. Bacher, T.H. Keller, T. Muller, F. Schurch, H.P. Weber, E. Pombo-Villar, Enantiodivergent synthesis of (*R*)- and (*S*)-Rolipram, *Molecules.* 31 (998) 107-117.
- [167] D.A. Horton, G.T. Bourne, M.L. Smythe, The combinatorial synthesis of bicyclic privileged structures or privileged substructures, *Chem. Rev.*103 (2003) 893-930.
- [168] C.F. Masaguer, E. Ravina, A practical and efficient route for synthesis of 6-amino methyl-4-oxo-4,5,6,7-tetrahydroindoles as new CNS agent precursors, *Tetrahedron Lett.* 37 (1996) 5171-5174.
- [169] W.A. Remers, M.J. Weiss, Synthesis of indoles from 4-oxo-4, 5, 6, 7-tetrahydroindoles. III. Introduction of substituents by electrophilic substitution, *J. Org. Chem.* 36 (1971) 1241-1247.

- [170] L. Chacon-Garcia, R. Martinez, Synthesis and in vitro cytotoxic activity of pyrrolo [2, 3-e] indole derivatives and a dihydrobenzoindole analogue, *European. J. Med. Chem.* 37 (2002) 261-266.
- [171] L. Chun-chatprasert, P.V.R. Shannon, Anti-tumourheterocycles. Part xiv. A new route to pyrrolo-[3,2-f]indoles and the novel pyrrolo[3,2-f; 4,5-f]diindole system, *J. Chem. Soc., Perkin Trans.1.* (1996) 1787-1795.
- [172] L. Sun, N. Tran, C. Liang, S. Hubbard, F. Tang, K. Lipson, R. Schreck, Y. Zhou, G. McMahon, C. Tang, Identification of Substituted 3-[(4,5,6,7-Tetrahydro-1*H*-indol-2-yl)methylene]-1,3-dihydroindol-2-ones as Growth Factor Receptor Inhibitors for VEGF-R2 (Flk-1/KDR), FGF-R1, and PDGF-R α Tyrosine Kinases, *J. Med.Chem.* 43 (2000) 2655-2663.
- [173] A. Carotti, M. Candia, M. Catto, T.N. Borisova, A.V. Varlamov, E. Méndez-Alvarez, R. Soto-Otero, L.G.Voskressensky, C. Altomare, Ester derivatives of annulated tetrahydroazocines: A new class of selective acetylcholinesterase inhibitors, *Bioorganic & Medicinal Chemistry*, 14 (2006) 7205-7212.
- [174] W.A. Remers, R.H. Roth, G.J. Gibs, M. J. Weiss, Synthesis of indoles from 4-oxo-4, 5, 6, 7-tetrahydroindoles. II. Introduction of substituents into the 4 and 5 positions, *J. Org. Chem.* 36 (1971) 1232-1240.
- [175] S. Nakajima, K. Yoshida, M. Mon, Y. Ban, M. Shibasaki, Synthetic approaches toward mitomycins: synthesis of the decarbamoyloxymitomycin derivative, *J. Chem. Soc., Chem. Commun.* (1990) 468–470.
- [176] A. Fluxe, S. Wu, J.B. Sheffer, J.M. Janusz, M. Murawsky, G.M. Fadayel, B. Fang, M. Hare, L. Djandjighian, Discovery and synthesis of tetrahydroindolone derived semicarbazones as selective Kv1.5 blockers, *Bioorg. Med. Chem. Lett.* 16 (2006) 5855–5858.

- [177] R. Martinez, J.G. Avila-Zarraga, G. Lopez-Lopez, V.O. Nava-Salgado, Synthesis of the New Triheterocyclic System C₃N-C₄N-C₆N. 3-Aryl-2,5,5-trimethyl-9a-methylsulfanyl-9-phenoxy-4,5,6,8,9,9a-hexahydro-3H-azeto[1,2-a]pyrrolo[3,2-c] azepin-8-ones, *Heterocycles*. 53 (2000) 557–570.
- [178] L. Christopher Shaffer, M. Gunduz, T.N.O. Connell, R.S. Obach, S. Yee, Biotransformation of a gabaa receptor partial agonist in spraguedawley rats and cynomolgus monkeys: identification of two unique *N*-carbamoylmetabolites, *DMD*. 33 (2005) 1688–1699.
- [179] S. Li, N. Tran, C. Liang, S. Hubbard, F. Tang, K. Lipson, R. Schreck, Y. Zhou, G. McMahon, C. Tang, Identification of Substituted 3-[(4,5,6,7-Tetrahydro-1*H*-indol-2-yl)methylene]- 1,3-dihydroindol-2-ones as Growth Factor Receptor Inhibitors for VEGF-R2 (Flk-1/KDR), FGF-R1, and PDGF-R β Tyrosine Kinases, *J. Med. Chem.* 43 (2000) 2655-2663.
- [180] J.A. Generali, D.J. Cada, Off-label drug uses-Ondansetron: Postanesthetic shivering, *Hospital Pharmacy*. 44 (2009) 670–671.
- [181] R. Horton, Lotronex and the FDA: A fatal erosion of integrity, *Lancet*. 375 (2001) 1544-1545.
- [182] L.F. Tietze, Domino reactions in organic synthesis, *Chem. Rev.* 96 (1996) 115-136.
- [183] M. Li, H. Cao, Y. Wang, X.L. Lv, L.R. Wen, One-Pot Multicomponent Cascade Reaction of *N,S*-Ketene Acetal: Solvent-Free Synthesis of Imidazo[1,2-*a*]thiochromeno[3,2-*e*]pyridines, *Org. Lett.* 14 (2012) 3470–3473.
- [184] A. Domling, W. Wang, K. Wang, Chemistry and biology of multicomponent Reactions, *Chem. Rev.* 112 (2012) 3083-3135.
- [185] C. Dagher, R. Hanna, P.B. Terentiev, Y.G. Boundel, A.N. Kost and B.I. Maskimov, Synthesis and mass spectrometry of 4-oxo-4, 5, 6, 7-tetrahydroindole and 4-oxo-4, 5, 6, 7-tetrahydro benzofuran derivatives, *J. Hetrocyclic Chem.* 19 (1982) 645-647.

- [186] J.R. Martinez, M.G. Avila, T. Ramirez, A. Perez, A. Martinez, Tetrahydropyrrolo [3,2-*c*]azepin-4-ones as a new class of cytotoxic compounds, *Bioorg. Med. Chem.* 14 (2006) 4007-4016.
- [187] J. Bo, Y. Mian-Shuai, F. Shi, T. Shu-Jiang, S. Pindi, P. Mc Dowellb, G. Li, A multi-component domino reaction for the direct access to polyfunctionalizedindoles *via* intermolecular allylic esterification and indolation, *Chem. Commun.* 48 (2012) 808-810.
- [188] H. Batchu, S. Batra, Versatile Synthesis of 2-(Substituted phenyl)-6, 7-dihydro-1*H*-indol-4(5*H*)-ones from Morita–Baylis–Hillman Acetates of 2-Oxo-2-(substituted phenyl)acetaldehyde, *Eur. J. Org. Chem.*(2012) 2935–2944.
- [189] J. Bo, Y. Li, T. Man-Su, W. Shu-Liang, T. Shu-Jiang, G. Li, Allylic amination and *N*-arylation-based Domino Reactions providing rapid three-component strategies to fused Pyrroles with different substituted Patterns, *J. Org. Chem.* 77 (2012) 7497–7505.
- [190] S. Maity, S. Pathak, A. Pramanik, Synthesis of 1,2-diaryl-1*H*-indol-4-ols and 1,2-diaryl-7-ethoxy-1,5,6,7-tetrahydroindol-4-ones from arylglyoxals and enamines through domino reactions, *Eur. J. Org. Chem.* (2013) 2479-2485.
- [191] S. Abdel-Mohsen, T. El-Emary, A facile one-pot synthesis of novel 1-substituted 2-(8-hydroxyquinolin-5-yl)-1,5,6,7-tetrahydro-6,6-dimethyl-4*H*-indol-4-one derivatives, *ARKIVOC*. iv (2016) 184-192.
- [192] A.V. Dhanunjaya Rao, B.P. Vykuntesarao, T. Bhaskarkumar, N.R. Jogdand, Dipak Kalita, D.L. Jaydeep Kumar, V. Siddaiah, Paul Douglas Sanasi, A. Raghunadh, Sulfonic acid functionalized Wang resin (Wang-OSO₃H) as polymeric acidic catalyst for the eco-friendly synthesis of 2,3-dihydroquinazolin-4(1*H*)-ones, *Tetrahedron Lett.* 56 (2015) 4714-4717.
- [193] S. Wang, *p*-Alkoxybenzyl alcohol resin and *p*-alkoxybenzyloxy-carbonyl hydrazide resin for solid phase synthesis of protected peptide fragments, *J. Am. Chem. Soc.* 95 (1973) 1328-1333.