

REFERENCES

- [1] D.Kelay, P.J.Haines, Instant notes Analytical chemistry, first ed., BIOS scientific, United Kingdom, 2002, pp. 1-18.
- [2] C. Marvin, MC Master, HPLC A practical use Guide, second ed., Willey-Inter sciences, A John Wiley & Sons, US, 2006, pp. 3-13.
- [3] L.R. Snyder, J.J Kirkland, Introduction to modern Liquid chromatography, second ed., Willeys- Interscience, 1979.
- [4] ICH harmonized Tripartite Guidellines, validation of analytical procedure, and methodology, Q2 (R1), 2005, pp. 1-17.
- [5] Pungor, E. A Practical Guide to Instrumental Analysis. CRC Press: Boca Raton, FL, 1995.
- [6] ICH, Q2A validation of analytical procedure: Methodology International Conference on Harmonization, Geneva, October 1994.
- [7] ICH, Q2B Validation of analytical procedure: Methodology International Conference on Harmonization, Geneva, March 1996.
- [8] <http://www.ich.org/>
- [9] [www.drugbank.com /Sofosbuvir](http://www.drugbank.com/Sofosbuvir).
- [10] [www.wikipedia.com/ Sofosbuvir](http://www.wikipedia.com/Sofosbuvir).
- [11] [www.drugbank.com /Daclatasvir](http://www.drugbank.com/Daclatasvir).
- [12] www.wikipedia.com/ Daclatasvir.
- [13] <https://www.drugbank.ca/drugs/db00709>
- [14] <https://www.drugbank.ca/drugs/db08930>
- [15] <https://en.wikipedia.org/wiki/Dolutegravir>
- [16] <https://en.wikipedia.org/wiki/Dolutegravir>
- [17] [www.drugbank.com /Emtricitabine](http://www.drugbank.com/Emtricitabine)
- [18] www.wikipedia.com/ Tenofovir alafenamide
- [19] [www.drugbank.com /Emtricitabine](http://www.drugbank.com/Emtricitabine)
- [20] www.wikipedia.com/ Tenofovir alafenamide
- [21] [www.drugbank.com /Sacubitril](http://www.drugbank.com/Sacubitril)
- [22] www.wikipedia.com/ Valsartan
- [23] [www.drugbank.com /Sacubitril](http://www.drugbank.com/Sacubitril)

- [24] www.wikipedia.com/ Valsartan
- [25] Shaadmin N shaik and Manjusri P.Dabhade, Development and validation of RP-HPLC method for quantitative analysis of sofosbuvir in pure and pharmaceutical formulation, *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(8), 2017, 2249-2258.
- [26] R.M. Nemade, M.N. Dole, Dr.S.D.Sawant, Development and validation of stability indicating RP-HPLC method for the estimation of sofosbuvir by forced degradation studies, *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(4), 2017, 1503-1512.
- [27] V. Ravikumar, C.V.S. Subramanyam, G. Veerabhadram, Estimation and validation of sofosbuvir in bulk and tablet dosage form by RP-HPLC, *International Journal of Pharmacy*, 6(2), 2016, 121-127.
- [28] P.Swathi, K.Rajeswari dutt, K.N.V.Rao, M. Alagar Raja, RP-HPLC method development and validation for simultaneous estimation of sofosbuvir in pure and tablet dosage form, *Innovat International Journal of Medical and Pharmaceutical Sciences*, 2(4), 2017, 7-9.
- [29] SherifAbdel-Naby Abdel-Gawad, Simple chromatographic and Spectrophotometric determination of sofosbuvir in pure and tablet forms, *European Journal of Chemistry*, 7(3), 2016, 375-379.
- [30] Shaikh John Saida, Muniappan. M, Manikanta Kumar.K, Ramulu. Y, S. Venkat Rao, Estimation of sofosbuvir with validated UHPLC method in its bulk and formulations, *Der Pharmica Sinica*, 8(2), 2017, 10-15
- [31] M.R.Rezk, Emad B.Basalious, Mohammed E. Amin, Novel and sensitive UPLC-MS/MS method for quantification of sofosbuvir in human plasma: Application to a bioequivalence study, *Bio Medical Chromatography*, 30, 2016, 1354-1362.
- [32] B.M. Gandhi, Rao A.L, Rao J.V, UPLC-MS/MS method for determination of sofosbuvir inn human plasma, *French Pharmaceutical annals*, 75 (4), 2017, 257-166.
- [33] P. Mohan Vikas, Dr. J. SatyaNarayana, D. Vinod kumar, E. Mounika, M. Srilatha, R. Anusha and Y. Sathish, Development and validation of new RP-

- HPLC method for the determination of sofosbuvir in pure form, *World Journal of Pharmacy and Pharmaceutical Sciences*, 5(5), 2016, 775-781.
- [34] M. Nebsen, Eman S. Elzanfaly, Stability indicating method and LC-MS/MS characterization of forced degradation products of sofosbuvir, *Journal of Chromatographic Science*, 54(9), 2016, 1631-1640.
- [35] K.Sumathi, K. Thamizhvanan and S. Vijay Raj, Development and validation of stability indicating RP-HPLC method for the estimation of Daclatasvir in bulk and formulation, *Der pharmacia letter*, 8 (15), 2016, 107-113.
- [36] Hanna Saleh, Gamal H.Ragab, Mohammed A. Othman, Stability indicating HPLC method development and validation of daclatasvir in pure and tablet dosage forms, *Indo American Journal of Pharmaceutical Sciences*, 3(12), 2016, 1565-1572.
- [37] Sonia T.Hassib, Elham A.Taha, Ehab.F.Elkady, Ghadd H.Barakat, RP-HPLC method for determination of daclatasvir dihydrochloride and study of its degradation behaviour, *Chromatographia*, 80(7), 2017, 1101-1107.
- [38] G.Srinivasu, K.Nagesh kumar, Ch. Thirupathi, Ch. Lakshmi Narayana, Ch. Parameswara Murthy, Development and validation of the chiral HPLC method for daclataasvir in gradient elution mode on amylase-based immobilized chiral stationary phase, *Chromatographia*, 79 (21-22), 2016, 1457-1467.
- [39] Guilio Nannetti, Loenzomersa, Marta celegato, Ariana loresian, Development and validation of a simple and robust HPLC method with UV-detection for quantification of the hepatitis-C virus inhibitor- daclatasvir in human plasma, *Journal of Pharmaceutical and Biomedical analysis*, 134, 2017, 275-281.
- [40] V. Ashok Chakravarthy, B.B.V.Sailaja, Method development and validation of assay and dissolution methods for the estimation of daclatasvir in tablet dosage forms by RP-HPLC, *European Journal of Pharmaaceutical and Medical Research*, 3(7), 2016, 356-364.
- [41] M.M. Baker, DS. El-Kafrawy, M.S.Mahrous, T.S. Belal, Validated stability indicating HPLC-DAD method for determination of the recently approved hepatitis-C antiviral agent Daclatasvir, *Annales Pharmaceutiqes Francaises*, 75(3), 2017, 176-184.

- [42] Mohammed El-Kaseem M.Hassouna, Mohammed Abdelrahman and Mahmoud Abdelfatah Mohamed, Assay and dissolution method development and validation for simultaneous determination of sofosbuvir and ledipasvir by RP-HPLC method in tablet dosage forms, *Journal of Forensic Sciences and Criminal Investigation*, 1(3), 2017, 1-11.
- [43] Bakht Zaman, Faisal Siddique, Waseem Haseem Hassan, RP-HPLC method for simultaneous determination of sofosbuvir and ledipasvir in tablet dosage form and its application to Invitro dissolution studies, *Chromatographia*, 79, 2016, 1605-1613.
- [44] T. Nagaraju, S.V.M. Vardhan, D. Ravikumar, D. Ramachandran, A new RP-HPLC method for the simultaneous assay of sofosbuvir and ledipasvir in combined dosage form, *International Journal of ChemTech Research*, 10(7), 2017, 761-768.
- [45] U. Jyothi, Dr. Parimi Umadevi, Analytical method development and validation for the simultaneous estimation of sofosbuvir and velpatasvir drug product by RP-HPLC method, *Indo American Journal of Pharmaceutical Research*, 7(8), 2017, 401-409.
- [46] N. Sarath, Seshagiri rao J.V.L.N, A stability indicating RP-HPLC method for simultaneous estimation of velpatasvir and sofosbuvir in combined tablet dosage forms, *World Journal of Pharmacy and pharmaceutical Sciences*, 6(9), 1596-1611.
- [47] Surya prakash Y. Rai, Y. Prajapathi, P. Pragnesh, Development and validation of RP-HPLC and UV-Spectroscopy method for simultaneous estimation of sofosbuvir and ledipasvir i their combined dosage form, *Pharma Science Monitor*, 8(2), 2017, 369-388.
- [48] B. Raj kumar, Dr. K.V. Subramanyam, A new validated RP-HPLC method for the simultaneous determination of Simeprevir and Sofosbuvir in pharmaceutical dosage form, *IndoAmerican Journal of pharmaceutical Sciences*, 6(2), 2016, 4508-4520.
- [49] V. Ashok Chakravarthy, Sailaja B.B.V, A. Praveen kumar, Method development and validation of UV-Visible spectroscopic method for the estimation of hepatitis C drugs- Daclatasvir and Sofosbuvir in active

- pharmaceutical ingredient form, Asian Journal of Pharmaceutical and Clinical Research, 9 (3), 2016, 61-66.
- [50] Bommakanti valli Purnima, Merugu Santha Kumari, Golkonda Ramu, T. Vijaya Bhaskar Reddy, Dr. Ramachandran, Validated RP-HPLC method for assay and degradation studies of lamivudine, abacavir sulphate and dolutegravir in combined dosage form, International Journal of Education and Applied research, 6(2), 2016, 86-95.
- [51] D. Sindhu Priya, D. Gowri Sankar, Simultaneous stability indicating method for the determination of abacavir, dolutegravir and lamivudine by RP-HPLC, International Journal of Pharmaceutrical Sciences and Research, 7(7), 2016, 2905-2916.
- [52] M. Monica and D.Gowri Sankar, Simultaneous RP-HPLC determination of abacavir lamivudine and dolutegravir in bulk API dosage forms, International Journal of Pharmacy and Analytical Research, 4(3), 2015, 391-398.
- [53] Bin Fan, James T.S, Determination of zidovudine, lamivudine and nevirapine in human plasma using ion-pair HPLC, Journal of Pharmacy and Biomedical Analysis, 28(5), 2002, 903-908.
- [54] S. Savaser, A.Goraler, Taroz, B. Uslu, H.Lingaman, S.A.Ozkan, Determination of abacavir, lamivudine and zidovudine in pharmaceutical tablets, human serum and in drug dissolution studies by HPLC, Chromatographia, 65(5-6), 259-65.
- [55] Narottam Pal, Srinivasa Rao, P. Ravikumar, Simultaneous HPLC method development and validation for estimation of lamivudine, abacavir, dolutegravir in combined dosage form with their stability stadies, Asian Jouranal of chemistry, 28(2), 2016, 416-420.
- [56] P. Hari Prasad, M. Patel, D. Vijaya sree, K. Vamsi Sharathnath, Simultaneous estimation of lamivudine and stavudine by using RP-HPLC and method development as per ICH guidelines, International Journal of Pharmaceutical Science and Research, 3(7), 2012, 416-420.
- [57] S.Mohideen, G.Vinay Kumar, Y.Surendranath, P.Suresh kumar, S. Navaneetha, Validated RP-HPLC for simultaneous estimation of abacavir and lamivudine in tablet dosage formulations, International Journal of Pharmacy and Pharmaceutical Sciences, 4(1), 2012, 349-355.

- [58] Veena D. Singh, Optimization of RP-HPLC method for simultaneous estimation of Lamivudine and dolutegravir in binary mixture by using design of experiment, *Eurasian J. Analytical Chem*, 12(3), 2017, 179-195.
- [59] P. Saidulu, Sk. Mastanamma, Stability indicating gradient RP-HPLC method for the simultaneous estimation of lamivudine, abacavir and dolutegravir in bulk and their combined dosage form, *Interantional Journal of Pharmaceutical Sciences Review and Research*, 37(2), 2016,249-257.
- [60] M. Srivani, R.Narasimha Rao, J. Swapna, Analytical method development and validation for the simultaneous estimation of lamivudine and stavudine in tablet dosage form by RP-HPLC, *International Journal of Pharmacy and Biological Sciences*, 1(4), 2011,551-559.
- [61] G. Kamala, V. Sowjanya, K. Nagavalli, Development and validation of RP-HPLC method for simultaneous estimation of lamivudine and zidovudine in bulk, *International Journal of Current Pharmaceutical Research*, 8(1), 2016, 28-33.
- [62] P. Ravi Sankar, G. Mounika, P.Srinivasa Babu, Rapid separation and estimation of lamivudine and zidovudine in marketed formulations using RP-HPLC method and its validation, *International Journal of Pharmaceutical Research and Analysis*, 4(8), 2014, 428-39.
- [63] Umesh M.Patel and R.Nageswara Rao, Development and validation of stability indicating RP-HPLC method for simultaneous determination of lamivudine and stavudine in combined dosage forms, *Journal of Chemical and Pharmaceutical Research*, 3(6), 2011, 200-211.
- [64] Chandrasekhar Reddy, K.S.R. Pavan Kumar, V. Jagadeesh Kumar, N. Sreenivas, Hemanth Kumar.S, K. Mukkanti, Stability indicating HPLC method for the quantification of dolutegravir (4S, 12 aR)- enantiomer and (4R, 12aR) diastereomer in dolutegravir in dolutegravir sodium, *International Journal of Pharmacy and Pharmaceutical research*, 9(2), 2017, 52-63.
- [65] N. Anjaneyulu, R. Nagakishore, M. Naga Ganesh, K. Murali Krishna, A. Nithya, Sai Latha Devi, B. Sai kiran, and N. Sridevi, Development and validation of RP-HPLC method for the simultaneous estimation of lamivudine

- and tenofovir disoproxil fumarate in combined dosage form, *Asian Journal of Biomedical and Pharmaceutical Sciences*, 3(23), 2013, 7-11.
- [66] N.M. Rao, D. Gowri sankar, Development and validation of stability indicating HPLC method for simultaneous determination of lamivudine, tenofovir and dolutegravir in bulk and their tablet dosage form, *Future Journal of Pharmaceutical Sciences*, 1(2), 2015, 73-77.
- [67] D.S. Bhavsar, B.N. Patel, C.N. Patel, RP-HPLC method for simultaneous estimation of tenofovir disoproxil fumarate, lamivudine and efavirenz in combined tablet dosage form, *Pharmaceutical Methods*, 3(2), 2012, 73-78.
- [68] A. Jayaraman, C. Rousewelt, A. Anjana, G. Srinivaasa Rao and R. Ssathish, Simultaneous estimation of lamivudine and stavudine in tablet dosage form by RP-HPLC, *International Journal of Life Sciences and Pharma Research*, 2(2), 2012,
- [69] N. Khaleel, Sk. Abdul Rahaman, A validated stability indicating RP-HPLC method for simultaneous determination of abacavir, lamivudine and dolutegravir in bulk and pharmaceutical dosage form, *World Journal of Pharmaceutical Research*, 4(7), 2015, 1453-1476.
- [70] D.A.Kumar, G. Srinivasa Rao, J.V.L.N.Seshagiri rao, Simultaneous determination of lamivudine, zidovudine and abacavir in tablet dosage forms by RP-HPLC method, *E-Journal of Chemistry*, 7(1), 2017, 180-184.
- [71] M. Padmaja, K. Naga Prasanth, J.N. Suresh Kumar, RP-HPLC method development and validation for simultaneous estimation of efavirenz, lamivudine and zidovudine in tablet dosage form, *J.Bio.Innov*, 6(2), 2017, 287-305.
- [72] T. Kalpana, Dr.J. Raja Rajeswari, C. Ramana Reddy, Development and validation of analytical method for dolutegravir sodium, lamivudine and tenofovir using RP-HPLC, *Der Pharma Chemica*, 9(8), 2017, 117-127.
- [73] A.Sockalingam, K.S.Seshaiah, Simultaneous quantification of stavudine, lamivudine and nevirapine by UV spectroscopy, RP-HPLC and HPTLC in tablets, *Journal of Pharmaceutical and Biomedical Analysis*, 39(3-4), 2005, 801-804.

- [74] N. Kapoor, S.Khandavilli, R.Panchagnula, Simultaneous determination of lamivudine and stavudine in antiretroviral fixed dose combinations by first derivative spectrophotometry and high performance liquid chromatography. *Journal of Pharmaceutical and Biomedical Analysis*, 2006, 41(3), 761-765.
- [75] P.N. Vaishali, Dr. P.B.Kishore, A validated UV-spectrophotometric method for the simultaneous estimation of lamivudine, nevirapine and zidovudine in combined dosage form, *Journal of Pharmacy Research*, 2(4),2009, 666-669.
- [76] D. Devyani, S.P. Vyas, Simultaneous spectrophotometric estimation of lamivudine and silymarin in mixture, *International Journal of Pharmacy and Pharmaceutical Sciences*, 1(2),2009, 107-111.
- [77] J.A.H.Droste, R.E. Aarnouste and D.M. Burger, Development of emtricitabine in human plasma using HPLC with fluorometric detection, *Journal of Liquid Chromatography and related Technologies*, 30(118), 2007.
- [78] P.Kumar. S.C. Dwivedi, K. Ashok, A validated stability indicating RP-HPLC method for the determination of emtricitabine in bulk and capsules, *Farmacia*, 60(3), 2012, 402-410.
- [79] T.N.V. Ganesh Kumar, S. Vidyadhara, T.D.Kumar, D. Jaswanth, K. Vijetha and B.G.Priyadarshini, Development and validation of a novel colorometric method for the estimation of emtricitabine in bulk and tablet formulation, *Indian Journal of Pharmaceutical Sciences*, 78(6),2016, 775-79.
- [80] Mulubwa.M, Rheeders.M, Du Plessis, Grobler.A, Viljoen.M, development and validation of HPLC-Tandem MS method for determination of tenofovir in small volumes of Human plasma, *JChromatogr Sep tech*, 6(7),2015, 1-6.
- [81] N.A.Gomes, V.V.Vaidya, S.S.Joshi and S.A. Rakesh, LC-Tandem MS/MS method for simultaneous determination of tenofovir and emtricitabine in human plasma and its application to a bioequivalence study, *Journal of Pharmacy and Biomedical Analysis*, 48(3), 2008,918-926.
- [82] Rezk, N.L., Crutchley, R.D., Angela, D., Kashuba, M., 2005. Simultaneous quantification of emtricitabine and Tenofovir in human plasma using high-performance liquid chromatography after solid phase extraction. *Journal of Chromatography B*, 822, 201– 208.

- [83] S.A.Ghorpade, M.S. Sali, A.H.Kategaonkar, D.M. Patel, V.P. Choudari and B.S. Kuchekar, Simultaneous determination of emtricitabine and tenofovir by area under curve and dual wavelength spectrophotometric method, *Journal of Chilean Chemical Society*, 55(1), 2010, 115-117.
- [84] P.B.Bhushan, P.M. Moreswar, Sanjay.D.Sawant, Development and validation of RP-HPLC method for the simultaneous estimation of Tenofovir Alafenamide and emtricitabine in bulk and tablet dosage form, *Int.J.ChemTech*, 10(5), 2017, 731-39.
- [85] S.D.Prasant, B.Roshan, S.Nalini, K.V. Surendranath, A validated stability indicating RP-HPLC method for the simultaneous determination of tenofovir, emtricitabine and efavirenz and statistical approach to determine the effect of variables, *ISRN Chromatography*, vol.2013, Article ID: 878295, 8pages.
- [86] Y.Balarami Reddy, S. Mutta Reddy, C. Bala Sekhara Reddy, Simultaneous estimation of emtricitabine and tenofovir disoproxil fumarate in tablet dosage form by RP-HPLC, *International Journal of Analytical Techniques*, 2015, 1-6.
- [87] Arun Ramaswamy, Anton Smith, Arul gnana Dhas, Development and validation of analytical method for quantification of emtricitabine, tenofovir, efavirenz based on HPLC, *Arabian Journal of Chemistry*, 2014, 1-7.
- [88] R.K.Gummaluri, T.V.N.Parthasarathi, G. Anjana Madhulika, Simultaneous method for the determination of emtricitabine, tenofovir disoproxil fumarate, elvitegravir and cobicistat in tablets by HPLC, *Indian Journal of Pharmaceutical Sciences*, 78(4), 2016, 532-537.
- [89] A.R. Magesh, N.Sushrutha, M.D. Dhanaraju, Development and validation of RP-HPLC method for the simultaneous determination of emtricitabine and tenofovir disoproxil fumarate in pharmaceutical dosage form, *Indo American Journal of Pharmaceutical Research*, 3(12)2013, 1642-1649.
- [90] D.Srividya, Y.A. Chowdary, T.E.G.K. Murthy, Development and validation of RP- HPLC method for tenofovir and efavirenz in bulk and formulation, *International Journal of Pharmaceutical Sciences and Research*, 4(12), 2013, 4619-4624.

- [91] S.B.Dhara, N.P.Bhavini, N.P.Chhaganbhai, RP-HPLC method for simultaneous estimation of tenofovir, lamivudine and efavirenz in combined dosage form, *Pharmaceutical methods*, 3(2), 2012, 73-78.
- [92] P.Uttam Prasad, A.Sunil kumar Reddy, A novel validated RP-HPLC method for simultaneous estimation of emtricitabine, tenofovir and rilpivirine in bulk and pharmaceutical tablet dosage forms, *Der Pharmica Lettre*, 7(1), 2015, 303-14.
- [93] Rajesh sarma, Pooja Gupta, A validated RP-HPLC method for simultaneous estimation of emtricitabine and tenofovir disoproxil fumarate in a tablet dosage form, *Eurasian Journal of Analytical Chemistry*, 4(30), 2009,276-284.
- [94] N.R.Rao, V.J.Vanitha, P.K., Mukilteo, K., Srinivasu, K., Simultaneous Estimation of tenofovir disoproxil, emtricitabine and efavirenz in tablet dosage form by RP- HPLC, *Orient. J. Chem.* 24(2), 2008.
- [95] K. Deepthi, G. Nagarjuna reddy, K. Dhanalakshmi, Method development and validation for simultaneous estimation of emtricitabine and tenofovir disoproxil fumarate in pure and tablet dosage form by using RP-HPLC, *International Journal of Pharmaceutical Research and Review*, 2(10), 2013, 1-11.
- [96] D.M.Ajay, Uttam.B.More, RP-HPLC method for simultaneous estimation of impurities from emtricitabine and tenofovir disoproxil tablet, *International Journal of Pharmaceutical Sciences and Research*, 7(4), 2016, 1662-1669.
- [97] U. Seshachalam, B.Haribabu, K.B.Chandrasekhar, Development and validation of a stability indicating LC method for determination of emtricitabine and related impurities in drug substance, *Journal of Separation Sciences*, 30(7), 2007, 999-1004.
- [98] S.S. Chittilange, S.B. Kanthale, B. Chowdary, R.P. Bhole, Stability indicating HPTLC method for the simultaneous estimation of rilpivirine, emtricitabine and tenofovir in bulk and combined pharmaceutical dosage form, *Journal of Advanced Drug delivery*, 1(4), 2014, 157-172.
- [99] Dr. A. Srinivasa Rao, G. Naveen Kumar, K. Sreelekha, Dr. N. Aruna Kumari, Stability indicating method for the simultaneous estimation of tenofovir, emtricitabine and efavirenz in pure and pharmaceutical dosage form by RP-HPLC, 4th International Conference on Science, Technology and Management, New Delhi, 2016, 87-99.

- [100] A. Srinath, B. Sneha, A. Akhila, R. Ahmed, R.G. Kulkarni, Method development and validation for simultaneous estimation of lamivudine, tenofovir and efavirenz in combined tablet dosage form by RP-HPLC and UV-spectrophotometric method, *International Journal of Pharmaceutical Sciences and Research*, 5(12), 2014, 5491-5497.
- [101] T. Sudha, P. Shamuga Sundaram, RP-HPLC method for simultaneous determination of emtricitabine, rilpivirine and tenofovir employing response surface design, *International Journal of Pharmacy*, 4(4), 2014, 256-264.
- [102] S. Venkatesan, N. Kannappan, M. Sai Sandeep, Stability indicating HPLC method for the simultaneous determination of HIV tablet containing emtricitabine, tenofovir disoproxil fumarate and rilpivirine hydrochloride in pharmaceutical dosage forms, *International Scholarly Research Notices*, 2014, Article ID: 849149, 9pages.
- [103] Neha R. Jaiswal, Dr. S.P. Pavar, Dr. S.T. Patil, Development and validation of RP-HPLC method for simultaneous estimation of tenofovir disoproxil fumarate and lamivudine in combined dosage form, *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(5), 2017, 838-848.
- [104] M. Joshi, A.P.Nikalje, M.Shahed, M. Dehghan, HPTLC Method for the Simultaneous Estimation of Emtricitabine and Tenofovir in Tablet Dosage Form. *Ind. J. Pharmaceutical Sciences*. 71, 2009, 95– 97.
- [105] N.M. Rao, D. Gowri Sankar, Development and validation of stability indicating HPLC-DAD method for simultaneous determination of emtricitabine, elvetegravir, cobicistat and tenofovir in their tablet dosage forms, *Indian Journal of Pharmaceutical Education and Research*, 50(1), 2016, 205-211.
- [106] A. Prabhakar Reddy, U. Chandra Teja, Sk. Ashraf Sultana, M. Vijaya lakshmi, Buchi N. Nalluri, Development and validation of RP-HPLC –PDA method for the simultaneous estimation of emtricitabine, tenofovir disoroxil fumarate and rilpivirine hydrochloride in bulk, pharmaceutical dosage forms and in dissolution samples, *Indo American Journal of Pharmaceutical Research*, 4(11), 2014, 5226-5234.

- [107] K.S. Nataraj, S.V. Ramakrishnamacharya, E. Swathi Goud, S. Sai Geethika, K. Ramanjaneyulu, Simple quantitative method development and validation of Valsartan in pure form and pharmaceutical dosage forms by UV-Spectroscopy, *IJBPS*, 1(2), 2011, 67-73.
- [108] N.Srinath, A.S.L. Anil kumar, Sravanti, J. Naga Silpa, Method development and validation for the estimation of valsartan in bulk and tablet dosage forms by RP-HPLC, *Der Pharma Chemica*, 5(2), 2013, 206-211.
- [109] B. Narendra Reddy, U. Chenna Reddy, P. Nagarjuna, CH.Dileep kumar, RP-HPLC method development and validation of valsartan in tablet dosage form, *J.Chem. Pharm. Res*, 2(4), 2010, 878-886.
- [110] M.Akiful Haque, S. Hasan Amrohi, Prasanth kumar.K, Niveditha.G, Pradeep kumar.T, Prakash.V.Diwan, Stability indicating RP-HPLC method for the estimation of valsartan in pharmaceutical dosage form, *IOSR Journal of Pharmacy*, 2(4), 2012, 12-18.
- [111] Monika L. Jadhav, Manoj V. Girase, Shripad K. Tidme, Manish S. Junagade, Development and validation of spectrophotometric methods for simultaneous estimation of valsartan and hydrochlorothiazide in tablet dosage form, *International Journal of Spectroscopy*, ID: 8738819, 6pages.
- [112] S.Aruna Devi, Subramania Nainar, Bhojraj suresh, Simultaneous determination of nebivolol and valsartan in solid dosage form by spectrophotometric and RP-HPLC method, *IJPSR*, 2(2), 2011, 424-431.
- [113] S.Ramachandran, B.K.Mandal, S.G. Navalgund, Simultaneous spectrophotometric determination of valsartan and ezetemibe in pharmaceuticals, *Tropical Journal of Pharmaceutical Research*, 10(6), 2011, 809-815.
- [114] M.M. Desh Pande, M.P. Mahajan, and S.D. sawanth, Simultaneous estimation of valsartan and hydrochloro thiazide in fixed dose combination in UV-spectrophotometry, *International Journal of Pharmaceutical Sciences and Research*, 3(1), 2012, 236-240.
- [115] Samya M. El-Gizawy, Osama H. Abdelmageed, Mahmoud A. Omar , Sayed M. Deryea , Ahmed M. Abdel-Megied, Development and Validation of HPLC Method for Simultaneous Determination of Amlodipine, Valsartan,

- Hydrochlorothiazide in Dosage Form and Spiked Human Plasma, *American Journal of Analytical Chemistry*, 3, 2012, 422-430.
- [116] C.Raja Haranath Babu, Gowri Sankar Dannana, Development and validation of a reliable and rapid LC-MS/MS method for simultaneous quantification of sacubitril and valsartan in rat plasma and its application to a pharmacokinetic study, *World Journal of Pharmacy and Pharmaceutical Sciences*, 5(2), 2016, 651-667.
- [117] Muqhtar Ahmed, A. Satish kumar, Manzoor Ahmed, C.Vijayakrishna, Aaradhya, .S.M. Anil kumar, M.S.Siddalinga Swamy, Stability indicating RP-HPLC method for simultaneous estimation of sacubitril and valsartan in bulk and combined pharmaceutical dosage form, *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(4), 2017, 1714-1728.
- [118] Dr.C.J. Patel, Shweta Mishra, Dr. M.M.Patel, Simultaneous estimation of sacubitril and valsartan in pharmaceutical dosage form by development and validation of stability indicating chromatographic method, *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(7), 2017, 1434-1448.
- [119] S. Naazneen, A. Sridevi, Development of assay method and forced degradation study of Valsartan and Scubitril by RP-HPLC in tablet formulation, *IntJ App Pharm*, 9(1), 2017, 9-15.
- [120] Swathi Vaka, New Method Development and validation for the simultaneous estimation of sacubitril and valsartan in Abulk and pharmaceutical dosage forms, *Int. J. of Research*, 4(1), 2017, 17-24.
- [121] Kena H. Patel , Shailesh V. Luhar , Sachin B. Narkhede, Simultaneous estimation of sacubitril and valsartan in synthetic mixture by RP-HPLC Method, *JPharmSciBioscientific Res*, 6(3), 2016, 262-269.
- [122] V.Haribhaskar, M. Sukanya, B. Kumar, M. Gobinath, Ramesh Dhani, Analytical method development and validation for the simultaneous estimation of Sacubitril and valsartan by the RP-HPLC method in bulk and pharmaceutical dosage form, *pharma research library*.
- [123] Shalini pachauria , Sarvesh paliwalb , Kona.S.Srinivasa , Yogendra Singha , Varun Jain, Development and validation of HPLC method for analysis of

- some antihypertensive agents in their pharmaceutical dosage forms, *J.Pharm, Sci.&Res*, 2(8), 2010, 459-464.
- [124] N. Madana Gopal, C. Sridhar, RP-UPLC method for simultaneous estimation of sacubitril and Valsartan in its bulk and tablet dosage form with force degradation studies, *Int.J of ChemTech Research*, 10(4), 2017, 279-287.
- [125] Farheen Begum, SH. Rizwan, Stability indicating analytical method development and validation for estimation of sacubitril and valsartan in bulk and pharmaceutical dosage form using RP-HPLC, *International Journal of Farmacia*, 2(1), 2016, 79-87.
- [126] C.Mustafa, Mustafa Sinam. K, A. Sacide, S. Sahin, HPLC method development for the simultaneous analysis of amlodipine and valsartan in combined dosage form and invitro dissolution studies, *Brazilian Journal of Pharmaceutical Sciences*, 46(4), 2010, 761-768.
- [127] R.N. Rahul, S.S. Joshi, M. Varsha, S. Nalini, K.V. Surendranath, J. Sathish, Stability indicating RP-HPC method for simultaneous determination of amlodipine besylate and valsartan combination in bulk and commercial dosage forms, *Asian Journal of Pharmacy and Life Science*, 2(2), 2012, 280-290.
- [128] Hani. M. Hafez, A. E. Abdullah, M.M. Kamal, Quantitative determination of amlodipine besylate, losartan potassium, valsartan and atorvastatin calcium by HPLC in their pharmaceutical formulations, *Pharmaceutica Analytica Acta*, 5(5), 2014, 1-5.
- [129] U.Kallai Reddy, J. Sri Ramulu, P.Viswanatha reddy, B. Varaprasad, Single RP-HPLC method for the determination of hydrochloro thiazide, amlodipine besylate and valsartan in pharmaceutical products, *Journal of Pharmacy research*, 4(3), 2011, 894-896.