

Bibliography

- Alexander, M., J. R. Holton, and D. R. Durran (1995), The gravity wave response above deep convection in a squall line simulation, *J. Atmos. Sci.*, *52*(12), 2212–2226. [20](#), [131](#)
- Alexander, M., et al. (2010), Recent developments in gravity-wave effects in climate models and the global distribution of gravity-wave momentum flux from observations and models, *Q. J. R. Meteorol. Soc.*, *136*(650), 1103–1124. [17](#)
- Alexander, M. J. (1996), A simulated spectrum of convectively generated gravity waves: Propagation from the tropopause to the mesopause and effects on the middle atmosphere, *J. Geophys. Res.*, *101*(D1), 1571–1588. [154](#)
- Alexander, M. J., and R. A. Vincent (2000), Gravity waves in the tropical lower stratosphere: A model study of seasonal and interannual variability, *J. Geophys. Res.*, *105*(D14), 17,983–17,993. [20](#)
- Alexander, M. J., J. H. Beres, and L. Pfister (2000), Tropical stratospheric gravity wave activity and relationships to clouds, *J. Geophys. Res.*, *105*(D17), 22,299–22,309. [20](#)
- Anandarao, B., and R. Raghavarao (1979), Gravity waves and tidal winds in the equatorial thermosphere, in *Space Research XIX*, pp. 263–266. [35](#)
- Andrews, D. G., J. R. Holton, and C. B. Leovy (1987), *Middle atmosphere dynamics*, 40, Academic press, London. [3](#), [4](#), [6](#), [11](#), [12](#), [26](#), [28](#), [29](#), [128](#)

- Azeem, S., E. Talaat, G. Sivjee, H.-L. Liu, and R. Roble (2005), Observational study of the 4-day wave in the mesosphere preceding the sudden stratospheric warming events during 1995 and 2002, *Geophys. Res. Lett.*, *32*(15). [167](#)
- Bacmeister, J. T. (1993), Mountain-wave drag in the stratosphere and mesosphere inferred from observed winds and a simple mountain-wave parameterization scheme, *J. Atmos. Sci.*, *50*(3), 377–399. [19](#)
- Bacmeister, J. T., M. R. Schoeberl, L. R. Lait, P. A. Newman, and B. Gary (1990), Small-scale waves encountered during AASE, *Geophys. Res. Lett.*, *17*(4), 349–352. [19](#)
- Baker, D. J., and A. Stair Jr (1988), Rocket measurements of the altitude distributions of the hydroxyl airglow, *Physica Scripta*, *37*(4), 611–622. [42](#), [171](#)
- Baldwin, M., et al. (2001), The quasi-biennial oscillation, *Rev. Geophys.*, *39*(2), 179–229. [xv](#), [26](#), [27](#)
- Barth, C. A. (1964), Three-body reactions., *Ann. Geophys.*, *20*, 182–196. [39](#)
- Barth, C. A., and A. F. Hildebrandt (1961), The 5577 Å airglow emission mechanism, *J. Geophys. Res.*, *66*(3), 985–986. [39](#)
- Bates, D. (1992), Nightglow emissions from oxygen in the lower thermosphere, *Planet. Space Sci.*, *40*(2-3), 211–221. [39](#)
- Bates, D. R., and M. Nicolet (1950), The photochemistry of atmospheric water vapor, *J. Geophys. Res.*, *55*(3), 301–327. [42](#)
- Batista, P., H. Takahashi, and B. Clemesha (1994), Solar cycle and the QBO effect on the mesospheric temperature and nightglow emissions at a low latitude station, *Adv. Space Res.*, *14*(9), 221–224. [104](#)

- Becker, E. (2012), Dynamical control of the middle atmosphere, *Space Sci. Rev.*, 168(1-4), 283–314. [4](#)
- Beer, T. (1974), Atmospheric waves, *New York, Halsted Press; London, Adam Hilger, Ltd., 1974. 315 p.* [12](#), [16](#), [153](#)
- Bittner, M., D. Offermann, H.-H. Graef, M. Donner, and K. Hamilton (2002), An 18-year time series of OH rotational temperatures and middle atmosphere decadal variations, *J. Atmos. Solar Terr. Phys.*, 64(8), 1147–1166. [61](#)
- Blix, T., E. Thrane, and Ø. Andreassen (1990), In situ measurements of the fine-scale structure and turbulence in the mesosphere and lower thermosphere by means of electrostatic positive ion probes, *J. Geophys. Res.*, 95(D5), 5533–5548. [35](#)
- Brasseur, G. P., and S. Solomon (2006), *Aeronomy of the middle atmosphere: chemistry and physics of the stratosphere and mesosphere, 3rd ed.*, vol. 32, Dordrecht, Netherlands. [17](#)
- Bretthorst, G. L. (2013), *Bayesian spectrum analysis and parameter estimation, in Lecture Notes in Statistics*, vol. 48, Springer, New York. [83](#), [144](#)
- Burrage, M., R. Vincent, H. Mayr, W. Skinner, N. Arnold, and P. Hays (1996), Long-term variability in the equatorial middle atmosphere zonal wind, *J. Geophys. Res.*, 101(D8), 12,847–12,854. [26](#)
- Chamberlain, J. W. (1961), *Physics of the Aurora and Airglow: International Geophysics Series*, vol. 2, Academic Press, New York. [36](#)
- Chapman, S. (1939), Notes on Atmospheric Sodium., *Astrophys. J.*, 90, 309–316. [41](#)
- Chapman, S., and R. S. Lindzen (1970), *Atmospheric tides: thermal and gravitational*, D. Reidel, Dordrecht, Holland. [22](#)

- Charney, J. G., and P. G. Drazin (1961), Propagation of planetary-scale disturbances from the lower into the upper atmosphere, *J. Geophys. Res.*, *66*(1), 83–109. [24](#), [128](#)
- Chowdhury, P., D. Choudhary, S. Gosain, and Y.-J. Moon (2015), Short-term periodicities in interplanetary, geomagnetic and solar phenomena during solar cycle 24, *Astrophysics and Space Science*, *356*(1), 7–18. [109](#)
- Clemesha, B., H. Takahashi, D. Simonich, D. Gobbi, and P. Batista (2005), Experimental evidence for solar cycle and long-term change in the low-latitude MLT region, *J. Atmos. Solar Terr. Phys.*, *67*(1), 191–196. [104](#)
- Coxon, J., and S. Foster (1982), Rotational analysis of hydroxyl vibration-rotation emission bands: Molecular constants for OH, *Can. J. Phys.*, *60*(1), 41–48. [63](#)
- Dalgarno, A., and F. Smith (1962), The thermal conductivity and viscosity of atomic oxygen, *Planet. Space Sci.*, *9*(1-2), 1–2. [153](#)
- Daubechies, I. (1990), The wavelet transform, time-frequency localization and signal analysis, *IEEE Trans. Inform. Theory*, *36*(5), 961–1005. [86](#)
- Daubechies, I. (1992), *Ten lectures on wavelets*, Society for Industrial and Applied Mathematics. [85](#)
- Deepa, V., G. Ramkumar, M. Antonita, K. Kumar, and M. Sasi (2006), Vertical propagation characteristics and seasonal variability of tidal wind oscillations in the MLT region over Trivandrum (8.5°N, 77°E): First results from SKiYMET meteor radar, *Ann. Geophys.*, *24*(11), 2877–2889. [22](#)
- Dewan, E., R. Picard, R. O’Neil, H. Gardiner, J. Gibson, J. Mill, E. Richards, M. Kendra, and W. Gallery (1998), MSX satellite observations of thunderstorm-generated gravity waves in mid-wave infrared images of the upper stratosphere, *Geophys. Res. Lett.*, *25*(7), 939–942. [20](#)

- Dhaka, S., B. K. Murthy, O. Nagpal, R. R. Rao, M. Sasi, and S. Sundaresan (1995), A study of equatorial waves in the Indian zone, *J. Atmos. Solar Terr. Phys.*, *57*(11), 1189–1202. [128](#)
- Drob, D. P., et al. (2015), An update to the Horizontal Wind Model (HWM): The quiet time thermosphere, *Earth and Space Science*, *2*(7), 301–319. [151](#)
- Dunkerton, T. J. (1982), Theory of the mesopause semiannual oscillation, *J. Atmos. Sci.*, *39*(12), 2681–2690. [25](#)
- Dunkerton, T. J. (1997), The role of gravity waves in the quasi-biennial oscillation, *J. Geophys. Res.*, *102*(D22), 26,053–26,076. [26](#)
- Ejiri, M., K. Shiokawa, T. Ogawa, K. Igarashi, T. Nakamura, and T. Tsuda (2003), Statistical study of short-period gravity waves in OH and OI nightglow images at two separated sites, *J. Geophys. Res.*, *108*(D21). [114](#)
- Farge, M. (1992), Wavelet transforms and their applications to turbulence, *Annu. Rev. Fluid Mech.*, *24*(1), 395–458. [87](#)
- Fleming, E. L., S. Chandra, J. Barnett, and M. Corney (1990), Zonal mean temperature, pressure, zonal wind and geopotential height as functions of latitude, *Adv. Space Res.*, *10*(12), 11–59, doi:10.1016/0273-1177(90)90386-E. [192](#)
- Forbes, J. M. (1995), Tidal and planetary waves, in the upper mesosphere and lower thermosphere: A review of experiment and theory, edited by R.M. Johnson and T.L. Killeen, *Geophys. Monogr. Ser.*, *87*, 67–87. [6](#), [22](#), [23](#), [128](#)
- Forbes, J. M. (2000), Wave coupling between the lower and upper atmosphere: case study of an ultra-fast Kelvin Wave, *J. Atmos. Solar Terr. Phys.*, *62*(17), 1603–1621. [24](#)

- Forbes, J. M., and G. V. Groves (1987), Diurnal propagating tides in the low-latitude middle atmosphere, *J. Atmos. Solar Terr. Phys.*, *49*(2), 153–164. [22](#)
- Forbes, J. M., G. Jun, and M. Saburo (1991), On the interactions between gravity waves and the diurnal propagating tide, *Planet. Space Sci.*, *39*(9), 1249–1257. [128](#)
- Forbes, J. M., X. Zhang, S. E. Palo, J. Russell, C. J. Mertens, and M. Mlynczak (2009), Kelvin waves in stratosphere, mesosphere and lower thermosphere temperatures as observed by TIMED/SABER during 2002–2006, *Earth, planets and space*, *61*(4), 447–453. [24](#)
- Fovell, R., D. Durran, and J. Holton (1992), Numerical simulations of convectively generated stratospheric gravity waves, *J. Atmos. Sci.*, *49*(16), 1427–1442. [131](#)
- French, W., G. Burns, K. Finlayson, P. Greet, R. Lowe, and P. Williams (2000), Hydroxyl (6/2) airglow emission intensity ratios for rotational temperature determination, *Ann. Geophys.*, *18*(10), 1293–1303. [61](#)
- Fritts, D. C., and M. J. Alexander (2003), Gravity wave dynamics and effects in the middle atmosphere, *Rev. Geophys.*, *41*(1), doi:10.1029/2001RG000106. [16](#), [19](#), [20](#), [114](#), [117](#), [130](#), [131](#), [135](#)
- Fritts, D. C., and G. D. Nastrom (1992), Sources of mesoscale variability of gravity waves. Part II: Frontal, convective, and jet stream excitation, *J. Atmos. Sci.*, *49*(2), 111–127. [19](#), [131](#)
- Fritts, D. C., S. L. Vadas, K. Wan, and J. A. Werne (2006), Mean and variable forcing of the middle atmosphere by gravity waves, *J. Atmos. Solar Terr. Phys.*, *68*(3), 247–265. [130](#)
- Fritz, S., and S. Soules (1970), Large-scale temperature changes in the stratosphere observed from Nimbus III, *J. Atmos. Sci.*, *27*(7), 1091–1097. [30](#)

- Fukao, S., T. Sato, N. Yamasaki, R. M. Harper, and S. Kato (1980), Radar measurement of tidal winds at stratospheric heights over Arecibo, *J. Atmos. Sci.*, *37*(11), 2540–2544. [22](#)
- Garcia, R., D. Marsh, D. Kinnison, B. Boville, and F. Sassi (2007), Simulation of secular trends in the middle atmosphere, 1950–2003, *J. Geophys. Res.*, *112*(D9), 1950–2003, doi:10.1029/2006JD007485. [8](#)
- Garcia, R. R., T. J. Dunkerton, R. S. Lieberman, and R. A. Vincent (1997), Climatology of the semiannual oscillation of the tropical middle atmosphere, *J. Geophys. Res.*, *102*(D22), 26,019–26,032. [25](#), [59](#)
- García-Comas, M., et al. (2008), Errors in Sounding of the Atmosphere using Broadband Emission Radiometry (SABER) kinetic temperature caused by non-local-thermodynamic-equilibrium model parameters, *J. Geophys. Res.*, *113*(D24), doi:10.1029/2008JD010105. [77](#)
- Gavrilov, N., A. Manson, and C. Meek (1995), Climatological monthly characteristics of middle atmosphere gravity waves (10 min–10 h) during 1979–1993 at Saskatoon, *Ann. Geophys.*, *13*(3), 285–295. [20](#)
- Geisler, J., and R. E. Dickinson (1976), The five-day wave on a sphere with realistic zonal winds, *J. Atmos. Sci.*, *33*(4), 632–641. [23](#)
- Geller, M. A. (1983), Dynamics of the middle atmosphere, *Space Sci. Rev.*, *34*(4), 359–375. [7](#)
- Gordley, L. L., et al. (2009), The solar occultation for ice experiment, *J. Atmos. Solar Terr. Phys.*, *71*(3), 300–315, doi:10.1016/j.jastp.2008.07.012. [78](#)
- Greet, P., W. French, G. Burns, P. Williams, R. Lowe, and K. Finlayson (1997), OH (6–2) spectra and rotational temperature measurements at Davis, Antarctica, *Ann. Geophys.*, *16*(1), 77–89. [61](#)

- Gregory, J., and A. Manson (1975), Winds and wave motions to 110 km at mid-latitudes, III, Response of mesospheric and thermospheric winds to major stratospheric warmings, *J. Atmos. Sci.*, *32*, 1676-1681. [30](#)
- Grimsdell, A. W., M. J. Alexander, P. T. May, and L. Hoffmann (2010), Model study of waves generated by convection with direct validation via satellite, *J. Atmos. Sci.*, *67*(5), 1617–1631. [131](#)
- Groves, G. (1972), Annual and semi-annual zonal wind components and corresponding temperature and density variations, 60–130 km, *Planet. Space Sci.*, *20*(12), 2099–2112. [25](#)
- Gurubaran, S., and R. Rajaram (1999), Long-term variability in the mesospheric tidal winds observed by MF Radar over Tirunelveli (8.7°N, 77.8°E), *Geophys. Res. Lett.*, *26*(8), 1113–1116. [34](#)
- Gurubaran, S., S. Sridharan, T. Ramkumar, and R. Rajaram (2001), The mesospheric quasi-2-day wave over Tirunelveli (8.7°N), *J. Atmos. Solar Terr. Phys.*, *63*(10), 975–985. [128](#)
- Hagan, M., R. Roble, and J. Hackney (2001), Migrating thermospheric tides, *J. Geophys. Res.*, *106*(A7), 12,739–12,752. [22](#)
- Haley, C. S., and I. C. McDade (2002), Procedures for recovering mesospheric and stratospheric temperatures from OSIRIS scattered-sunlight measurements, *Can. J. Phys.*, *80*(4), 435–442. [77](#)
- Hargreaves, J. K. (1992), *The solar-terrestrial environment: an introduction to geospace-the science of the terrestrial upper atmosphere, ionosphere, and magnetosphere*, Cambridge University Press. [21](#)
- Hauchecorne, A., M. L. Chanin, and R. Wilson (1987), Mesospheric temperature inversion and gravity wave breaking, *Geophys. Res. Lett.*, *14*(9), 933–936. [158](#)

- Hernández, G. (1988), *Fabry-perot interferometers*, 3, Cambridge University Press. [71](#)
- Hines, C. O. (1960), Internal atmospheric gravity waves at ionospheric heights, *Can. J. Phys.*, *38*(11), 1441–1481. [16](#), [91](#), [146](#), [149](#), [150](#)
- Hines, C. O. (1974), *The upper atmosphere in motion*, Am. Geophys. Union, Washington, DC. [xv](#), [16](#), [49](#)
- Hirota, I. (1978), Equatorial waves in the upper stratosphere and mesosphere in relation to the semiannual oscillation of the zonal wind, *J. Atmos. Sci.*, *35*(4), 714–722. [24](#), [25](#), [27](#)
- Hirota, I. (1979), Kelvin waves in the equatorial middle atmosphere observed by the Nimbus 5. SCR, *J. Atmos. Sci.*, *36*(2), 217–222. [24](#)
- Hocke, K. (1998), Phase estimation with the Lomb-Scargle periodogram method, *Ann. Geophys.*, *16*(3), 356–358. [82](#)
- Hocking, W. (1999), Temperatures Using radar-meteor decay times, *Geophys. Res. Lett.*, *26*(21), 3297–3300. [34](#)
- Hoffmann, P., W. Singer, D. Keuer, W. Hocking, M. Kunze, and Y. Murayama (2007), Latitudinal and longitudinal variability of mesospheric winds and temperatures during stratospheric warming events, *J. Atmos. Solar Terr. Phys.*, *69*(17), 2355–2366. [30](#)
- Holton, J. R. (1980), The dynamics of sudden stratospheric warmings, *Annu. Rev. Earth Planet. Sci.*, *8*(1), 169–190. [29](#)
- Holton, J. R. (1983), The influence of gravity wave breaking on the general circulation of the middle atmosphere, *J. Atmos. Sci.*, *40*(10), 2497–2507. [10](#)

- Horinouchi, T., T. Nakamura, and J.-i. Kosaka (2002), Convectively generated mesoscale gravity waves simulated throughout the middle atmosphere, *Geophys. Res. Lett.*, *29*(21), doi:10.1029/2002GL016069. [20](#)
- Horne, J. H., and S. L. Baliunas (1986), A prescription for period analysis of unevenly sampled time series, *Astrophys. J.*, *302*, 757–763. [80](#), [84](#), [89](#), [90](#), [91](#)
- Jasperson, W., G. Nastrom, and D. Fritts (1990), Further study of terrain effects on the mesoscale spectrum of atmospheric motions, *J. Atmos. Sci.*, *47*(8), 979–987. [19](#)
- Karlsson, B., H. Kőrnic, and J. Gumbel (2007), Evidence for interhemispheric stratosphere-mesosphere coupling derived from noctilucent cloud properties, *Geophys. Res. Lett.*, *34*(16), doi:10.1029/2007GL030282. [30](#)
- Karlsson, B., C. McLandress, and T. G. Shepherd (2009), Inter-hemispheric mesospheric coupling in a comprehensive middle atmosphere model, *J. Atmos. Solar Terr. Phys.*, *71*(3), 518–530. [30](#)
- Kelley, M., M. Larsen, C. LaHoz, and J. McClure (1981), Gravity wave initiation of equatorial spread F: A case study, *J. Geophys. Res.*, *86*(A11), 9087–9100. [4](#)
- Kim, Y. H., C. Lee, J.-K. Chung, J.-H. Kim, and H.-Y. Chun (2010), Seasonal variations of mesospheric gravity waves observed with an airglow all-sky camera at Mt. Bohyun, Korea (36°N), *J. Astron. Sp. Sci.*, *27*(3), 181–188, doi:10.5140/JASS.2010.27.3.181. [114](#)
- Kőrnic, H., and E. Becker (2010), A simple model for the interhemispheric coupling of the middle atmosphere circulation, *Adv. Space Res.*, *45*(5), 661–668. [30](#)
- Krasovskij, V., and N. Šefov (1965), Airglow, *Space Sci. Rev.*, *4*(2), 176–198. [49](#)

- Kumar, K. K., G. Ramkumar, and S. Shelbi (2007), Initial results from SKiYMET meteor radar at Thumba (8.5°N, 77°E): 1. Comparison of wind measurements with MF spaced antenna radar system, *Radio Sci.*, *42*(6), doi:10.1029/2006RS003551. [34](#)
- Labitzke, K. (1972), Temperature changes in the mesosphere and stratosphere connected with circulation changes in winter, *J. Atmos. Sci.*, *29*(4), 756–766. [28](#), [166](#)
- Labitzke, K. (1981), Stratospheric-mesospheric midwinter disturbances: A summary of observed characteristics, *J. Geophys. Res.*, *86*(C10), 9665–9678. [28](#), [166](#)
- Labitzke, K. G., and H. Van Loon (1999), *The stratosphere: phenomena, history, and relevance*, Springer-Verlag, New York. [29](#)
- Lakshmi Narayanan, V., and S. Gurubaran (2013), Statistical characteristics of high frequency gravity waves observed by OH airglow imaging from Tirunelveli (8.7°N), *J. Atmos. Sci.*, *92*, 43–50, doi:10.1016/j.jastp.2012.09.002. [114](#)
- Lakshmi Narayanan, V., S. Gurubaran, and K. Emperumal (2010), Airglow imaging observations of small-scale structures driven by convective instability in the upper mesosphere over Tirunelveli (8.7 °N), *J. Geophys. Res.*, *115*(D19). [20](#)
- Lane, T. P., R. D. Sharman, T. L. Clark, and H.-M. Hsu (2003), An investigation of turbulence generation mechanisms above deep convection, *J. Atmos. Sci.*, *60*(10), 1297–1321, doi:10.1175/1520-0469(2003)60<1297:AIOTGM>2.0.CO;2. [20](#)
- Larsen, M. (2002), Winds and shears in the mesosphere and lower thermosphere: Results from four decades of chemical release wind measurements, *J. Geophys. Res.*, *107*(A8), doi:10.1029/2001JA000218. [35](#)

- Laskar, F. I., and D. Pallamraju (2014), Does sudden stratospheric warming induce meridional circulation in the mesosphere thermosphere system?, *J. Geophys. Res.*, *119*(12), 10,133–10,143, doi:10.1002/2014JA020086. [167](#)
- Laskar, F. I., D. Pallamraju, T. V. Lakshmi, M. A. Reddy, B. Pathan, and S. Chakrabarti (2013), Investigations on vertical coupling of atmospheric regions using combined multiwavelength optical dayglow, magnetic, and radio measurements, *J. Geophys. Res.*, *118*(7), 4618–4627. [128](#)
- Laskar, F. I., D. Pallamraju, and B. Veenadhari (2014), Vertical coupling of atmospheres: dependence on strength of sudden stratospheric warming and solar activity, *Earth, Planets and Space*, *66*(1), 94, doi:10.1186/1880-5981-66-94. [166](#)
- Laskar, F. I., D. Pallamraju, B. Veenadhari, T. V. Lakshmi, M. A. Reddy, and S. Chakrabarti (2015), Gravity waves in the thermosphere: Solar activity dependence, *Adv. Space Res.*, *55*(6), 1651–1659. [104](#), [128](#)
- Lehmacher, G., R. Goldberg, F. Schmidlin, C. Croskey, J. Mitchell, and W. Swartz (1997), Electron density fluctuations in the equatorial mesosphere: Neutral Turbulence or plasma instabilities?, *Geophys. Res. Lett.*, *24*(13), 1715–1718. [35](#)
- Levoy, C. (1964), Simple models of thermally driven mesospheric circulation, *J. Atmos. Sci.*, *21*, 327–341. [10](#)
- Li, Q., J. Xu, J. Yue, W. Yuan, and X. Liu (2011), Statistical characteristics of gravity wave activities observed by an OH airglow imager at Xinglong, in northern China, *Ann. Geophys.*, *29*(8), 1401–1410. [122](#)
- Lin, Y.-L. (2007), *Mesoscale dynamics*, Cambridge University Press, Cambridge. [xv](#), [13](#)
- Lindzen, R. S. (1981), Turbulence and stress owing to gravity wave and tidal breakdown, *J. Geophys. Res.*, *86*(C10), 9707–9714. [10](#)

- Liu, H.-L., and R. Roble (2002), A study of a self-generated stratospheric sudden warming and its mesospheric–lower thermospheric impacts using the coupled TIME-GCM/CCM3, *J. Geophys. Res.*, 107(D23). [30](#)
- Lomb, N. R. (1976), Least-squares frequency analysis of unequally spaced data, *Astrophys. Space Sci.*, 39(2), 447–462. [80](#), [81](#), [107](#), [116](#)
- London, J. (1980), *Radiative energy sources and sinks in the stratosphere and mesosphere*, 703 pp., Proc of the NATO Advanced Institute on Atmospheric Ozone, A.C. Aikin, ed., U.S. Dept. of Transportation, FAAEE8020, FAA, Washington, D.C., USA. [xv](#), [6](#), [7](#)
- López-González, M., et al. (2004), Seasonal variations of O_2 atmospheric and $OH(6-2)$ airglow and temperature at mid-latitudes from SATI observations, *Ann. Geophys.*, 22(3), 819–828. [109](#)
- Lübken, F.-J. (1992), On the extraction of turbulent parameters from atmospheric density fluctuations, *J. Geophys. Res.*, 97(D18), 20,385–20,395. [35](#)
- Lübken, F.-J. (1997), Seasonal variation of turbulent energy dissipation rates at high latitudes as determined by in situ measurements of neutral density fluctuations, *J. Geophys. Res.*, 102(D12), 13,441–13,456. [35](#)
- Macleod, H. (2001), Thin Film Optical Filters, *Institute of Physics Publishing*, 3rd edition. [71](#)
- Madden, R. A. (1979), Observations of large-scale traveling Rossby waves, *Rev. Geophys.*, 17(8), 1935–1949, doi:10.1029/RG017i008p01935. [128](#)
- Mahakur, M., A. Prabhu, A. Sharma, V. Rao, S. Senroy, R. Singh, and B. Goswami (2013), A high-resolution outgoing longwave radiation dataset from Kalpana-1 satellite during 2004–2012, *Curr. Sci.*, pp. 1124–1133. [78](#)
- Makhlouf, U., E. Dewan, J. Isler, and T. Tuan (1990), On the importance of the purely gravitationally induced density, pressure, and temperature variations

- in gravity waves: Their application to airglow observations, *J. Geophys. Res.*, *95*(A4), 4103–4111. [121](#)
- Manson, A., C. Meek, Y. Luo, W. Hocking, J. MacDougall, D. Riggin, D. Fritts, and R. Vincent (2003), Modulation of gravity waves by planetary waves (2 and 16 d): observations with the North American-Pacific MLT-MFR radar network, *J. Atmos. Solar Terr. Phys.*, *65*(1), 85–104. [128](#)
- Marshall, B., L. Deaver, R. Thompson, L. Gordley, M. McHugh, M. Hervig, and J. Russell III (2011), Retrieval of temperature and pressure using broadband solar occultation: SOFIE approach and results, *Atmos. Meas. Tech.*, *4*(5), 893–907, doi:10.5194/amt-4-893-2011. [78](#)
- Matsuno, T. (1970), Vertical propagation of stationary planetary waves in the winter Northern Hemisphere, *J. Atmos. Sci.*, *27*(6), 871–883. [28](#)
- Matsuno, T. (1971), A dynamical model of the stratospheric sudden warming, *J. Atmos. Sci.*, *28*(8), 1479–1494. [28](#), [29](#), [30](#), [166](#)
- McDade, I. (1998), The photochemistry of the MLT oxygen airglow emissions and the expected influences of tidal perturbations, *Adv. Space Res.*, *21*(6), 787–794. [39](#)
- McInturff, R. M. (1978), Stratospheric warmings: Synoptic, dynamic and general-circulation aspects, *NASA Ref. Publ.*, p. 1017. [28](#), [166](#)
- McIntyre, M. E. (1982), How well do we understand the dynamics of stratospheric warmings?, *J. Meteorol. Soc. Jpn.*, *60*(1), 37–65. [29](#)
- McLandress, C., and W. Ward (1994), Tidal/gravity wave interactions and their influence on the large-scale dynamics of the middle atmosphere: Model results, *J. Geophys. Res.*, *99*(D4), 8139–8155. [22](#)
- McLandress, C., and S. P. Zhang (2007), Satellite observations of mean winds

- and tides in the lower thermosphere: 1. Aliasing and sampling issues, *J. Geophys. Res.*, *112*(D21). [22](#)
- McLandress, C., M. J. Alexander, and D. L. Wu (2000), Microwave Limb Sounder observations of gravity waves in the stratosphere: A climatology and interpretation, *J. Geophys. Res.*, *105*(D9), 11,947–11,967. [20](#), [22](#)
- McLennan, J., and G. Shrum (1925), On the Origin of the Auroral Green Line 5577 angstrom, and Other Spectra Associated with the Aurora Borealis, *Proc. R. Soc. Lond. Series A*, *A108*, 501–512. [39](#)
- Meinel, I. (1950), OH Emission Bands in the Spectrum of the Night Sky., *Astrophys. J.*, *111*, 555. [42](#)
- Meriwether, J. W. (1989), A review of the photochemistry of selected nightglow emissions from the mesopause, *J. Geophys. Res.*, *94*(D12), 14,629–14,646. [42](#)
- Meriwether, J. W., and C. S. Gardner (2000), A review of the mesosphere inversion layer phenomenon, *J. Geophys. Res.*, *105*(D10), 12,405–12,416. [31](#), [158](#)
- Meriwether, J. W., and A. J. Gerrard (2004), Mesosphere inversion layers and stratosphere temperature enhancements, *Rev. Geophys.*, *42*(3). [xv](#), [4](#), [5](#), [31](#), [32](#), [158](#)
- Meriwether, J. W., and M. G. Mlynczak (1995), Is chemical heating a major cause of the mesosphere inversion layer?, *J. Geophys. Res.*, *100*(D1), 1379–1387. [31](#), [158](#)
- Meriwether Jr, J. (1984), Ground based measurements of mesosphere temperatures by optical means, *Middle Atmosphere Handbook*, *13*, 1–18. [61](#), [62](#), [63](#)

- Mertens, C. J., M. G. Mlynczak, M. López-Puertas, P. P. Wintersteiner, R. Picard, J. R. Winick, L. L. Gordley, and J. M. Russell (2001), Retrieval of mesospheric and lower thermospheric kinetic temperature from measurements of CO_2 15 μm Earth Limb Emission under non-LTE conditions, *Geophys. Res. Lett.*, 28(7), 1391–1394. [67](#), [77](#), [169](#)
- Mies, F. H. (1974), Calculated vibrational transition probabilities of $OH(X^2\Pi)$, *J. Mol. Spect.*, 53(2), 150–188. [62](#), [63](#)
- Mukherjee, B., and B. Ramanamurty (1972), High level warmings over a tropical station, *Monthly Weather Review*, 100, 674–681. [167](#)
- Mukhtarov, P., et al. (2007), Large-scale thermodynamics of the stratosphere and mesosphere during the major stratospheric warming in 2003/2004, *J. Atmos. Solar Terr. Phys.*, 69(17), 2338–2354. [30](#)
- Murphy, D., W. French, and R. Vincent (2007), Long-period planetary waves in the mesosphere and lower thermosphere above Davis, Antarctica, *J. Atmos. Solar Terr. Phys.*, 69(17), 2118–2138. [23](#)
- Murtagh, D., G. Witt, J. Stegman, I. McDade, E. Llewellyn, F. Harris, and R. Greer (1990), An assessment of proposed $O(^1S)$ and $O_2(b^1\Sigma_g^+)$ nightglow excitation parameters, *Planet. Space Sci.*, 38(1), 43–53. [39](#), [171](#)
- Murtagh, D., et al. (2002), An overview of the Odin atmospheric mission, *Can. J. Phys.*, 80(4), 309–319. [77](#)
- Murthy, B. K. (1998), Middle atmosphere-upper atmosphere coupling, *Proc. Ind. Nat. Sc. Acad.*, 64(3), 303–313. [13](#)
- Myrabø, H., C. Deehr, and B. Lybekk (1984), Polar cap OH airglow rotational temperatures at the mesopause during a stratospheric warming event, *Planet. Space Sci.*, 32(7), 853–856. [30](#)

- Nakamura, T., A. Higashikawa, T. Tsuda, and Y. Matsushita (1999), Seasonal variations of gravity wave structures in OH airglow with a CCD imager at Shigaraki, *Earth, planets and space*, 51(7-8), 897–906. [114](#)
- Nappo, C. J. (2013), *An introduction to atmospheric gravity waves*, Academic Press, California. [16](#), [18](#)
- Nastrom, G., D. Fritts, and K. Gage (1987), An investigation of terrain effects on the mesoscale spectrum of atmospheric motions, *J. Atmos. Sci.*, 44(20), 3087–3096. [19](#)
- Pallamraju, D., U. Das, and S. Chakrabarti (2010), Short-and long-timescale thermospheric variability as observed from OI 630.0 nm dayglow emissions from low latitudes, *J. Geophys. Res.*, 115(A6), doi:10.1029/2009JA015042. [89](#), [115](#)
- Pallamraju, D., et al. (2014), Daytime wave characteristics in the mesosphere lower thermosphere region: Results from the Balloon-borne Investigations of Regional-atmospheric Dynamics experiment, *J. Geophys. Res.*, 119(3), 2229–2242, doi:10.1002/2013JA019368. [4](#), [54](#)
- Pancheva, D., et al. (2008), Planetary wave coupling (5–6-day waves) in the low-latitude atmosphere–ionosphere system, *J. Atmos. Solar Terr. Phys.*, 70(1), 101–122. [128](#)
- Pendleton, W., P. Espy, and M. Hammond (1993), Evidence for non-local-thermodynamic-equilibrium rotation in the OH nightglow, *J. Geophys. Res.*, 98(A7), 11,567–11,579. [62](#)
- Pertsev, N., and V. Perminov (2008), Response of the mesopause airglow to solar activity inferred from measurements at Zvenigorod, Russia, *Ann. Geophys.*, 26(5), 1049–1056. [104](#)

- Pfister, L., W. Starr, R. Craig, M. Loewenstein, and M. Legg (1986), Small-scale motions observed by aircraft in the tropical lower stratosphere: Evidence for mixing and its relationship to large-scale flows, *J. Atmos. Sci.*, *43*(24), 3210–3225. [20](#)
- Phadke, K. A., R. Narayanan, R. P. Singh, and D. Pallamraju (2014), An Automated CCD-based Multi-wavelength Airglow Photometer (CMAP) for Optical Aeronomy Studies, *PRL Tech. Note, PRL-TN-2014-107*. [69](#), [134](#), [203](#)
- Piani, C., D. Durran, M. Alexander, and J. Holton (2000), A numerical study of three-dimensional gravity waves triggered by deep tropical convection and their role in the dynamics of the QBO, *J. Atmos. Sci.*, *57*(22), 3689–3702. [20](#)
- Pitteway, M., and C. Hines (1963), The viscous damping of atmospheric gravity waves, *Can. J. Phys.*, *41*(12), 1935–1948. [153](#)
- Prakash, S., B. Subbaraya, and S. Gupta (1972), Rocket measurements of ionization irregularities in the equatorial ionosphere at Thumba & identification of plasma instabilities, *Ind. J. Radio and Space Phys.*, *1*, 72–80. [35](#)
- Pramitha, M., M. Venkat Ratnam, A. Taori, B. Krishna Murthy, D. Pallamraju, and S. Vijaya Bhaskar Rao (2015), Evidence for tropospheric wind shear excitation of high-phase-speed gravity waves reaching the mesosphere using the ray-tracing technique, *Atmos. Chem. Phys.*, *15*(5), 2709–2721. [135](#)
- Press, W. H., and G. B. Rybicki (1989), Fast algorithm for spectral analysis of unevenly sampled data, *Astrophys. J.*, *338*, 277–280. [80](#), [81](#)
- Ramesh, K., S. Sridharan, and S. Vijaya Bhaskara Rao (2013), Dominance of chemical heating over dynamics in causing a few large mesospheric inversion layer events during January–February 2011, *J. Geophys. Res.*, *118*(10), 6751–6765. [31](#), [158](#)

- Rapp, M., B. Strelnikov, A. Müllemann, F.-J. Lübken, and D. Fritts (2004), Turbulence measurements and implications for gravity wave dissipation during the MaCWAVE/MIDAS rocket program, *Geophys. Res. Lett.*, *31*(24). [35](#)
- Reddi, C. R. (1998), Middle atmospheric dynamics, *Proc. Ind. Nat. Sc. Acad.*, *64*(A(3)), 289–301. [13](#)
- Reed, R. J. (1966), Zonal wind behavior in the equatorial stratosphere and lower mesosphere, *J. Geophys. Res.*, *71*(18), 4223–4233. [25](#)
- Reid, I. M., A. J. Spargo, and J. M. Woithe (2014), Seasonal variations of the nighttime $O(^1S)$ and $OH(8-3)$ airglow intensity at Adelaide, Australia, *J. Geophys. Res.*, *119*(11), 6991–7013. [110](#)
- Remsberg, E., et al. (2008), Assessment of the quality of the Version 1.07 temperature-versus-pressure profiles of the middle atmosphere from TIMED/SABER, *J. Geophys. Res.*, *113*(D17). [77](#)
- Remsberg, E. E., P. P. Bhatt, and L. E. Deaver (2002), Seasonal and longer-term variations in middle atmosphere temperature from HALOE on UARS, *J. Geophys. Res.*, *107*(D19). [25](#)
- Richter, J. H., F. Sassi, and R. R. Garcia (2010), Toward a physically based gravity wave source parameterization in a general circulation model, *J. Atmos. Sci.*, *67*(1), 136–156. [8](#)
- Rienecker, M. M., et al. (2011), MERRA: NASA’s Modern-Era Retrospective analysis for Research and Applications, *J. climate*, *24*(14), 3624–3648. [78](#)
- Russell III, J. M., M. G. Mlynczak, L. L. Gordley, J. Tansock, and R. Esplin (1999), An overview of the SABER experiment and preliminary calibration results, in *Proc. SPIE*, 3756, pp. 277–288. [76](#), [174](#)

- Salby, M. L. (1981), Rossby normal modes in nonuniform background configurations. Part I: Simple fields, *J. Atmos. Sci.*, *38*(9), 1803–1826. [128](#)
- Salby, M. L. (1996), *Fundamentals of atmospheric physics, International geophysics series*, vol. 61, Academic Press, California. [23](#), [24](#)
- Salby, M. L., D. L. Hartmann, P. L. Bailey, and J. C. Gille (1984), Evidence for equatorial Kelvin modes in Nimbus-7 LIMS, *J. Atmos. Sci.*, *41*(2), 220–235. [23](#)
- Sarkhel, S., R. Sekar, D. Chakrabarty, and S. Sridharan (2010), A case study on the possible altitude-dependent effects of collisions on sodium airglow emission, *J. Geophys. Res.*, *115*(A10). [41](#)
- Sasi, M., and B. Krishna Murthy (1990), Diurnal and semidiurnal tides in the middle atmosphere over Balasore (21.5 N, 86.9 E), *J. Atmos. Sci.*, *47*(17), 2101–2107. [22](#)
- Sasi, M., G. Ramkumar, and V. Deepa (1998), Nonmigrating diurnal tides in the troposphere and lower stratosphere over Gadanki (13.5°N, 79.2°E), *J. Geophys. Res.*, *103*(D16), 19,485–19,494. [22](#)
- Sasi, M., G. Ramkumar, and V. Deepa (2001), Tidal wind oscillations in the tropical lower atmosphere as observed by Indian MST Radar, *Ann. Geophys.*, *19*(8), 991–999. [22](#)
- Sasi, M., G. Ramkumar, and B. K. Murthy (2005), Studies on equatorial waves over the Indian zone, *Curr. Sci.*, *89*(3), 475–487. [128](#)
- Sato, K. (1992), Vertical wind disturbances in the afternoon of mid-summer revealed by the MU radar, *Geophys. Res. Lett.*, *19*(19), 1943–1946. [20](#)
- Sato, K. (1993), Small-scale wind disturbances observed by the MU radar during the passage of Typhoon Kelly, *J. Atmos. Sci.*, *50*(4), 518–537. [20](#)

- Savigny, C. v., I. McDade, K.-U. Eichmann, and J. Burrows (2012), On the dependence of the OH* Meinel emission altitude on vibrational level: SCIAMACHY observations and model simulations, *Atmos. Chem. Phys.*, *12*(18), 8813–8828. [171](#)
- Scargle, J. D. (1982), Studies in astronomical time series analysis. II-Statistical aspects of spectral analysis of unevenly spaced data, *Astrophys. J.*, *263*, 835–853. [80](#), [107](#), [116](#)
- Scheer, J., E. Reisin, and C. Mandrini (2005), Solar activity signatures in mesopause region temperatures and atomic oxygen related airglow brightness at El Leoncito, Argentina, *J. Atmos. Solar Terr. Phys.*, *67*(1), 145–154. [104](#)
- Schlapp, R. (1937), Fine Structure in the $^3\Sigma$ Ground State of the Oxygen Molecule, and the Rotational Intensity Distribution in the Atmospheric Oxygen Band, *Phys. Rev.*, *51*(5), 342–345. [64](#)
- Schulz, M., and M. Mudelsee (2002), REDFIT: estimating red-noise spectra directly from unevenly spaced paleoclimatic time series, *Computers & Geosciences*, *28*(3), 421–426. [84](#), [89](#), [90](#), [91](#), [115](#), [142](#)
- Sharma, S., H. Chandra, G. Beig, P. Kumar, and R. Vaishnav (2016), Investigations of mesospheric temperature inversions over sub-tropical location using lidar and satellites measurements, *J. Atmos. Solar Terr. Phys.*, *138*, 54–65. [31](#)
- Sheese, P., E. Llewellyn, R. Gattinger, A. Bourassa, D. Degenstein, N. Lloyd, and I. McDade (2010), Temperatures in the upper mesosphere and lower thermosphere from OSIRIS observations of O_2 A-band emission spectra, *Can. J. Phys.*, *88*(12), 919–925. [77](#)
- Sheese, P., E. Llewellyn, R. Gattinger, and K. Strong (2014), OH Meinel band

- nightglow profiles from OSIRIS observations, *J. Geophys. Res.*, *119*(19).
[171](#)
- Shepherd, T. G. (2000), The middle atmosphere, *J. Atmos. Solar Terr. Phys.*,
62(17), 1587–1601. [4](#)
- Shimizu, A., and T. Tsuda (1997), Characteristics of Kelvin waves and grav-
ity waves observed with radiosondes over Indonesia, *J. Geophys. Res.*,
102(D22), 26,159–26,171. [20](#)
- Shiokawa, K., et al. (2007), Development of airglow temperature photometers
with cooled-CCD detectors, *Earth, planets and space*, *59*(6), 585–599. [61](#)
- Singh, R., P. Thapliyal, C. Kishtawal, P. Pal, and P. Joshi (2007), A new
technique for estimating outgoing longwave radiation using infrared window
and water vapor radiances from Kalpana very high resolution radiometer,
Geophys. Res. Lett., *34*(23). [78](#)
- Singh, R. P., and D. Pallamraju (2015), On the latitudinal distribution of
mesospheric temperatures during sudden stratospheric warming events, *J.*
Geophys. Res., *120*(4), 2926–2939, doi:10.1002/2014JA020355. [68](#), [202](#)
- Singh, R. P., and D. Pallamraju (2016), Effect of cyclone Nilofar on meso-
spheric wave dynamics as inferred from optical nightglow observations from
Mount Abu, India, *J. Geophys. Res.*, *121*(6), 5856–5867, doi:10.1002/
2016JA022412. [20](#), [107](#), [114](#), [115](#), [121](#), [200](#)
- Singh, R. P., and D. Pallamraju (2017a), Near InfraRed Imaging Spectrograph
(NIRIS) for ground-based mesospheric $OH(6 - 2)$ and $O_2(0 - 1)$ intensity
and temperature measurements, *J. Earth Sys. Sci.*, *126*(88), doi:10.1007/
s12040-017-0865-4. [xvi](#), [50](#), [89](#), [105](#), [134](#), [201](#), [202](#)
- Singh, R. P., and D. Pallamraju (2017b), Large-and small-scale period-
icities in the mesosphere as obtained from variations in $O_2(0 - 1)$ and

- OH*(6 – 2) nightglow emissions, *Ann. Geophys.*, 35(2), 227–237, doi:10.5194/angeo-35-227-2017. [20](#), [199](#), [200](#)
- Sinha, H., and S. Prakash (1996), Electron densities in the equatorial lower ionosphere over Thumba and SHAR, *Adv. Space Res.*, 18(6), 311–318. [35](#)
- Siskind, D., L. Coy, and P. Espy (2005), Observations of stratospheric warmings and mesospheric coolings by the TIMED SABER instrument, *Geophys. Res. Lett.*, 32(9). [167](#)
- Siskind, D., S. Eckermann, J. P. McCormack, L. Coy, K. W. Hoppel, N. L. Baker, et al. (2010), Case studies of the mesospheric response to recent minor, major, and extended stratospheric warmings, *J. Geophys. Res.*, 115(D3). [30](#)
- Sivakandan, M., I. Paulino, A. Taori, and K. Niranjana (2016), Mesospheric gravity wave characteristics and identification of their sources around spring equinox over Indian low latitudes, *Atmos. Meas. Tech.*, 9(1), 93–102. [114](#)
- Slanger, T. G., et al. (2005), Variability of the mesospheric nightglow sodium D2/D1 ratio, *J. Geophys. Res.*, 110(D23). [41](#)
- Smith, A. K. (2012a), Global dynamics of the MLT, *Surv. Geophys.*, 33(6), 1177–1230. [xv](#), [8](#), [9](#), [10](#), [11](#)
- Smith, A. K. (2012b), Interactions between the lower, middle and upper atmosphere, *Space Sci. Rev.*, 168(1), 1–21. [4](#)
- Smith, A. K., R. R. Garcia, D. R. Marsh, and J. H. Richter (2011), WACCM simulations of the mean circulation and trace species transport in the winter mesosphere, *J. Geophys. Res.*, 116(D20), doi:10.1029/2011JD016083. [8](#)
- Sridharan, S., K. Raghunath, S. Sathishkumar, and D. Nath (2010), First results of warm mesospheric temperature over Gadanki (13.5°N, 79.2°E) dur-

- ing the sudden stratospheric warming of 2009, *J. Atmos. Solar Terr. Phys.*, *72*(14), 1139–1146. [167](#)
- Suzuki, S., K. Shiokawa, Y. Otsuka, T. Ogawa, K. Nakamura, and T. Nakamura (2007), A concentric gravity wave structure in the mesospheric airglow images, *J. Geophys. Res.*, *112*(D2). [20](#)
- Suzuki, S., S. Vadas, K. Shiokawa, Y. Otsuka, S. Kawamura, and Y. Murayama (2013), Typhoon-induced concentric airglow structures in the mesopause region, *Geophys. Res. Lett.*, *40*(22), 5983–5987. [131](#)
- Swenson, G., R. Haque, W. Yang, and C. Gardner (1999), Momentum and energy fluxes of monochromatic gravity waves observed by an OH imager at Starfire Optical Range, New Mexico, *J. Geophys. Res.*, *104*(D6), 6067–6080. [20](#)
- Taori, A., M. J. Taylor, and S. Franke (2005), Terdiurnal wave signatures in the upper mesospheric temperature and their association with the wind fields at low latitudes (20°N), *J. Geophys. Res.*, *110*(D9). [61](#)
- Taori, A., N. Dashora, K. Raghunath, J. Russell, and M. G. Mlynczak (2011), Simultaneous mesosphere-thermosphere-ionosphere parameter measurements over Gadanki (13.5°N, 79.2°E): First results, *J. Geophys. Res.*, *116*(A7). [62](#)
- Taylor, M. J., and M. Hapgood (1988), Identification of a thunderstorm as a source of short period gravity waves in the upper atmospheric nightglow emissions, *Planet. Space Sci.*, *36*(10), 975–985. [20](#), [131](#)
- Taylor, M. J., P. Espy, D. Baker, R. Sica, P. Neal, and W. Pendleton (1991), Simultaneous intensity, temperature and imaging measurements of short period wave structure in the OH nightglow emission, *Planet. Space Sci.*, *39*(8), 1171–1188. [121](#)

- Taylor, M. J., W. Pendleton, S. Clark, H. Takahashi, D. Gobbi, and R. Goldberg (1997), Image measurements of short-period gravity waves at equatorial latitudes, *J. Geophys. Res.*, *102*(D22), 26,283–26,299. [20](#), [114](#)
- Taylor, M. J., W. Pendleton, C. Gardner, et al. (1999), Comparison of terdiurnal tidal oscillations in mesospheric OH rotational temperature and Na lidar temperature measurements at mid-latitudes for fall/spring conditions, *Earth, planets and space*, *51*(7-8), 877–885. [61](#), [62](#)
- Teitelbaum, H., and F. Vial (1991), On tidal variability induced by nonlinear interaction with planetary waves, *J. Geophys. Res.*, *96*(A8), 14,169–14,178. [128](#)
- Tepley, C., R. Burnside, and J. Meriwether (1981), Horizontal thermal structure of the mesosphere from observations of OH (8-3) band emissions, *Planet. Space Sci.*, *29*(11), 1241–1249. [121](#)
- Thorne, A., U. Litzén, and S. Johansson (1999), *Spectrophysics: principles and applications*, Springer-Verlag, Berlin, Heidelberg. [71](#)
- Torr, M. R., D. Torr, and R. Laher (1985), The O_2 atmospheric 0-0 band and related emissions at night from Spacelab 1, *J. Geophys. Res.*, *90*(A9), 8525–8538. [40](#)
- Torrence, C., and G. P. Compo (1998), A practical guide to wavelet analysis, *Bull. Amer. Meteor. Soc.*, *79*(1), 61–78. [80](#), [85](#), [86](#), [87](#), [95](#)
- Tsuda, T., Y. Murayama, H. Wiryosumarto, S. W. B. Harijono, and S. Kato (1994), Radiosonde observations of equatorial atmosphere dynamics over Indonesia: 1. Equatorial waves and diurnal tides, *J. Geophys. Res.*, *99*(D5), 10,491–10,505. [20](#)
- Turnbull, D., and R. Lowe (1989), New hydroxyl transition probabilities and their importance in airglow studies, *Planet. Space Sci.*, *37*(6), 723–738. [63](#)

- Vadas, S., J. Yue, and T. Nakamura (2012), Mesospheric concentric gravity waves generated by multiple convective storms over the North American Great Plain, *J. Geophys. Res.*, *117*(D7). [20](#)
- Vadas, S. L., J. Yue, C.-Y. She, P. A. Stamus, and A. Z. Liu (2009), A model study of the effects of winds on concentric rings of gravity waves from a convective plume near Fort Collins on 11 May 2004, *J. Geophys. Res.*, *114*(D6). [20](#)
- Venkat Ratnam, M., A. Patra, and B. Krishna Murthy (2010), Tropical mesopause: Is it always close to 100 km?, *J. Geophys. Res.*, *115*(D6). [158](#)
- Vincent, R. (1993), Long-period motions in the equatorial mesosphere, *J. Atmos. Solar Terr. Phys.*, *55*(7), 1067–1080. [128](#)
- Vincent, R., and I. Reid (1983), HF Doppler measurements of mesospheric gravity wave momentum fluxes, *J. Atmos. Sci.*, *40*(5), 1321–1333. [20](#)
- Vincent, R., S. Kovalam, D. Fritts, and J. Isler (1998), Long-term MF radar observations of solar tides in the low-latitude mesosphere: Interannual variability and comparisons with the GSWM, *J. Geophys. Res.*, *103*(D8), 8667–8683. [22](#), [34](#)
- Vincent, R. A. (2015), The dynamics of the mesosphere and lower thermosphere: a brief review, *Progress in Earth and Planetary Science*, *2*(1), 4, doi:10.1186/s40645-015-0035-8. [4](#)
- Walterscheid, R., G. Sivjee, and R. Roble (2000), Mesospheric and lower thermospheric manifestations of a stratospheric warming event over Eureka, Canada (80°N), *Geophys. Res. Lett.*, *27*(18), 2897–2900. [30](#), [167](#)
- Whiteway, J. A., and A. I. Carswell (1994), Rayleigh lidar observations of thermal structure and gravity wave activity in the high Arctic during a stratospheric warming, *J. Atmos. Sci.*, *51*(21), 3122–3136. [30](#)

- Widdel, H. (1985), Foil clouds as a tool for measuring wind structure and irregularities in the lower thermosphere (92–50 km), *Radio Sci.*, *20*(4), 803–812. [35](#)
- Wiens, R., and G. Weill (1973), Diurnal, annual and solar cycle variations of hydroxyl and sodium nightglow intensities in the Europe-Africa sector, *Planet. Space Sci.*, *21*(6), 1011–1027. [104](#)
- Wrasse, C., et al. (2006), Mesospheric gravity waves observed near equatorial and low? middle latitude stations: wave characteristics and reverse ray tracing results, *Ann. Geophys.*, *24*(12), 3229–3240. [20](#)
- Wu, D., P. Hays, and W. Skinner (1994), Observations of the 5-day wave in the mesosphere and lower thermosphere, *Geophys. Res. Lett.*, *21*(24), 2733–2736. [23](#)
- Wu, Q., and T. Killeen (1996), Seasonal dependence of mesospheric gravity waves (<100 km) at Peach Mountain Observatory, Michigan, *Geophys. Res. Lett.*, *23*(17), 2211–2214. [xviii](#), [122](#), [123](#)
- Yue, J., et al. (2009), Concentric gravity waves in the mesosphere generated by deep convective plumes in the lower atmosphere near Fort Collins, Colorado, *J. Geophys. Res.*, *114*(D6). [xviii](#), [20](#), [131](#), [132](#)
- Yue, J., L. Hoffmann, and M. Joan Alexander (2013), Simultaneous observations of convective gravity waves from a ground-based airglow imager and the AIRS satellite experiment, *J. Geophys. Res.*, *118*(8), 3178–3191. [20](#)
- Yue, J., S. D. Miller, L. Hoffmann, and W. C. Straka (2014), Stratospheric and mesospheric concentric gravity waves over tropical cyclone Mahasen: Joint AIRS and VIIRS satellite observations, *J. Atmos. Solar Terr. Phys.*, *119*, 83–90. [20](#), [154](#)

