

## REFERENCES

---

- Ahmed KS, Sagi F (1993) Use of somaclonal variation and *in vitro* selection for induction of plant disease-resistance. Prospects and limitations. Acta Phytopathologica et Entomologica Hungarica. 28: 143-159.
- Ammit rao PV, Evans EA, Sharp WR, Yamada Y (1983) Embryogenesis. In:(eds) Handbook of Plant Cell Culture. Vol.1. Techniques for Propagation and Breeding. Macmillan Publ. Co., London, pp. 82-123.
- Anonymous (1972) Study of coronary heart disease prescription No. 2 on dilating blood artery and relieving smooth muscle plasma [in Chinese]. Research Association of Coronary Heart Disease in Beijing, China.
- Antranikian G, Vorigas CE and Bertoldo C (2005) Extreme environments as resources for microorganisms and novel biocatalysts. Adv. Biochen. Eng. Biotechnology. 96: 219-262.
- Asao H, Nishizawa Y, Arai S, Sato T, Hirai M, Yoshida K, Shinmyo A, Hibi T (1997) Enhanced resistance against a fungal pathogen *Sphaerotheca humuli* in transgenic strawberry expressing a rice chitinase gene. Plant Biotechnol. 14: 145-149.
- Baker CM and Dyer WE (1996) Improvements in rooting regenerated safflower (*Carthamus tinctorius* L.) shoots. Plant Cell Reports 16: 106-110.
- Baker CM and Wetzstein HY (1994) Influence of auxin type and concentration on peanut somatic embryogenesis. Plant Cell Tiss. Org. Cult. 36: 361-386
- Basalma D, Uranbey S, Mirici S, Kolsarici O (2008) TDZ×IBA induced shoot regeneration from cotyledonary leaves and *in vitro* multiplication in safflower (*Carthamus tinctorius* L.). African J. Biotech. 7(8): 960-966.
- Baskaran P, Jayabalan N (2005) *In vitro* plant regeneration and mass propagation system for *Sorghum bicolor*-a valuable major cereal crop. J Agri. Technol. 1: 345-363.
- Baumler E, Cuniberti A, Nolasco SM and Riccobene IC (2006) Moisture dependent physical and compression properties of safflower seed. J. Food Eng., 72: 134-140.
- Becwar MR, Wann SR, Johnson MA, Verhagen SA, Feirer RP, Nagmani R (1988) Development and characterization of *in vitro* embryogenic systems in conifers.

- In: Ahuja MR (ed) Somatic cell genetics of woody plants. Kluwer Acad Publ., Dordrecht, Boston, London, pp 1-18.
- Belide Srinivas, Luch Hac, Surinder Singh P, Allan Green G and Craig Wood C (2011) *Agrobacterium*-mediated transformation of safflower and the efficient recovery of transgenic plants via grafting. *Plant Methods*. 7:12.
- Berger S, Menudier A, Julien R and Karamanos Y (1995) Do de-Nglycosylation enzymes have an important role in plant cells. *Biochimie*. 77: 751-760.
- Bernaerts MJ and DeLey J (1963) A biochemical tests for crown gall bacteria. *Nature* (London) 197: 406-407.
- Bingzhang W, Minggang Y, Lei P and Zhanjiu Y (1978) The effects of safflower (*Carthamus tinctorius*) liquor on ischemic degree of cardiac muscle in different infarct regions of experimental myocardial infarction dog [in Chinese]. *Acta Pharmaceutica Sinica* 14: 474-478.
- Bishop JG, Dean AM and Mitchell Olds T (2000) Rapid evolution in plant chitinases: molecular targets of selection in plant-pathogen coevolution. *Proc. Natl. Acad. Sci. USA* 97: 5322-5327.
- Bonneau L, Beranger-Novat N, Monin J and Martin Tanguy J (1995) Stimulation of root and somatic embryo production in *Euonymus europaeus* L. by an inhibitor of polyamine biosynthesis. *Plant Growth Regul.* 16: 5–10.
- Brogliè K, Chet I, Holliday M, Cressman R, Biddle P, Knowlton S, Mauvais J and Brogliè R (1991) Transgenic plants with enhanced resistance to the fungal pathogen *Rhizoctonia solani*. *Sci.* 254:1194- 1197.
- Camas NC, Cirak and Esendal E (2007) Seed yield, oil content and fatty acids composition of safflower *Carthamus tinctorius* grown in Northern Turkey condition. *J. Fac. Agric.* 22: 98-104.
- Carelli BP and Echeverrigaray S (2002) An improved system for the *in vitro* propagation of rose cultivars. *Scientia Horticulturae*. 92: 69 –74.
- Cervera M JA, Pina J, Juarez A, Navarro L, Navarro and Pena L (1998) *Agrobacterium*-mediated transformation of citrange: factors affecting transformation and regeneration. *Plant Cell Rep.* 18:271–278.
- Cervera M, Orgeta C, Navarro A, Navarra L and Pena L (2000) Generation of citrus plants with the tolerance-to-salinity gene HAL2 from yeast. *J. Hortic. Sci. Biotech.* 75:26–30.

- Chang TK, Chen J, Benetton SA (2002) *In vitro* effect of standardized ginseng extracts and individual ginsenosides on the catalytic activity of human CYP1A1, CYP1A2, and CYP1B1. *Drug Metab Dispos.* 30(4):378-84.
- Chawla HS (2000) Introduction to plant biotechnology. 2nd edn, Inc. Enfield, New Hampshire, USA, Science publisher, 39-56.
- Chen JT and Chang WC (2001) Effects of auxins and cytokinins on direct somatic embryogenesis on leaf explants of *Oncidium* 'Grower Ramsey'. *Plant Growth regulation*, 34:229-232.
- Chen JT and Chang WC (2002) Effects of tissue culture conditions and explants characteristics on direct somatic embryogenesis in *Oncidium* 'Gower Ramsey'. *Plant Cell Tissue Organ Cult.* 69: 41-44.
- Chen JT and Chang WC (2004) TIBA affects the induction of direct somatic embryogenesis from leaf explants of *Oncidium*. *Plant Cell Tiss. Organ Cult.* 79: 315-320.
- Chigaleichik AG, Pirieva DA and Rylkin SS (1976) Chitinases from *Serratia marcescens*. *Prikladnaya Biochim. Mikrobiol.* 12: 581–586.
- Chilton M, Drummond M and Merlo D (1977) Stable Incorporation of Plasmid DNA into Higher Plant Cells: the Molecular Basis of Crown Gall Tumorigenesis, *Cell*, vol. 11, pp. 263–271.
- Chilton M-D (2005) Adding diversity to plant transformation, *Nature Biotechnol.* 23: 309-310.
- Chowdhury S (1944) An *Alternaria* disease of safflower. *Ind Bot Soc* 23: 59-65.
- Chun Q (1990) Clinical observation on dead sperm excess disease of 182 cases [in Chinese]. *Shanghai Traditional Chinese Medicine J.* 5:28-29.
- Chung CT, Niemela SL, and Miller RH (1989) *Proc. Natl. Acad. Sci. USA* 86: 2172–2175.
- Collinge DB, Kragh KM, Mikkelsen JD, Nielsen KK, Rasmussen U and Vad K (1993) Plant chitinases. *Plant J.* 3: 31-40.
- Conde P, Loureiro J and Santos C (2004) Somatic embryogenesis and plant regeneration from leaves of *Ulmus minor* Mill. *Plant Cell Rep.* 22: 632-639.
- Cullimore JV, Ranjeva R and Bono JJ (2001) Perception of lipochitooligosaccharidic Nod factors in legumes. *Trends Plant Sci.* 6: 24-30.

- Cvikrova M, Binarova P, Cenklova V, Eder J, Machackova I (1999) Reinitiating of cell division and polyamine and monoamine levels in alfalfa explants during somatic embryogenesis. *Physiol.Plant.* 105: 330–337.
- Damao Y (1987) Application of Xiao Shuan Decoction for treatment on cerebral thrombosis of 68 cases [in Chinese]. *J. Zhejiang Traditional Chinese Medicine* 22: 441.
- Dana MDLM, Pentor-Toro JA and Cubero B (2006) Transgenic tobacco plants overexpressing chitinases of fungal origin show enhanced resistance to biotic and abiotic stress agents. *Plant Physiol*, 142: 722-730.
- Datta K, Baisakh N, Thet KM, Tu J and Datta SK (2002) Pyramiding transgenes for multiple protection in rice against bacterial blight, stem borer and sheath blight. *Theor. Appl. Genet.* DOI 10.1007/s00122-022-1014-1.
- Datta K, Tu J, Oliva N, Ona I, Velazhahan R, Mew TW (2001) Enhanced resistance to sheath blight by constitutive expression of infection-related rice chitinase in transgenic elite indica rice cultivars. *Plant Science.* 160: 405–414.
- Daub ME (1986) Tissue culture and the selection of resistance to pathogens. *Ann. Rev. Phytopathol.* 24: 159-186.
- Davies DR (1980) Rapid propagation of roses *in vitro*. *Scientia Horticulturae* 13: 385–9.
- Doyle JJ, Doyle JL (1990) Isolation of plant DNA from fresh tissue. *Focus* 12: 13-15
- Dunwell JM, Khuri S and Gane PJ (2000) Microbial relatives of the seed storage proteins of higher plants: conservation of structure and diversification of function during evolution of the cupin super family, *Micro biol. Mol. Biol. Rev.* 64: 153–179.
- Dyachok JV, Wiweger M, Kenne L and von Arnold S (2002) Endogenous Nod-factor-like signal molecules promote early somatic embryo development in Norway spruce. *Plant Physiol.* 128: 523-533.
- EcoPort (2010) EcoPort, the Consilience Engine. Available from: <http://ecoport.org/> (accessed 1 January 2011)
- Edwards K, Johnstone C, Thompson C (1991) A simple and rapid method for the preparation of genomic plant DNA for PCR analysis. *Nucleic Acids Res* 19: 1349.
- Elad Y (1997) Responses of plants to infection by *Botrytis cinerea* and novel means involved in reducing their susceptibility to infection *Biol. Rev.* 72: 381-422.

- Esendal E, Bergman JW and Mundel HH (2001) Global adaptability and future potential of safflower. In Proceedings of the 5<sup>th</sup> International Safflower Conference, Williston, ND, and Sidney, MT, July 23–27, Eds., pp. xi–xii.
- Estruch JJ, Carozzi NB, Desai N, Duck NB, Warren GW and Koziel MG (1997) Transgenic plants: an emerging approach to pest control. *Nat. Biotechnol.* 15, 137–141.
- FAO (2011) Food and agricultural commodities production. Food and Agriculture Organization. (Safflower seed production statistics for 2011, accessed 12 May 2011), <http://www.answers.com/topic/saZower>.
- Feher Attila, Pasternak Taras P and Denes Dudits (2003) Transition of somatic plant cells to an embryogenic state *Plant Cell, Tissue and Organ Culture*. 74: 201–228.
- Feirer RP, Wann SR and Einspahr DW (1985) The effects of spermidine synthesis inhibitors on *in vitro* plant development. *Plant Growth Regul.* 3: 319–327.
- Fladung M (1999) Gene stability in transgenic aspen (*Populus*), flanking DNA sequences and T-DNA structure. *Molecular Genetics and Genomics* 260: 574–581.
- Fraley RT, Rogers SG and Horsch RB (1986) Genetic transformation in higher plants, *CRC Crit. Rev. Plant Sci.* 4: 1–46.
- Fukui S and Hochster RM (1963) Conversion of disaccharides to the corresponding glycoside-3-ulose by intact cells of *Agrobacterium tumefaciens*. *Can. J. Biochem. Physiol.* 41: 2363–2371.
- Fukui S and Hochster RM (1965) On the active transport of sucrose and of 3-ketosucrose in *Agrobacterium tumefaciens*. *Can. J. Biochem.* 43: 1129–1141.
- Gaj MD (2004) Factors influencing somatic embryogenesis induction and plant regeneration with particular reference to *Arabidopsis thaliana* (L.) Heynh. *Plant Growth Regul.* 43:27–47.
- Gamborg OL, Miller RA, Ojima K (1968) Nutrient requirements of suspension cultures of soybean root cells. *Exp. Cell. Res.* 50: 151–158.
- Gantait S and Mandal N (2010) Tissue culture of *Anthurium andreaeanum*: A significant review and future prospective. *Int. J. Botany*, 6: 207–219.
- Gao WY, Fan L, Paek KY (2000) Yellow and red pigment production by cell cultures of *Carthamus tinctorius* in a bioreactor. *Plant Cell, Tissue and Organ Cult* 60: 95–100.

- Gaspar T, Kevers, C, Penel C, Greppin H, Reid DM and Thorpe TA (1996) Plant hormones and plant growth regulators in plant tissue culture. *In Vitro Cell. Dev. Biol. Plant* 32:272-289.
- Gelvin SB (2003) *Agrobacterium*-mediated plant transformation: the biology behind the “gene-jockeying” tool. *Microbiol. Mol. Biol. Rev.* 67: 16–37.
- Genyu T (1990) Observation on the curative effect of Traditional Chinese Medicine myopic agent mixed with boiled water for treatment of false-nature myopia of youngsters [in Chinese]. *Bull. Shanxi Coll. of Traditional Chinese Medicine.* 13: 46-48.
- George L, Rao PS (1982) *In vitro* manipulation of safflower (*Carthamus tinctorius* L.) through tissue culture. *Proc Ind. Nati. Sci. Acad.* B48: 791-794.
- Gerhardt de A LB, Sachetto Martins G, Contarini MG, Sandroni M, de P, Ferreira R, de Lima VM, Cordeiro MC, de Oliveira DE and Margis-Pinheiro M (1997) *Arabidopsis thaliana* class IV chitinase is early induced during the interaction with *Xanthomonas campestris*. *FEBS Lett.* 419: 69-75.
- Gilbert RB, Long JH and Moses BE (1996) “Analysis of Progressive Slope Failure in Waste Containment Systems”, *International Journal for Numerical and Analytical Methods in Geomechanics*, Vol. 20, No. 1, pp. 35-56.
- Glazebrook Jane (2005) Contrasting Mechanisms of Defense against Biotrophic and Necrotrophic Pathogens. *Annual Review of Phytopathology.* Vol. 43: 205-227.
- Gould AR (1986) Factors controlling generation of variability *in vitro*. In: Vasil IK (ed) *Cell culture and somatic cell genetics in plants.* 3. Plant regeneration and genetic variability. Academic, Orlando, pp 549–567
- Griga M (2002) Morphology and anatomy of *Pisum sativum* somatic embryos. *Biologia Plantarum.* 45(2):173-182.
- Gritz L, Davies J (1983) Plasmid-encoded hygromycin B resistance: the sequence of hygromycin B phosphotransferase gene and its expression in *Escherichia coli* and *Saccharomyces cerevisiae*. *Gene* 25:179–188.
- Grover A and Gowthaman R (2003) Strategies for development of fungus-resistant transgenic plants. *Curr. Sci.* 84: 330–340.
- Guimiao W and Yili L (1985) Clinical application of safflower (*Carthamus tinctorius*) [in Chinese]. *Zhejiang Trad. Chinese Med. Sci. J.* 1: 42-43.
- Guishen W (1985) Clinical application of safflower [in Chinese]. *Zhejiang Trad. Chinese Med. Sci. J.* 20: 42-43.

- Gurel E, Kazan K (1999) Evaluation of various sunflower (*Helianthus annuus* L.) genotypes for *Agrobacterium tumefaciens*-mediated gene transfer, Turk J Bot. 23: 171-177.
- Gutierrez-E MA, Luth D and Moore GA (1997) Factors affecting the *Agrobacterium* mediated transformation in *Citrus* and production of sour orange (*Citrus aurantium* L.) plants expressing the coat protein gene of *citrus tristeza* virus. Plant Cell Rep. 16: 745–753.
- Hadrami I and D’Auzac J (1992) Effects of polyamine biosynthetic inhibitors on somatic embryogenesis and cellular polyamines in *Hevea brasiliensis*. J. Plant Physiol. 140: 33–36.
- Haines RJ (1993) *In vitro* selection in plant breeding. Proceedings of the tenth Australian plant breeding conference. 210 - 219.
- Han N, Chen D, Bian HW, Deng MJ and Zhu MY (2005) Production of transgenic creeping bentgrass *Agrostis stolonifera* var. *palustris* plants by *Agrobacterium tumefaciens*-mediated transformation using hygromycin selection. Plant Cell Tissue Organ Cult. 81: 131–138.
- Hanahan D (1983) J. Mol. Biol. 166: 557-580.
- Hatta R, Ito K, Hosaki Y, Tanaka T, Tanaka A, Yamamoto M, Akimitsu K and Tsuge T (2002). A conditionally dispensable chromosome controls host-specific pathogenicity in the fungal plant pathogen *Alternaria alternata*. Genetics 161:59-70.
- Hazra S, Sathaye SS and Maskarenhas AF (1989) Direct somatic embryogenesis in peanut (*Arachis hypogaea*). Biotechnology. 7:949–951
- Heather Harding P, Phoebe D Lu and David Ron (2004) Translation reinitiating at alternative open reading frames regulates gene expression in an integrated stress response JCB vol. 167 no. 1 27-33.
- Herrera-Estrella A and Chet I (1999) Chitinases in Biological control. EXS 87, 171–184.
- Hiei Y, Ohta S, Komari T and Kumashiro T (1994) Efficient transformation of rice (*Oryza sativa* L.) mediated by *Agrobacterium* and sequence analysis of the boundaries of the T-DNA. Plant J 6: 271–282.
- Hong JK, Hwang BK (2006) Promoter activation of pepper class II basic chitinase gene, CACHi2, and enhanced bacterial disease resistance and osmotic stress tolerance in the CACHi2-overexpressing Arabidopsis. Planta 223: 433–448.

- Hooykaas PJJ, Schilperoort RA (1992) *Agrobacterium* and plant genetic engineering, Plant Mol. Biol. 19: 15–38.
- Huetteman CA, Preece JE (1993) Thidiazuron: a potent cytokinin for woody plant tissue culture. Plant Cell Tissue Organ Cult. 33: 105–119.
- Huttermann A and Cwielong P (1982) The cell wall of *Fomes annosus* (*Heterobasidion annosum*) as target for biochemical control. I. Direct lysis of the cell wall by lytic enzymes from *Trichoderma harzianum*. Eur J For Pathol 12:238–245.
- Ingelbrecht I, Breyne P, Vancomperonolle A, van Montagu JM, Depicker (1991) Transcriptional interferences in transgenic plants. Gene 109:239 - 242.
- Irwin JAG (1976) *Alternaria carthami*, a seed-borne pathogen of safflower. Aus J Exp Agriculture and Animal Husbandry 16: 921-925.
- Ishida Y, Saito H, Ohta S, Hiei Y, Komari T, Kumashiro T (1996) High efficiency transformation of maize (*Zea mays* L.) mediated by *Agrobacterium tumefaciens*. Nat. Biotechnol. 14: 745–750.
- Jach G, Gornhardt B, Mundy J, Logemann J, Pinsdorf E, Leah R, Schell J and Maas C (1995) Enhanced quantitative resistance against fungal disease by combinatorial expression of different barley antifungal proteins in transgenic tobacco. Plant J 8: 97–109.
- Jahne A, Becker D, Lörz H (1995) Genetic engineering of cereal crop plants: a review. In: Cassells AC, Jones PW (eds) The methodology of plant genetic manipulation: criteria for decision making. Dordrecht: Kluwer Academic Publ., Euphytica. 85: 1-3.
- Jeoung JM, Krishnaveni S, Muthukrishnan S, Trick HW, Liang GH (2002) Optimization of sorghum transformation parameters using genes for green fluorescent protein and  $\beta$ -glucuronides as visual markers. 136.
- Jialou Y (1986) Observations on the recent effects about the internal and external treatments of trachoma of 550 cases [in Chinese]. Anhui Coll. of Traditional Chinese Medicine Bull. 5: 35-36.
- Jong HK, Botella JR (2002) Callus induction and plant regeneration from broccoli (*Brassica oleracea* var. *italica*) for transformation. J Plant Biol 45:177–181.
- Joy RWIV, Mc Intyre DD, Vogel HJ and Thorpe TA (1996) Stage-specific nitrogen metabolism in developing carrot somatic embryos. Physiol. Plant. 97: 149–159.



- Kanehira T, Takekoshi S, Nagata H, Matsuzaki K, Kambayashi Y, Osamura RY (2003) Novel and potent biological antioxidant, Kinobeaon A, from cell culture of safflower. *Life Sci.* 74: 87–97.
- Karen E. Koch, Vong Wu and Jian Xu (1996) Sugar and metabolic regulation of genes for sucrose metabolism: potential influence of maize sucrose synthase and soluble invertase responses on carbon partitioning and sugar sensing. *Journal of Experimental Botany*, Vol. 47, pp. 1179-1185.
- Kato Y, Onishi H and Machida Y (2003) Application of chitin and chitosan derivatives in the pharmaceutical field. *Curr. Pharm. Biotechnol.*, 4:303-309.
- Kevers C, Le Gal N, Monteiro M, Dommès J and Gaspar TH (2000) Somatic embryogenesis of *Panax ginseng* in liquid cultures: a role for polyamines and their metabolic pathways. *Plant Growth Regul.* 31: 209–214.
- Kim SW, Oh SC and Liu J R (2003) Control of direct and indirect somatic embryogenesis by exogenous growth regulators in immature zygotic embryo cultures of rose. *Plant Cell Tiss. Organ Cult.* 74: 61-66.
- Kim YS, Lee JH, Yoon GM, Cho HS, Park SW, Suh MC, Choi D, Ha HJ, Liu JR and Pai HS (2000) CHRK1, a chitinase-related receptor like kinase in tobacco. *Plant Physiol.* 123: 905-915.
- Kizil S, Çakmak O, Kirici S, Inan M (2008) A comprehensive study on safflower (*Carthamus tinctorius* L.) In semi-arid conditions, *Biotechnol and Biotechnol.* 18: 07-15.
- Klebe RJ, Harriss JV, Sharp ZD and Douglas MG (1983) *Gene* 25: 333-341.
- Knowles PF (1982) Safflower: genetics and breeding. In: *Improvement of Oil-seed and Industrial Crops by Induced Mutations* (pp 89-101). IAEA, Vienna.
- Knowles PF (1965) Report of Sabbatic Leave. Report for University of California, Davis, CA [48 text pp. plus numerous photos.] Obara H, Onodera (ed). *J Chem. Lett.* 1979: 201–204.
- Knowles PF (1969) Centers of plant diversity and conservation of crop germplasm: Safflower. *Econ. Bot.* 23: 324-329.
- Koch KE (1996) Carbohydrate-modulated gene expression in plants. *Rev. Plant Physiol. Plant Mol. Biol.* 47: 509- 540.
- Korlach J and Zoglauer K (1995) Developmental patterns during direct somatic embryogenesis in protoplasts culture of European larch (*Larix deciduas* Mill.). *Plant Cell Rep.* 15: 242-247.

- Kothari SL, Joshi A, Kachhwaha S and Ochoa-Alejo N (2010) Chilli peppers- A review on tissue culture and transgenesis. *Biotechnol. Adv.* 28: 35-48.
- Kuijie L (1985) The prescription for invigorating blood circulation was used for treatment on erythrocytosis [in Chinese]. *Beijing Traditional Chinese Medical Sci.* 2: 21-22.
- Kuklinski JJ (1980) Development of *Diplocarpon rosae* in leaves of roses differing in their Susceptibility. Ph.D thesis, University of London.
- Lacroix B, Tzfira T, Vainstein A and Citovsky V (2006) A case of promiscuity: *Agrobacterium*'s endless hunt for new partners. *Trends Genet.* 22: 29–37.
- Lakshmanan P, Geijskes RJ, Wang L, Elliott A, Grof CPL, Berding N and Smith GR (2006) Developmental and hormonal regulation of direct shoot organogenesis and somatic embryogenesis in sugarcane (*Saccharum* Spp. interspecific hybrids) leaf culture. *Plant Cell Rep.*
- Landau S, Friedman S, Brenner S, Bruckental I, Weinberg ZG, Ashbell G, Hen Y, Dvash L and Leshem Y (2004) The value of safflower (*Carthamus tinctorius*) hay and silage grown under Mediterranean conditions as forage for dairy cattle. *Livest. Prod. Sci.* 88: 263–271.
- Larkin PJ and Scowcroft WR (1981) Somaclonal variation - a novel source of variability from cell cultures for plant improvement. *Theo. App. Gen.* 60: 197-214.
- Leelavathi S, Sunnichan VG, Kumria R, Vijaykanth GP, Bhatnagar RK and Reddy VS (2004) A simple and rapid *Agrobacterium*-mediated transformation protocol for cotton (*Gossypium hirsutum* L) Embryogenic calli as a source to generate large numbers of transgenic plants. *Plant Cell Rep.* 22: 465-470.
- Leifert C, Murphy KP and Lumsden PJ (1995) Mineral and carbohydrate nutrition of plant cell and tissue cultures. *Crit. Rev. Plant Sci.* 14: 83-109.
- Leininger LN and Urie AL (1964) Development of safflower seed from flowering to maturity. *Crop Sci.* 4: 83-87.
- Leljok-Levanić D, Balen B, Mihaljevi S, Jeleni S and Jelaska S (2004) Formation of embryogenic callus in hairy roots of pumpkin (*Cucurbita pepo* L.). *In Vitro Cell. Dev. Biol. Plant* 40: 182–187.
- Levine JM and D'Antonio CM (1999) Elton revisited: a review of evidence linking diversity and invasibility. *Oikos*, 87, 15–26.

- Li D and Mundel HH (1996) Safflower *Carthamus tinctorius* L. Promoting the Conservation and Use of Underutilized and Neglected Crops. 7. Institute of Plant Genetics and Crop Plant Research, Gatersleben/International Plant Genetic Resources Institute, Rome, 83 pp.
- Li X, Wang XD, Zhao X and Dutt Y (2004) Improvement of cotton fiber quality by transforming the *acsA* and *acsB* genes into *Gossypium hirsutum* L. by means of vacuum infiltration. *Plant Cell Rep.* 22: 691-697.
- Liao Z, Chen M, Tan F, Sun X and Tang K (2004) Microproagation of endangered Chinese aloe. *Plant Cell Tissue Organ Cult.* 76: 83–86.
- Lin W, Anuratha CS, Datta K, Potrykus I, Muthukrishnan S and Datta SK (1995) Genetic engineering of rice for resistance to sheath blight. *Biotechnology.* 13: 686–691.
- Lin W, Anuratha CS, Datta K, Potrykus I, Muthukrishnan S, Datta SK (1995) Genetic engineering of rice for resistance to sheath blight. *Bio/Technol.* 13:686-691.
- Lin W, Hu X, Zhang W, John Rogers W and Cai W (2005) Hydrogen peroxide mediates defence responses induced by chitosans of different molecular weights in rice. *Journal of Plant Physiology* 162: 937-944.
- Little EL, Magbanua Z V and Parrott WA (2000) A protocol for repetitive somatic embryogenesis from mature peanut epicotyls. *Plant Cell Rep.* 19: 351-357.
- Liu Siqing, Morse II Brian, Wilkinson J, James Graham E (2002) *Appl. Environ. Microbiol.* DOI: Lance Bigelow, Philip D 68(4):1697.
- Loake G, Ashby A, Shaw C (1988) Attraction of *Agrobacterium tumefaciens* C58C1 towards sugars involves a highly sensitive chemotaxis system. *J Gen Microbiol* 134: 1427±1432.
- Lorito M, Woo SL, Fernandez IG, Colucci G, Harman GE, Pintor-Toro JA, Filippone E, Muccifora S, Lawrence CB, Zoina A, Tuzun S and Scala F (1998) Genes from mycoparasitic fungi as a source for improving plant resistance to fungal pathogens. *PNAS U.S.A.* 95: 7860-7865.
- Malinowski R and Filipecki M (2002) The role of cell wall in plant embryogenesis. *Cell. Mol. Biol. Lett.* 7: 1137-1151.
- Mandal AKA and Dutta Gupta S (2002) Direct somatic embryogenesis of safflower-a scanning electron microscopic study. *Curr. Sci.* 83: 1138-1140.

- Mandal AKA and Dutta Gupta S (2003) Somatic embryogenesis of safflower: influence of auxin and ontogeny of somatic embryos. *Plant Cell Tissue Organ Cult.* 72: 27-31.
- Mandal AKA, Chatterji AK and Dutta Gupta S (1995) Direct somatic embryogenesis and plantlet regeneration from cotyledonary leaves of safflower. *Plant Cell Tissue Organ Cult.* 43: 287-289.
- Mandal AKA, Dutta Gupta S and Chatterji AK (2001) Factors affecting somatic embryogenesis from cotyledonary explants of safflower. *Biol. Plant.* 44: 503-507.
- Mao JQ, Zaidi MA, Arnason JT, Altosaar I (2006) *In vitro* regeneration of *Vigna unguiculata* (L.) Walp. cv. Blackeye cowpea via shoot organogenesis. *Plant Cell Tissue Organ Cult.* 87: 121-125.
- Mary RL and Jayabalan N (1997) Influence of growth regulators on somatic embryogenesis in sesame. *Plant Cell Tiss. Org. Cult.* 49: 67-70.
- Matern U and Kneusel RE (1993) The use of recombinant DNA techniques to confer resistance to the *Alternaria* leaf spot disease of safflower. In: Proceedings of the Third International Safflower Conference, Beijing, China, 9-13 June 1993 (Li Dajue and Han Yunzhou, eds.). Beijing Botanical Garden, Institute of Botany, Chinese Academy of Sciences. 807-815.
- McNicol RJ and Graham J (1990) *In vitro* regeneration of *Rubus* from leaf and stem segments. *Plant Cell Tissue Organ Cult.* 21: 45-50.
- Menke-Milczarek I and Zimny J (2001) NH<sub>4</sub><sup>+</sup> and NO<sub>3</sub><sup>-</sup> required for wheat somatic embryogenesis. *Acta Physiol. Plant.* 23: 37.
- Merkle SA, Dean JFD (2000) Forest tree biotechnology. *Curr Opin Biotechnol.* 11:298-302.
- Milazzo MC, Kellett G, Haynesworth K, Shetty K (1998) Regulation of benzyladenine-induced *in vitro* shoot organogenesis and endogenous proline in melon (*Cucumis melo* L.) by exogenous proline, ornithine, and proline analogues. *J Agric. Food Chem.* 46: 2402-2406.
- Mithila J, Hall JC, Victor JMR and Saxena PK (2003) Thidiazuron induces shoot organogenesis at low concentrations and somatic embryogenesis at high concentrations on leaf and petiole explants of African violet (*Saintpaulia ionantha* Wendl.). *Plant Cell Rep.* 21:408-414.

- Minocha R, Smith DR, Reeves C, Steele KD and Minocha SC (1999) Polyamine levels during the development of zygotic and somatic embryos of *Pinus radiata*. *Physiol. Plant.* 105: 155–164.
- Mithila J, Murch SJ, Krishnaraj S, Saxena PK (2001) Recent advances in Pelargonium *in vitro* regeneration systems. *Plant Cell Tissue Organ Cult.* 67: 1–9.
- Mohamed S, Boehm R, Binsfeld PC, Schnabl H (2004) Agrobacterium-mediated transformation of two high oleic sunflower (*Helianthus annuus* L.) genotypes: assessment and optimization of important parameters. *Helia* 27(40): 25-40.
- Mordhorst AP and Lorz H (1993) Embryogenesis and development of isolated barley (*Hordeum vulgare* L.) microspores are influenced by the amount and composition of nitrogen sources in culture media. *Plant Physiol.* 142: 485-492.
- Mortensen K, Bergman JW and Burns EE (1983) Importance of *Alternaria carthami* and *A. alternaria* in causing leaf spot diseases in safflower. *Plant Disease* 67: 1187-1190.
- Mundel HH and Huang HC and Acharya SN (2003) Control of major diseases of safflower by breeding for resistance and using cultural practices. In *Advances in Plant Disease Management*. Eds. Research Signpost, Trivandrum, Kerala, India, pp. 293–310.
- Mundel HH, Blackshaw RE, Byers JR, Huang HC, Johnson DL, Keon R, Kubik J, McKenzie R, Otto B, Roth B and Stanford K (2004) Safflower Production on the Canadian Prairies: Agriculture and Agri-Food Canada, Lethbridge Research Centre, Lethbridge, Alberta, 37.
- Murashige T and Skoog F (1962) A revised medium for rapid growth and bioassay with tobacco tissue culture. *Physiol. Plant* 15: 473-497.
- Murthy BNS, Murch SJ and Saxena PK (1998) Thidiazuron: a potent regulator of *in vitro* plant morphogenesis. *In Vitro Cell. Dev. Biol. Plant* 34: 267–275.
- Muzzarelli RA, Guerrieri M, Goteri G, Muzzarelli C, Armeni T, Ghiselli R and Cornelissen M (2005) The biocompatibility of dibutyl chitin in the context of wound dressings. *Biomaterials*.26:5844-5854.
- Nabha S, Lamblin F, Gillet F, Lourain D, Fliniaux M, David A and Jacquin A (1999) Polyamine content and somatic embryogenesis in *Papaver somniferum* cells transformed with sam-1 gene. *J. Plant Physiol.* 154: 729–734.
- Nielsen KK, Bojsen K, Roepstorff P and Mikkelsen JD (1994) A hydroxyproline-containing class IV chitinase of sugar beet is glycosylated with xylose. *Plant Mol. Biol.* 25: 241-257.

- Nikam TD, Shitole MG (1999) *In vitro* culture of safflower (*Carthamus tinctorius* L.) cv. Bhima: initiation, growth optimization and organogenesis. *Plant Cell Tissue Organ Cult.* 55:15-22.
- Nikam TD, Shitole MG, Corleto A and Mundel, HH (1997) Sodium chloride tolerance in (*Carthamus tinctorius* L.) A-1 callus cultures. In Proceedings of the 4th International Safflower Conference: Safflower: A Multipurpose Species with Unexploited Potential and World Adaptability, Adriatica, Editrice, Bari, Italy, June 2–7, 1997. Eds., pp. 175–178.
- Nirmal Babu K, Sajina A, Minoos D, John C.Z, Mini PM, Tushar KV, Rema J, Ravindran PN (2003) Micropropagation of camphor tree (*Cinnamomum camphora*). *Plant Cell Tissue Organ Cult.* 74: 179–183.
- Nishizawa Y, Nakazono K, Soma M, Nakajima E, Ugaki M and Hibi T (1999) Enhanced resistance to blast (*Magnaporthe grisea*) in transgenic Japonic rice by constitutive expression of rice chitinase. *Theor. Appl. Genet.* 99, 383–390.
- Nishizawa Y, Nishio K, Nakazono K, Soma M, Nakajima E, Ugaki M and Hibi T (1993) Enhanced resistance to blast (*Magnaporthe grisea*) in transgenic Japonica rice by constitutive expression of rice chitinase. *Mol. Gen. Genet.* 241:1-10.
- Ooms G, Hooykass P, Van Veen R, Van Beelen P, Regensburg-Tunik T and Schilperoort RA (1982) *Plasmid*, 7, 15-29.
- Orlikowska TK and Dyer WE (1993) *In vitro* regeneration and multiplication of safflower (*Carthamus tinctorius* L.). *Plant Sci.* 93: 151-157.
- Orlikowska TK, Cranston HJ and Dyer WE (1995) Factors influencing *Agrobacterium tumefaciens*-mediated transformation of the safflower cultivar 'Centennial'. *Plant Cell Tissue Organ Cult.* 40: 85-91.
- Oyen LPA, Umali BE (2007) *Carthamus tinctorius* L. Record from Protabase, van der Vossen, HAM, Mkamilo, GS. (Editors). PROTA (Plant Resources of Tropical Africa / Resources végétales de l'Afrique tropicale), Wageningen, Netherlands.
- Pan ZG, Liu CZ, Murch SJ, El-Demerdash M and Saxena PK (2003) Plant regeneration from mesophyll protoplasts of the Egyptian medicinal plants *Artemisia judaica* L and *Echinops spinosissimus* Turra. *Plant Sci.* 165: 681-687.
- Park SU and Facchini PJ (2000) High frequency somatic embryogenesis and plant regeneration in California poppy, *Eschscholzia California* Cham. *Plant Cell Rep.* 19: 421-426.

- Pasonen HL, Seppanen SK, Degefu Y, Rytkonen A, Von Weissenberg K, Pappinen A (2004) Field performance of chitinase transgenic silver birches (*Betula pendula*): resistance to fungal diseases. *Theor. Appl. Genet.* 109, pp. 562–570.
- Patil MB, Shinde YM, Attarde KA Li D and Yuanzhou H (1993) Evaluation of safflower cultures for resistance to *Alternaria* leaf spot (*Alternaria carthami*) and management strategies. In Proceedings of the 3<sup>rd</sup> International Safflower Conference, Beijing, June 14–18, 1993. Eds., pp. 269–278.
- Patil K, Rath SP, Sharma M, Sood A and Ahuja PS (2006) *In vitro* propagation of rose – a review. *Biotechnology Advances* 43:95–100.
- Petrie GA (1974) Fungi associated with seeds rape, flax and safflower in Western Canada, 1968-73. *Can. Plant Dis. Surv.* 54: 155-165.
- Pinto G, Albertano P, Ciniglia C, Cozzolino S, Pollio A, Yoon HS and Bhattacharya D (2003) Comparative approaches to the taxonomy of the genus *Galdieria merola* (*Cyanidiales*, *Rhodophyta*). *Cryptogamie Algol.* 24:13–32.
- Podder K, Vishnoi RK and Kothari SL (1997) Plant regeneration from embryogenic callus of finger millet *Eleusine coracana* L. Gaertn. On higher concentrations of NH<sub>4</sub>NO<sub>3</sub> as a replacement of NAA in the medium. *Plant Sci.* 129: 101–106.
- Pradeep Kumar S and Ranjitha Kumari BD (2010) Effect of amino acids and growth regulators on Indirect organogenesis in *Artemisia vulgaris* L. *Asian journal of Biotechnology.* 2 (1): 37-45.
- Prasad BR, Khadeer MA, Seeta SP and Anwar SY (1991) *In vitro* induction of androgenic haploids in safflower (*Carthamus tinctorius* L.). *Plant Cell Rep.* 10: 48-51.
- Punja ZK, Zhang YY (1993) Plant chitinases and their roles in resistance to fungal diseases. *J Nematol* 25:526–540.
- Punja ZK (2004) *Fungal Disease Resistance in Plants*. Food Products Press, Binghamton, NY.
- Purrington CB and Bergelson J (1997) Fitness consequences of genetically engineered herbicide and antibiotic resistance in *Arabidopsis thaliana*. *Genetics.* 145: 807–814.
- Qiuping C (1989) The treatment on women's climacteric syndrome of 52 cases by Climacteric syrup [in Chinese]. *Shanghai Trad. Chinese Med. J.* 1: 24-25.

- Qiuyuan T (1992) Observations on the curative effects of invigorating blood circulation and eliminating cataract decoction for treatment of the senile cataract of 200 cases [in Chinese]. Hunan Trad. Chinese Med. Sci. J. 8: 15-16.
- Radhika K, Sujatha M, Rao NT (2006) Thidiazuron stimulates adventitious shoot regeneration in different safflower explants. *Biologia Plantarum* 50: 174-179.
- Rae IB and Gibb SW (2005) Removal of metals from aqueous solutions using natural chitinous materials. *Water Sci. Technol.* 47:189-196.
- Ramage CM and Williams RR (2004) Cytokinin-induced abnormal shoot organogenesis is associated with elevated Knotted 1-type homeobox gene expression in tobacco. *Plant Cell Rep.* 22: 919-924.
- Rani KJ, Rao TN, Raghunathan G and Rao PV (1996) Studies on callus growth and differentiation in safflower. *Ind. J Gen. Plant Breed.* 56: 458-461.
- Rohini VK, Sankara Rao K (2000) Embryo transformation, a practical approach for realizing transgenic plants of safflower (*Carthamus tinctorius* L.). *Ann Bot.* 86: 1043- 1049.
- Rolland F, Moore B and Sheen J (2002) Sugar sensing and signalling in plants. *The Plant cell*, 14:185-205.
- Rout GR, Reddy GM and Das P (2001) Studies on *in vitro* clonal propagation of *Paulownia tomentosa* Steud and evaluation of genetic fidelity through RAPD marker. *Silvae Genet.* 50: 208– 212.
- Sambrook J, Fritschi EF and Maniatis T (1989) *Molecular cloning: a laboratory manual*, Cold Spring Harbor Laboratory Press, New York.
- Sami L, Pusztahelyi T, Emri T, Varecza Z, Fekete A, Grallert A, Karanyi Z, Kiss L, Pocsi I (August 2001) Autolysis and aging of *Penicillium chrysogenum* cultures under carbon starvation: Chitinase production and antifungal effect of allosamidin. *The Journal of General and Applied Microbiology* 47 (4): 201– 211.
- Sanatombi K, Sharma GJ (2008) *In vitro* plant regeneration in six cultivars of *Capsicum* spp. using different explants. *Biol Plant.* 52:141–145.
- Sankara Rao K, Rohini VK (1999) Gene transfer into Indian cultivars of safflower (*Carthamus tinctorius* L.) using *Agrobacterium tumefaciens*. *Plant Biotech.* 16(3): 201-206.
- Santanen A and Simola LK (1992) Changes in polyamine metabolism during somatic embryogenesis in *Picea abies*. *J. Plant Physiol.* 147: 145–153.



- Seeta PK, Talat and Anwar SY (2000) Somaclonal variation: an alternative source of genetic variability in safflower. *J. Cytol. Genet.* 1: 127–135.
- Selvaraj N, Vengadesan G, Vasudevan A, Prem Anand R, Ramesh Anbazhgan V and Ganapathi A (2002) Micropropagation of *Cucumis sativus* L from field grown plants. In: Mayhard DN (ed) Proceedings of *Cucurbitaceae* 2002 Conference, Naples, pp. 149-156.
- Sharma SK and Millam S (2004) Somatic embryogenesis in *Solanum tuberosum* L. A histological examination of key developmental stages. *Plant Cell Rep.* 23: 115-119.
- Sheng JL, Zhi-Ming W, Jian-Qiu H (2008) The effect of co-cultivation and selection parameters on *Agrobacterium*-mediated transformation of Chinese soybean varieties. *Plant Cell Rep.* 27:489–498.
- Shibata D and Liu YG (2000) *Agrobacterium*-mediated plant transformation with large DNA fragments. *Trends Plant Sci.* 5: 354–357.
- Shilpa Sri K, Dinesh Kumar V, Sujatha M (2010) *Agrobacterium* mediated genetic transformation of safflower (*Carthamus tinctorius* L.). *Plant Cell Tissue Organ Cult.* 103: 387-401.
- Shulin L (1992) Treated of goitre with goitre-resolved therapy [in Chinese]. *Sichuan Trad Chinese Med Sci.* 10: 47.
- Singh V, Nimbkar N (2006) Safflower (*Carthamus tinctorius* L.). Chapter 6, 167-194.
- Smeda RJ and Weller SC (1991) Plant cell and tissue culture techniques for weed science research. *Weed Sci.* 39: 497–504.
- Smeeckens S (2000) Sugar-induced signal transduction in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 51, 49–81.
- Smirnov VV, Kiprianova EA, Garagula AD, Dodatko TA and Pilyashenko (1990) Antibiotic activity and siderophores [*sic*] of *Pseudomonas cepacia*. *Applied Biochemistry and Microbiology* 26, 58-63.
- Smith DR (1996) Growth medium. U.S. patent no. 5,565,355.
- Smith IM, Dunez J, Phillips DH, Lelliott RA, Archer SA (1988) *European Handbook of Plant Diseases*. Blackwell Scientific, Oxford, UK.
- Smith JR (1996) Safflower. AOCs Press, Champaign, IL, USA. p.624.
- Smith VH and Jimmerson J (2005) safflower. Briefing 58:1-4.

- Srinivas CVS, Praveena B and Nagaraj G (1999) Safflower petals: a source of gamma linolenic acid. *Plant Foods for Human Nutrition* 54: 89–92.
- Sujatha M (2002) Current status and future prospects of *in vitro* techniques and biotechnology in safflower breeding. *Sesame and safflower Newsletter* 17: 92-97.
- Sujatha M (2006) Genetic transformation of safflower. *DOR News Letter. ICAR.* 12: 1-8.
- Sujatha M, Dinesh Kumar V (2007) *In vitro* bud regeneration of *Carthamus tinctorius* and wild *Carthamus* species from leaf explants and axillary buds. *Biologia Plantarum* 51(4): 782-786.
- Sujatha M, Suganya A (1996) *In vitro* organogenic comparison of different seedling tissues of safflower (*Carthamus tinctorius* L.). *Sesame Safflower News lett.* 11: 85-90.
- Susi A (1997) The effect of a transferred chitinase gene on the pathogen resistance of silver birch (*Betula pendula*). Thesis for Licentiate Degree in Forest Science, University of Joensuu, Finland.
- Susi A, Mikkelsen JD, Von Weissenberg K, Nielsen KK (1995) Sugar-beet chitinase inhibits the growth of a spruce pathogen. *Eur J Forest Pathol.* 25:61–64.
- Syamal MM and Singh SK (1996) *In vitro* propagation of rose. *Horticulture Journal* 9: 57– 62.
- Tabei Y, Kitade S, Nishizawa Y, Kikuchi N, Kayano T, Hibi T, Akutsu K (1998) Transgenic cucumber plants harbouring a rice chitinase gene exhibit enhanced resistance to Gray mold (*Botrytis cinerea*). *Plant Cell Rep.* 17: 159-164.
- Taira T, Ohnuma T, Yamagami T, Aso Y, Ishiguro M and Ishihara M (2002) Antifungal activity of rye (*Secale cereale*) seed chitinases: the different binding manner of class I and class II chitinase to the fungal cell walls. *Biosci. Biotechnol. Biochem.* 66: 970-977.
- Tanaka A, Shiotani H, Yamamoto M and Tsuge T (1999) Insertional mutagenesis and cloning of the genes required for biosynthesis of the host-specific AK-toxin in the Japanese pear pathotype of *Alternaria alternata*. *Mol. Plant-Microbe Interact.* 12: 691-702.
- Tanaka K, Kanno Y, Kudo S and Suzuki M (2000) Somatic embryogenesis and plant regeneration in chrysanthemum (*Dendranthema grandiflorum* (Ramat.) (Kitamura). *Plant Cell Rep.* 19: 946-953.

- Tang W and Guo Z (2001) *In vitro* propagation of loblolly pine via direct somatic organogenesis from mature cotyledons and hypocotyls. *Plant Growth Regul.* 33: 25–31.
- Tejovathi G and Anwar SY (1984) *In vitro* induction of capitula from cotyledons of *Carthamus tinctorius* L. (Safflower). *Plant Sci. Lett.* 36: 165-168.
- Tejovathi G and Anwar SY (1987) Plant regeneration from Cotyledonary cultures of safflower (*Carthamus tinctorius* L.). In: Reddy GM (ed) *Plant Cell and Tissue Culture of Economically Important Plants*. Osmania University, Hyderabad, India, 347-353.
- Tejovathi G and Anwar SY (1993) 2, 4, 5-Trichloro phenoxy propionic acid induced rhizogenesis in *Carthamus tinctorius* L. In: *Proceedings of the Indian National Science Academy, Part B, Biological Sciences*, 59: 633-636.
- Thompson CJ, Movva NR, Tizard R, Cramer R, Davies JE, Lauwereys M, Botterman J (1987) Characterization of the herbicide- resistance gene *bar* from *Streptomyces hygroscopicus*. *EMBO J* 6:2519–2523.
- Thorpe TA (1993) *In vitro* organogenesis and somatic embryogenesis: Physiological and biochemical aspects. In: Roubelakis-Angelakis and Tran Thank Van K (eds). *Morphogenesis in plants*. Plenum Press, New York, pp: 19-38.
- Tiburcio AF, Kaur-Sawhney R, Ingersoll RB and Galston AW (1985) Correlation between polyamines and pyrrolidine alkaloids in developing tobacco callus. *Plant Physiol.* 78: 323–326.
- Toki S, Takamatsu S, Nojiri C, Ooba S, Anzai H, Iwata M, Christensen AH, Quail PH and Uchimiya H (1992) Expression of a Maize Ubiquitin Gene Promoter-*bar* Chimeric Gene in Transgenic Rice Plants. *Plant Physiol.* 100: 1503-1507.
- Toyoda H, Matsuda Y, Yamaga T, Ikeda S, Morita M, Tamai T, Ouchi S (1991) Suppression of the powdery mildew pathogen by chitinase microinjected into barley coleoptiles epidermal cells. *Plant Cell Rep.* 10: 217-220.
- Tzfira T and Citovsky V (2006) *Agrobacterium*-mediated genetic transformation of plants: biology and biotechnology. *Curr. Opin. Biotechnol.* 17: 147–154.
- Uranbey S, Sevimay CS, Kaya MD, İpek A, Sancak C, Başalma D, ER C and Ozcan S (2005) Influence of different co-cultivation temperatures, periods and media on *Agrobacterium tumefaciens*-mediated gene transfer. *Biol. Plant* 49: 53–57.
- Van der Holst PPG, Schlaman HRM and Spaink HP (2001) Proteins involved in the production and perception of oligosaccharides in relation to plant and animal development. *Curr. Opin. Struct. Biol.* 11: 608-616.

- Van Rooijen GJ, Terning LI and Moloney MM (1992) Nucleotide sequence of an *Arabidopsis thaliana* oleosin gene. *Plant Mol. Biol.* 18: 1177–1179.
- Vasic N, Ivanovic M, Peternelli L, Ockovic J D, Stojakovic M, Bocanski J (2001) Genetic relationships between grain yield and yield components in a synthetic population and their implications in selection. *Acta Agronomica Hungarica*, 49 (4): 337–342.
- Vasudevan A, Selvaraj N, Ganapathi A, Kasthuriengan S, Ramesh Anbazhagan V and Manickavasagam M (2004) Glutamine: a suitable nitrogen source for enhanced shoot multiplication in *Cucumis sativus* L. *Biologia Plant.* 48: 125-128.
- Velasco L and Fernandez-Martinez J, Bergman JW and Mundel HH (2001) Breeding for oil quality in safflower. In *Proceedings of the 5th International Safflower Conference*, Williston, ND, and Sidney, MT, July 23–27, 2001. Eds., pp. 133–137.
- Veluthambi K, Aditya KG, Arun S (2003) The current status of plant transformation technology. *Current Science*, 84: 368-380.
- Victor Lyamichev, Andrea Mast L, Jeff Hall G, James Prudent R, Michael Kaiser W, Tsetska Takova, Robert Kwiatkowski W, Tamara Sander J, Monika de Arruda, David Arco A, Bruce Neri P and Mary Ann Brow D (1999) Polymorphism identification and quantitative detection of genomic DNA by invasive cleavage of oligonucleotide probes. *Nature Biotechnology.* 17, 292 - 296.
- Vijaya Kumar J and Ranjitha Kumari BD (2005) Effect of phytohormones on multiple shoot induction in cv. NARI-6 of safflower (*Carthamus tinctorius* L.) *J Plant Biotechnol.* 7: 149-153.
- Vijaya N, Satyanarayana G, Prakash J and Pierik RLM (1991) Effect of culture media and growth regulators on *in vitro* propagation of rose. *Current Plant Science and Biotechnology in Agriculture.* 12: 209–14.
- Vila SK, Gonzalez AM, Rey HY and Mroginski LA (2003) *In vitro* plant regeneration of *Melia azedarach* L. shoot organogenesis from leaf explants. *Biologia Plant.* 47: 13-19.
- Von Arnold S and Eriksson T (1981) *In vitro* studies of adventitious shoot formation in *Pinus contorta*. *Can. J. Bot.* 59: 870-874.
- Von Arnold S, Sabala I, Bozhkov P, Dyachok J and Filonova L (2002) Developmental pathways of somatic embryogenesis. *Plant Cell Tiss. Organ Cult.* 69:233-249.
- Wagiran A, Ismail I, Che Mohd Zain Ch, Abdullah R (2010) *Agrobacterium tumefaciens*-mediated transformation of the isopentenyltransferase gene in

- japonica rice suspension cell culture. Australian Journal of Crop Science. 4(6): 421-429.
- Walia N, Kaur A and Babbar SB (2005) *In vitro* regeneration of a high oil-yielding variety of safflower (*Carthamus tinctorius* var HUS-305). J. Plant Biochem. Biotechnol. 14: 65-68.
- Walker KA and Sato SJ (1981) Morphogenesis in callus tissue of *Medicago sativa*: the role of ammonium ion on somatic embryogenesis. Plant Cell Tissue Organ Cult. 1: 109-121.
- Weinberg ZG, Ashbell G, Hen Y, Leshem Y, Landau S and Bruckental I (2002) A note on ensiling safflower forage. Grass Forage Sci. 57: 184–187.
- Weiss EA (1971) Castor, Sesame and Safflower. Barnes and Noble, Inc., New York. 529-744.
- Weiss EA (1983) Oilseed crops. Chapter 6. Safflower Longman Group Limited, Longman House, London, UK. pp. 216-281.
- Wenyu Z (1986) Tian Ying's prescription was used for treatment on sterility of 77 cases [in Chinese]. J. Trad. Chinese Med. 27: 31-32.
- Xian-Sheng Zhang, Ying-Hua Su and Yu-Bo Liu (2011) Auxin–Cytokinin Interaction Regulates Meristem Development Molecular Plant. Volume 4.4:616–625.
- Xinping YI and Deyue YU (2006) Transformation of multiple soybean cultivars by infecting cotyledonary-node with *Agrobacterium tumefaciens*. African J Biotechnol. 5: 1989-1993.
- Yadav JS and Rajam MV (1997) Spatial distribution of free and conjugated polyamines in leaves of *Solanum melongena* L. associated with differential morphogenetic capacity: efficient somatic embryogenesis with putrescine. J. Exp. Bot. 313: 1537–1545.
- Yamamoto T, Iketan H, Ieki H, Nishizawa Y, Notsuka K, Hibi T, Hayashi T and Matsuta N (2000) Transgenic grapevine plants expressing a rice chitinase with enhanced resistance to fungal pathogens. Plant Cell Rep. 19, 639–646.
- Ying Hua Su, Yu Bo Liu and Xian Sheng Zhang (2011) Auxin–Cytokinin Interaction Regulates Meristem Development. Molecular Plant Advance. 1–10.
- Ying M, Dyer WE, Bergman JW (1992) *Agrobacterium tumefaciens* mediated transformation of safflower (*Carthamus tinctorius* L.) cv. Centennial. Plant Cell Rep. 11(11): 581-585.

- Youan D (1988) Observation on the recent curative effect of the traditional chinese medicine Invigorating the circulation of blood plus anticarcinogen for treatment of acute leukemia [in Chinese]. J. Combination of Trad. Chinese and Western Med. 8: 683.
- Yue W and Luqiu W (1990) A clinical observation on the effect of rheumatic prescription for treatment of rheumatoid arthritis of 50 cases [in Chinese]. J. Jiangsu Trad. Chinese Med. 11: 1-3.
- Yuehao Q (1990) An analysis on the clinical treatment of male sterility of 300 cases by kidney-benefited and invigorating blood-circulation decoction [in Chinese]. Jiangxi Trad. Chinese Med. 21: 21-22.
- Yunshan L (1986) The treatment on anal fissure of 85 cases by sit-washing on washing fissure decoction [in Chinese]. Henan Trad. Chinese Med. 6: 34.
- Zambryski PC (1992) Chronicles from the *Agrobacterium*-plant cell DNA transfer story. Annu. Rev. Plant Physiol. Plant Mol. Biol. 43: 465–490.
- Zambryski ZA (1983) Ti plasmid vector for the introduction of DNA into plant cells without alteration of their normal regeneration capacity. EMBOJ. 2: 2143-2150.
- Zebarjadi AR, Jalali Javaran M, Karimzadeh G, Moeini A, Mousavi A, Salmanian AH (2006) Transformation of rapeseed (*Brassica napus* L.) plants with sense and antisense constructs of the fatty acid elongase gene. Iranian J Biotech. 4(2): 79-87.
- Zhang Q, Chen J and Henny RJ (2005) Direct somatic embryogenesis and plant regeneration from leaf, petiole, and stem explants of golden pothos. Plant Cell Rep., 23:587-595.
- Zhang Y, Bhalla PL (1999) Shoot regeneration potential from seedling explants of Australian cultivars of oil seed rape (*Brassica napus* L.). New Horizons for an old crop, Proceedings 10<sup>th</sup> International, Rapeseed Congress, Canberra, Australia.
- Zhao ZY, Cai T, Tagliani L, Miller M, Wang N, Pang H, Rudert R, Schroder S, Hondred D, Seltzer J, and Pierce D (2000) *Agrobacterium*-mediated sorghum transformation. Plant Mol Biol, 44: 789- 798.
- Zhaoming W, Jiyun C, Lianhong J, Huiying Z and Hexuan Y (1985) Rheumatism tablet was used for treatment on rheumatoid arthritis of 310 cases [in Chinese]. J. Combination of Trad. Chinese and Western Med. 5: 284-285.

- Zhenshun D, Xiping S and Fang Z (1992) The effects of Chinese medicine Shu-Jing Drip on cerebral artery blood flow of atherosclerosis of 30 cases [in Chinese]. *J. Shanxi Trad. Chinese Med.* 8: 12-13.
- Zhong R, Kays SJ, Schroeder BP and Ye ZH (2002) Mutation of a chitinase-like gene causes ectopic deposition of lignin, aberrant cell shapes, and overproduction of ethylene. *Plant Cell.* 14: 165-179.
- Zhongying W (1989) Lupus pill was used for treatment on lupus erythematosus [in Chinese]. *J. Combination of Trad. Chinese and Western Med.* 9: 465-468.
- Zhoucai L (1991) The treatment on hemiplegia of 288 cases by traditional Chinese and western medicine combination [in Chinese]. *Shanxi Trad. Chinese Med. Sci.* 12: 444.
- Zuolin Z (1992) The curative effects of Tao-Hong-Si-Wu Decoction for treatment on cerebral embolism of 32 cases [in Chinese]. *Correspondence of Trad. Chinese Med.* 11: 44-45.