

## **Bibliography**

- Abbracchio MP, Burnstock G (1994) Purinoceptors: are there families of P2X and P2Y purinoceptors? *Pharmacol Ther* 64:445-475.
- Acuna-Castillo C, Coddou C, Bull P, Brito J, Huidobro-Toro JP (2007) Differential role of extracellular histidines in copper, zinc, magnesium and proton modulation of the P2X7 purinergic receptor. *J Neurochem* 101:17-26.
- Adinolfi E, Callegari MG, Cirillo M, Pinton P, Giorgi C, Cavagna D, Rizzuto R, Di Virgilio F (2009) Expression of the P2X7 receptor increases the Ca<sup>2+</sup> content of the endoplasmic reticulum, activates NFATc1, and protects from apoptosis. *J Biol Chem* 284:10120-10128.
- Adinolfi E, Callegari MG, Ferrari D, Bolognesi C, Minelli M, Wieckowski MR, Pinton P, Rizzuto R, Di Virgilio F (2005) Basal activation of the P2X7 ATP receptor elevates mitochondrial calcium and potential, increases cellular ATP levels, and promotes serum-independent growth. *Mol Biol Cell* 16:3260-3272.
- Adle-Biassette H, Wingertsmann L, Authier FJ, Kondo H, Poron F, Hery C, Bell J, Tardieu M, Gherardi R, Gray F (1997) [Neuronal apoptosis in the central and peripheral nervous system in HIV infection]. *Arch Anat Cytol Pathol* 45:86-93.
- Alberto AV, Faria RX, Couto CG, Ferreira LG, Souza CA, Teixeira PC, Froes MM, Alves LA (2013) Is pannexin the pore associated with the P2X7 receptor? *Naunyn Schmiedebergs Arch Pharmacol* 386:775-787.
- Albright AV, Strizki J, Harouse JM, Lavi E, O'Connor M, Gonzalez-Scarano F (1996) HIV-1 infection of cultured human adult oligodendrocytes. *Virology* 217:211-219.
- Ali Z, Laurijssens B, Ostenfeld T, McHugh S, Stylianou A, Scott-Stevens P, Hosking L, Dewit O, Richardson JC, Chen C (2013) Pharmacokinetic and pharmacodynamic profiling of a P2X7 receptor allosteric modulator GSK1482160 in healthy human subjects. *Br J Clin Pharmacol* 75:197-207.
- Allers K, Schneider T (2015) CCR5Delta32 mutation and HIV infection: basis for curative HIV therapy. *Curr Opin Virol* 14:24-29.
- Alloisio S, Di Garbo A, Barbieri R, Bozzo L, Ferroni S, Nobile M (2010) Evidence for two conductive pathways in P2X receptor: differences in modulation and selectivity. *J Neurochem* 113:796-806.
- Alves LA, Bezerra RJ, Faria RX, Ferreira LG, da Silva Frutuoso V (2013) Physiological roles and potential therapeutic applications of the P2X7 receptor in inflammation and pain. *Molecules* 18:10953-10972.
- Alves LA, da Silva JH, Ferreira DN, Fidalgo-Neto AA, Teixeira PC, de Souza CA, Caffarena ER, de Freitas MS (2014) Structural and molecular modeling features of P2X receptors. *Int J Mol Sci* 15:4531-4549.
- Ammassari A, Antinori A, Aloisi MS, Trotta MP, Murri R, Bartoli L, Monforte AD, Wu AW, Starace F (2004) Depressive symptoms, neurocognitive impairment, and adherence to highly active antiretroviral therapy among HIV-infected persons. *Psychosomatics* 45:394-402.
- Anderson CM, Swanson RA (2000) Astrocyte glutamate transport: review of properties, regulation, and physiological functions. *Glia* 32:1-14.
- Anderson CM, Nedergaard M (2006) Emerging challenges of assigning P2X7 receptor function and immunoreactivity in neurons. *Trends Neurosci* 29:257-262.

- Anthony IC, Ramage SN, Carnie FW, Simmonds P, Bell JE (2005) Influence of HAART on HIV-related CNS disease and neuroinflammation. *J Neuropathol Exp Neurol* 64:529-536.
- Araque A, Parpura V, Sanzgiri RP, Haydon PG (1999) Tripartite synapses: glia, the unacknowledged partner. *Trends Neurosci* 22:208-215.
- Araque A, Carmignoto G, Haydon PG, Oliet SH, Robitaille R, Volterra A (2014) Gliotransmitters travel in time and space. *Neuron* 81:728-739.
- Arulkumaran N, Unwin RJ, Tam FW (2011) A potential therapeutic role for P2X7 receptor (P2X7R) antagonists in the treatment of inflammatory diseases. *Expert Opin Investig Drugs* 20:897-915.
- Ashutosh, Chao C, Borgmann K, Brew K, Ghorpade A (2012) Tissue inhibitor of metalloproteinases-1 protects human neurons from staurosporine and HIV-1-induced apoptosis: mechanisms and relevance to HIV-1-associated dementia. *Cell Death Dis* 3:e332.
- Atluri VS, Hidalgo M, Samikkannu T, Kurapati KR, Jayant RD, Sagar V, Nair MP (2015) Effect of human immunodeficiency virus on barrier integrity and function: an update. *Front Cell Neurosci* 9:212.
- Bal-Price A, Moneer Z, Brown GC (2002) Nitric oxide induces rapid, calcium-dependent release of vesicular glutamate and ATP from cultured rat astrocytes. *Glia* 40:312-323.
- Bao L, Locovei S, Dahl G (2004) Pannexin membrane channels are mechanosensitive conduits for ATP. *FEBS Lett* 572:65-68.
- Baraldi PG, del Carmen Nunez M, Morelli A, Falzoni S, Di Virgilio F, Romagnoli R (2003) Synthesis and biological activity of N-arylpiperazine-modified analogues of KN-62, a potent antagonist of the purinergic P2X7 receptor. *J Med Chem* 46:1318-1329.
- Baraldi PG, Makaeva R, Pavani MG, Nunez Mdel C, Spalluto G, Moro S, Falzoni S, Di Virgilio F, Romagnoli R (2002) Synthesis, biological activity and molecular modeling studies of 1,2,3,4-tetrahydroisoquinoline derivatives as conformationally constrained analogues of KN62, a potent antagonist of the P2X7-receptor containing a tyrosine moiety. *Arzneimittelforschung* 52:273-285.
- Barbe MT, Monyer H, Bruzzone R (2006) Cell-cell communication beyond connexins: the pannexin channels. *Physiology (Bethesda)* 21:103-114.
- Bardoni R, Goldstein PA, Lee CJ, Gu JG, MacDermott AB (1997) ATP P2X receptors mediate fast synaptic transmission in the dorsal horn of the rat spinal cord. *J Neurosci* 17:5297-5304.
- Barre-Sinoussi F, Ross AL, Delfraissy JF (2013) Past, present and future: 30 years of HIV research. *Nat Rev Microbiol* 11:877-883.
- Barre-Sinoussi F, Chermann JC, Rey F, Nugeyre MT, Chamaret S, Gruest J, Dautet C, Axler-Blin C, Vezinet-Brun F, Rouzioux C, Rozenbaum W, Montagnier L (1983) Isolation of a T-lymphotropic retrovirus from a patient at risk for acquired immune deficiency syndrome (AIDS). *Science* 220:868-871.
- Barrera NP, Ormond SJ, Henderson RM, Murrell-Lagnado RD, Edwardson JM (2005) Atomic force microscopy imaging demonstrates that P2X2 receptors are trimers but that P2X6 receptor subunits do not oligomerize. *J Biol Chem* 280:10759-10765.

- Bassel C, Rourke SB, Halman MH, Smith ML (2002) Working memory performance predicts subjective cognitive complaints in HIV infection. *Neuropsychology* 16:400-410.
- Bazargani N, Attwell D (2016) Astrocyte calcium signaling: the third wave. *Nat Neurosci* 19:182-189.
- Beckel JM, Argall AJ, Lim JC, Xia J, Lu W, Coffey EE, Macarak EJ, Shahidullah M, Delamere NA, Zode GS, Sheffield VC, Shestopalov VI, Laties AM, Mitchell CH (2014) Mechanosensitive release of adenosine 5'-triphosphate through pannexin channels and mechanosensitive upregulation of pannexin channels in optic nerve head astrocytes: a mechanism for purinergic involvement in chronic strain. *Glia* 62:1486-1501.
- Beckmann A, Grissmer A, Krause E, Tschernig T, Meier C (2016) Pannexin-1 channels show distinct morphology and no gap junction characteristics in mammalian cells. *Cell Tissue Res* 363:751-763.
- Ben Hajj N, Planes R, Leghmari K, Serrero M, Delobel P, Izopet J, BenMohamed L, Bahraoui E (2015) HIV-1 Tat Protein Induces Production of Proinflammatory Cytokines by Human Dendritic Cells and Monocytes/Macrophages through Engagement of TLR4-MD2-CD14 Complex and Activation of NF-kappaB Pathway. *PLoS One* 10:e0129425.
- Benarroch EE (2010) Glutamate transporters: diversity, function, and involvement in neurologic disease. *Neurology* 74:259-264.
- Bennett MV, Garre JM, Orellana JA, Bukauskas FF, Nedergaard M, Saez JC (2012) Connexin and pannexin hemichannels in inflammatory responses of glia and neurons. *Brain Res* 1487:3-15.
- Benos DJ, Hahn BH, Shaw GM, Bubien JK, Benveniste EN (1994) gp120-mediated alterations in astrocyte ion transport. *Adv Neuroimmunol* 4:175-179.
- Berman JW, Carvallo L, Buckner CM, Luers A, Prevedel L, Bennett MV, Eugenin EA (2016) HIV-tat alters Connexin43 expression and trafficking in human astrocytes: role in NeuroAIDS. *J Neuroinflammation* 13:54.
- Bernstein M, Behnisch T, Balschun D, Reymann KG, Reiser G (1998) Pharmacological characterisation of metabotropic glutamatergic and purinergic receptors linked to Ca<sup>2+</sup> signalling in hippocampal astrocytes. *Neuropharmacology* 37:169-178.
- Berthoud VM, Montegna EA, Atal N, Aithal NH, Brink PR, Beyer EC (2001) Heteromeric connexons formed by the lens connexins, connexin43 and connexin56. *Eur J Cell Biol* 80:11-19.
- Beyer EC, Paul DL, Goodenough DA (1990) Connexin family of gap junction proteins. *J Membr Biol* 116:187-194.
- Beyer EC, Gemel J, Martinez A, Berthoud VM, Valiunas V, Moreno AP, Brink PR (2001) Heteromeric mixing of connexins: compatibility of partners and functional consequences. *Cell Commun Adhes* 8:199-204.
- Bezzi P, Volterra A (2001) A neuron-glia signalling network in the active brain. *Curr Opin Neurobiol* 11:387-394.
- Bhaskaracharya A, Dao-Ung P, Jalilian I, Spildrejorde M, Skarratt KK, Fuller SJ, Sluyter R, Stokes L (2014) Probenecid blocks human P2X7 receptor-induced dye uptake via a pannexin-1 independent mechanism. *PLoS One* 9:e93058.

- Bianco F, Colombo A, Saglietti L, Lecca D, Abbracchio MP, Matteoli M, Verderio C (2009) Different properties of P2X(7) receptor in hippocampal and cortical astrocytes. *Purinergic Signal* 5:233-240.
- Bonavia R, Bajetto A, Barbero S, Albini A, Noonan DM, Schettini G (2001) HIV-1 Tat causes apoptotic death and calcium homeostasis alterations in rat neurons. *Biochem Biophys Res Commun* 288:301-308.
- Bosch M, Kielian T (2014) Hemichannels in neurodegenerative diseases: is there a link to pathology? *Front Cell Neurosci* 8:242.
- Boulougoura A, Sereti I (2016) HIV infection and immune activation: the role of coinfections. *Curr Opin HIV AIDS* 11:191-200.
- Bowser DN, Khakh BS (2007) Vesicular ATP is the predominant cause of intercellular calcium waves in astrocytes. *J Gen Physiol* 129:485-491.
- Boyce AK, Prager RT, Wicki-Stordeur LE, Swayne LA (2014) Pore positioning: current concepts in Pannexin channel trafficking. *Channels (Austin)* 8:110-117.
- Brand-Schieber E, Werner P, Iacobas DA, Iacobas S, Beelitz M, Lowery SL, Spray DC, Scemes E (2005) Connexin43, the major gap junction protein of astrocytes, is down-regulated in inflamed white matter in an animal model of multiple sclerosis. *J Neurosci Res* 80:798-808.
- Brederson JD, Jarvis MF (2008) Homomeric and heteromeric P2X3 receptors in peripheral sensory neurons. *Curr Opin Investig Drugs* 9:716-725.
- Broom DC, Matson DJ, Bradshaw E, Buck ME, Meade R, Coombs S, Matchett M, Ford KK, Yu W, Yuan J, Sun SH, Ochoa R, Krause JE, Wustrow DJ, Cortright DN (2008) Characterization of N-(adamantan-1-ylmethyl)-5-[(3R-aminopyrrolidin-1-yl)methyl]-2-chloro-benzamide, a P2X7 antagonist in animal models of pain and inflammation. *J Pharmacol Exp Ther* 327:620-633.
- Bruzzone R, White TW, Paul DL (1996) Connections with connexins: the molecular basis of direct intercellular signaling. *Eur J Biochem* 238:1-27.
- Bruzzone R, Hormuzdi SG, Barbe MT, Herb A, Monyer H (2003) Pannexins, a family of gap junction proteins expressed in brain. *Proc Natl Acad Sci U S A* 100:13644-13649.
- Burnstock G (1972) Purinergic nerves. *Pharmacol Rev* 24:509-581.
- Burnstock G (2004) Cotransmission. *Curr Opin Pharmacol* 4:47-52.
- Burnstock G (2006) Historical review: ATP as a neurotransmitter. *Trends Pharmacol Sci* 27:166-176.
- Burnstock G (2007) Purine and pyrimidine receptors. *Cell Mol Life Sci* 64:1471-1483.
- Burnstock G (2009) Purinergic cotransmission. *Exp Physiol* 94:20-24.
- Burnstock G (2012) Discovery of purinergic signalling, the initial resistance and current explosion of interest. *Br J Pharmacol* 167:238-255.
- Burnstock G (2013) Introduction to purinergic signalling in the brain. *Adv Exp Med Biol* 986:1-12.
- Burnstock G (2014) Purinergic signalling: from discovery to current developments. *Exp Physiol* 99:16-34.
- Burnstock G (2015) Physiopathological roles of P2X receptors in the central nervous system. *Curr Med Chem* 22:819-844.
- Butt AM (2011) ATP: a ubiquitous gliotransmitter integrating neuron-glia networks. *Semin Cell Dev Biol* 22:205-213.

- Butt AM, Kalsi A (2006) Inwardly rectifying potassium channels (Kir) in central nervous system glia: a special role for Kir4.1 in glial functions. *J Cell Mol Med* 10:33-44.
- Cahoy JD, Emery B, Kaushal A, Foo LC, Zamanian JL, Christopherson KS, Xing Y, Lubischer JL, Krieg PA, Krupenko SA, Thompson WJ, Barres BA (2008) A transcriptome database for astrocytes, neurons, and oligodendrocytes: a new resource for understanding brain development and function. *J Neurosci* 28:264-278.
- Campbell GR, Loret EP, Spector SA (2010) HIV-1 clade B Tat, but not clade C Tat, increases X4 HIV-1 entry into resting but not activated CD4+ T cells. *J Biol Chem* 285:1681-1691.
- Campbell GR, Watkins JD, Singh KK, Loret EP, Spector SA (2007) Human immunodeficiency virus type 1 subtype C Tat fails to induce intracellular calcium flux and induces reduced tumor necrosis factor production from monocytes. *J Virol* 81:5919-5928.
- Cankurtaran-Sayar S, Sayar K, Ugur M (2009) P2X7 receptor activates multiple selective dye-permeation pathways in RAW 264.7 and human embryonic kidney 293 cells. *Mol Pharmacol* 76:1323-1332.
- Carroll WA, Donnelly-Roberts D, Jarvis MF (2009) Selective P2X(7) receptor antagonists for chronic inflammation and pain. *Purinergic Signal* 5:63-73.
- Chang L, Ernst T, St Hillaire C, Conant K (2004) Antiretroviral treatment alters relationship between MCP-1 and neurometabolites in HIV patients. *Antivir Ther* 9:431-440.
- Chauhan A, Turchan J, Pocernich C, Bruce-Keller A, Roth S, Butterfield DA, Major EO, Nath A (2003) Intracellular human immunodeficiency virus Tat expression in astrocytes promotes astrocyte survival but induces potent neurotoxicity at distant sites via axonal transport. *J Biol Chem* 278:13512-13519.
- Chekeni FB, Elliott MR, Sandilos JK, Walk SF, Kinchen JM, Lazarowski ER, Armstrong AJ, Penuela S, Laird DW, Salvesen GS, Isakson BE, Bayliss DA, Ravichandran KS (2010) Pannexin 1 channels mediate 'find-me' signal release and membrane permeability during apoptosis. *Nature* 467:863-867.
- Chen S, Ma Q, Krafft PR, Chen Y, Tang J, Zhang J, Zhang JH (2013) P2X7 receptor antagonism inhibits p38 mitogen-activated protein kinase activation and ameliorates neuronal apoptosis after subarachnoid hemorrhage in rats. *Crit Care Med* 41:e466-474.
- Chen Y, Li G, Huang LY (2012) P2X7 receptors in satellite glial cells mediate high functional expression of P2X3 receptors in immature dorsal root ganglion neurons. *Mol Pain* 8:9.
- Cheung WY, Fritton JC, Morgan S, Seref-Ferlengez Z, Basta-Plijakic J, Thi MM, Suadcani SO, Spray DC, Majeska RJ, Schaffler MB (2015) Pannexin-1 and P2X7-Receptor Are Required for Apoptotic Osteocytes in Fatigued Bone to Trigger RANKL Production in Neighboring Bystander Osteocytes. *J Bone Miner Res*.
- Cho JH, Choi IS, Jang IS (2010) P2X7 receptors enhance glutamate release in hippocampal hilar neurons. *Neuroreport* 21:865-870.

- Chu YX, Zhang Y, Zhang YQ, Zhao ZQ (2010) Involvement of microglial P2X7 receptors and downstream signaling pathways in long-term potentiation of spinal nociceptive responses. *Brain Behav Immun* 24:1176-1189.
- Chung WS, Allen NJ, Eroglu C (2015) Astrocytes Control Synapse Formation, Function, and Elimination. *Cold Spring Harb Perspect Biol* 7:a020370.
- Churchill M, Nath A (2013) Where does HIV hide? A focus on the central nervous system. *Curr Opin HIV AIDS* 8:165-169.
- Churchill MJ, Wesselingh SL, Cowley D, Pardo CA, McArthur JC, Brew BJ, Gorry PR (2009) Extensive astrocyte infection is prominent in human immunodeficiency virus-associated dementia. *Ann Neurol* 66:253-258.
- Churchill MJ, Gorry PR, Cowley D, Lal L, Sonza S, Purcell DF, Thompson KA, Gabuzda D, McArthur JC, Pardo CA, Wesselingh SL (2006) Use of laser capture microdissection to detect integrated HIV-1 DNA in macrophages and astrocytes from autopsy brain tissues. *J Neurovirol* 12:146-152.
- Cinque P, Vago L, Mengozzi M, Torri V, Ceresa D, Vicenzi E, Transidico P, Vagani A, Sozzani S, Mantovani A, Lazzarin A, Poli G (1998) Elevated cerebrospinal fluid levels of monocyte chemoattractant protein-1 correlate with HIV-1 encephalitis and local viral replication. *AIDS* 12:1327-1332.
- Cisneros-Mejorado A, Perez-Samartin A, Gottlieb M, Matute C (2015a) ATP signaling in brain: release, excitotoxicity and potential therapeutic targets. *Cell Mol Neurobiol* 35:1-6.
- Cisneros-Mejorado A, Gottlieb M, Cavaliere F, Magnus T, Koch-Nolte F, Scemes E, Perez-Samartin A, Matute C (2015b) Blockade of P2X7 receptors or pannexin-1 channels similarly attenuates postischemic damage. *J Cereb Blood Flow Metab* 35:843-850.
- Coco S, Calegari F, Pravettoni E, Pozzi D, Taverna E, Rosa P, Matteoli M, Verderio C (2003) Storage and release of ATP from astrocytes in culture. *J Biol Chem* 278:1354-1362.
- Cohen JE, Fields RD (2008) Activity-dependent neuron-glia signaling by ATP and leukemia-inhibitory factor promotes hippocampal glial cell development. *Neuron Glia Biol* 4:43-55.
- Cohen RA, Seider TR, Navia B (2015) HIV effects on age-associated neurocognitive dysfunction: premature cognitive aging or neurodegenerative disease? *Alzheimers Res Ther* 7:37.
- Collo G, Neidhart S, Kawashima E, Kosco-Vilbois M, North RA, Buell G (1997) Tissue distribution of the P2X7 receptor. *Neuropharmacology* 36:1277-1283.
- Conant K, Garzino-Demo A, Nath A, McArthur JC, Halliday W, Power C, Gallo RC, Major EO (1998) Induction of monocyte chemoattractant protein-1 in HIV-1 Tat-stimulated astrocytes and elevation in AIDS dementia. *Proc Natl Acad Sci U S A* 95:3117-3121.
- Costa-Junior HM, Sarmiento Vieira F, Coutinho-Silva R (2011) C terminus of the P2X7 receptor: treasure hunting. *Purinergic Signal* 7:7-19.
- Cotrina ML, Lin JH, Alves-Rodrigues A, Liu S, Li J, Azmi-Ghadimi H, Kang J, Naus CC, Nedergaard M (1998) Connexins regulate calcium signaling by controlling ATP release. *Proc Natl Acad Sci U S A* 95:15735-15740.

- Covino DA, Sabbatucci M, Fantuzzi L (2016) The CCL2/CCR2 Axis in the Pathogenesis of HIV-1 Infection: A New Cellular Target for Therapy? *Curr Drug Targets* 17:76-110.
- Cusack NJ, Hourani SM (1990) Subtypes of P2-purinoceptors. Studies using analogues of ATP. *Ann N Y Acad Sci* 603:172-181.
- Cysique LA, Dermody N, Carr A, Brew BJ, Teesson M (2016) The role of depression chronicity and recurrence on neurocognitive dysfunctions in HIV-infected adults. *J Neurovirol* 22:56-65.
- Dahl G (2015) ATP release through pannexon channels. *Philos Trans R Soc Lond B Biol Sci* 370.
- Dahl G, Keane RW (2012) Pannexin: from discovery to bedside in 11+/-4 years? *Brain Res* 1487:150-159.
- Davidson JO, Green CR, Bennet L, Gunn AJ (2015) Battle of the hemichannels--Connexins and Pannexins in ischemic brain injury. *Int J Dev Neurosci* 45:66-74.
- De Keyser J, Mostert JP, Koch MW (2008) Dysfunctional astrocytes as key players in the pathogenesis of central nervous system disorders. *J Neurol Sci* 267:3-16.
- Deeks SG, Lewin SR, Havlir DV (2013) The end of AIDS: HIV infection as a chronic disease. *Lancet* 382:1525-1533.
- Delarasse C, Gonnord P, Galante M, Auger R, Daniel H, Motta I, Kanellopoulos JM (2009) Neural progenitor cell death is induced by extracellular ATP via ligation of P2X7 receptor. *J Neurochem* 109:846-857.
- Dermietzel R, Hertberg EL, Kessler JA, Spray DC (1991) Gap junctions between cultured astrocytes: immunocytochemical, molecular, and electrophysiological analysis. *J Neurosci* 11:1421-1432.
- Deuchars SA, Atkinson L, Brooke RE, Musa H, Milligan CJ, Batten TF, Buckley NJ, Parson SH, Deuchars J (2001) Neuronal P2X7 receptors are targeted to presynaptic terminals in the central and peripheral nervous systems. *J Neurosci* 21:7143-7152.
- DeVaughn S, Muller-Oehring EM, Markey B, Bronte-Stewart HM, Schulte T (2015) Aging with HIV-1 Infection: Motor Functions, Cognition, and Attention - A Comparison with Parkinson's Disease. *Neuropsychol Rev* 25:424-438.
- Dhillon NK, Williams R, Callen S, Zien C, Narayan O, Buch S (2008) Roles of MCP-1 in development of HIV-dementia. *Front Biosci* 13:3913-3918.
- Diaz-Hernandez M, Diez-Zaera M, Sanchez-Nogueiro J, Gomez-Villafuertes R, Canals JM, Alberch J, Miras-Portugal MT, Lucas JJ (2009) Altered P2X7-receptor level and function in mouse models of Huntington's disease and therapeutic efficacy of antagonist administration. *Faseb J* 23:1893-1906.
- Dong F, Yang XJ, Jiang TB, Chen Y (2016) Ischemia triggered ATP release through Pannexin-1 channel by myocardial cells activates sympathetic fibers. *Microvasc Res* 104:32-37.
- Donnelly-Roberts D, McGaraughty S, Shieh CC, Honore P, Jarvis MF (2008) Painful purinergic receptors. *J Pharmacol Exp Ther* 324:409-415.
- Donnelly-Roberts DL, Jarvis MF (2007) Discovery of P2X7 receptor-selective antagonists offers new insights into P2X7 receptor function and indicates a role in chronic pain states. *Br J Pharmacol* 151:571-579.



- Donnelly-Roberts DL, Namovic MT, Surber B, Vaidyanathan SX, Perez-Medrano A, Wang Y, Carroll WA, Jarvis MF (2009) [3H]A-804598 ([3H]2-cyano-1-[(1S)-1-phenylethyl]-3-quinolin-5-ylguanidine) is a novel, potent, and selective antagonist radioligand for P2X7 receptors. *Neuropharmacology* 56:223-229.
- Dorr P, Westby M, Dobbs S, Griffin P, Irvine B, Macartney M, Mori J, Rickett G, Smith-Burchnell C, Napier C, Webster R, Armour D, Price D, Stammen B, Wood A, Perros M (2005) Maraviroc (UK-427,857), a potent, orally bioavailable, and selective small-molecule inhibitor of chemokine receptor CCR5 with broad-spectrum anti-human immunodeficiency virus type 1 activity. *Antimicrob Agents Chemother* 49:4721-4732.
- Duan S, Anderson CM, Keung EC, Chen Y, Chen Y, Swanson RA (2003) P2X7 receptor-mediated release of excitatory amino acids from astrocytes. *J Neurosci* 23:1320-1328.
- Dubyak GR (2007) Go it alone no more--P2X7 joins the society of heteromeric ATP-gated receptor channels. *Mol Pharmacol* 72:1402-1405.
- Dunn PM, Blakeley AG (1988) Suramin: a reversible P2-purinoceptor antagonist in the mouse vas deferens. *Br J Pharmacol* 93:243-245.
- Dutot M, Liang H, Pauloin T, Brignole-Baudouin F, Baudouin C, Warnet JM, Rat P (2008) Effects of toxic cellular stresses and divalent cations on the human P2X7 cell death receptor. *Mol Vis* 14:889-897.
- Edinger AL, Amedee A, Miller K, Doranz BJ, Endres M, Sharron M, Samson M, Lu ZH, Clements JE, Murphey-Corb M, Peiper SC, Parmentier M, Broder CC, Doms RW (1997) Differential utilization of CCR5 by macrophage and T cell tropic simian immunodeficiency virus strains. *Proc Natl Acad Sci U S A* 94:4005-4010.
- El-Hage N, Gurwell JA, Singh IN, Knapp PE, Nath A, Hauser KF (2005) Synergistic increases in intracellular Ca<sup>2+</sup>, and the release of MCP-1, RANTES, and IL-6 by astrocytes treated with opiates and HIV-1 Tat. *Glia* 50:91-106.
- El-Hage N, Wu G, Wang J, Ambati J, Knapp PE, Reed JL, Bruce-Keller AJ, Hauser KF (2006) HIV-1 Tat and opiate-induced changes in astrocytes promote chemotaxis of microglia through the expression of MCP-1 and alternative chemokines. *Glia* 53:132-146.
- Elbirt D, Mahlab-Guri K, Bezalel-Rosenberg S, Gill H, Attali M, Asher I (2015) HIV-associated neurocognitive disorders (HAND). *Isr Med Assoc J* 17:54-59.
- Elliott MR, Chekeni FB, Trampont PC, Lazarowski ER, Kadl A, Walk SF, Park D, Woodson RI, Ostankovich M, Sharma P, Lysiak JJ, Harden TK, Leitinger N, Ravichandran KS (2009) Nucleotides released by apoptotic cells act as a find-me signal to promote phagocytic clearance. *Nature* 461:282-286.
- Ellis R, Langford D, Masliah E (2007) HIV and antiretroviral therapy in the brain: neuronal injury and repair. *Nat Rev Neurosci* 8:33-44.
- Emerit J, Edeas M, Bricaire F (2004) Neurodegenerative diseases and oxidative stress. *Biomed Pharmacother* 58:39-46.
- Engelman A, Cherepanov P (2012) The structural biology of HIV-1: mechanistic and therapeutic insights. *Nat Rev Microbiol* 10:279-290.
- Epstein LG, Gelbard HA (1999) HIV-1-induced neuronal injury in the developing brain. *J Leukoc Biol* 65:453-457.

- Eroglu C, Barres BA (2010) Regulation of synaptic connectivity by glia. *Nature* 468:223-231.
- Espinosa E, Bermudez-Rattoni F (2001) [Behavior-immunity relationship: the role of cytokines]. *Rev Invest Clin* 53:240-253.
- Eugenin EA, Berman JW (2007) Gap junctions mediate human immunodeficiency virus-bystander killing in astrocytes. *J Neurosci* 27:12844-12850.
- Eugenin EA, D'Aversa TG, Lopez L, Calderon TM, Berman JW (2003) MCP-1 (CCL2) protects human neurons and astrocytes from NMDA or HIV-tat-induced apoptosis. *J Neurochem* 85:1299-1311.
- Eugenin EA, Osiecki K, Lopez L, Goldstein H, Calderon TM, Berman JW (2006) CCL2/monocyte chemoattractant protein-1 mediates enhanced transmigration of human immunodeficiency virus (HIV)-infected leukocytes across the blood-brain barrier: a potential mechanism of HIV-CNS invasion and NeuroAIDS. *J Neurosci* 26:1098-1106.
- Eugenin EA, King JE, Nath A, Calderon TM, Zukin RS, Bennett MV, Berman JW (2007) HIV-tat induces formation of an LRP-PSD-95- NMDAR-nNOS complex that promotes apoptosis in neurons and astrocytes. *Proc Natl Acad Sci U S A* 104:3438-3443.
- Evans RJ, Lewis C, Buell G, Valera S, North RA, Surprenant A (1995) Pharmacological characterization of heterologously expressed ATP-gated cation channels (P2x purinoceptors). *Mol Pharmacol* 48:178-183.
- Evans WH, Martin PE (2002) Gap junctions: structure and function (Review). *Mol Membr Biol* 19:121-136.
- Fatima M, Kumari R, Schwamborn JC, Mahadevan A, Shankar SK, Raja R, Seth P (2015) Tripartite containing motif 32 modulates proliferation of human neural precursor cells in HIV-1 neurodegeneration. *Cell Death Differ*.
- Fellin T, Pozzan T, Carmignoto G (2006a) Purinergic receptors mediate two distinct glutamate release pathways in hippocampal astrocytes. *J Biol Chem* 281:4274-4284.
- Fellin T, Sul JY, D'Ascenzo M, Takano H, Pascual O, Haydon PG (2006b) Bidirectional astrocyte-neuron communication: the many roles of glutamate and ATP. *Novartis Found Symp* 276:208-217; discussion 217-221, 233-207, 275-281.
- Ferrarese C, Aliprandi A, Tremolizzo L, Stanzani L, De Micheli A, Dolara A, Frattola L (2001) Increased glutamate in CSF and plasma of patients with HIV dementia. *Neurology* 57:671-675.
- Ferrero ME (2009) A new approach to the inflammatory/autoimmune diseases. *Recent Pat Antiinfect Drug Discov* 4:108-113.
- Fiacco TA, McCarthy KD (2006) Astrocyte calcium elevations: properties, propagation, and effects on brain signaling. *Glia* 54:676-690.
- Fiebich BL, Akter S, Akundi RS (2014) The two-hit hypothesis for neuroinflammation: role of exogenous ATP in modulating inflammation in the brain. *Front Cell Neurosci* 8:260.
- Fields RD, Burnstock G (2006) Purinergic signalling in neuron-glia interactions. *Nat Rev Neurosci* 7:423-436.

- Fischer W, Krugel U (2007) P2Y receptors: focus on structural, pharmacological and functional aspects in the brain. *Curr Med Chem* 14:2429-2455.
- Flittiger B, Klapperstuck M, Schmalzing G, Markwardt F (2010) Effects of protons on macroscopic and single-channel currents mediated by the human P2X7 receptor. *Biochim Biophys Acta* 1798:947-957.
- Franceschini A, Adinolfi E (2014) P2X receptors: New players in cancer pain. *World J Biol Chem* 5:429-436.
- Frankel AD, Young JA (1998) HIV-1: fifteen proteins and an RNA. *Annu Rev Biochem* 67:1-25.
- Freed EO (2015) HIV-1 assembly, release and maturation. *Nat Rev Microbiol* 13:484-496.
- Friedle SA, Curet MA, Watters JJ (2010) Recent patents on novel P2X(7) receptor antagonists and their potential for reducing central nervous system inflammation. *Recent Pat CNS Drug Discov* 5:35-45.
- Furber M, Alcaraz L, Bent JE, Beyerbach A, Bowers K, Braddock M, Caffrey MV, Cladingboel D, Collington J, Donald DK, Fagura M, Ince F, Kinchin EC, Laurent C, Lawson M, Luker TJ, Mortimore MM, Pimm AD, Riley RJ, Roberts N, Robertson M, Theaker J, Thorne PV, Weaver R, Webborn P, Willis P (2007) Discovery of potent and selective adamantane-based small-molecule P2X(7) receptor antagonists/interleukin-1beta inhibitors. *J Med Chem* 50:5882-5885.
- Gandhi N, Saiyed Z, Thangavel S, Rodriguez J, Rao KV, Nair MP (2009) Differential effects of HIV type 1 clade B and clade C Tat protein on expression of proinflammatory and antiinflammatory cytokines by primary monocytes. *AIDS Res Hum Retroviruses* 25:691-699.
- Gao M, Wang M, Green MA, Hutchins GD, Zheng QH (2015) Synthesis of [(11)C]GSK1482160 as a new PET agent for targeting P2X(7) receptor. *Bioorg Med Chem Lett* 25:1965-1970.
- Gard AL, Burrell MR, Pfeiffer SE, Rudge JS, Williams WC, 2nd (1995) Astroglial control of oligodendrocyte survival mediated by PDGF and leukemia inhibitory factor-like protein. *Development* 121:2187-2197.
- Gargett CE, Wiley JS (1997) The isoquinoline derivative KN-62 a potent antagonist of the P2Z-receptor of human lymphocytes. *Br J Pharmacol* 120:1483-1490.
- Gates TM, Cysique LA, Siefried KJ, Chaganti J, Moffat KJ, Brew BJ (2016) Maraviroc-intensified combined antiretroviral therapy improves cognition in virally suppressed HIV-associated neurocognitive disorder. *AIDS* 30:591-600.
- Gendron FP, Neary JT, Theiss PM, Sun GY, Gonzalez FA, Weisman GA (2003) Mechanisms of P2X7 receptor-mediated ERK1/2 phosphorylation in human astrocytoma cells. *Am J Physiol Cell Physiol* 284:C571-581.
- Geretti AM (2006) HIV-1 subtypes: epidemiology and significance for HIV management. *Curr Opin Infect Dis* 19:1-7.
- Gever JR, Cockayne DA, Dillon MP, Burnstock G, Ford AP (2006) Pharmacology of P2X channels. *Pflugers Arch* 452:513-537.
- Giaume C (1996) [Communicating junctions of glial cells in the central nervous system]. *Ann Endocrinol (Paris)* 57:487-491.
- Giaume C, Venance L (1998) Intercellular calcium signaling and gap junctional communication in astrocytes. *Glia* 24:50-64.

- Giaume C, Leybaert L, Naus CC, Saez JC (2013) Connexin and pannexin hemichannels in brain glial cells: properties, pharmacology, and roles. *Front Pharmacol* 4:88.
- Gimsa U, Mitchison NA, Brunner-Weinzierl MC (2013) Immune privilege as an intrinsic CNS property: astrocytes protect the CNS against T-cell-mediated neuroinflammation. *Mediators Inflamm* 2013:320519.
- Giniatullin R, Nistri A (2013) Desensitization properties of P2X3 receptors shaping pain signaling. *Front Cell Neurosci* 7:245.
- Glaser T, de Oliveira SL, Cheffer A, Beco R, Martins P, Fornazari M, Lameu C, Junior HM, Coutinho-Silva R, Ulrich H (2014) Modulation of mouse embryonic stem cell proliferation and neural differentiation by the P2X7 receptor. *PLoS One* 9:e96281.
- Gomes P, Srinivas SP, Van Driessche W, Vereecke J, Himpens B (2005) ATP release through connexin hemichannels in corneal endothelial cells. *Invest Ophthalmol Vis Sci* 46:1208-1218.
- Goodenough DA, Goliger JA, Paul DL (1996) Connexins, connexons, and intercellular communication. *Annu Rev Biochem* 65:475-502.
- Gorman AA, Foley JM, Ettenhofer ML, Hinkin CH, van Gorp WG (2009) Functional consequences of HIV-associated neuropsychological impairment. *Neuropsychol Rev* 19:186-203.
- Gorry PR, Howard JL, Churchill MJ, Anderson JL, Cunningham A, Adrian D, McPhee DA, Purcell DF (1999) Diminished production of human immunodeficiency virus type 1 in astrocytes results from inefficient translation of gag, env, and nef mRNAs despite efficient expression of Tat and Rev. *J Virol* 73:352-361.
- Gorry PR, Ong C, Thorpe J, Bannwarth S, Thompson KA, Gatignol A, Vesselingh SL, Purcell DF (2003) Astrocyte infection by HIV-1: mechanisms of restricted virus replication, and role in the pathogenesis of HIV-1-associated dementia. *Curr HIV Res* 1:463-473.
- Gosejacob D, Dublin P, Bedner P, Huttman K, Zhang J, Tress O, Willecke K, Pfrieger F, Steinhauser C, Theis M (2011) Role of astroglial connexin30 in hippocampal gap junction coupling. *Glia* 59:511-519.
- Gras G, Kaul M (2010) Molecular mechanisms of neuroinvasion by monocytes-macrophages in HIV-1 infection. *Retrovirology* 7:30.
- Gray F, Scaravilli F, Everall I, Chretien F, An S, Boche D, Adle-Biassette H, Wingertsman L, Durigon M, Hurtrel B, Chiodi F, Bell J, Lantos P (1996) Neuropathology of early HIV-1 infection. *Brain Pathol* 6:1-15.
- Green DA, Masliah E, Vinters HV, Beizai P, Moore DJ, Achim CL (2005) Brain deposition of beta-amyloid is a common pathologic feature in HIV positive patients. *AIDS* 19:407-411.
- Grovit-Ferbas K, Harris-White ME (2010) Thinking about HIV: the intersection of virus, neuroinflammation and cognitive dysfunction. *Immunol Res* 48:40-58.
- Guha D, Nagilla P, Redinger C, Srinivasan A, Schatten GP, Ayyavoo V (2012) Neuronal apoptosis by HIV-1 Vpr: contribution of proinflammatory molecular networks from infected target cells. *J Neuroinflammation* 9:138.
- Gulbransen BD, Bashashati M, Hirota SA, Gui X, Roberts JA, MacDonald JA, Muruve DA, McKay DM, Beck PL, Mawe GM, Thompson RJ, Sharkey KA (2012)

- Activation of neuronal P2X7 receptor-pannexin-1 mediates death of enteric neurons during colitis. *Nat Med* 18:600-604.
- Gunosewoyo H, Kassiou M (2010) P2X purinergic receptor ligands: recently patented compounds. *Expert Opin Ther Pat* 20:625-646.
- Gupta JD, Satishchandra P, Gopukumar K, Wilkie F, Waldrop-Valverde D, Ellis R, Ownby R, Subbakrishna DK, Desai A, Kamat A, Ravi V, Rao BS, Satish KS, Kumar M (2007) Neuropsychological deficits in human immunodeficiency virus type 1 clade C-seropositive adults from South India. *J Neurovirol* 13:195-202.
- Gupta S, Knight AG, Gupta S, Knapp PE, Hauser KF, Keller JN, Bruce-Keller AJ (2010) HIV-Tat elicits microglial glutamate release: role of NADPH oxidase and the cystine-glutamate antiporter. *Neurosci Lett* 485:233-236.
- Gurgo C, Gallo RC (1987) Human retroviruses: HTLV-I, II, and III and their association with leukemia and AIDS. *Ann N Y Acad Sci* 511:350-369.
- Gurtler LG, Zekeng L, Tsague JM, van Brunn A, Afane Ze E, Eberle J, Kaptue L (1996) HIV-1 subtype O: epidemiology, pathogenesis, diagnosis, and perspectives of the evolution of HIV. *Arch Virol Suppl* 11:195-202.
- Guthrie PB, Knappenberger J, Segal M, Bennett MV, Charles AC, Kater SB (1999) ATP released from astrocytes mediates glial calcium waves. *J Neurosci* 19:520-528.
- Hahn J, Wang X, Margeta M (2015) Astrocytes increase the activity of synaptic GluN2B NMDA receptors. *Front Cell Neurosci* 9:117.
- Hanley PJ, Kronlage M, Kirschning C, del Rey A, Di Virgilio F, Leipziger J, Chessell IP, Sargin S, Filippov MA, Lindemann O, Mohr S, Konigs V, Schillers H, Bahler M, Schwab A (2012) Transient P2X7 receptor activation triggers macrophage death independent of Toll-like receptors 2 and 4, caspase-1, and pannexin-1 proteins. *J Biol Chem* 287:10650-10663.
- Hansen DB, Braunstein TH, Nielsen MS, MacAulay N (2014a) Distinct permeation profiles of the connexin 30 and 43 hemichannels. *FEBS Lett* 588:1446-1457.
- Hansen DB, Ye ZC, Calloe K, Braunstein TH, Hofgaard JP, Ransom BR, Nielsen MS, MacAulay N (2014b) Activation, permeability, and inhibition of astrocytic and neuronal large pore (hemi)channels. *J Biol Chem* 289:26058-26073.
- Haughey NJ, Mattson MP (2002) Calcium dysregulation and neuronal apoptosis by the HIV-1 proteins Tat and gp120. *J Acquir Immune Defic Syndr* 31 Suppl 2:S55-61.
- Haughey NJ, Nath A, Mattson MP, Slevin JT, Geiger JD (2001) HIV-1 Tat through phosphorylation of NMDA receptors potentiates glutamate excitotoxicity. *J Neurochem* 78:457-467.
- Haulica I, Bild W, Boisteanu D, Ionita T, Mihaila C (2002) Actual data concerning the brain-immune system interface. *Roum Arch Microbiol Immunol* 61:141-157.
- Haydon PG (2001) GLIA: listening and talking to the synapse. *Nat Rev Neurosci* 2:185-193.
- Hazleton JE, Berman JW, Eugenin EA (2012) Purinergic receptors are required for HIV-1 infection of primary human macrophages. *J Immunol* 188:4488-4495.
- Heaton RK, Franklin DR, Ellis RJ, McCutchan JA, Letendre SL, Leblanc S, Corkran SH, Duarte NA, Clifford DB, Woods SP, Collier AC, Marra CM, Morgello S, Mindt MR, Taylor MJ, Marcotte TD, Atkinson JH, Wolfson T, Gelman BB,

- McArthur JC, Simpson DM, Abramson I, Gamst A, Fennema-Notestine C, Jernigan TL, Wong J, Grant I (2011) HIV-associated neurocognitive disorders before and during the era of combination antiretroviral therapy: differences in rates, nature, and predictors. *J Neurovirol* 17:3-16.
- Hibell AD, Thompson KM, Xing M, Humphrey PP, Michel AD (2001) Complexities of measuring antagonist potency at P2X(7) receptor orthologs. *J Pharmacol Exp Ther* 296:947-957.
- Hong S, Banks WA (2015) Role of the immune system in HIV-associated neuroinflammation and neurocognitive implications. *Brain Behav Immun* 45:1-12.
- Honore P, Donnelly-Roberts D, Namovic MT, Hsieh G, Zhu CZ, Mikusa JP, Hernandez G, Zhong C, Gauvin DM, Chandran P, Harris R, Medrano AP, Carroll W, Marsh K, Sullivan JP, Faltynek CR, Jarvis MF (2006) A-740003 [N-(1-[(cyanoimino)(5-quinolinylamino) methyl]amino)-2,2-dimethylpropyl)-2-(3,4-dimethoxyphenyl)acetamide], a novel and selective P2X7 receptor antagonist, dose-dependently reduces neuropathic pain in the rat. *J Pharmacol Exp Ther* 319:1376-1385.
- <http://www.cdc.gov> HIV basics.
- <https://www.aids.gov> Stages of HIV infection
- Hu H, Lu W, Zhang M, Zhang X, Argall AJ, Patel S, Lee GE, Kim YC, Jacobson KA, Laties AM, Mitchell CH (2010) Stimulation of the P2X7 receptor kills rat retinal ganglion cells in vivo. *Exp Eye Res* 91:425-432.
- Hudson L, Liu J, Nath A, Jones M, Raghavan R, Narayan O, Male D, Everall I (2000) Detection of the human immunodeficiency virus regulatory protein tat in CNS tissues. *J Neurovirol* 6:145-155.
- Hughes EG, Elmariah SB, Balice-Gordon RJ (2010) Astrocyte secreted proteins selectively increase hippocampal GABAergic axon length, branching, and synaptogenesis. *Mol Cell Neurosci* 43:136-145.
- Hung SC, Choi CH, Said-Sadier N, Johnson L, Atanasova KR, Sellami H, Yilmaz O, Ojcius DM (2013) P2X4 assembles with P2X7 and pannexin-1 in gingival epithelial cells and modulates ATP-induced reactive oxygen species production and inflammasome activation. *PLoS One* 8:e70210.
- Hynie S (1995) [Purinergic receptors--nomenclature and classification of types and subtypes]. *Cesk Fysiol* 44:139-144.
- Iglesias R, Locovei S, Roque A, Alberto AP, Dahl G, Spray DC, Scemes E (2008) P2X7 receptor-Pannexin1 complex: pharmacology and signaling. *Am J Physiol Cell Physiol* 295:C752-760.
- Ioannidis J, Wilkinson D (2003) HIV: opportunistic infections. *Clin Evid*:795-816.
- Iwabuchi S, Kawahara K (2011) Functional significance of the negative-feedback regulation of ATP release via pannexin-1 hemichannels under ischemic stress in astrocytes. *Neurochem Int* 58:376-384.
- Jackson MF (2015) Interdependence of ATP signalling and pannexin channels; the servant was really the master all along? *Biochem J* 472:e27-30.
- Jacobson KA, Gao ZG (2006) Adenosine receptors as therapeutic targets. *Nat Rev Drug Discov* 5:247-264.

- Jacques-Silva MC, Rodnight R, Lenz G, Liao Z, Kong Q, Tran M, Kang Y, Gonzalez FA, Weisman GA, Neary JT (2004) P2X7 receptors stimulate AKT phosphorylation in astrocytes. *Br J Pharmacol* 141:1106-1117.
- Jarvis MF, Khakh BS (2009) ATP-gated P2X cation-channels. *Neuropharmacology* 56:208-215.
- Jeremic A, Jeftinija K, Stevanovic J, Glavaski A, Jeftinija S (2001) ATP stimulates calcium-dependent glutamate release from cultured astrocytes. *J Neurochem* 77:664-675.
- Jevtovic DJ, Salemovic D, Ranin J, Pesic I, Zerjav S, Djurkovic-Djakovic O (2005) The prevalence and risk of immune restoration disease in HIV-infected patients treated with highly active antiretroviral therapy. *HIV Med* 6:140-143.
- Jiang JX, Goodenough DA (1996) Heteromeric connexons in lens gap junction channels. *Proc Natl Acad Sci U S A* 93:1287-1291.
- Jiang LH, Baldwin JM, Roger S, Baldwin SA (2013) Insights into the Molecular Mechanisms Underlying Mammalian P2X7 Receptor Functions and Contributions in Diseases, Revealed by Structural Modeling and Single Nucleotide Polymorphisms. *Front Pharmacol* 4:55.
- Jo YH, Schlichter R (1999) Synaptic corelease of ATP and GABA in cultured spinal neurons. *Nat Neurosci* 2:241-245.
- Johnson TP, Patel K, Johnson KR, Maric D, Calabresi PA, Hasbun R, Nath A (2013) Induction of IL-17 and nonclassical T-cell activation by HIV-Tat protein. *Proc Natl Acad Sci U S A* 110:13588-13593.
- Jourdain P, Bergersen LH, Bhaukaurally K, Bezzi P, Santello M, Domercq M, Matute C, Tonello F, Gundersen V, Volterra A (2007) Glutamate exocytosis from astrocytes controls synaptic strength. *Nat Neurosci* 10:331-339.
- Kamasawa N, Sik A, Morita M, Yasumura T, Davidson KG, Nagy JI, Rash JE (2005) Connexin-47 and connexin-32 in gap junctions of oligodendrocyte somata, myelin sheaths, paranodal loops and Schmidt-Lanterman incisures: implications for ionic homeostasis and potassium siphoning. *Neuroscience* 136:65-86.
- Kamat A, Lyons JL, Misra V, Uno H, Morgello S, Singer EJ, Gabuzda D (2012) Monocyte activation markers in cerebrospinal fluid associated with impaired neurocognitive testing in advanced HIV infection. *J Acquir Immune Defic Syndr* 60:234-243.
- Kang J, Kang N, Lovatt D, Torres A, Zhao Z, Lin J, Nedergaard M (2008) Connexin 43 hemichannels are permeable to ATP. *J Neurosci* 28:4702-4711.
- Kanmogne GD, Kennedy RC, Grammas P (2002) HIV-1 gp120 proteins and gp160 peptides are toxic to brain endothelial cells and neurons: possible pathway for HIV entry into the brain and HIV-associated dementia. *J Neuropathol Exp Neurol* 61:992-1000.
- Kannan K, Jain SK (2000) Oxidative stress and apoptosis. *Pathophysiology* 7:153-163.
- Karlsson E, Risinger C, Jolkkonen M, Wernstedt C, Adem A (1991) Amino acid sequence of a snake venom toxin that binds to the muscarinic acetylcholine receptor. *Toxicon* 29:521-526.
- Karpas A (2004) Human retroviruses in leukaemia and AIDS: reflections on their discovery, biology and epidemiology. *Biol Rev Camb Philos Soc* 79:911-933.

- Kaul M, Lipton SA (2006) Mechanisms of neuroimmunity and neurodegeneration associated with HIV-1 infection and AIDS. *J Neuroimmune Pharmacol* 1:138-151.
- Kaul M, Zheng J, Okamoto S, Gendelman HE, Lipton SA (2005) HIV-1 infection and AIDS: consequences for the central nervous system. *Cell Death Differ* 12 Suppl 1:878-892.
- Kettenmann H, Verkhratsky A (2008) Neuroglia: the 150 years after. *Trends Neurosci* 31:653-659.
- Keystone EC, Wang MM, Layton M, Hollis S, McInnes IB (2012) Clinical evaluation of the efficacy of the P2X7 purinergic receptor antagonist AZD9056 on the signs and symptoms of rheumatoid arthritis in patients with active disease despite treatment with methotrexate or sulphasalazine. *Ann Rheum Dis* 71:1630-1635.
- Khakh BS, Burnstock G (2009) The double life of ATP. *Sci Am* 301:84-90, 92.
- Khakh BS, North RA (2012) Neuromodulation by extracellular ATP and P2X receptors in the CNS. *Neuron* 76:51-69.
- Kielian T (2008) Glial connexins and gap junctions in CNS inflammation and disease. *J Neurochem* 106:1000-1016.
- Kim JE, Kang TC (2011) The P2X7 receptor-pannexin-1 complex decreases muscarinic acetylcholine receptor-mediated seizure susceptibility in mice. *J Clin Invest* 121:2037-2047.
- Kimelberg HK, Nedergaard M (2010) Functions of astrocytes and their potential as therapeutic targets. *Neurotherapeutics* 7:338-353.
- Klapperstuck M, Buttner C, Schmalzing G, Markwardt F (2001) Functional evidence of distinct ATP activation sites at the human P2X(7) receptor. *J Physiol* 534:25-35.
- Koizumi S, Inoue K (2004) [Regulation by astrocytic ATP of synaptic transmission]. *Nihon Yakurigaku Zasshi* 123:389-396.
- Koles L, Furst S, Illes P (2007) Purine ionotropic (P2X) receptors. *Curr Pharm Des* 13:2368-2384.
- Koles L, Leichsenring A, Rubini P, Illes P (2011) P2 receptor signaling in neurons and glial cells of the central nervous system. *Adv Pharmacol* 61:441-493.
- Kort JJ (1998) Impairment of excitatory amino acid transport in astroglial cells infected with the human immunodeficiency virus type 1. *AIDS Res Hum Retroviruses* 14:1329-1339.
- Kovacs JA, Masur H (2000) Prophylaxis against opportunistic infections in patients with human immunodeficiency virus infection. *N Engl J Med* 342:1416-1429.
- Krathwohl MD, Kaiser JL (2004) HIV-1 promotes quiescence in human neural progenitor cells. *J Infect Dis* 190:216-226.
- Kruman, II, Nath A, Mattson MP (1998) HIV-1 protein Tat induces apoptosis of hippocampal neurons by a mechanism involving caspase activation, calcium overload, and oxidative stress. *Exp Neurol* 154:276-288.
- Kubick C, Schmalzing G, Markwardt F (2011) The effect of anions on the human P2X7 receptor. *Biochim Biophys Acta* 1808:2913-2922.
- Kuritzkes DR (2016) Hematopoietic stem cell transplantation for HIV cure. *J Clin Invest* 126:432-437.



- Kurth R, Baier M, Binninger D, Cichutek K, Lower J, Norley S (1991) Epidemiology and pathogenicity of human retroviruses. *Dev Biol Stand* 75:105-111.
- Laird DW (2006) Life cycle of connexins in health and disease. *Biochem J* 394:527-543.
- Lambrecht G, Friebe T, Grimm U, Windscheif U, Bungardt E, Hildebrandt C, Baumert HG, Spatz-Kumbel G, Mutschler E (1992) PPADS, a novel functionally selective antagonist of P2 purinoceptor-mediated responses. *Eur J Pharmacol* 217:217-219.
- Lannuzel A, Lledo PM, Lamghitnia HO, Vincent JD, Tardieu M (1995) HIV-1 envelope proteins gp120 and gp160 potentiate NMDA-induced  $[Ca^{2+}]_i$  increase, alter  $[Ca^{2+}]_i$  homeostasis and induce neurotoxicity in human embryonic neurons. *Eur J Neurosci* 7:2285-2293.
- Lau A, Tymianski M (2010) Glutamate receptors, neurotoxicity and neurodegeneration. *Pflugers Arch* 460:525-542.
- Lazarowski ER, Boucher RC, Harden TK (2003) Mechanisms of release of nucleotides and integration of their action as P2X- and P2Y-receptor activating molecules. *Mol Pharmacol* 64:785-795.
- Le Thuc O, Blondeau N, Nahon JL, Rovere C (2015) The complex contribution of chemokines to neuroinflammation: switching from beneficial to detrimental effects. *Ann N Y Acad Sci* 1351:127-140.
- Lee EO, Kim SE, Park HK, Kang JL, Chong YH (2011) Extracellular HIV-1 Tat upregulates TNF-alpha dependent MCP-1/CCL2 production via activation of ERK1/2 pathway in rat hippocampal slice cultures: inhibition by resveratrol, a polyphenolic phytoestrogen. *Exp Neurol* 229:399-408.
- Legido-Quigley H, Montgomery CM, Khan P, Atun R, Fakoya A, Getahun H, Grant AD (2013) Integrating tuberculosis and HIV services in low- and middle-income countries: a systematic review. *Trop Med Int Health* 18:199-211.
- Levi G, Patrizio M, Bernardo A, Petrucci TC, Agresti C (1993) Human immunodeficiency virus coat protein gp120 inhibits the beta-adrenergic regulation of astroglial and microglial functions. *Proc Natl Acad Sci U S A* 90:1541-1545.
- Levy DN, Refaeli Y, Weiner DB (1995) Extracellular Vpr protein increases cellular permissiveness to human immunodeficiency virus replication and reactivates virus from latency. *J Virol* 69:1243-1252.
- Li W, Huang Y, Reid R, Steiner J, Malpica-Llanos T, Darden TA, Shankar SK, Mahadevan A, Satishchandra P, Nath A (2008) NMDA receptor activation by HIV-Tat protein is clade dependent. *J Neurosci* 28:12190-12198.
- Lipton SA (1994) HIV-related neuronal injury. Potential therapeutic intervention with calcium channel antagonists and NMDA antagonists. *Mol Neurobiol* 8:181-196.
- Liu HT, Toychiev AH, Takahashi N, Sabirov RZ, Okada Y (2008) Maxi-anion channel as a candidate pathway for osmosensitive ATP release from mouse astrocytes in primary culture. *Cell Res* 18:558-565.
- Lloyd A (1996) HIV infection and AIDS. *P N G Med J* 39:174-180.
- Locovei S, Scemes E, Qiu F, Spray DC, Dahl G (2007) Pannexin1 is part of the pore-forming unit of the P2X(7) receptor death complex. *FEBS Lett* 581:483-488.

- Lucas SM, Rothwell NJ, Gibson RM (2006) The role of inflammation in CNS injury and disease. *Br J Pharmacol* 147 Suppl 1:S232-240.
- Luo K, Turnbull MW (2011) Characterization of nonjunctional hemichannels in caterpillar cells. *J Insect Sci* 11:6.
- Maier SF (2003) Bi-directional immune-brain communication: Implications for understanding stress, pain, and cognition. *Brain Behav Immun* 17:69-85.
- Maj M, Satz P, Janssen R, Zaudig M, Starace F, D'Elia L, Sughondhabirom B, Mussa M, Naber D, Ndeti D, et al. (1994) WHO Neuropsychiatric AIDS study, cross-sectional phase II. Neuropsychological and neurological findings. *Arch Gen Psychiatry* 51:51-61.
- Makarenkova HP, Shestopalov VI (2014) The role of pannexin hemichannels in inflammation and regeneration. *Front Physiol* 5:63.
- Malik S, Saha R, Seth P (2014) Involvement of extracellular signal-regulated kinase (ERK1/2)-p53-p21 axis in mediating neural stem/progenitor cell cycle arrest in co-morbid HIV-drug abuse exposure. *J Neuroimmune Pharmacol* 9:340-353.
- Markiewicz I, Lukomska B (2006) The role of astrocytes in the physiology and pathology of the central nervous system. *Acta Neurobiol Exp (Wars)* 66:343-358.
- Martel-Gallegos G, Casas-Pruneda G, Ortega-Ortega F, Sanchez-Armass S, Olivares-Reyes JA, Diebold B, Perez-Cornejo P, Arreola J (2013) Oxidative stress induced by P2X7 receptor stimulation in murine macrophages is mediated by c-Src/Pyk2 and ERK1/2. *Biochim Biophys Acta* 1830:4650-4659.
- Mbita Z, Hull R, Dlamini Z (2014) Human immunodeficiency virus-1 (HIV-1)-mediated apoptosis: new therapeutic targets. *Viruses* 6:3181-3227.
- McArthur JC, Brew BJ, Nath A (2005) Neurological complications of HIV infection. *Lancet Neurol* 4:543-555.
- McGaraughty S, Chu KL, Namovic MT, Donnelly-Roberts DL, Harris RR, Zhang XF, Shieh CC, Wismer CT, Zhu CZ, Gauvin DM, Fabiyi AC, Honore P, Gregg RJ, Kort ME, Nelson DW, Carroll WA, Marsh K, Faltynek CR, Jarvis MF (2007) P2X7-related modulation of pathological nociception in rats. *Neuroscience* 146:1817-1828.
- Messam CA, Major EO (2000) Stages of restricted HIV-1 infection in astrocyte cultures derived from human fetal brain tissue. *J Neurovirol* 6 Suppl 1:S90-94.
- Michel AD, Chessell IP, Humphrey PP (1999) Ionic effects on human recombinant P2X7 receptor function. *Naunyn Schmiedebergs Arch Pharmacol* 359:102-109.
- Michel AD, Chambers LJ, Walter DS (2008) Negative and positive allosteric modulators of the P2X(7) receptor. *Br J Pharmacol* 153:737-750.
- Mika T, Prochnow N (2012) Functions of connexins and large pore channels on microglial cells: the gates to environment. *Brain Res* 1487:16-24.
- Miller TI, Borkowsky W, DiMeglio LA, Dooley L, Geffner ME, Hazra R, McFarland EJ, Mendez AJ, Patel K, Siberry GK, Van Dyke RB, Worrell CJ, Jacobson DL, Shearer W, Cooper N, Harris L, Purswani M, Baig M, Cintron A, Puga A, Navarro S, Patton D, Burchett S, Karthas N, Kammerer B, Yogev R, Malee K, Hunter S, Cagwin E, Wiznia A, Burey M, Nozyce M, Chen J, Gobs E, Grant M, Knapp K, Allison K, Garvie P, Acevedo-Flores M, Rios H, Olivera V, Silio M, Borne C, Sirois P, Spector S, Norris K, Nichols S, McFarland E, Barr E,

- Chambers C, Watson D, Messenger N, Belanger R, Dieudonne A, Bettica L, Aduabato S, Scott G, Himic L, Willen E (2012) Metabolic abnormalities and viral replication are associated with biomarkers of vascular dysfunction in HIV-infected children. *HIV Med* 13:264-275.
- Minagar A, Shapshak P, Fujimura R, Ownby R, Heyes M, Eisdorfer C (2002) The role of macrophage/microglia and astrocytes in the pathogenesis of three neurologic disorders: HIV-associated dementia, Alzheimer disease, and multiple sclerosis. *J Neurol Sci* 202:13-23.
- Mishra M, Vetrivel S, Siddappa NB, Ranga U, Seth P (2008) Clade-specific differences in neurotoxicity of human immunodeficiency virus-1 B and C Tat of human neurons: significance of dicysteine C30C31 motif. *Ann Neurol* 63:366-376.
- Mishra M, Taneja M, Malik S, Khalique H, Seth P (2010) Human immunodeficiency virus type 1 Tat modulates proliferation and differentiation of human neural precursor cells: implication in NeuroAIDS. *J Neurovirol* 16:355-367.
- Mishra S, Mishra M, Seth P, Sharma SK (2011) Tetrahydrocurcumin confers protection against amyloid beta-induced toxicity. *Neuroreport* 22:23-27.
- Mocchetti I, Bachis A, Avdoshina V (2012) Neurotoxicity of human immunodeficiency virus-1: viral proteins and axonal transport. *Neurotox Res* 21:79-89.
- Monif M, Reid CA, Powell KL, Smart ML, Williams DA (2009) The P2X7 receptor drives microglial activation and proliferation: a trophic role for P2X7R pore. *J Neurosci* 29:3781-3791.
- Montgomery DL (1994) Astrocytes: form, functions, and roles in disease. *Vet Pathol* 31:145-167.
- Moses AV, Nelson JA (1994) HIV infection of human brain capillary endothelial cells--implications for AIDS dementia. *Adv Neuroimmunol* 4:239-247.
- Mothapo KM, Stelma F, Janssen M, Kessels R, Miners S, Verbeek MM, Koopmans P, van der Ven A (2015) Amyloid beta-42 (A $\beta$ -42), neprilysin and cytokine levels. A pilot study in patients with HIV-related cognitive impairments. *J Neuroimmunol* 282:73-79.
- Muratori C, Mangino G, Affabris E, Federico M (2010) Astrocytes contacting HIV-1-infected macrophages increase the release of CCL2 in response to the HIV-1-dependent enhancement of membrane-associated TNF $\alpha$  in macrophages. *Glia* 58:1893-1904.
- Musante V, Summa M, Neri E, Puliti A, Godowicz TT, Severi P, Battaglia G, Raiteri M, Pittaluga A (2010) The HIV-1 viral protein Tat increases glutamate and decreases GABA exocytosis from human and mouse neocortical nerve endings. *Cereb Cortex* 20:1974-1984.
- Nagaoka I, Tamura H, Hirata M (2006) An antimicrobial cathelicidin peptide, human CAP18/LL-37, suppresses neutrophil apoptosis via the activation of formyl-peptide receptor-like 1 and P2X7. *J Immunol* 176:3044-3052.
- Nagy JI, Rash JE (2003) Astrocyte and oligodendrocyte connexins of the glial syncytium in relation to astrocyte anatomical domains and spatial buffering. *Cell Commun Adhes* 10:401-406.
- Nagy JI, Dudek FE, Rash JE (2004) Update on connexins and gap junctions in neurons and glia in the mammalian nervous system. *Brain Res Brain Res Rev* 47:191-215.

- Nakatsuka T, Gu JG (2001) ATP P2X receptor-mediated enhancement of glutamate release and evoked EPSCs in dorsal horn neurons of the rat spinal cord. *J Neurosci* 21:6522-6531.
- Nath A (2002) Human immunodeficiency virus (HIV) proteins in neuropathogenesis of HIV dementia. *J Infect Dis* 186 Suppl 2:S193-198.
- Nath A (2015) Neurologic Complications of Human Immunodeficiency Virus Infection. *Continuum (Minneap Minn)* 21:1557-1576.
- Nath A, Hartloper V, Furer M, Fowke KR (1995) Infection of human fetal astrocytes with HIV-1: viral tropism and the role of cell to cell contact in viral transmission. *J Neuropathol Exp Neurol* 54:320-330.
- Navia BA, Jordan BD, Price RW (1986) The AIDS dementia complex: I. Clinical features. *Ann Neurol* 19:517-524.
- Nearly JT, Kang Y, Willoughby KA, Ellis EF (2003) Activation of extracellular signal-regulated kinase by stretch-induced injury in astrocytes involves extracellular ATP and P2 purinergic receptors. *J Neurosci* 23:2348-2356.
- Nedergaard M, Verkhratsky A (2012) Artifact versus reality--how astrocytes contribute to synaptic events. *Glia* 60:1013-1023.
- Nelson DW, Gregg RJ, Kort ME, Perez-Medrano A, Voight EA, Wang Y, Grayson G, Namovic MT, Donnelly-Roberts DL, Niforatos W, Honore P, Jarvis MF, Faltynek CR, Carroll WA (2006) Structure-activity relationship studies on a series of novel, substituted 1-benzyl-5-phenyltetrazole P2X7 antagonists. *J Med Chem* 49:3659-3666.
- Nielsen MS, Axelsen LN, Sorgen PL, Verma V, Delmar M, Holstein-Rathlou NH (2012) Gap junctions. *Compr Physiol* 2:1981-2035.
- Nishida K, Nakatani T, Ohishi A, Okuda H, Higashi Y, Matsuo T, Fujimoto S, Nagasawa K (2012) Mitochondrial dysfunction is involved in P2X7 receptor-mediated neuronal cell death. *J Neurochem* 122:1118-1128.
- Nualart-Marti A, Solsona C, Fields RD (2013a) Gap junction communication in myelinating glia. *Biochim Biophys Acta* 1828:69-78.
- Nualart-Marti A, del Molino EM, Grandes X, Bahima L, Martin-Satue M, Puchal R, Fasciani I, Gonzalez-Nieto D, Ziganshin B, Llobet A, Barrio LC, Solsona C (2013b) Role of connexin 32 hemichannels in the release of ATP from peripheral nerves. *Glia* 61:1976-1989.
- O'Brien SJ, Goedert JJ (1996) HIV causes AIDS: Koch's postulates fulfilled. *Curr Opin Immunol* 8:613-618.
- Oberheim NA, Wang X, Goldman S, Nedergaard M (2006) Astrocytic complexity distinguishes the human brain. *Trends Neurosci* 29:547-553.
- Ojeda D, Lopez-Costa JJ, Sede M, Lopez EM, Berria MI, Quarleri J (2014) Increased in vitro glial fibrillary acidic protein expression, telomerase activity, and telomere length after productive human immunodeficiency virus-1 infection in murine astrocytes. *J Neurosci Res* 92:267-274.
- Okamoto S, Kang YJ, Brechtel CW, Siviglia E, Russo R, Clemente A, Harrop A, McKercher S, Kaul M, Lipton SA (2007) HIV/gp120 decreases adult neural progenitor cell proliferation via checkpoint kinase-mediated cell-cycle withdrawal and G1 arrest. *Cell Stem Cell* 1:230-236.

- Orellana JA, Stehberg J (2014) Hemichannels: new roles in astroglial function. *Front Physiol* 5:193.
- Orellana JA, Montero TD, von Bernhardt R (2013) Astrocytes inhibit nitric oxide-dependent Ca(2+) dynamics in activated microglia: involvement of ATP released via pannexin 1 channels. *Glia* 61:2023-2037.
- Orellana JA, Saez JC, Bennett MV, Berman JW, Morgello S, Eugenin EA (2014) HIV increases the release of dickkopf-1 protein from human astrocytes by a Cx43 hemichannel-dependent mechanism. *J Neurochem* 128:752-763.
- Orellana JA, Froger N, Ezan P, Jiang JX, Bennett MV, Naus CC, Giaume C, Saez JC (2011) ATP and glutamate released via astroglial connexin 43 hemichannels mediate neuronal death through activation of pannexin 1 hemichannels. *J Neurochem* 118:826-840.
- Ortega F, Perez-Sen R, Delicado EG, Miras-Portugal MT (2009) P2X7 nucleotide receptor is coupled to GSK-3 inhibition and neuroprotection in cerebellar granule neurons. *Neurotox Res* 15:193-204.
- Ortega F, Perez-Sen R, Delicado EG, Teresa Miras-Portugal M (2011) ERK1/2 activation is involved in the neuroprotective action of P2Y13 and P2X7 receptors against glutamate excitotoxicity in cerebellar granule neurons. *Neuropharmacology* 61:1210-1221.
- Ortega F, Perez-Sen R, Morente V, Delicado EG, Miras-Portugal MT (2010) P2X7, NMDA and BDNF receptors converge on GSK3 phosphorylation and cooperate to promote survival in cerebellar granule neurons. *Cell Mol Life Sci* 67:1723-1733.
- Orthmann-Murphy JL, Abrams CK, Scherer SS (2008) Gap junctions couple astrocytes and oligodendrocytes. *J Mol Neurosci* 35:101-116.
- Palella FJ, Jr., Armon C, Buchacz K, Chmiel JS, Novak RM, D'Aquila RT, Brooks JT (2014) Factors associated with mortality among persistently viraemic triple-antiretroviral-class-experienced patients receiving antiretroviral therapy in the HIV Outpatient Study (HOPS). *J Antimicrob Chemother* 69:2826-2834.
- Pan HC, Chou YC, Sun SH (2015) P2X7 R-mediated Ca(2+) -independent d-serine release via pannexin-1 of the P2X7 R-pannexin-1 complex in astrocytes. *Glia* 63:877-893.
- Panenka W, Jijon H, Herx LM, Armstrong JN, Feighan D, Wei T, Yong VW, Ransohoff RM, MacVicar BA (2001) P2X7-like receptor activation in astrocytes increases chemokine monocyte chemoattractant protein-1 expression via mitogen-activated protein kinase. *J Neurosci* 21:7135-7142.
- Pangrsic T, Potokar M, Stenovec M, Kreft M, Fabbretti E, Nistri A, Pryazhnikov E, Khiroug L, Giniatullin R, Zorec R (2007) Exocytotic release of ATP from cultured astrocytes. *J Biol Chem* 282:28749-28758.
- Pankratov Y, Lalo U, Verkhratsky A, North RA (2006) Vesicular release of ATP at central synapses. *Pflugers Arch* 452:589-597.
- Pant M., Garg P., Seth P. (2012) Central Nervous System Infection by HIV-1: Special Emphasis to NeuroAIDS in India. *Proc Natl Acad Sci Sect B Biol Sci* 82:81-94.
- Paoletti A, Raza SQ, Voisin L, Law F, Caillet M, Martins I, Deutsch E, Perfettini JL (2013) Editorial: Pannexin-1--the hidden gatekeeper for HIV-1. *J Leukoc Biol* 94:390-392.

- Park BJ, Wannemuehler KA, Marston BJ, Govender N, Pappas PG, Chiller TM (2009) Estimation of the current global burden of cryptococcal meningitis among persons living with HIV/AIDS. *AIDS* 23:525-530.
- Park JH, Lee GE, Lee SD, Hien TT, Kim S, Yang JW, Cho JH, Ko H, Lim SC, Kim YG, Kang KW, Kim YC (2015) Discovery of novel 2,5-dioxoimidazolidine-based P2X(7) receptor antagonists as constrained analogues of KN62. *J Med Chem* 58:2114-2134.
- Parvathenani LK, Tertyshnikova S, Greco CR, Roberts SB, Robertson B, Posmantur R (2003) P2X7 mediates superoxide production in primary microglia and is up-regulated in a transgenic mouse model of Alzheimer's disease. *J Biol Chem* 278:13309-13317.
- Pascual O, Ben Achour S, Rostaing P, Triller A, Bessis A (2012) Microglia activation triggers astrocyte-mediated modulation of excitatory neurotransmission. *Proc Natl Acad Sci U S A* 109:E197-205.
- Pasti L, Volterra A, Pozzan T, Carmignoto G (1997) Intracellular calcium oscillations in astrocytes: a highly plastic, bidirectional form of communication between neurons and astrocytes in situ. *J Neurosci* 17:7817-7830.
- Patel D, Zhang X, Veenstra RD (2014) Connexin hemichannel and pannexin channel electrophysiology: how do they differ? *FEBS Lett* 588:1372-1378.
- Pelegrin P, Surprenant A (2006) Pannexin-1 mediates large pore formation and interleukin-1beta release by the ATP-gated P2X7 receptor. *EMBO J* 25:5071-5082.
- Peluso R, Haase A, Stowring L, Edwards M, Ventura P (1985) A Trojan Horse mechanism for the spread of visna virus in monocytes. *Virology* 147:231-236.
- Peng W, Cotrina ML, Han X, Yu H, Bekar L, Blum L, Takano T, Tian GF, Goldman SA, Nedergaard M (2009) Systemic administration of an antagonist of the ATP-sensitive receptor P2X7 improves recovery after spinal cord injury. *Proc Natl Acad Sci U S A* 106:12489-12493.
- Penuela S, Gehi R, Laird DW (2013) The biochemistry and function of pannexin channels. *Biochim Biophys Acta* 1828:15-22.
- Penuela S, Harland L, Simek J, Laird DW (2014) Pannexin channels and their links to human disease. *Biochem J* 461:371-381.
- Persidsky Y, Ghorpade A, Rasmussen J, Limoges J, Liu XJ, Stins M, Fiala M, Way D, Kim KS, Witte MH, Weinand M, Carhart L, Gendelman HE (1999) Microglial and astrocyte chemokines regulate monocyte migration through the blood-brain barrier in human immunodeficiency virus-1 encephalitis. *Am J Pathol* 155:1599-1611.
- Picard L, Simmons G, Power CA, Meyer A, Weiss RA, Clapham PR (1997) Multiple extracellular domains of CCR-5 contribute to human immunodeficiency virus type 1 entry and fusion. *J Virol* 71:5003-5011.
- Piketty C, Selinger-Leneman H, Grabar S, Duvivier C, Bonmarchand M, Abramowitz L, Costagliola D, Mary-Krause M (2008) Marked increase in the incidence of invasive anal cancer among HIV-infected patients despite treatment with combination antiretroviral therapy. *AIDS* 22:1203-1211.
- Pinoges L, Schramm B, Poulet E, Balkan S, Szumilin E, Ferreyra C, Pujades-Rodriguez M (2015) Risk factors and mortality associated with resistance to first-line

- antiretroviral therapy: multicentric cross-sectional and longitudinal analyses. *J Acquir Immune Defic Syndr* 68:527-535.
- Poornima V, Madhupriya M, Kootar S, Sujatha G, Kumar A, Bera AK (2012) P2X7 receptor-pannexin 1 hemichannel association: effect of extracellular calcium on membrane permeabilization. *J Mol Neurosci* 46:585-594.
- Qi M, Aiken C (2008) Nef enhances HIV-1 infectivity via association with the virus assembly complex. *Virology* 373:287-297.
- Quan N, Banks WA (2007) Brain-immune communication pathways. *Brain Behav Immun* 21:727-735.
- Rajbhandari L, Tegenge MA, Shrestha S, Ganesh Kumar N, Malik A, Mithal A, Hosmane S, Venkatesan A (2014) Toll-like receptor 4 deficiency impairs microglial phagocytosis of degenerating axons. *Glia* 62:1982-1991.
- Rao VR, Sas AR, Eugenin EA, Siddappa NB, Bimonte-Nelson H, Berman JW, Ranga U, Tyor WR, Prasad VR (2008) HIV-1 clade-specific differences in the induction of neuropathogenesis. *J Neurosci* 28:10010-10016.
- Rash JE, Staines WA, Yasumura T, Patel D, Furman CS, Stelmack GL, Nagy JI (2000) Immunogold evidence that neuronal gap junctions in adult rat brain and spinal cord contain connexin-36 but not connexin-32 or connexin-43. *Proc Natl Acad Sci U S A* 97:7573-7578.
- Repunte-Canonigo V, Lefebvre C, George O, Kawamura T, Morales M, Koob GF, Califano A, Masliah E, Sanna PP (2014) Gene expression changes consistent with neuroAIDS and impaired working memory in HIV-1 transgenic rats. *Mol Neurodegener* 9:26.
- Retamal MA, Saez JC (2014) Hemichannels; from the molecule to the function. *Front Physiol* 5:411.
- Riedel D, Ghatge M, Nene M, Paranjape R, Mehendale S, Bollinger R, Sacktor N, McArthur J, Nath A (2006) Screening for human immunodeficiency virus (HIV) dementia in an HIV clade C-infected population in India. *J Neurovirol* 12:34-38.
- Rigato C, Swinnen N, Buckinx R, Coullin I, Mangin JM, Rigo JM, Legendre P, Le Corre H (2012) Microglia proliferation is controlled by P2X7 receptors in a Pannexin-1-independent manner during early embryonic spinal cord invasion. *J Neurosci* 32:11559-11573.
- Roberts TK, Buckner CM, Berman JW (2010) Leukocyte transmigration across the blood-brain barrier: perspectives on neuroAIDS. *Front Biosci (Landmark Ed)* 15:478-536.
- Rochfort KD, Cummins PM (2015) The blood-brain barrier endothelium: a target for pro-inflammatory cytokines. *Biochem Soc Trans* 43:702-706.
- Rodrigues RJ, Tome AR, Cunha RA (2015) ATP as a multi-target danger signal in the brain. *Front Neurosci* 9:148.
- Roger S, Pelegrin P, Surprenant A (2008) Facilitation of P2X7 receptor currents and membrane blebbing via constitutive and dynamic calmodulin binding. *J Neurosci* 28:6393-6401.
- Rouach N, Koulakoff A, Abudara V, Willecke K, Giaume C (2008) Astroglial metabolic networks sustain hippocampal synaptic transmission. *Science* 322:1551-1555.

- Rouach N, Avignone E, Meme W, Koulakoff A, Venance L, Blomstrand F, Giaume C (2002) Gap junctions and connexin expression in the normal and pathological central nervous system. *Biol Cell* 94:457-475.
- Rourke SB, Halman MH, Bassel C (1999) Neurocognitive complaints in HIV-infection and their relationship to depressive symptoms and neuropsychological functioning. *J Clin Exp Neuropsychol* 21:737-756.
- Rumbaugh J, Turchan-Cholewo J, Galey D, St Hillaire C, Anderson C, Conant K, Nath A (2006) Interaction of HIV Tat and matrix metalloproteinase in HIV neuropathogenesis: a new host defense mechanism. *FASEB J* 20:1736-1738.
- Saez JC, Contreras JE, Bukauskas FF, Retamal MA, Bennett MV (2003) Gap junction hemichannels in astrocytes of the CNS. *Acta Physiol Scand* 179:9-22.
- Samikkannu T, Rao KV, Gandhi N, Saxena SK, Nair MP (2010) Human immunodeficiency virus type 1 clade B and C Tat differentially induce indoleamine 2,3-dioxygenase and serotonin in immature dendritic cells: Implications for neuroAIDS. *J Neurovirol* 16:255-263.
- Santello M, Cali C, Bezzi P (2012) Gliotransmission and the tripartite synapse. *Adv Exp Med Biol* 970:307-331.
- Sanz JM, Chiozzi P, Ferrari D, Colaianna M, Idzko M, Falzoni S, Fellin R, Trabace L, Di Virgilio F (2009) Activation of microglia by amyloid {beta} requires P2X7 receptor expression. *J Immunol* 182:4378-4385.
- Scemes E, Suadicani SO, Spray DC (2000) Intercellular communication in spinal cord astrocytes: fine tuning between gap junctions and P2 nucleotide receptors in calcium wave propagation. *J Neurosci* 20:1435-1445.
- Scemes E, Suadicani SO, Dahl G, Spray DC (2007) Connexin and pannexin mediated cell-cell communication. *Neuron Glia Biol* 3:199-208.
- Schachter J, Motta AP, de Souza Zamorano A, da Silva-Souza HA, Guimaraes MZ, Persechini PM (2008) ATP-induced P2X7-associated uptake of large molecules involves distinct mechanisms for cations and anions in macrophages. *J Cell Sci* 121:3261-3270.
- Schachter J, Valcarcel Delgado K, Barreto-de-Souza V, Bou-Habib DC, Persechini PM, Meyer-Fernandes JR (2015) Inhibition of ecto-ATPase activities impairs HIV-1 infection of macrophages. *Immunobiology* 220:589-596.
- Schroder U, Waller V, Kaliebe T, Agathos M, Breit R (1994) [Acute primary stage of HIV infection with documented seroconversion]. *Hautarzt* 45:29-33.
- Schweighardt B, Atwood WJ (2001) HIV type 1 infection of human astrocytes is restricted by inefficient viral entry. *AIDS Res Hum Retroviruses* 17:1133-1142.
- Seelamgari A, Maddukuri A, Berro R, de la Fuente C, Kehn K, Deng L, Dadgar S, Bottazzi ME, Ghedin E, Pumfery A, Kashanchi F (2004) Role of viral regulatory and accessory proteins in HIV-1 replication. *Front Biosci* 9:2388-2413.
- Seror C, Melki MT, Subra F, Raza SQ, Bras M, Saidi H, Nardacci R, Voisin L, Paoletti A, Law F, Martins I, Amendola A, Abdul-Sater AA, Ciccocanti F, Delelis O, Niedergang F, Thierry S, Said-Sadier N, Lamaze C, Metivier D, Estaquier J, Fimia GM, Falasca L, Casetti R, Modjtahedi N, Kanellopoulos J, Mouscadet JF, Ojcius DM, Piacentini M, Gougeon ML, Kroemer G, Perfettini JL (2011)



- Extracellular ATP acts on P2Y2 purinergic receptors to facilitate HIV-1 infection. *J Exp Med* 208:1823-1834.
- Sharma SK, Soneja M (2011) HIV & immune reconstitution inflammatory syndrome (IRIS). *Indian J Med Res* 134:866-877.
- Sheppard DP, Iudicello JE, Bondi MW, Doyle KL, Morgan EE, Massman PJ, Gilbert PE, Woods SP (2015) Elevated rates of mild cognitive impairment in HIV disease. *J Neurovirol* 21:576-584.
- Shestopalov VI, Slepak VZ (2014) Molecular pathways of pannexin1-mediated neurotoxicity. *Front Physiol* 5:23.
- Shi B, De Girolami U, He J, Wang S, Lorenzo A, Busciglio J, Gabuzda D (1996) Apoptosis induced by HIV-1 infection of the central nervous system. *J Clin Invest* 98:1979-1990.
- Shieh CH, Heinrich A, Serchov T, van Calker D, Biber K (2014) P2X7-dependent, but differentially regulated release of IL-6, CCL2, and TNF-alpha in cultured mouse microglia. *Glia* 62:592-607.
- Shiramizu B, Lau E, Tamamoto A, Uniatowski J, Troelstrup D (2006) Feasibility assessment of cerebrospinal fluid from HIV-1-infected children for HIV proviral DNA and monocyte chemoattractant protein 1 alleles. *J Investig Med* 54:468-472.
- Shiratori M, Tozaki-Saitoh H, Yoshitake M, Tsuda M, Inoue K (2010) P2X7 receptor activation induces CXCL2 production in microglia through NFAT and PKC/MAPK pathways. *J Neurochem* 114:810-819.
- Shoji KF, Saez PJ, Harcha PA, Aguila HL, Saez JC (2014) Pannexin1 channels act downstream of P2X 7 receptors in ATP-induced murine T-cell death. *Channels (Austin)* 8:142-156.
- Siddappa NB, Venkatramanan M, Venkatesh P, Janki MV, Jayasuryan N, Desai A, Ravi V, Ranga U (2006) Transactivation and signaling functions of Tat are not correlated: biological and immunological characterization of HIV-1 subtype-C Tat protein. *Retrovirology* 3:53.
- Siddappa NB, Dash PK, Mahadevan A, Jayasuryan N, Hu F, Dice B, Keefe R, Satish KS, Satish B, Sreekanthan K, Chatterjee R, Venu K, Satishchandra P, Ravi V, Shankar SK, Shankarappa R, Ranga U (2004) Identification of subtype C human immunodeficiency virus type 1 by subtype-specific PCR and its use in the characterization of viruses circulating in the southern parts of India. *J Clin Microbiol* 42:2742-2751.
- Simmons G, Reeves JD, McKnight A, Dejuq N, Hibbitts S, Power CA, Aarons E, Schols D, De Clercq E, Proudfoot AE, Clapham PR (1998) CXCR4 as a functional coreceptor for human immunodeficiency virus type 1 infection of primary macrophages. *J Virol* 72:8453-8457.
- Simon F, Mauclere P, Roques P, Loussert-Ajaka I, Muller-Trutwin MC, Saragosti S, Georges-Courbot MC, Barre-Sinoussi F, Brun-Vezinet F (1998) Identification of a new human immunodeficiency virus type 1 distinct from group M and group O. *Nat Med* 4:1032-1037.
- Smart ML, Gu B, Panchal RG, Wiley J, Cromer B, Williams DA, Petrou S (2003) P2X7 receptor cell surface expression and cytolytic pore formation are regulated by a distal C-terminal region. *J Biol Chem* 278:8853-8860.

- Soares-Bezerra RJ, Ferreira NC, Alberto AV, Bonavita AG, Fidalgo-Neto AA, Calheiros AS, Frutuoso Vda S, Alves LA (2015) An Improved Method for P2X7R Antagonist Screening. *PLoS One* 10:e0123089.
- Sofroniew MV, Vinters HV (2010) Astrocytes: biology and pathology. *Acta Neuropathol* 119:7-35.
- Song EK, Rah SY, Lee YR, Yoo CH, Kim YR, Yeom JH, Park KH, Kim JS, Kim UH, Han MK (2011) Connexin-43 hemichannels mediate cyclic ADP-ribose generation and its Ca<sup>2+</sup>-mobilizing activity by NAD<sup>+</sup>/cyclic ADP-ribose transport. *J Biol Chem* 286:44480-44490.
- Song HY, Ryu J, Ju SM, Park LJ, Lee JA, Choi SY, Park J (2007) Extracellular HIV-1 Tat enhances monocyte adhesion by up-regulation of ICAM-1 and VCAM-1 gene expression via ROS-dependent NF-kappaB activation in astrocytes. *Exp Mol Med* 39:27-37.
- Sorrell ME, Hauser KF (2014) Ligand-Gated Purinergic Receptors Regulate HIV-1 Tat and Morphine Related Neurotoxicity in Primary Mouse Striatal Neuron-Glia Co-Cultures. *J Neuroimmune Pharmacol* 9:233-244.
- Sosinsky GE, Boassa D, Dermietzel R, Duffy HS, Laird DW, MacVicar B, Naus CC, Penuela S, Scemes E, Spray DC, Thompson RJ, Zhao HB, Dahl G (2011) Pannexin channels are not gap junction hemichannels. *Channels (Austin)* 5:193-197.
- Sperlagh B, Vizi ES, Wirkner K, Illes P (2006) P2X7 receptors in the nervous system. *Prog Neurobiol* 78:327-346.
- Sperlagh B, Kofalvi A, Deuchars J, Atkinson L, Milligan CJ, Buckley NJ, Vizi ES (2002) Involvement of P2X7 receptors in the regulation of neurotransmitter release in the rat hippocampus. *J Neurochem* 81:1196-1211.
- Sporer B, Koedel U, Paul R, Kohleisen B, Erfle V, Fontana A, Pfister HW (2000) Human immunodeficiency virus type-1 Nef protein induces blood-brain barrier disruption in the rat: role of matrix metalloproteinase-9. *J Neuroimmunol* 102:125-130.
- Spudich S, Gonzalez-Scarano F (2012) HIV-1-related central nervous system disease: current issues in pathogenesis, diagnosis, and treatment. *Cold Spring Harb Perspect Med* 2:a007120.
- Steinhart CR, Emons MF (2004) Risks of cardiovascular disease in patients receiving antiretroviral therapy for HIV infection: implications for treatment. *AIDS Read* 14:86-90, 93-85.
- Stock TC, Bloom BJ, Wei N, Ishaq S, Park W, Wang X, Gupta P, Mebus CA (2012) Efficacy and safety of CE-224,535, an antagonist of P2X7 receptor, in treatment of patients with rheumatoid arthritis inadequately controlled by methotrexate. *J Rheumatol* 39:720-727.
- Stokes L, Jiang LH, Alcaraz L, Bent J, Bowers K, Fagura M, Furber M, Mortimore M, Lawson M, Theaker J, Laurent C, Braddock M, Surprenant A (2006) Characterization of a selective and potent antagonist of human P2X(7) receptors, AZ11645373. *Br J Pharmacol* 149:880-887.
- Suadicani SO, Brosnan CF, Scemes E (2006) P2X7 receptors mediate ATP release and amplification of astrocytic intercellular Ca<sup>2+</sup> signaling. *J Neurosci* 26:1378-1385.

- Suadicani SO, Flores CE, Urban-Maldonado M, Beelitz M, Scemes E (2004) Gap junction channels coordinate the propagation of intercellular Ca<sup>2+</sup> signals generated by P2Y receptor activation. *Glia* 48:217-229.
- Sudharshan S, Biswas J (2008) Introduction and immunopathogenesis of acquired immune deficiency syndrome. *Indian J Ophthalmol* 56:357-362.
- Sugiyama T, Oku H, Shibata M, Fukuhara M, Yoshida H, Ikeda T (2010) Involvement of P2X7 receptors in the hypoxia-induced death of rat retinal neurons. *Invest Ophthalmol Vis Sci* 51:3236-3243.
- Sun SH, Lin LB, Hung AC, Kuo JS (1999) ATP-stimulated Ca<sup>2+</sup> influx and phospholipase D activities of a rat brain-derived type-2 astrocyte cell line, RBA-2, are mediated through P2X7 receptors. *J Neurochem* 73:334-343.
- Surprenant A, Rassendren F, Kawashima E, North RA, Buell G (1996) The cytolytic P2Z receptor for extracellular ATP identified as a P2X receptor (P2X7). *Science* 272:735-738.
- Suzuki T, Hide I, Ido K, Kohsaka S, Inoue K, Nakata Y (2004) Production and release of neuroprotective tumor necrosis factor by P2X7 receptor-activated microglia. *J Neurosci* 24:1-7.
- Swartz TH, Esposito AM, Durham ND, Hartmann BM, Chen BK (2014) P2X-selective purinergic antagonists are strong inhibitors of HIV-1 fusion during both cell-to-cell and cell-free infection. *J Virol* 88:11504-11515.
- Takahashi K, Foster JB, Lin CL (2015) Glutamate transporter EAAT2: regulation, function, and potential as a therapeutic target for neurological and psychiatric disease. *Cell Mol Life Sci* 72:3489-3506.
- Takenouchi T, Sugama S, Iwamaru Y, Hashimoto M, Kitani H (2009) Modulation of the ATP-induced release and processing of IL-1beta in microglial cells. *Crit Rev Immunol* 29:335-345.
- Takenouchi T, Iwamaru Y, Sugama S, Sato M, Hashimoto M, Kitani H (2008) Lysophospholipids and ATP mutually suppress maturation and release of IL-1 beta in mouse microglial cells using a Rho-dependent pathway. *J Immunol* 180:7827-7839.
- Takeuchi H, Suzumura A (2014) Gap junctions and hemichannels composed of connexins: potential therapeutic targets for neurodegenerative diseases. *Front Cell Neurosci* 8:189.
- Tanaka M, Shih PY, Gomi H, Yoshida T, Nakai J, Ando R, Furuichi T, Mikoshiba K, Semyanov A, Itohara S (2013) Astrocytic Ca<sup>2+</sup> signals are required for the functional integrity of tripartite synapses. *Mol Brain* 6:6.
- Tappuni AR (2011) Immune reconstitution inflammatory syndrome. *Adv Dent Res* 23:90-96.
- Tavazzi E, Morrison D, Sullivan P, Morgello S, Fischer T (2014) Brain inflammation is a common feature of HIV-infected patients without HIV encephalitis or productive brain infection. *Curr HIV Res* 12:97-110.
- Tebas P, Henry K, Nease R, Murphy R, Phair J, Powderly WG (2001) Timing of antiretroviral therapy. Use of Markov modeling and decision analysis to evaluate the long-term implications of therapy. *AIDS* 15:591-599.

- Tedaldi EM, Minniti NL, Fischer T (2015) HIV-associated neurocognitive disorders: the relationship of HIV infection with physical and social comorbidities. *Biomed Res Int* 2015:641913.
- Tewari M, Seth P (2015) Emerging role of P2X7 receptors in CNS health and disease. *Ageing Res Rev* 24:328-342.
- Theis M, Giaume C (2012) Connexin-based intercellular communication and astrocyte heterogeneity. *Brain Res* 1487:88-98.
- Thompson KA, McArthur JC, Wesselingh SL (2001) Correlation between neurological progression and astrocyte apoptosis in HIV-associated dementia. *Ann Neurol* 49:745-752.
- Tian C, Erdmann N, Zhao J, Cao Z, Peng H, Zheng J (2008) HIV-infected macrophages mediate neuronal apoptosis through mitochondrial glutaminase. *J Neurochem* 105:994-1005.
- Timilsina U, Gaur R (2016) Modulation of apoptosis and viral latency- an axis to be well understood for successful cure of HIV. *J Gen Virol*.
- Toborek M, Lee YW, Pu H, Malecki A, Flora G, Garrido R, Hennig B, Bauer HC, Nath A (2003) HIV-Tat protein induces oxidative and inflammatory pathways in brain endothelium. *J Neurochem* 84:169-179.
- Toggas SM, Masliah E, Mucke L (1996) Prevention of HIV-1 gp120-induced neuronal damage in the central nervous system of transgenic mice by the NMDA receptor antagonist memantine. *Brain Res* 706:303-307.
- Ton H, Xiong H (2013) Astrocyte Dysfunctions and HIV-1 Neurotoxicity. *J AIDS Clin Res* 4:255.
- Tovar YRLB, Kolson DL, Bandaru VV, Drewes JL, Graham DR, Haughey NJ (2013) Adenosine triphosphate released from HIV-infected macrophages regulates glutamatergic tone and dendritic spine density on neurons. *J Neuroimmune Pharmacol* 8:998-1009.
- Tripathy SP, Kulkarni SS, Jadhav SD, Agnihotri KD, Jere AJ, Kurle SN, Bhattacharya SK, Singh K, Tripathy SP, Paranjape RS (2005) Subtype B and subtype C HIV type 1 recombinants in the northeastern state of Manipur, India. *AIDS Res Hum Retroviruses* 21:152-157.
- Tsacopoulos M, Magistretti PJ (1996) Metabolic coupling between glia and neurons. *J Neurosci* 16:877-885.
- Tsao HK, Chiu PH, Sun SH (2013) PKC-dependent ERK phosphorylation is essential for P2X7 receptor-mediated neuronal differentiation of neural progenitor cells. *Cell Death Dis* 4:e751.
- Turchan-Cholewo J, Dimayuga VM, Gupta S, Gorospe RM, Keller JN, Bruce-Keller AJ (2009) NADPH oxidase drives cytokine and neurotoxin release from microglia and macrophages in response to HIV-Tat. *Antioxid Redox Signal* 11:193-204.
- UNAIDS (2015) Factsheet.
- Valcour V, Shikuma C, Shiramizu B, Watters M, Poff P, Selnes O, Holck P, Grove J, Sacktor N (2004) Higher frequency of dementia in older HIV-1 individuals: the Hawaii Aging with HIV-1 Cohort. *Neurology* 63:822-827.
- Van Der Ryst E (2015) Maraviroc - A CCR5 Antagonist for the Treatment of HIV-1 Infection. *Front Immunol* 6:277.

- Velasquez S, Eugenin EA (2014) Role of Pannexin-1 hemichannels and purinergic receptors in the pathogenesis of human diseases. *Front Physiol* 5:96.
- Verderio C, Matteoli M (2001) ATP mediates calcium signaling between astrocytes and microglial cells: modulation by IFN-gamma. *J Immunol* 166:6383-6391.
- Verhoef PA, Estacion M, Schilling W, Dubyak GR (2003) P2X7 receptor-dependent blebbing and the activation of Rho-effector kinases, caspases, and IL-1 beta release. *J Immunol* 170:5728-5738.
- Vesce S, Bezzi P, Rossi D, Meldolesi J, Volterra A (1997) HIV-1 gp120 glycoprotein affects the astrocyte control of extracellular glutamate by both inhibiting the uptake and stimulating the release of the amino acid. *FEBS Lett* 411:107-109.
- Volonte C, Apolloni S, Skaper SD, Burnstock G (2012) P2X7 receptors: channels, pores and more. *CNS Neurol Disord Drug Targets* 11:705-721.
- Volonte C, Amadio S, Cavaliere F, D'Ambrosi N, Vacca F, Bernardi G (2003) Extracellular ATP and neurodegeneration. *Curr Drug Targets CNS Neurol Disord* 2:403-412.
- Wainberg MA (2004) HIV-1 subtype distribution and the problem of drug resistance. *AIDS* 18 Suppl 3:S63-68.
- Wallraff A, Kohling R, Heinemann U, Theis M, Willecke K, Steinhauser C (2006) The impact of astrocytic gap junctional coupling on potassium buffering in the hippocampus. *J Neurosci* 26:5438-5447.
- Wang N, De Bock M, Decrock E, Bol M, Gadicherla A, Vinken M, Rogiers V, Bukauskas FF, Bultynck G, Leybaert L (2013) Paracrine signaling through plasma membrane hemichannels. *Biochim Biophys Acta* 1828:35-50.
- Wang Z, Pekaraskaya O, Bencheikh M, Chao W, Gelbard HA, Ghorpade A, Rothstein JD, Volsky DJ (2003) Reduced expression of glutamate transporter EAAT2 and impaired glutamate transport in human primary astrocytes exposed to HIV-1 or gp120. *Virology* 312:60-73.
- Weber T, Hunsmann G, Stevens W, Fleming AF (1992) Human retroviruses. *Baillieres Clin Haematol* 5:273-314.
- Wei H, Deng F, Chen Y, Qin Y, Hao Y, Guo X (2014) Ultrafine carbon black induces glutamate and ATP release by activating connexin and pannexin hemichannels in cultured astrocytes. *Toxicology* 323:32-41.
- Weiss JM, Nath A, Major EO, Berman JW (1999) HIV-1 Tat induces monocyte chemoattractant protein-1-mediated monocyte transmigration across a model of the human blood-brain barrier and up-regulates CCR5 expression on human monocytes. *J Immunol* 163:2953-2959.
- Wicki-Stordeur LE, Swayne LA (2014) The emerging Pannexin 1 signalome: a new nexus revealed? *Front Cell Neurosci* 7:287.
- Willecke K, Eiberger J, Degen J, Eckardt D, Romualdi A, Guldenagel M, Deutsch U, Sohl G (2002) Structural and functional diversity of connexin genes in the mouse and human genome. *Biol Chem* 383:725-737.
- Williams DW, Eugenin EA, Calderon TM, Berman JW (2012) Monocyte maturation, HIV susceptibility, and transmigration across the blood-brain barrier are critical in HIV neuropathogenesis. *J Leukoc Biol* 91:401-415.

- Willmott NJ, Wong K, Strong AJ (2000) A fundamental role for the nitric oxide-G-kinase signaling pathway in mediating intercellular Ca(2+) waves in glia. *J Neurosci* 20:1767-1779.
- Wong JK, Campbell GR, Spector SA (2010) Differential induction of interleukin-10 in monocytes by HIV-1 clade B and clade C Tat proteins. *J Biol Chem* 285:18319-18325.
- Wu DT, Woodman SE, Weiss JM, McManus CM, D'Aversa TG, Hesselgesser J, Major EO, Nath A, Berman JW (2000) Mechanisms of leukocyte trafficking into the CNS. *J Neurovirol* 6 Suppl 1:S82-85.
- Xia J, Lim JC, Lu W, Beckel JM, Macarak EJ, Laties AM, Mitchell CH (2012) Neurons respond directly to mechanical deformation with pannexin-mediated ATP release and autostimulation of P2X7 receptors. *J Physiol* 590:2285-2304.
- Xie HY, Cui Y, Deng F, Feng JC (2015) Connexin: a potential novel target for protecting the central nervous system? *Neural Regen Res* 10:659-666.
- Xiong W, Xie J, Liu J, Xiong H (2014) [HIV-1gp120 injures neurons by alteration of neuronal expressions of NR2B and PSD-95]. *Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi* 30:139-142.
- Xu H, Xiong C, He L, Wu B, Peng L, Cheng Y, Jiang F, Tan L, Tang L, Tu Y, Yang Y, Liu C, Gao Y, Li G, Zhang C, Liu S, Xu C, Wu H, Li G, Liang S (2015) Trans-resveratrol attenuates high fatty acid-induced P2X7 receptor expression and IL-6 release in PC12 cells: possible role of P38 MAPK pathway. *Inflammation* 38:327-337.
- Xu Y, Kulkosky J, Acheampong E, Nunnari G, Sullivan J, Pomerantz RJ (2004) HIV-1-mediated apoptosis of neuronal cells: Proximal molecular mechanisms of HIV-1-induced encephalopathy. *Proc Natl Acad Sci U S A* 101:7070-7075.
- Yan Z, Khadra A, Sherman A, Stojilkovic SS (2011) Calcium-dependent block of P2X7 receptor channel function is allosteric. *J Gen Physiol* 138:437-452.
- Yan Z, Li S, Liang Z, Tomic M, Stojilkovic SS (2008) The P2X7 receptor channel pore dilates under physiological ion conditions. *J Gen Physiol* 132:563-573.
- Yan Z, Khadra A, Li S, Tomic M, Sherman A, Stojilkovic SS (2010) Experimental characterization and mathematical modeling of P2X7 receptor channel gating. *J Neurosci* 30:14213-14224.
- Yang J, Hu D, Xia J, Liu J, Zhang G, Gendelman HE, Boukli NM, Xiong H (2013) Enhancement of NMDA receptor-mediated excitatory postsynaptic currents by gp120-treated macrophages: implications for HIV-1-associated neuropathology. *J Neuroimmune Pharmacol* 8:921-933.
- Ye ZC, Wyeth MS, Baltan-Tekkok S, Ransom BR (2003) Functional hemichannels in astrocytes: a novel mechanism of glutamate release. *J Neurosci* 23:3588-3596.
- Yeager M, Harris AL (2007) Gap junction channel structure in the early 21st century: facts and fantasies. *Curr Opin Cell Biol* 19:521-528.
- Yeager M, Unger VM, Falk MM (1998) Synthesis, assembly and structure of gap junction intercellular channels. *Curr Opin Struct Biol* 8:517-524.
- Yegutkin GG (2008) Nucleotide- and nucleoside-converting ectoenzymes: Important modulators of purinergic signalling cascade. *Biochim Biophys Acta* 1783:673-694.

- Yndart A, Kaushik A, Agudelo M, Raymond A, Atluri VS, Saxena SK, Nair M (2015) Investigation of Neuropathogenesis in HIV-1 Clade B and C Infection Associated with IL-33 and ST2 Regulation. *ACS Chem Neurosci* 6:1600-1612.
- Young MT, Pelegrin P, Surprenant A (2007) Amino acid residues in the P2X7 receptor that mediate differential sensitivity to ATP and BzATP. *Mol Pharmacol* 71:92-100.
- Yu Y, Ugawa S, Ueda T, Ishida Y, Inoue K, Kyaw Nyunt A, Umemura A, Mase M, Yamada K, Shimada S (2008) Cellular localization of P2X7 receptor mRNA in the rat brain. *Brain Res* 1194:45-55.
- Zayyad Z, Spudich S (2015) Neuropathogenesis of HIV: from initial neuroinvasion to HIV-associated neurocognitive disorder (HAND). *Curr HIV/AIDS Rep* 12:16-24.
- Zhang JM, Wang HK, Ye CQ, Ge W, Chen Y, Jiang ZL, Wu CP, Poo MM, Duan S (2003) ATP released by astrocytes mediates glutamatergic activity-dependent heterosynaptic suppression. *Neuron* 40:971-982.
- Zhang X, Chen Y, Wang C, Huang LY (2007a) Neuronal somatic ATP release triggers neuron-satellite glial cell communication in dorsal root ganglia. *Proc Natl Acad Sci U S A* 104:9864-9869.
- Zhang X, Meng L, He B, Chen J, Liu P, Zhao J, Zhang Y, Li M, An D (2009) The role of P2X7 receptor in ATP-mediated human leukemia cell death: calcium influx-independent. *Acta Biochim Biophys Sin (Shanghai)* 41:362-369.
- Zhang YL, Ouyang YB, Liu LG, Chen DX (2015) Blood-brain barrier and neuro-AIDS. *Eur Rev Med Pharmacol Sci* 19:4927-4939.
- Zhang Z, Chen G, Zhou W, Song A, Xu T, Luo Q, Wang W, Gu XS, Duan S (2007b) Regulated ATP release from astrocytes through lysosome exocytosis. *Nat Cell Biol* 9:945-953.
- Zhao HB, Yu N, Fleming CR (2005) Gap junctional hemichannel-mediated ATP release and hearing controls in the inner ear. *Proc Natl Acad Sci U S A* 102:18724-18729.
- Zhao J, Lopez AL, Erichsen D, Herek S, Cotter RL, Curthoys NP, Zheng J (2004) Mitochondrial glutaminase enhances extracellular glutamate production in HIV-1-infected macrophages: linkage to HIV-1 associated dementia. *J Neurochem* 88:169-180.
- Zhou BY, Liu Y, Kim B, Xiao Y, He JJ (2004) Astrocyte activation and dysfunction and neuron death by HIV-1 Tat expression in astrocytes. *Mol Cell Neurosci* 27:296-305.
- Zimmermann H (2008) ATP and acetylcholine, equal brethren. *Neurochem Int* 52:634-648.