

REFERENCES

- 1) Albright, J.L. (1993) Feeding behaviour of dairy cattle. *J. of Dairy Sci.* vol.76, Issue 2, p.485-498.
- 2) Altmann, J. (1974) Observational study of behavior sampling methods. *Beh.* vol.49 (3,4) p.227-265.
- 3) Anderson, J. (1944) The periodicity and duration of estrus in zebu and grade cattle. *J. Agr. Sci.* p.34-57.
- 4) Barfield, C. H., Martinez, Z.T., Trainer, J.M. (1994) Domestic calves (*Bos taurus*) recognize their own mothers by auditory cues. *Etho.* 1994 vol. 97, Issue 4, p. 257–264.
- 5) Bouissou, M. F. (1972) Influence of body weight and presence of horns on social rank in domestic cattle. *Ani.Beh.*, vol. 20, p. 474-477.
- 6) Bruckmaier, R.M. (2003) Chronic oxytocin treatments cause reduced milk ejection in dairy cows. *J. of Dairy R.* vol.70, p. 123–126.
- 7) Buddenberg, B. J. Brown, C. J. Johnson, Z. B. Honea, R.S. (1986) Maternal behaviour of beef cows at parturition. In: *J. Anim. Sci.* vol. 62, p. 42-46.
- 8) Currie, W. Bruce (1995) Structure and function of domestic animals. CRC Press.
- 9) Edwards, S.A., Broom, D.M., (1979) The period between birth and first suckling in dairy calves. *Res. Vet. Sci.* vol.26, p.255–266.
- 10) Eriksson, I. (2013) Improvements in milking management through imitation of calf behaviour. www.slu.se. online publication of degree project Department of Animal Nutrition and Management, Swedish University of Agricultural Science.
- 11) Fraser, A.F. and Broom, D.M. (1997) Farm animal behaviour and welfare. *CAB International*
- 12) Grandin, T. Deesing, M.J. (1998) Genetics and behavior during handling, restraint, and herding. In: T. Grandin, Editor, *G. and the Beh. of Dom. Ani.*, Academic Press, San Diego, USA, p. 113–144.

- 13) Grandinson, K., (2005) Genetic background of maternal behaviour and its relation to offspring survival. *Livest. Prod. Sci.* 93, 43–50.
- 14) Hearnshaw, H. Morris, C.A. (1984) Genetic and environmental effects on a temperament score in beef cattle. In: *Aust. J. Agric. Resour.* vol. 35, no 5, p. 723–733.
- 15) Houpt, K.A. (1998) Domestic behaviour for veterinarians and animal scientists 3rd ed. *Iowa state University Press.*
- 16) Hafez, E.S.E and B. 2000. Reproduction in farm animals 7th edition. Lippincott, William and Wilkins. Hafez, E.S.E. and Bouissou, M.E.
- 17) <http://www.scribd.com> (2010, Ban of oxytocin, A report by Dr.R.P.Parashar President, D.A.V. Research Society for Health).
- 18) Jochle W. 1972. Seasonal fluctuations of reproductive functions in zebu cattle. *In. J. of Bio. (Netherlands)vol.19:* p.131-144.
- 19) Kolensnik, N.N (1979) The great soviet encyclopedia.
- 20) Kumar, K.S., M.P. Kavitha, J.Dharuman, B.dhandapani (2010) RP -HPLC method development and validation for the estimation of oxytocin in milk. *I.J.ofChemTech Research* vol.2 no.2, pp 1340-1343.
- 21) Krysl, L. and Hess, B.W. (1993) Influence of supplementation behavior of grazing cattle. *J.Ani. Sci.* vol.71: 9, p.2546–55.
- 22) Marina A.G. Von Keyserlink, Daniel M.Weary (2007) Maternal behavior in cattle. *Hor. andBeh.* vol. 52 p.106-113
- 23) Metz, J. and Metz, J.H.M., (1986) Maternal influences on defecation and urination in the newborn calf. *Appl. Anim. Behav. Sci.* vol.16, p. 325–333.
- 24) Mitlohner, F.M., Morrow-Tesch, J.L., Wilson, S.C., Dailey, J.W. and McGlone, J.J. (2001) Behavioral sampling techniques for feedlot cattle. *J. Anim. Sci.* vol.79 p.1189–93.
- 25) Opinions, Bulletin International Council of Zoological Nomenclature (ICZN) 60 (1), (2003).

- 26) Plasse, D., M. Koger and A. C. Warnick. (1968b). Reproductive behavior of *Bos indicus* females in a subtropical environment. II. Gestation length in Brahman cattle. *J. Anim. Sci.* 27:101.
- 27) Poindron, P., (2005) Mechanisms of activation of maternal behaviour in mammals. *Reprod. Nutr. Dev.* Vol.45,p. 341–351.
- 28) Pond,R.L.,Darre,M.J.andScheifele,P.M. (2010) Characterization of equine vocalization *J. of Vet.* vol. 5, Issue 1, P. 7–12.
- 29) Reinhardt, V., Mutiso, F.M. and Reinhardt, A.(1978). Resting habits of Zebu cattle in a nocturnal closure. *Appl. Anim. Ethol.* vol. 4 p.261–71.
- 30) Sagi,R. Gorewit,R.C. and Wilson,D.B. (1980) Role of exogenous oxytocin in eliciting milk ejection in dairy cows. *J.Dairy Sci.* vol. 63(12) p.2006-2011.
- 31) Takeuchi.Y. Houpt, K.A. (2003) Behavioural genetics. In: *Vet. Clin. Small Anim.* vol. 33, p.345-363.
- 32) Taneja V.K and Bhat P.N. (1986) Proceeding of the 3rd world congress on genetics and applied livestock production, vol.9 p.73-91.
- 33) Visscher, P. M. Goddard, M. E. (1995) Genetic parameters for milk yield, survival, workability, and type traits for Australian dairy cattle. In: *J. Dairy Sci.* vol. 78,no 1, p. 205-220.
- 34) Watts, J.M. and Stookey J.M.(2000) Vocal behaviour in cattle: the animal's commentary on its biological processes and welfare. *App. Ani. Beh. Sci.* vol. 67, Issues 1–2, p. 15–33.