

# References

- [1] L. Bellezza and Ulivi, "Exact modeling of the flexible slewing link," *IEEE International Conference on Robotics and Automation*, vol. 3, pp. 734–739, 1990.
- [2] G. Hastings and W. J. Book, "A linear dynamic model for flexible robotic manipulators," *IEEE Control Systems Magazine*, vol. 7, pp. 61–64, 1987.
- [3] T. M. Chan and K. A. Stelson, "Point-to-point motion commands that eliminate residual vibration," vol. 1, pp. 909–913 vol.1, 1995.
- [4] P. Kalra and A. M. Sharan, "Accurate modelling of flexible manipulators using finite element analysis," *Mechanism and Machine Theory*, vol. 26, no. 3, pp. 299–313, 1991.
- [5] A. Midha and A. Drdmans, "Finite element approach to mathematical modeling of high-speed elastic linkages," *Elsevier on Mechanism and Machine Theory*, vol. 13, no. 6, pp. 603–618, 1978.
- [6] D. Luca and Siciliano, "Closed-form dynamic model of planar multilink lightweight robots," *IEEE Transactions on Systems, Man and Cybernetics*, vol. 21, no. 4, pp. 826–839, 1991.
- [7] W. J. Book, M. Netto, and Whitney, "Feedback control of two beam, two joints systems with distributed flexibility," *Trans. ASME J. Dyn. Syst. Measurement and control*, vol. 97, pp. 424–431, 1975.
- [8] R. I. Milford and S. F. Asokanathan, "Configuration dependent eigenfrequencies for a two-link flexible manipulator: experimental verification," *Journal of Sound and Vibration*, vol. 222, no. 2, pp. 191–207, 1999.

- [9] W. J. Book, "Recursive lagrangian dynamics of flexible manipulator arms," *International Journal of Robotics Research*, vol. 3, no. 3, pp. 87–101, 1984.
- [10] F. Khorrami and U. Ozguer, "Singular perturbation analysis of a distributed model of flexible manipulators," *Proceeding of the American control conference, Atlanta, USA*, pp. 1704–1709, 1988.
- [11] W. J. Book and Majette, "Controller design for flexible distributed parameter mechanical arms via combined state space and frequency domain techniques," *Journal of Dynamic Systems Measurement and Control*, vol. 105, no. 4, pp. 245–249, 1983.
- [12] Yuan, Book, and Siciliano, "Direct adaptive control of a one-link flexible arm with tracking," *Journal of Robotic Systems*, Vol. 6, No. 6, pp. 663–680, 1989.
- [13] G. Hastings and W. J. Book, "Experiments in the optimal control of a flexible link manipulator," *American Control Conference*, pp. 728–729, 1985.
- [14] R. H. Cannon and E. Schmitz, "Initial experiments on the end-point control of a flexible one-link robot," *The International Journal of Robotics Research*, vol. 3, pp. 62–75, 1984.
- [15] E. Bayo, "A finite element approach to control the end-point motion of a single-link flexible robot," *Journal of Robotic System*, vol. 4, no. 1, pp. 63–75, 1987.
- [16] D. Wang and M. Vidyasagar, "Passive control of a flexible link," *International Journal of Robotics Research*, vol. 11, no. 6, pp. 572–578, 1992.
- [17] H. P. Pota and M. Vidyasagar, "Passivity of flexible beam transfer functions with modified outputs," *IEEE International Conference on Robotics and Automation*, pp. 2826–2831, 1991.
- [18] A. D. Luca, S. Iannitti, R. Mattone, and G. Oriolo, "Control problems in underactuated manipulators," *IEEE/ASME International Conference on Advanced Intelligent Mechatronics*, 2, pp. 855–861, 2001.
- [19] J. H. Park and H. Asada, "Dynamic analysis of noncollocated flexible arms and design of torque transmission mechanisms," *Journal of Dynamic Systems, Measurement and Control*, 116(2), pp. 201–207, 1994.

- [20] R. Cannon and Schmitz, "Initial experiments on the endpoint control of a flexible one-link robot," *Int. J. Robot*, vol. 3, no. 3, pp. 62–75, 1984.
- [21] D. Wang and M. Vidyasagar, "Transfer functions for a single flexible link," *The International journal of robotics research*, vol. 10, no. 5, pp. 540–549, 1991.
- [22] K. H. Zaad and K. Khorasani, "Control of non-minimum phase singularly perturbed system with application to flexible-link manipulators," *International Journal of Control*, 63(4), pp. 679–701, 1996.
- [23] D. Luca and L. Lanari, "Achieving minimum-phase behavior in a one-link flexible arm," *International Symposium on Intelligent Robotics, Bangalore, India*, pp. 224–235, 1991.
- [24] M. Moallem, K. Khorasani, and R. Patel, "An integral manifold approach for tip position tracking of flexible multi-link manipulators," *IEEE Transactions on Robotics and Automation*, 13 (6), pp. 823–837, 1997.
- [25] H. K. Khalil, "On the robustness of output feedback control methods to modeling errors," *IEEE Transactions on Automatic Control*, vol. AC-26, pp. 524–526, 1982.
- [26] D. Wang and M. Vidyasagar, "Control of a class of manipulators with a single flexible link: Part I feedback linearization," *Journal of dynamic systems, measurement, and control*, vol. 113, no. 4, pp. 655–661, 1991.
- [27] A. Isidori and C. Moog, "On the nonlinear equivalent of the notion of transmission zeros," *Modeling and Adaptive Control, Berlin: Springer-Verlag*, pp. 146–158, 1988.
- [28] A. Isidori and C. I. Byrnes, "Global feedback stabilization of nonlinear systems," *IEEE Conference on Decision and Control*, pp. 1031–1037, 1985.
- [29] R. V. Patel and P. Misra, "Transmission zero assignment in linear multivariable systems, part 11: The general case," *American Control Conference, Chicago*, pp. 644–648, 1992.
- [30] N. C. Singer and W. P. Seering, "Design and comparison of command shaping methods for controlling residual vibrations," *Proc. IEEE Conf on Robotics and Automation, Scottsdale*, pp. 888–893, 1989.

- [31] S. Yurkovick and A. P. Tzes, "Experiments in the identification and control flexible link manipulators," *Internal report of the K. U. Leuven, Department of Mechanical Engineering, Leuven, Belgium*, pp. 41–46, 1990.
- [32] D. Torfs, J. Swevers, and J. D. Schutter, "An optimal continuous path control approach including a modal based feedforward calculation," *Internal report of the K. U. Leuven, Department of Mechanical Engineering, Leuven, Belgium*, 1990.
- [33] J. Peza-Solis, R. Castro-Linares, and G. Silva-Navarro, "Backstepping-like control using sliding modes for a single flexible-link robot," *9th IEEE International Conference on Control and Automation (ICCA) Santiago, Chile*, pp. 268–273, 2011.
- [34] Z. Su and K. Khorasani, "A neural-network-based controller for a single-link flexible manipulator using the inverse dynamics approach," *IEEE Trans. Ind. Electronics*, vol. 48, no. 6, pp. 1074–1086, 2001.
- [35] V. Moudgal, K. Passino, and S. Yurkovich, "Rule-based control for a flexible-link robot," *IEEE Transactions on Control Systems Technology*, vol. 2, no. 4, pp. 392–405, 1994.
- [36] T. Yuangang, S. Fuchun, and S. Zengqi, "Neural network control of flexible-link manipulators using sliding mode," *Neurocomputing*, vol. 70, no. 1, pp. 288–295, 2006.
- [37] J. D. Schutter, H. V. Brussels, M. Adams, A. Froment, and J. L. Fadlot, "Singular perturbations and time-scale methods in control theory survey 1976-1983," *Automatica*, 20, pp. 273–293, 1984.
- [38] B. Siciliano and W. J. Book, "A singular perturbation approach to control of lightweight flexible manipulators," *International Journal of Robotics Research*, vol. 7, no. 4, pp. 79–90, 1989.
- [39] K. Khorasani and M. W. Spong, "Invariant manifolds and their application to robot manipulators with flexible joints," *IEEE International Conference on Robotics and Automation*, pp. 978–983, 1985.

- [40] F. Khorrami, S. Jain, and A. Tzes, "Experiments on rigid body-based controllers with input preshaping for a two-link flexible manipulator," *IEEE Transactions on Robotics and Automation*, vol. 10, no. 1, pp. 55–65, 1994.
- [41] P. Koronki, H. Hashimoto, and V. Utkin, "Direct torsion control of flexible shaft in an observer-based discrete-time sliding mode," *IEEE Transactions on Industrial Electronics*, vol. 45, no. 2, pp. 291–296, 1998.
- [42] M. Bai, D. Zhou, and Schwan, "Adaptive augmented state feedback control for an experimental planar two-link flexible manipulator," *IEEE Trans on Robotics and Automation*, vol. 14, pp. 940–950, 1998.
- [43] J. Yang, F. Lian, and L. Fu, "Adaptive robust control for flexible manipulator," *IEEE Int. Conference on Robotics and Automation*, vol. 14, pp. 1223–1228, 1995.
- [44] Tokhi and Veres, "Active sound and vibration control theory and applications," *Institution of Electrical Engineers, London*, 2002.
- [45] T. E. Alberts, G. G. Hastings, and W. J. Book, "Experiments in optimal control of a flexible arm with passive damping," *VPI SUJAIAA Symposium on Dynamics and Control of Large Flexible Structures, Blackburg*, pp. 5397–5401, 1985.
- [46] M. P. Hennessey, J. A. Priebe, P. C. Huang, and R. J. Grommes, "Design of a light weight robotic arm and controller," *Proc. IEEE Conf on Robotics and Automation, Raleigh*, pp. 779–785, 1987.
- [47] D. X. Liao, C. K. Sung, and B. S. Thomson, "The design of flexible robotic manipulators with optimal arm geometries fabricated from composite laminates with optimal material properties," *Int Journal of Robotics*, pp. 116–130, 1987.
- [48] K. Oosting and S. L. Dickerson, "Simulation of a high speed lightweight arm," *Proc. IEEE Conf on Robotics and Automation, Philadelphia, USA*, pp. 494–496, 1988.
- [49] R.P.Singh, R. J. Vandervoort, and P. W. Likins, "Dynamics of flexible bodies in tree topology-a computer oriented approach," *Journal of Guidance*, pp. 584–590, 1985.

- [50] P. Chedmail and W. Khalil, “Nonlinear decoupling control of flexible robots,” *Proc. ICAR89, Cincinnati, USA*, pp. 138–152, 1989.
- [51] V. I. Utkin, “Variable structure system with sliding modes,” *IEEE Trans. Autom. Control*, vol. 22, no. 2, pp. 212–222, 1977.
- [52] S. Emelyanov, “Variable structure control systems,” *Nauka, Moscow*, 1957.
- [53] V. Utkin, “First stage of vss: people and events,” *Springer, Berlin, (Chap 1)*, pp. 1–33, 2002.
- [54] B. Drazenovic, “The invariance conditions in variable structure systems,” *Automatica*, pp. 286–295, 1969.
- [55] W. T. Qian and C. H. Ma, “A new controller design for a flexible one-link manipulator,” *IEEE Transactions on Automatic Control*, vol. 37, no. 1, pp. 133–137, 1992.
- [56] R. O. Saber, “Nonlinear control of underactuated mechanical systems with application to robotics and aerospace vehicles,” *PhD thesis MIT*, 2001.
- [57] S. Kurode and P. Dixit, “Control of tip position of flexible link manipulator using sliding modes,” *International Conf on Adv on Control and Optimization of Dynamic Sys*, 2012.
- [58] A. Ingole, B. Bandopadhyay, and R. Gorez, “Variable structure control application for flexible manipulators,” *IEEE Int. Conf. Robotics Control*, pp. 1311–1316, 1994.
- [59] D. Hisseine and B. Lohmann, “Robust control for a flm using sliding mode techniques and nonlinear  $h_\infty$  control design methods,” *Proc. IEEE International Conference on Robotics and Automation, Seoul*, vol. 4, pp. 3865–3870, 2001.
- [60] Y. A. Zhang, Y. L. Mi, and M. Zhu, “Adaptive smc for 2lfm with  $h_\infty$  tracking control,” *Proceedings of the Fourth International Conference on Machine Learning and Cybernetics*, vol. 8, pp. 1147–1156, 2005.
- [61] R. Adams, P. Apkarian, and J. Chretien, “Robust control approaches for 2lfm,” *International Conference on Dynamics and Control of Structures in Space*, pp. 213–229, 1996.

- [62] X. Zheng, J. Platts, and Y. Feng, “Nonsingular terminal sliding mode controller of a two-link flexible manipulator,” *Conference of IEEE Industrial Electronics, IECON'09*, pp. 2295–2300, 2009.
- [63] F. Cheung, E. Fung, and T. Leung, “A two switching surface variable structure control scheme for flexible manipulators,” *Proc. American Control Conference, Seattle, WA, vol. 1*, pp. 830–836, 1995.
- [64] J. L. Chang and Y. P. Chen, “Force control of a single-link flexible arm using sliding-mode theory,” *Journal of Vibration and Control 4: 2*, pp. 187–200, 1998.
- [65] R. Fareh, M. Saad, and M. Saad, “Adaptive control for a single flexible link manipulator using sliding mode technique,” *6th International Multi-Conference on Systems, Signals and Devices*, pp. 115–130, 2009.
- [66] J. Qingxuan, Z. Xiaodong, Hanxu, and Ming, “Active control of space flexible-joint/flexible-link manipulator,” *9th IEEE International Conference on Control and Automation (ICCA) Santiago, Chile*, pp. 812–818, 2008.
- [67] S. Kurode, B. Tamhane, Dharmveer, and P. Dixit, “Robust control with simultaneous state and disturbance estimation using sliding modes,” *The 12th International Workshop on Variable Structure Systems, Mumbai*, pp. 237–242, 2012.
- [68] A. Levant, “Based on parameter optimization and flc nonsingular terminal sliding mode controller of a two-link flexible manipulator,” *Automatica 43(4)*, pp. 576–586, 2007.
- [69] C. Ming, J. Qing-xuan, and S. Han-xu, “Global terminal sliding mode robust control for trajectory tracking and vibration suppression of 2lfm,” *IEEE International Conference on Intelligent Computing and Intelligent Systems, ICIS*, vol. 2, pp. 353–357, 2009.
- [70] S. Islam and X. P. Liu, “Robust sliding mode control for robot manipulators,” *IEEE Transactions On Industrial Electronics*, vol. 58, no. 6, pp. 2444–2453, 2011.
- [71] W. J. Cao and J.-X. Xu, “Dynamic modeling and adaptive vsc of 2lfm using a hybrid sliding surface,” *Proceedings of the 39th IEEE Conference on Decision and Control Sydney, Australia*, vol. 5, pp. 5143 – 5148, 2000.

- [72] V. I. Utkin and A. S. Poznyak, “Adaptive sliding mode control with application to super-twist algorithm: Equivalent control method,” *Automatica*, vol. 49, no. 1, pp. 39–47, 2013.
- [73] C. Edward and S. Spurgeon, *Sliding Mode Control: Theory and Applications*. Taylor and Francis, 1998.
- [74] A. Arisoy, M. B. S. Basturk, M. Gokasan, and O. Bogosyan, “High order sliding mode control of a space robot manipulator,” *9th IEEE International Conference on Control and Automation (ICCA) Santiago, Chile*, pp. 833–838, 2011.
- [75] J. Ryu, D. Kwon, and Y. Park, “A robust controller design method for a flexible manipulator with a large time varying payload and parameter uncertainties,” *J. Intelligent and Robotic Systems*, vol. 27, pp. 345–361, 2000.
- [76] X. Chen and T. Fukuda, “Robust sliding-mode tip position control for flexible arms,” *IEEE Tans. Industrial Electronics*, vol.48, no.6, pp. 1048–1056, 2001.
- [77] X. Chen, C. Sue, and T. Fukuda, “Robust vibration control for flexible arms using the sliding mode method,” *Asian Journal of Control*, vol.5, no.4, pp. 594–604, 2003.
- [78] M. Gokasan, S. Bogosyan, and A. Sabanovic, “A sliding mode observer for a single link arm,” *Conference on Decision and Control, CDC’98, Tampa, Florida*, pp. 3625–3626, 1998.
- [79] S. B. Choi and J. W. Cheon, “Vibration control of a single-link flexible arm subjected to disturbances,” *Journal of Sound and Vibration, Volume 271, Issues 3-5*, pp. 1147–1156, 2004.
- [80] W. Book, “Controlled motion in an elastic world,” *ASME Journal of Dynamic Systems, Measurement, and Control*, vol. 115, pp. 252–260, 1993.
- [81] Siciliano and W. Book, “Perturbation approach for control of a lightweight flexible manipulators,” *International Journal of Robotics Research*, vol. 7, no. 4, pp. 79–90, 1988.
- [82] W. J. Book, “Recursive lagrangian dynamics of flexible manipulator arms,” *Int. Journal of Robotics*, vol. 3, pp. 87–101, 1984.



- [83] S. Cetinkunt and W. L. Yu, "Closed loop behavior of a feedback-controlled flexible arm: A comparative study," *International Journal of Robotics Research*, vol. 10, no. 3, pp. 263–275, 1991.
- [84] D. Luca and Siciliano, "Joint-based control of a nonlinear model of a flexible arm," *Proceedings of the American Control Conference, Atlanta, Georgia*, pp. 935–940, 1988.
- [85] H. Goldstein, "Classical mechanics," *2nd edition Addison-Wesley Reading MA*, 1980.
- [86] V.I.Utkin, "Sliding modes in optimization and control problems," *Springer Verlag, New York*, 1992.
- [87] S. K. Spurgeon, "Sliding mode observers: a survey," *International Journal of Systems Science*, August 2008.
- [88] A. Bondarev, S. Bondare, N. Kostyleva, and Utkin, "Sliding modes in systems with asymptotic state observers," *Autom Remote Control*, vol. 46, no. 5, pp. 679–684, 1985.
- [89] V. Utkin, J. Gulder, and Shi, "Sliding mode control in electro mechanical systems," *Taylor and Francis, London*, 1999.
- [90] K. Young, V. Utkin, and U. Ozguner, "A control engineers guide to sliding mode control," *IEEE Trans Control Syst Technology*, vol. 7, no. 3, pp. 328–342, 1999.
- [91] J. Burton and A. Zinober, "Continuous approximation of variable structure control," *Int Journal Systems Science*, vol. 17, no. 11, pp. 875–885, 1986.
- [92] J. Slotine, "Applied nonlinear control," *Prentice Hall, New York*, 1991.
- [93] Emelyanov, S. Korovin, and L. Levantovsky, "Higher order sliding modes in the binary control systems," *Soviet Physics*, vol. 31, pp. 455–470, 1986.
- [94] Emelyanov, Korovin, and Levantovsky, "Second order sliding modes in controlling uncertain systems," *Soviet Journal of Computer and System Science*, vol. 24, 1986.
- [95] S. Ramirez, "Differential geometric methods in variable structure control," *Int J Control* 48(5), pp. 1359–1390, 1988.

- [96] S. Emelyanov, S. Korovin, and A. Levant, “High-order sliding modes in control systems,” *Computational Mathematics and Modeling*, vol. 7, no. 3, pp. 294–318, 1996.
- [97] G. Bartolini, A. Pisano, E. Punta, and E. Usai, “A survey of applications of second-order sliding mode control to mechanical systems,” *Int J Control* 76(9/10), pp. 875–892, 2003.
- [98] L. Fridman and A. Levant, “Higher order sliding modes as a natural phenomenon in control theory,” *Lecture notes in control and information sciences*, vol 217, Springer, London, pp. 106–133, 1996.
- [99] A. Levant, “Construction principles of 2-sliding mode design,” *Automatica* 43(4), pp. 576–586, 2007.
- [100] A. Filippov, “Differential equations with discontinuous right-hand side,” *Mat Sb (in Russian) English translation: Trans. Am Math. Soc.*, vol. 62, no. 2, pp. 377–390, 1964.
- [101] A. Levant, “Higher-order sliding modes, differentiation and output-feedback control,” *Int. Journal of Control*, vol. 76, no. 9/10, pp. 924–941, 2003.
- [102] —, “Sliding order and sliding accuracy in sliding mode control,” *Int. Journal of Control*, vol. 58, no. 6, pp. 1247–1263, 1993.
- [103] —, “Arbitrary-order sliding modes with finite time convergence,” *Proc. of the 6th IEEE Mediterranean Conference on Control and Sys*, vol. 24, pp. 9–11, 1998.
- [104] S. E. Hamamci, “Stabilization using fractional-order pi and pid controllers,” *Nonlinear Dynamics*, vol. 51, no. 2, pp. 329–343, 2008.
- [105] D. Valerio, “Introducing fractional sliding mode control,” *Proceedings of The Encontro de Jovens Investigadores do LAETA FEUP*, 2012.
- [106] Y. Chang, C. Wu, H. Chen, and C. Chang, “Fractional-order integral sliding-mode flux observer for sensorless vector-controlled induction motors,” *ACC2011*, pp. 190–195, 2011.
- [107] J. Huang, H. Li, and Y. Chen, “Robust position control of pmsm using fractional-order sliding mode controller,” *Hindawi Publishing Corporation, Abstract and Applied Analysis*, Article ID 512703, vol. 2012, p. 33, 2012.

- [108] M. O. Efe, "Fractional order sliding mode control with reaching law approach," *Turkish Journal of Electrical Engineering & Computer Sciences*, vol. 18, no. 5, pp. 731–748, 2010.
- [109] B. Zhang, YouGuoPi, and Y. Luo, "Fractional order sliding-mode control based on parameters auto-tuning for velocity control of pmsm," *ISA Transactions*, pp. 649–656, 2012.
- [110] I. Podlubny, *Fractional Differential Equations*. Academic Press, 1999, vol. 198.
- [111] S. Manabe, "A suggestion of fractional-order controller for flexible spacecraft attitude control," *Nonlinear Dynamics, Kluwer Academic Publishers*, vol. 29, no. 1-4, pp. 251–268, 2002.
- [112] M. Axtell and E. M. Bise, "Fractional calculus applications in control systems," *Proceedings of the IEEE 1990 Nat. Aerospace and Electronics Conf.*.
- [113] J. Wang, "Realization of generalized wartburg impedance with rc ladder networks and transmission lines," *J. of Electrochem. Soc.*, vol. 134, no. 8, pp. 1915–1920, 1987.
- [114] S. Das, *Functional Fractional Calculus for System Identification and Controls*. Springer, 2012.
- [115] Y. Chen, "Ubiquitous fractional order controls," *2nd IFAC Workshop on Fractional Differentiation and Its Applications. Vol. 2*, 2006.
- [116] K. Oldham and J. Spanier, *The Fractional Calculus*. Academic Press, 1974.
- [117] D. Valerio and J. S. da Costa, "Tuning of fractional pid controllers ziegler-nichols type rules," *Signal Processing*, vol. 86, no. 10, pp. 2771–2784, 2006.
- [118] S. Manabe, "Early development of fractional order controls," *Proceedings of DETC03 ASME*, 2003.
- [119] I. Petras, "Fractional order feedback control of a dc motor," *Journal of Electrical Engineering*, 2009.

- [120] Matignon, “Fractional order control,” *Proceedings of IMACS-SMC*, vol. 2, pp. 963–968, 1996.
- [121] Rachid, “Multi-model identification of a fractional non linear system,” *IFAC Journal*, vol. 12, no. 2, pp. 432 – 438, 2010.
- [122] M. P. Aghababa, “Synchronization and stabilization of fractional second-order nonlinear complex systems,” *Nonlinear Dynamics*, pp. 1–14.
- [123] Y. Li, Y. Chen, and I. Podlubny, “Stability of fractional-order nonlinear dynamic systems: Lyapunov direct method and generalized mittag-leffler stability,” *Elsevier: Computers and Mathematics with Applications*, 2010.
- [124] H.-S. Ahn, Y. Chen, and I. Podlubny, “Robust stability test of a class of linear time-invariant interval fractional-order system using lyapunov inequality,” *Science Direct*, 2007.
- [125] O. P. Agrawal, “A general formulation and solution scheme for fractional optimal control problems,” *Nonlinear Dynamics*, vol. 38, no. 1, pp. 323–329, 2004.
- [126] I. Ndoye, M. Zasadzinski, and M. Darouach, “Observer-based control for fractional-order continuous-time systems,” *Joint 48th IEEE Conf on Decision and Control and 28th Chinese Control Conference*, December 2009.
- [127] S.-C. Lee and H.-S. Ahn, “Sliding mode observer-based stabilization of nonlinear interconnected fractional order systems,” *IEEE 51st Annual Conference on Decision and Control*, December 2012.
- [128] D. Matignon, “Strict lyapunov functions for the super-twisting algorithm generalized fractional differential and difference equation: Stability properties and modeling issues,” *Proc. of Maths. Theory of Networks and Systems Symposium, Padova Italy*, 1998.
- [129] A. Pisano, M. Rapai’c, and E. Usai, ser. VSS 2010 book, ch. Chapter VIII: Second-order sliding mode approaches to control and estimation for fractional order dynamics.
- [130] D. Valrio, “Introducing fractional sliding mode control,” *Proceedings of The Encontro de Jovens Investigadores do LAETA FEUP*, 2012.

- [131] Vinagre and Y. Chen, “Lecture notes on fractional calculus applications in automatic control and robotics,” *Asian Journal of Control*, vol. 15, pp. 115–130, 2013.
- [132] C. Monje, F. Ramos, V. Feliu, and B. Vinagre, “Tip position control of a lightweight flexible manipulator using a fractional order controller,” *IET Control Theory and Applications*, vol. 1, no. 5, pp. 1451–1460, 2007.
- [133] D. C. A. Monje, D. Y. Chen, and D. B. M. Vinagre, *Fractional-order Systems and Controls*. Springer, 2010.
- [134] H. Khalil, *Non linear systems*. Printice Hall, 2002.
- [135] M. O. Efe, “Fractional order sliding mode control with reaching law approach,” *Turk J Elec Eng and Comp Sci, Vol.18*, pp. 731–747, 2010.
- [136] B. Bandyopadhyay and S. Kamal, *Stabilization and Control of Fractional Order Systems : A Sliding Mode Approach*. Springer International Publishing, 2015.
- [137] M. O. Efe, “Fractional fuzzy adaptive sliding-mode control of a 2-dof direct-drive robot arm,” *IEEE Transactions on systems, man, and cybernetics*, Decemeber 2008.
- [138] C. D. Johnson, “Accommodation of external disturbances in linear regulator and servomechanism problems,” *IEEE TAC*, vol. AC 16, no. 6, 1971.
- [139] T. Umeno and Y. Hori, “Robust speed control of dc servomotors using modern two degrees-of-freedom controller design,” *IEEE Transactions on Industrial Electronics*, vol. 38, no. 5, pp. 636–644, 1991.
- [140] Q.-C. Zhong and D. Rees, “Control of uncertain lti systems based on an uncertainty and disturbance estimator,” *Journal of Dynamic Systems, Measurement, and Control*, vol. 126, pp. 905–910, December 2004.
- [141] K. Youcef-Toumi and O. Ito, “A time delay controller for systems with unknown dynamics,” *ASME J. Dyn. Syst., Meas., Control*, pp. 133–142, 1990.
- [142] Q.-C. Zhong and D. Rees, “Control of uncertain lti systems based on an uncertainty and disturbance estimator,” *Journal of Dynamic Systems, Measurement, and Control*, vol. 126, pp. 905–910, 2004.

- [143] M. Takegaki and S. Arimoto, "A new feedback method for dynamic control of manipulators," *ASME Journal of Dynamic Systems, Measurement, and Control*, Vol. 103, No 1, pp. 119–125, 1981.
- [144] P. Thakar, B. Bandyopadhyay, P. Gandhi, and S. Kurode, "Robust control of rotary slosh using integral sliding modes," *12th IEEE Workshop on Variable Structure Systems, VSS12*, 2012.
- [145] V. Torres-Gonzalez, L. M. Fridman, and J. A. Moreno, "Continuous twisting algorithm," *IEEE 54th Annual Conference on Decision and Control (CDC) Osaka, Japan*, pp. 5397–5402, 2015.
- [146] S. Kamal, A. Chalanga, J. Moreno, L. Fridman, and B. Bandyopadhyay, "Higher order super-twisting algorithm," *IEEE 13th International Workshop on Variable Structure Systems*, pp. 1–5, 2014.
- [147] L. Fridman, J. A. Moreno, B. Bandyopadhyay, S. Kamal, and A. Chalanga, "Continuous nested algorithms the fifth generation of sliding mode controllers," *Recent Advances in Sliding Modes: From Control to Intelligent Mechatronics*, Springer International Publishing, pp. 5–35, 2015.
- [148] M. V. Basin and P. C. R. Ramirez, "A supertwisting algorithm for systems of dimension more than one," *IEEE Transactions on Industrial Electronics*, vol. 13, no. 6, pp. 6472–6480, 2014.