

TABLE OF CONTENTS

Acknowledgment	i
Abstract	ii
List of Figures	vii
List of Tables	xii
List of Abbreviations	xiii
1 Introduction	1
1.1 Research Background	1
1.2 Motivation	5
1.3 Problem Definition	6
1.4 Aims and Objectives	8
1.5 Scope of Thesis	8
1.6 Summary of Contributions	9
1.7 Organization of Thesis	11
2 Literature Survey	14
2.1 Introduction	14
2.1.1 Related Work on Topology Control Methods	15
2.2 Reviews of Topology Control Protocols	16
2.3 Comparative Analysis and Summary	33
2.3.1 Comparative Study of Topology Control Algorithms	33
2.4 Sensor Network Applications	36
2.4.1 Health Monitoring	36
2.4.2 Industrial Automation	36
2.4.3 Civil Structure Monitoring	37
2.4.4 Habitat Monitoring Applications	37
2.4.5 Environment Observation and Forecasting System	37
2.4.6 Agriculture Monitoring System	38
2.5 Conclusion	38
3 Design Issues, Models and Simulation Platforms	40
3.1 Introduction	40
3.2 Sensor Network Topologies	43
3.2.1 Star Network	43
3.2.2 Mesh Network Topology	44
3.2.3 Hybrid Star-Mesh Network Topology	45
3.3 Topology Control Design Guidelines	46
3.4 Network Models	50
3.4.1 Homogeneous Model	50
3.4.2 Wireless Propagation Model	51
3.4.3 Wireless Propagation Model	51

3.4.4	Model of Long Distance Path	51
3.4.5	Hop Model	52
3.4.6	Energy Model	52
3.5	Methodologies and techniques used	53
3.6	Simulation Platform	54
3.6.1	Introduction to MATLAB	54
3.6.2	The MATLAB System	54
3.6.3	Comparative Study of Simulators	55
3.7	Simulation Assumptions and Constraints	59
3.7.1	Assumptions	59
3.7.2	Constraints	60
3.8	Conclusion	62
4	Link Efficiency Based Topology Control Algorithm	63
4.1	Introduction	63
4.1.1	Received Signal Strength Indicator	64
4.1.2	Limitation of RSSI	65
4.2	Related Work	65
4.3	Network Model	66
4.3.1	Definitions	66
4.3.2	Assumption	67
4.4	Improved Link Efficiency Based Algorithm	68
4.4.1	Proposed Algorithm : LEBTC	68
4.4.2	Mathematical Model	69
4.4.3	Flow Diagram	70
4.5	Experimental Setup and Results	72
4.5.1	RNG-Relative neighbourhood graph	73
4.5.2	GG- Gabriel graph	73
4.5.3	FETC and FETCD	74
4.6	Conclusion	87
5	Improved Reliable and Energy Efficient Topology Control Algorithm	89
5.1	Introduction	89
5.1.1	Connected Dominating Set	90
5.1.2	Clustering mechanisms	91
5.2	Related Work	91
5.3	Network Model	92
5.4	Improved Reliable and Energy Efficient Algorithm Based on Connected Dominating Set	93
5.4.1	Proposed Algorithm : IPOLY	94
5.4.2	Mathematical Model	95
5.4.3	Flow Diagrams	97
5.5	Experimental Setup and Results	99
5.5.1	Complexity Analysis Of POLY and IPOLY.	104
5.6	Conclusion	113
6	Cellular Automata Based Topology Control Algorithms	114
6.1	Introduction	114
6.1.1	Cellular Automata for Sensor Networks	115

6.1.2	Clustering in Sensor Network	115
6.2	Related Work	116
6.2.1	Neighborhood Schemes	116
6.3	Improved Cellular Automata Based Topology Control Algorithms	119
6.3.1	ImpTCA1: Extending Lifetime Of Wireless Sensor Network Using Cellular Automata weighted Margoles neighborhood	119
6.3.2	ImpTCA2: Extending Lifetime of Wireless Sensor Network Using Cellular Automata weighted Moor neighborhood	122
6.3.3	ImpCCA: Extending Lifetime of Wireless Sensor Network Using Cyclic Cellular Automata	123
6.4	Implementation Details for ImpTCA	134
6.4.1	Algorithm 1: ImpTCA-1	135
6.4.2	Initialization of System	135
6.4.3	Algorithm 2 : ImpTCA-2	138
6.5	Experimental Setup and Results	139
6.5.1	Implementation Details	139
6.5.2	ImpTCA-1 Simulation Results Of Moor Neighborhood.	140
6.5.3	TCA-1 Simulation Results Of Margolus Neighborhood.	143
6.5.4	TCA-2 Simulation Results	143
6.5.5	Cyclic Self-reproduction System Simulation results	143
6.6	Conclusion	153
7	Conclusion and Future Work	155
7.1	Summary of Achievements	156
7.2	Future Work	159
	References	161
	List of Publications	175
	Resume	