

B

Stormwater quality data for different land uses

Table B.1 Concentration of phosphate in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	Phosphate (mg/L)			
R-1	1.01	0.97	1.18	1.05
R-2	0.71	0.65	0.78	0.71
R-3	0.69	0.64	0.76	0.70
R-4	0.86	0.68	0.98	0.84
R-5	0.68	0.64	0.96	0.76
R-6	0.81	1.12	1.01	0.98
R-7	0.32	0.25	0.4	0.32
R-8	0.45	0.34	0.29	0.36
R-9	0.62	0.55	0.81	0.66
R-10	0.35	0.26	0.39	0.33
C-1	0.65	0.42	0.78	0.62
C-2	0.74	0.49	1.04	0.76
C-3	0.55	0.34	0.58	0.49
C-4	0.82	0.77	0.31	0.63
C-5	0.38	1.01	0.54	0.64

C-6	0.19	0.09	0.26	0.18
C-7	0.49	0.34	0.53	0.45
C-8	0.81	0.67	0.96	0.81
C-9	0.81	0.66	1.11	0.86
C-10	0.61	0.53	0.69	0.61
I-1	0.96	0.84	1.17	0.99
I-2	1.57	1.07	1.71	1.45
I-3	0.84	0.58	0.95	0.79
I-4	0.32	0.17	0.39	0.29
I-5	1.06	0.81	1.12	1.00
I-6	0.95	0.87	1.03	0.95
I-7	0.21	0.19	0.27	0.22
I-8	0.99	0.49	1.15	0.88
I-9	0.75	1.04	0.92	0.90
I-10	1.09	0.67	1.15	0.97
HT-1	0.47	0.68	0.71	0.62
HT-2	0.78	0.71	1.02	0.84
HT-3	0.64	0.58	0.75	0.66
HT-4	0.79	0.21	0.99	0.66
HT-5	0.31	0.25	0.56	0.37
HT-6	0.32	0.08	0.35	0.25
HT-7	0.56	0.45	0.81	0.61
HT-8	0.35	0.59	0.51	0.48
HT-9	0.79	0.36	0.89	0.68
HT-10	0.35	0.32	0.18	0.28

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B.2 Concentration of nitrate in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	Nitrate (mg/L)			
R-1	14.32	10.51	15.46	13.43
R-2	5.12	3.23	8.31	5.55
R-3	10.66	9.76	12.62	11.01
R-4	14.21	8.59	16.39	13.06
R-5	17.34	14.21	20.09	17.21
R-6	9.34	7.96	14.53	10.61
R-7	7.22	5.56	10.12	7.63
R-8	5.01	3.51	4.12	4.21
R-9	10.73	8.58	13.89	11.07
R-10	8.35	7.91	11.19	9.15
C-1	5.71	3.54	10.97	6.74
C-2	10.29	8.47	13.17	10.64
C-3	11.94	10.39	14.06	12.13
C-4	11.57	10.38	14.62	12.19
C-5	11.02	7.27	11.57	9.95
C-6	12.68	10.04	15.17	12.63
C-7	5.42	3.36	7.63	5.47
C-8	12.15	7.91	12.75	10.94
C-9	20.12	15.68	24.07	19.96
C-10	23.31	17.49	25.27	22.02
I-1	14.37	12.31	15.77	14.15
I-2	17.68	11.51	19.13	16.11
I-3	19.50	16.19	22.84	19.51
I-4	12.59	9.93	14.87	12.46
I-5	12.54	9.31	17.18	13.01
I-6	14.81	12.55	15.67	14.34
I-7	5.47	3.66	5.49	4.87
I-8	8.81	5.21	10.18	8.07
I-9	12.41	11.15	16.32	13.29
I-10	24.26	21.97	27.71	24.65
HT-1	10.07	7.23	10.64	9.31
HT-2	7.98	4.31	5.29	5.86
HT-3	7.43	6.27	7.65	7.12
HT-4	12.09	9.63	14.22	11.98
HT-5	4.45	2.31	4.76	3.84
HT-6	3.95	2.36	4.63	3.65
HT-7	6.09	5.58	8.17	6.61
HT-8	4.75	3.25	5.12	4.37
HT-9	3.26	3.09	4.32	3.56
HT-10	4.88	2.31	3.29	3.49

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B.3 Concentration of TSS in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	TSS (mg/L)			
R-1	3693	3157	4355	3735
R-2	1352	1169	1631	1384
R-3	1539	1481	1873	1631
R-4	1911	1684	1922	1839
R-5	1979	1918	2064	1987
R-6	1183	1628	1485	1432
R-7	1651	1564	1870	1695
R-8	174	162	141	159
R-9	1825	1765	1873	1821
R-10	268	236	297	267
C-1	4623	4251	5412	4762
C-2	4684	4522	5269	4825
C-3	4641	4363	4667	4557
C-4	6125	5262	6541	5976
C-5	4428	4033	4532	4331
C-6	3287	3215	3845	3449
C-7	550	492	653	565
C-8	5234	4557	5410	5067
C-9	7228	5843	7728	6933
C-10	4812	4430	5467	4903
I-1	8513	7431	8176	8040
I-2	7255	8195	8037	7829
I-3	6729	6991	6956	6892
I-4	7819	6487	7156	7154
I-5	7387	7242	8057	7562
I-6	7123	6501	7247	6957
I-7	3735	3369	3423	3509
I-8	6561	6429	7515	6835
I-9	6743	6277	6954	6658
I-10	7568	7332	7891	7597
HT-1	6040	5847	7031	6306
HT-2	4931	4275	4783	4663
HT-3	5528	5384	6617	5843
HT-4	5115	4804	5192	5037
HT-5	4654	4963	4588	4735
HT-6	3239	2894	3386	3173
HT-7	4393	4266	4658	4439
HT-8	5873	5429	5981	5761
HT-9	4505	4223	4589	4439
HT-10	3765	3369	4257	3797

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B.4 Concentration of oil and grease (OG) in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	OG (mg/L)			
R-1	9.60	9.20	12.40	10.40
R-2	8.80	5.60	9.60	8.00
R-3	3.20	2.80	4.80	3.60
R-4	9.60	7.20	9.60	8.80
R-5	10.00	6.40	11.20	9.20
R-6	6.80	7.20	5.20	6.40
R-7	9.60	6.80	10.00	8.80
R-8	0.40	0.80	1.20	0.80
R-9	7.20	6.40	6.80	6.80
R-10	4.40	6.40	7.20	6.00
C-1	14.40	11.20	15.20	13.60
C-2	9.20	8.40	11.20	9.60
C-3	9.20	7.20	11.20	9.20
C-4	14.80	12.80	15.60	14.40
C-5	3.60	3.60	6.00	4.40
C-6	14.00	13.20	13.60	13.60
C-7	2.80	2.40	4.40	3.20
C-8	11.60	10.80	14.80	12.40
C-9	15.60	12.40	16.40	14.80
C-10	9.20	8.00	11.60	9.60
I-1	19.20	18.00	21.60	19.60
I-2	16.40	13.60	16.80	15.60
I-3	8.00	7.60	9.60	8.40
I-4	12.00	8.40	13.20	11.20
I-5	12.40	10.80	16.40	13.20
I-6	5.60	3.20	6.80	5.20
I-7	7.20	4.40	7.60	6.40
I-8	10.40	11.60	12.80	11.60
I-9	3.20	4.80	6.40	4.80
I-10	17.20	13.20	18.80	16.40
HT-1	13.60	14.40	16.40	14.80
HT-2	12.40	13.20	16.40	14.00
HT-3	17.20	16.40	18.00	17.20
HT-4	11.60	10.80	14.80	12.40
HT-5	14.00	11.20	14.40	13.20
HT-6	8.40	6.80	12.40	9.20
HT-7	5.60	2.80	7.20	5.20
HT-8	18.00	16.40	18.40	17.60
HT-9	13.20	12.40	15.20	13.60
HT-10	8.40	4.40	8.80	7.20

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B.5 Concentration of cadmium (Cd) in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	Cd (mg/L)			
R-1	0.69	0.52	0.92	0.71
R-2	0.32	0.15	0.33	0.27
R-3	0.00	0.00	0.00	0.00
R-4	0.22	0.09	0.31	0.21
R-5	0.38	0.22	0.44	0.35
R-6	0.20	0.15	0.13	0.16
R-7	0.21	0.14	0.33	0.23
R-8	0.01	0.02	0.01	0.01
R-9	0.26	0.47	0.16	0.30
R-10	0.04	0.02	0.08	0.05
C-1	0.16	0.11	0.35	0.21
C-2	0.03	0.01	0.07	0.04
C-3	0.08	0.05	0.13	0.09
C-4	0.39	0.21	0.48	0.36
C-5	0.00	0.00	0.00	0.00
C-6	0.03	0.01	0.06	0.03
C-7	0.01	0.00	0.03	0.01
C-8	0.36	0.11	0.18	0.22
C-9	0.64	0.11	1.23	0.66
C-10	0.28	0.19	0.33	0.27
I-1	2.10	1.16	3.62	2.29
I-2	1.01	0.86	1.54	1.14
I-3	0.01	0.01	0.02	0.01
I-4	0.12	0.07	0.14	0.11
I-5	0.25	0.11	0.32	0.23
I-6	0.02	0.01	0.04	0.02
I-7	0.00	0.00	0.00	0.00
I-8	0.00	0.00	0.00	0.00
I-9	0.00	0.00	0.00	0.00
I-10	0.26	0.17	0.51	0.31
HT-1	2.21	1.01	3.12	2.11
HT-2	0.50	0.19	0.36	0.35
HT-3	1.71	0.95	2.15	1.60
HT-4	0.00	0.00	0.00	0.00
HT-5	0.10	0.02	0.14	0.09
HT-6	0.01	0.00	0.03	0.01
HT-7	0.03	0.02	0.10	0.05
HT-8	0.22	0.13	0.11	0.15
HT-9	0.07	0.03	0.08	0.06
HT-10	0.00	0.00	0.00	0.00

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B.6 Concentration of cobalt (Co) in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	Co (mg/L)			
R-1	0.41	0.33	0.67	0.47
R-2	0.01	0.01	0.02	0.01
R-3	0.06	0.03	0.07	0.05
R-4	0.10	0.09	0.14	0.11
R-5	0.34	0.17	0.39	0.30
R-6	0.20	0.15	0.27	0.21
R-7	0.27	0.08	0.34	0.23
R-8	0.05	0.02	0.00	0.02
R-9	0.11	0.06	0.32	0.16
R-10	0.00	0.00	0.00	0.00
C-1	0.00	0.00	0.00	0.00
C-2	0.14	0.11	0.30	0.18
C-3	0.00	0.00	0.00	0.00
C-4	0.33	0.15	0.46	0.31
C-5	0.02	0.00	0.07	0.03
C-6	0.06	0.02	0.11	0.06
C-7	0.03	0.03	0.10	0.05
C-8	0.18	0.11	0.47	0.25
C-9	0.51	0.17	1.59	0.76
C-10	0.09	0.12	0.22	0.14
I-1	0.55	0.51	0.84	0.63
I-2	0.53	0.22	0.61	0.45
I-3	0.16	0.04	0.11	0.10
I-4	0.22	0.17	0.39	0.26
I-5	0.28	0.13	0.41	0.27
I-6	0.09	0.10	0.15	0.11
I-7	0.00	0.00	0.00	0.00
I-8	0.11	0.02	0.15	0.09
I-9	0.06	0.06	0.10	0.07
I-10	0.35	0.21	0.43	0.33
HT-1	1.91	1.67	1.95	1.84
HT-2	0.13	0.11	0.15	0.13
HT-3	1.32	1.48	1.62	1.47
HT-4	0.05	0.02	0.06	0.04
HT-5	0.42	0.09	0.33	0.28
HT-6	0.20	0.12	0.24	0.19
HT-7	0.08	0.03	0.11	0.07
HT-8	0.78	0.53	0.84	0.72
HT-9	0.71	0.51	0.79	0.67
HT-10	0.15	0.09	0.06	0.10

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B.7 Concentration of chromium (Cr) in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	Cr (mg/L)			
R-1	0.48	0.41	0.79	0.56
R-2	0.01	0.04	0.05	0.03
R-3	0.08	0.03	0.10	0.07
R-4	0.15	0.11	0.21	0.16
R-5	0.21	0.10	0.41	0.24
R-6	0.02	0.01	0.01	0.01
R-7	0.00	0.00	0.00	0.00
R-8	0.00	0.00	0.00	0.00
R-9	0.00	0.00	0.00	0.00
R-10	0.09	0.15	0.16	0.13
C-1	0.12	0.05	0.14	0.10
C-2	0.19	0.13	0.32	0.21
C-3	0.00	0.00	0.00	0.00
C-4	0.31	0.19	0.57	0.36
C-5	0.04	0.03	0.10	0.06
C-6	0.09	0.06	0.17	0.11
C-7	0.01	0.02	0.04	0.02
C-8	0.14	0.17	0.32	0.21
C-9	0.64	0.45	0.74	0.61
C-10	0.11	0.16	0.10	0.12
I-1	1.19	1.25	1.54	1.33
I-2	0.81	0.56	0.87	0.75
I-3	0.07	0.05	0.15	0.09
I-4	0.37	0.19	0.51	0.36
I-5	0.23	0.12	0.57	0.31
I-6	0.24	0.16	0.40	0.27
I-7	0.04	0.03	0.10	0.06
I-8	0.16	0.14	0.28	0.19
I-9	0.01	0.02	0.01	0.01
I-10	0.71	0.47	0.74	0.64
HT-1	1.15	0.71	1.31	1.06
HT-2	0.00	0.01	0.03	0.01
HT-3	0.60	0.44	0.51	0.52
HT-4	0.04	0.01	0.05	0.03
HT-5	0.06	0.07	0.11	0.08
HT-6	0.00	0.00	0.00	0.00
HT-7	0.11	0.14	0.19	0.15
HT-8	1.41	1.01	1.65	1.36
HT-9	0.33	0.27	0.64	0.41
HT-10	0.00	0.00	0.00	0.00

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B.8 Concentration of copper (Cu) in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	Cu (mg/L)			
R-1	0.31	0.29	0.66	0.42
R-2	0.00	0.00	0.00	0.00
R-3	0.16	0.11	0.31	0.19
R-4	0.07	0.03	0.08	0.06
R-5	0.41	0.18	0.50	0.36
R-6	0.17	0.19	0.26	0.21
R-7	0.09	0.18	0.45	0.24
R-8	0.27	0.13	0.31	0.24
R-9	0.14	0.17	0.33	0.21
R-10	0.00	0.00	0.00	0.00
C-1	0.15	0.09	0.25	0.16
C-2	0.02	0.05	0.06	0.04
C-3	0.10	0.13	0.21	0.15
C-4	0.24	0.11	0.28	0.21
C-5	0.01	0.06	0.09	0.05
C-6	0.19	0.08	0.14	0.14
C-7	0.08	0.01	0.09	0.06
C-8	0.27	0.15	0.34	0.25
C-9	0.26	0.14	0.48	0.29
C-10	0.00	0.01	0.03	0.01
I-1	2.21	1.75	2.50	2.15
I-2	0.61	0.37	0.72	0.57
I-3	0.04	0.07	0.06	0.06
I-4	0.40	0.27	0.56	0.41
I-5	0.36	0.31	0.68	0.45
I-6	0.37	0.16	0.38	0.30
I-7	0.02	0.03	0.07	0.04
I-8	0.33	0.36	0.42	0.37
I-9	0.01	0.00	0.12	0.04
I-10	0.99	1.12	1.01	1.04
HT-1	1.71	1.16	1.98	1.62
HT-2	0.39	0.12	0.74	0.42
HT-3	1.31	0.87	1.42	1.20
HT-4	0.10	0.15	0.19	0.15
HT-5	0.11	0.02	0.10	0.08
HT-6	0.15	0.08	0.17	0.13
HT-7	0.01	0.00	0.06	0.02
HT-8	0.27	0.31	0.45	0.34
HT-9	0.51	0.32	0.58	0.47
HT-10	0.09	0.14	0.23	0.15

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B. 9 Concentration of Iron (Fe) in different land uses

Sample code	May-13	Jun-13	Jul-13	Mean
	Fe (mg/L)			
R-1	17.09	25.21	23.86	22.05
R-2	0.61	3.19	0.86	1.55
R-3	0.96	0.35	3.86	1.72
R-4	0.11	0.45	0.31	0.29
R-5	0.59	4.06	1.15	1.93
R-6	0.61	0.29	3.22	1.37
R-7	0.12	0.35	0.74	0.40
R-8	4.20	3.61	2.38	3.40
R-9	0.97	2.04	2.23	1.75
R-10	0.40	1.02	0.81	0.74
C-1	2.29	4.15	3.99	3.48
C-2	3.38	9.26	7.11	6.58
C-3	4.17	3.35	6.47	4.66
C-4	9.45	16.21	13.69	13.12
C-5	2.01	3.23	1.98	2.41
C-6	3.16	1.88	4.42	3.15
C-7	0.97	1.69	1.94	1.53
C-8	5.66	10.24	9.91	8.60
C-9	12.59	16.27	15.86	14.91
C-10	5.60	8.95	8.53	7.69
I-1	14.49	20.08	19.43	18.00
I-2	14.86	18.34	20.47	17.89
I-3	7.89	5.21	6.46	6.52
I-4	14.74	13.48	21.66	16.63
I-5	15.65	12.69	18.43	15.59
I-6	16.13	11.21	15.36	14.23
I-7	5.60	6.11	6.77	6.16
I-8	4.26	5.09	6.32	5.22
I-9	4.62	3.17	7.23	5.01
I-10	15.61	17.56	18.79	17.32
HT-1	24.29	17.40	22.54	21.41
HT-2	0.97	1.06	1.31	1.11
HT-3	21.86	15.20	26.77	21.28
HT-4	10.89	15.72	16.86	14.49
HT-5	15.67	18.21	18.45	17.44
HT-6	0.12	0.09	0.42	0.21
HT-7	12.26	11.62	10.67	11.52
HT-8	20.43	15.37	21.54	19.11
HT-9	2.36	4.12	3.54	3.34
HT-10	0.21	0.10	0.47	0.26

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B. 10 Concentration of nickel (Ni) in different land uses

Sample code	May-16	Jun-16	Jul-16	Mean
	Ni (mg/L)			
R-1	0.71	0.58	0.96	0.75
R-2	0.45	0.67	0.74	0.62
R-3	0.74	0.41	0.79	0.65
R-4	0.75	0.81	0.60	0.72
R-5	0.91	0.59	1.01	0.84
R-6	0.81	0.39	0.45	0.55
R-7	0.69	0.45	0.89	0.68
R-8	0.05	0.00	0.20	0.08
R-9	0.21	0.03	0.22	0.15
R-10	0.00	0.00	0.00	0.00
C-1	0.00	0.00	0.00	0.00
C-2	0.02	0.03	0.05	0.03
C-3	0.00	0.00	0.00	0.00
C-4	0.33	0.17	0.57	0.36
C-5	0.00	0.00	0.00	0.00
C-6	0.00	0.00	0.00	0.00
C-7	0.00	0.00	0.00	0.00
C-8	0.24	0.11	0.28	0.21
C-9	0.78	0.41	0.69	0.63
C-10	0.00	0.00	0.00	0.00
I-1	3.80	3.35	3.95	3.70
I-2	0.54	0.61	0.30	0.48
I-3	0.04	0.03	0.09	0.05
I-4	0.14	0.09	0.25	0.16
I-5	0.44	0.21	0.49	0.38
I-6	0.00	0.00	0.00	0.00
I-7	0.00	0.00	0.00	0.00
I-8	0.00	0.00	0.00	0.00
I-9	0.01	0.00	0.02	0.01
I-10	1.97	1.15	2.54	1.89
HT-1	3.61	2.94	3.12	3.22
HT-2	0.00	0.00	0.00	0.00
HT-3	3.12	2.75	3.87	3.25
HT-4	0.00	0.00	0.00	0.00
HT-5	0.00	0.00	0.00	0.00
HT-6	0.11	0.09	0.24	0.15
HT-7	0.19	0.11	0.45	0.25
HT-8	0.02	0.00	0.02	0.01
HT-9	0.00	0.00	0.00	0.00
HT-10	0.05	0.03	0.10	0.06

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B. 11 Concentration of lead (Pb) in different land uses

Sample code	May-16	Jun-16	Jul-16	Mean
	Pb (mg/L)			
R-1	2.02	1.21	2.34	1.86
R-2	2.18	0.84	1.80	1.61
R-3	1.24	0.89	1.27	1.13
R-4	0.81	0.55	0.64	0.67
R-5	1.16	1.43	1.95	1.51
R-6	0.97	1.09	1.30	1.12
R-7	1.61	0.92	1.89	1.47
R-8	0.31	0.10	0.26	0.22
R-9	0.57	1.31	1.79	1.22
R-10	0.42	0.15	1.27	0.61
C-1	0.61	0.87	0.98	0.82
C-2	1.01	0.52	1.09	0.87
C-3	0.77	0.21	0.99	0.66
C-4	0.52	0.47	0.86	0.62
C-5	0.20	0.02	0.17	0.13
C-6	0.18	0.11	0.35	0.21
C-7	0.00	0.00	0.00	0.00
C-8	0.03	0.00	0.10	0.04
C-9	1.02	1.76	1.27	1.35
C-10	0.47	0.59	0.86	0.64
I-1	2.48	3.18	3.85	3.17
I-2	2.02	1.41	2.77	2.07
I-3	0.85	0.14	0.99	0.66
I-4	1.23	0.45	1.05	0.91
I-5	1.83	1.67	1.05	1.52
I-6	0.69	0.46	1.44	0.86
I-7	0.35	0.08	0.57	0.33
I-8	0.70	0.81	1.10	0.87
I-9	0.12	0.27	0.73	0.37
I-10	1.31	0.59	1.77	1.22
HT-1	3.78	3.45	3.95	3.73
HT-2	0.97	1.10	1.29	1.12
HT-3	1.22	0.58	1.31	1.04
HT-4	2.56	1.50	2.91	2.32
HT-5	1.06	0.61	0.92	0.86
HT-6	0.61	0.28	1.19	0.69
HT-7	1.67	0.63	1.91	1.40
HT-8	3.36	2.64	3.45	3.15
HT-9	2.52	1.24	2.33	2.03
HT-10	0.21	0.37	0.89	0.49

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic

Table B. 12 Concentration of zinc (Zn) in different land uses

Sample code	May-16	Jun-16	Jul-16	Mean
	Zn (mg/L)			
R-1	1.41	2.95	3.32	2.56
R-2	0.00	0.00	0.00	0.00
R-3	1.35	0.59	1.67	1.20
R-4	1.37	0.21	1.75	1.11
R-5	2.06	0.88	2.54	1.83
R-6	0.00	0.00	0.00	0.00
R-7	0.71	1.12	1.33	1.05
R-8	0.95	0.26	1.23	0.81
R-9	1.17	0.81	1.06	1.01
R-10	0.87	0.64	1.34	0.95
C-1	1.02	0.45	1.43	0.97
C-2	1.49	0.94	2.63	1.69
C-3	2.44	2.76	3.29	2.83
C-4	1.55	1.24	1.96	1.58
C-5	1.16	1.01	1.63	1.27
C-6	1.43	1.64	1.09	1.39
C-7	0.67	0.28	0.83	0.59
C-8	1.93	1.17	2.09	1.73
C-9	3.53	3.19	3.71	3.48
C-10	0.71	0.14	0.52	0.46
I-1	4.09	3.26	4.63	3.99
I-2	2.93	2.58	3.06	2.86
I-3	0.57	0.89	0.71	0.72
I-4	1.18	1.61	2.56	1.78
I-5	1.72	1.12	3.43	2.09
I-6	2.35	3.67	3.11	3.04
I-7	0.95	0.71	0.57	0.74
I-8	1.43	0.45	1.12	1.00
I-9	0.65	0.39	0.83	0.62
I-10	2.51	1.28	2.30	2.03
HT-1	7.27	6.48	8.63	7.46
HT-2	0.45	0.57	0.84	0.62
HT-3	6.07	5.20	6.32	5.86
HT-4	1.44	1.16	1.92	1.51
HT-5	3.05	3.61	4.12	3.59
HT-6	0.34	0.67	0.85	0.62
HT-7	0.45	0.13	0.56	0.38
HT-8	1.77	1.29	2.51	1.86
HT-9	1.35	0.76	0.83	0.98
HT-10	0.87	0.26	1.56	0.90

Here, R= Residential, C= Commercial, I= Industrial and HT= Heavy Traffic