## LIST OF FIGURES

Figure		Page
No.	Title	No.
2.1	Map and features of pET 303 CT His expression vector.	37
3.1	Geographical location of different farms for sample collection within Guwahati, Assam.	49
3.2	Geographical location of different farms for sample collection within North-east India.	51
4.1	Detection of virulence genes of <i>Salmonella</i> by multiplex-pcr (m-pcr).	97
4.2	Detection of seven genes in simplex and multiplex PCR.	99
4.3	PCR amplification of <i>invH</i> gene of <i>Salmonella</i> Typhimurium.	101
4.4	Blue-white screening of clones in pGEM-T vector.	103
4.5	Screening of pGEMT clones for the presence of insert by colony PCR	105
	with pUC/M13 Forward & Reverse primers	
4.6	Plasmid isolation of the pGEM-T positive clones	105
4.7(a)	Release of invH gene insert from pet 303 CT His vector	107
4.7(b)	Linearised pET303 CT His vector using XbaI and XhoI RE's.	107
4.8	Screening of pET303 clones in LB Agar + Ampicillin plates.	109
4.9	Screening of recombinant pET 303 CT/His clones for the presence of insert by colony PCR with T7 Forward & Reverse Primers.	111

4.10	SDS-PAGE analysis of the recombinant InvH protein expressed at	113
	different time intervals following induction	
4.11	SDS-PAGE analysis of the Ni-NTA purified recombinant proteins	115
4.12	Dot blot analysis of the purified recombinant invH protein with anti-His antibody.	117
4.13(a)	SDS PAGE analysis of purified invH protein	119
4.13(b)	Reactivity of purified InvH protein with anti- His antibody	119
4.14(a)	Determination of antibody titre by ELISA	121
4.14(b)	Western blot analysis of the purified r (InvH) protein of <i>S</i> . Typhimurium detected with anti-rabbit polyclonal anti-His antibody	123
4.15	Graphical representation of mean antibody titre of different experimental groups of mice at different time intervals.	124
4.16	Confirmation of the <i>Salmonella</i> Typhimurium isolates from faecal samples of dead mice by PCR targeting amplification of <i>invA</i> gene	127