

LIST OF TABLES

- Table 3.1.1 Physico-chemical characteristics of FACT effluent
- Table 3.2.1a. Percentage of germination of the *Capsicum* plants after treatment with various concentrations of FACT effluent.
- Table 3.2.2a. Length of radicle of *Capsicum* plants treated with various concentrations of FACT effluent
- Table 3.2.3a. Length of hypocotyl of *Capsicum* plants after treatment with various concentrations of effluent
- Table 3.2.4a. Vigour index of *Capsicum* after treatment with various concentrations of effluent
- Table 3.2.5a. Percentage phytotoxicity of various concentrations of FACT effluent after treatment on *Capsicum* plants
- Table 3.2.6a. Height of the *Capsicum* plants (30th day) after treatment with various concentrations of FACT effluent
- Table 3.2.7a. Height of the *Capsicum* plants on 60th day after treatment with various concentrations of FACT effluent
- Table 3.2.8a. Height of the *Capsicum* plants on 90th day after treatment with various concentrations of FACT effluent
- Table 3.2.9a. Height of *Capsicum* plants at harvest after treatment with various concentrations of FACT effluent
- Table 3.2.10a. Number of leaves on 30th day in *Capsicum* after treatment with various concentrations of FACT effluent
- Table 3.2.11a. Number of leaves on 60th day in *Capsicum* after treatment with various concentrations of FACT effluent
- Table 3.2.12a. Number of branches on 30th day in *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.2.13a. Number of branches on 60th day in *Capsicum* plants after treatment with various concentrations of effluent
- Table 3.2.14a. Days taken for flowering of *Capsicum* plants after treatment with various concentrations of FACT effluent.

- Table 3.2.15a. Number of fruits per plant in *Capsicum* after treatment with various concentrations of FACT effluent
- Table 3.2.16a. Weight of the fruits of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.2.17a. Length of the fruits of *Capsicum* plants after treatment with various concentrations of effluent
- Table 3.2.18a. Number of seeds per fruit of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.2.19a. Length of the root of *Capsicum* plants at harvest after treatment with various concentrations of effluent.
- Table 3.2.20a. Stomatal index of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.2.21a. Phytomass of *Capsicum* plants at the time of harvest after treatment with various concentrations of effluent
- Table 3.2.22a. Net Primary Productivity of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.3.1a. Chlorophyll content (mg/l) of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.3.2a. Carotenoid content (mg/l) of *Capsicum* plants at vegetative period after treatment with various concentrations of FACT effluent
- Table 3.3.3a. Chlorophyll content (mg/l) of *Capsicum* plants at flowering period after treatment with various concentrations of FACT effluent
- Table 3.3.4a. Carotenoid content (mg/l) of *Capsicum* plants at flowering period after treatment with various concentrations of FACT effluent
- Table 3.3.5a. Chlorophyll content (mg/l) of *Capsicum* plants at fruiting period after treatment with various concentrations of FACT effluent
- Table 3.3.6a. Carotenoid content (mg/l) of *Capsicum* plants at fruiting period after treatment with various concentrations of FACT effluent

- Table 3.4a. Total protein content in *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.5a. Total Carbohydrate content in *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table 3.6.1 Effect of various concentrations of FACT effluent in root tip cells of *Capsicum* plants at interphase
- Table 3.6.2. Effect of various concentrations of FACT effluent on root tip cells of *Capsicum* plants at prophase
- Table 3.6.3. Effect of various concentrations of FACT effluent on root tip cells of *Capsicum* plants at metaphase
- Table 3.6.4. Effect of various concentrations of FACT effluent on root tip cells of *Capsicum* plants at anaphase
- Table 3.6.5. Effect of various concentrations of FACT effluent on root tip cells of *Capsicum* plants at telophase
- Table.3.2.1b. ANOVA of percentage of germination of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.2.2b. ANOVA of length (cm) of radicle of *Capsicum* plants treated with various concentrations of FACT effluent
- Table.3.2.3b. ANOVA of length (cm) of hypocotyl of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.2.4b. ANOVA of vigour index of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.2.5b. ANOVA of Phytotoxicity of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.2.6b. ANOVA of height (cm) of the plant (30th day) in cm of *Capsicum annuum* after treatment with various concentrations of FACT effluent
- Table.3.2.7b. ANOVA of height (cm) of the plants at 60th day in cm of *Capsicum* after treatment with various concentrations of FACT effluent
- Table.3.2.8b. ANOVA of height (cm) of the plant at 90th day of *Capsicum* after treated with various concentrations of FACT effluent
- Table.3.2.9b. ANOVA of height of *Capsicum* plant at harvest after treatment with various concentrations of FACT effluent

- Table.3.2.10b. ANOVA of Number of leaves on 30th day in *Capsicum* after treatment with various concentrations of FACT effluent
- Table.3.2.11b. ANOVA of number of leaves on 60th day in *Capsicum* after treatment with various concentrations of FACT effluent
- Table.3.2.12b. ANOVA of number of branches on 30th day in *Capsicum* after treated with various concentrations of FACT effluent
- Table.3.2.13b. ANOVA of number of branches on 60th day in *Capsicum* plants after treatment with various concentrations of effluent
- Table. 3.2.14b. ANOVA of number of days taken by *Capsicum* plants to flower after treatment with various concentrations of FACT effluent
- Table.3.2.15b. ANOVA of number of fruits per plant of *Capsicum* plants after treatment with various concentrations of effluent
- Table.3.2.16b. ANOVA of weight of fruit (in gms) of *Capsicum* plants after treatment with various concentrations of effluent
- Table.3.2.17b. Anova of length of the fruit (in cms) of *Capsicum* plants after treatment with various concentrations of effluent
- Table.3.2.18b. ANOVA of number of seeds per fruit of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table. 3.2.19b ANOVA of length of the root at harvest of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.2.20b. ANOVA of stomatal index of different hybrids of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.2.21b ANOVA of Phytomass of *Capsicum* plants at the time of harvest after treatment with various concentrations of FACT effluent
- Table. 3.2.22b. ANOVA of Net Primary Productivity of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.1b. ANOVA of Chlorophyll *a* at vegetative period of *Capsicum annuum* after treatment with various concentrations of FACT effluent

- Table.3.3.2b. ANOVA of Chlorophyll *b* at vegetative period of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.3b. ANOVA of total at vegetative period of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.4b. ANOVA of carotenoid content at vegetative period of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.5b. ANOVA of Chlorophyll *a* at flowering of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.6b. ANOVA of Chlorophyll *b* at flowering of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.7b. ANOVA of content of total Chlorophyll at flowering of different varieties of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.8b. ANOVA of content of carotenoid at flowering of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.9b. ANOVA of chlorophyll *a* at fruiting stage of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.10b. ANOVA of Chlorophyll *b* at fruiting of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.11b. ANOVA of total chlorophyll at fruiting of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.12b. ANOVA of carotenoid at fruiting of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.4b. ANOVA of protein content at vegetative stage *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.3.4c. ANOVA of protein content at flowering stage of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.4d. ANOVA of protein content at fruiting stage of *Capsicum* plants after treatment with various concentrations of FACT effluent

- Table.3.5b. ANOVA of carbohydrate content at vegetative stage of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.5c. ANOVA of carbohydrate content at flowering stage of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.3.5d. ANOVA of carbohydrate content at fruiting stage of *Capsicum* plants after treatment with various concentrations of FACT effluent
- Table.5.1. Compilation of the results