

BIBLIOGRAPHY

Abbasi, S. (2002). Water quality indices, State of the art report. Scientific contribution published by INCOH, National Institute of Hydrology, Roorkee, 73pp.

Abdel-Moati, M. A. and El-Sammak, A. A. (1997). Man-made impact on the geochemistry of the Nile Delta Lakes. A study of metals concentrations in sediments. *Water, Air and Soil Pollution*, 97:413 - 429.

Abd-Elmoniem, E. M. (2003). Response of hyper and non-hyper accumulator plants to nickel element. *Annals of Agricultural Science*, 41: 1701 - 1710.

Abdel-sabour, M. F. (2010). Water hyacinth: available and renewable resource. *Electronic Journal of Environmental, Agricultural and Food Chemistry*, 9(11):1746 - 1759.

Abida, B., Harikrishna, S. and Khan, I. (2009). Analysis of heavy metals in water, sediments and fish samples of Madivala Lakes of Bangalore, Karnataka. *International Journal of ChemTech Research*, 1(2):245 - 249.

Addy, K. and Green, L. (1996). Phosphorus and lake aging. University of Rhode Island: Natural Resources Fact Report 96pp.

Agbaire, P. O. and Obi, C. G. (2009). Seasonal variation of some physicochemical properties of River Ethiope water in Abraka, Nigeria. *Journal of Applied Sciences and Environmental Management*, 13:55 - 57.

Agnieszka, K. (2004). Content of selected chemicals in two protected macrophytes: *Nymphaea alba* and *Nuphar lutea* in relation to site chemistry. *Polish Journal of Ecology*, 52(2):229 - 232.

Ahipathi, M. V. and Puttaiah, E. T. (2006). Ecological characteristics of Vrishabhavathi River in Bangalore, India. *Environmental Geology*, 49:1217 - 1222.

Akcaay, H. A., Orcuz, A. and Karapire, C. (2003). Study of heavy metal pollution and speciation in Buyak Menderes and Gediz river sediments. *Water Research*, 37(4):813 - 822.

Akinbile C. O. and Yusoff, M. S. (2012). Water hyacinth (*Eichhornia crassipes*) and lettuce (*Pistia stratiotes*) effectiveness in aquaculture wastewater treatment in Malaysia. *International Journal of Phytoremediation*, 14:201 - 211.

Akpan, E. R. (1994). Seasonal variation in phytoplankton biomass in relation to physico-chemical factors in the cross river estuary of south east Nigeria. Ph.D. Thesis. University of Calabar, Nigeria.

Alley, S. (1949). *Fundamentals of Limnology*. University of Toronto Press, Toronto.

Almeida, S. M. (1990). *The Flora of Sawantwadi Maharashtra, India, Vol. I, II*. Scientific Publishers Jodhpur India.

Alvares, C. (1993). *Fish, Curry and Rice. A citizen's report on the Goan environment*.

Ansar, A. and Khad, F. (2005). Eutrophication: An ecological vision. *The Botanical Review*, 71(4):449 - 482.

Ansari, K. K. and Prakash, S. (2000). Limnological studies on Tulsidas Tal of Tarai region of Balrampur in relation to fisheries. *Pollution Research*, 19(4):651 - 655.

Antosiewicz, D. M. (1992). Adaptation of plants to an environment polluted with heavy metals. *Acta Societatis Botanicorum Poloniae*, 61:281 - 299.

APHA, (2012). *Standard Methods for Examination of Water and Wastewater*. American Public Health Association. Washington, D C.

Arnon, D. I. (1949). Copper enzymes in isolated chloroplasts, polyphenol oxidase in *Beta vulgaris*. *Plant Physiology*, 24(1):1 - 5.

Aslan-Yilmaz, A., Okus, E. and Ovez, S. (2004). Bacteriological indicators of anthropogenic impact prior to and during the recovery of water quality in an extremely polluted estuary, Golden Horn, Turkey. *Marine Pollution Bulletin*, 49:951 - 958.

Atmar, W. and Patterson, B. D. (1995). The nestedness temperature calculator: a visual basic program, including 294 presence absence matrices. AICS Research, Inc., University Park, New Mexico, USA and The Field Museum, Chicago, Illinois, USA.

Atmar, W. and Patterson, B. D. (1993). The measure of order and disorder in the distribution of species in fragmented habitat. *Oecologia*, 96:373 - 382.

Ayyanna, Y. and Narayudu, Y. (2013). Hydrological study of fresh water pond at Kakinada rural village, Venkatapuram, A. P. *Journal of Applied Chemistry*, 3(6):1 - 5.

Bailly, W. A. (1938). A quantitative study of the phytoplankton of Lake Michigan collected in the vicinity of Easton, Illinois. *Buttler University Botanical Studies*, 4:65 - 83.

Bala, U. and Bolorunduro, P. I. (2011). Limnological survey and nutrient load of Sabke Reservoir, Katsina State, Nigeria. *African Scientist*, 11(3):163 - 168.

Baldantoni, D., Alfani, A., Di Tommasi, P., Bartoli, G. and De Santo, A. V. (2004). Assessment of macro and microelement accumulation capability of two aquatic plants. *Environmental Pollution*, 130:149 - 156.

Baldantoni, D., Maisto, G., Bartoli, G. and Alfani, A. (2005). Analyses of three native aquatic plant species to assess spatial gradient of Lake trace element contamination. *Aquatic Botany*, 83:48 - 60.

Banks, D., Younger, P. L., Arnesen, R. T., Iversen, E. R. and Banks, S. B. (1997). Mine water chemistry: the good, the bad and the ugly. *Environmental Geology*, 32:157-174.

Barman, D., Deka, S. J. and Barman, B. (2015). Seasonal diversity and habitat characteristics of algae of wetlands in the West Garo hill, Meghalaya, India. *Research Journal of Recent Sciences*, 4:274 - 279.

Bartram, J., Cotruvo, J., Exner, M., Fricker, C. and Alex, G. (2002). Heterotrophic plate count measurement in drinking water safety management; report of an expert meeting Geneva, *International Journal of Food Microbiology*, 92:241 - 247.

Baruah, P. P. and Kakati, B. (2012). Water quality and phytoplankton diversity of Gopeswar temple freshwater pond in Assam. *Bangladesh Journal of Botany*, 41(2):181 -185.

Bascompte, J., Jordano, P., Melian, C. J. and Olesen, J. M. (2003). The nested assembly of plant–animal mutualistic networks. *Proceedings of National Academy of Sciences USA*, (100):9383 - 9387pp.

Beeton, A. M. (1965). Eutrophication of the St. Lawrence Great Lakes. *Limnological Oceanography*, 10:240 - 254.

Bere, T. and Tundisi, J. G. (2010). Biological monitoring of lotic ecosystems: the role of diatoms. *Brazilian Journal of Biology*, 7:493 - 502.

Bere, T., Mangadze, T. and Mwedzi, T. (2014). The application and testing of diatom-based indices of stream water quality in Chinhoyi Town, Zimbabwe. *Water SA*, 40:530 -512.

Bharathi, S. G. and Hosmani, S. P. (1973). Hydrobiological studies in ponds and lakes of Dharwar (Yemmekeri Pond). *Karnatak University Journal of Science*, (18):101 - 115.

Bharathi, S. G. and Hosmani, S. P. (1976). Observation on pond life with special reference to the possible causation of a bloom of *Franceia ovalis* (Franci) L. *Phykos*, (122):117 - 119.

Bhardwaja, Y. (1940). Some aspects of the study of Myxophyceae. Proceedings of 27th Indian Science Congress. 163 - 214.

Bhatt, L. R., Lacoul, P., Lekhak, H. D. and Jha, P. K. (1999). Physicochemical characteristics and phytoplankton of Taudaha Lake, Kathmandu. *Pollution Research*, 18(4):353 - 358.

Bhosale, L., Dhumal, S. and Sabale, A. (2010). Phytoplankton diversity of in four lakes of Satara district, Maharashtra. *The Bioscan*, 5(3):449 - 454.

Biswas, K. P. and Calder, R. (1936). Handbook of common water and Marsh Plants of India and Burma. Bishan Singh and Mahendra Pal Singh, Dehradun, India.

Bonanno, G. and La Giudice, R. (2010). Heavy metal bioaccumulation by the organs of *Phragmites australis* (common reed) and their potential use as contamination indicators. *Ecological Indictors*, 10:639 - 645.

Boris, V., Alexey, A., Vepritsky, A., Kira, M. and Lyudmila, M. (1996). Voloshko. A survey of toxicity of Cyanobacteria blooms in Lake Ladoga and adjacent water bodies. *Hydrobiologia*, 322:149 - 151.

Borse, S. K. and Bhave, P. V. (2000). Seasonal temperature variation and their influence on the level of water. *Asian Journal of Microbial Biotechnology and Environmental Science*, 2(3-4):159 - 163.

Boxall, A. A., Comber, S. D., Conrad, A. U., Howcroft, J. and Zaman, N. (2000). Inputs, monitoring and fate modeling of antifouling biocides in UK estuaries. *Marine Pollution Bulletin*, 40:898 - 905.

Boyera, J. N., Christopher, R., Kelbleb, P., Ortnerb, B. and David T. (2009). Phytoplankton bloom status: Chlorophyll a biomass as an indicator of water quality condition in the southern estuaries of Florida, USA. *Ecological Indicators*, 9:56 - 67.

Brett, J. R. (1971). Energetic responses of salmon to temperature. A study of some thermal relations in the physiology and freshwater ecology of sockeye salmon. *American Zoologist*, 11:99 - 113.

Brun, L. A., Maillet, J., Hinsinger, P. and Pepin, M. (2001). Evaluation of copper availability to plants in copper contaminated vineyard soils. *Environmental Pollution*, 111(2):293 - 302.

Bumb, B. L. and Baanante, C. A. (1996). World trends in fertilizer use and projections to 2020. International Food Policy Research Institute Report 38pp.

Burkepile, D. E. and Hay, M. E. (2006). Herbivore vs. nutrient control of marine primary producers: context-dependent effects. *Ecology*, 87(12):31 - 39.

Buzzi, F. (2002). Phytoplankton assemblages in two sub-basins of Lake Como. *Journal of Limnology*, 61:117 - 128.

Cabeza, M. and Moilanen, A. (2001). Design of reserve networks and the persistence of biodiversity trends. *Ecological Evolution*, 16:242 - 248.

Canadian Council of Ministers of the Environment Index 1.0, Technical Report. In: Canadian environmental quality guidelines, 1999, Cant (2001). Canadian water quality guidelines for the protection of aquatic life: CCME Water Quality Canadian Council of Ministers of the Environment, Winnipeg.

Caraco, N. F. and Cole, J. J. (2002). Contrasting impacts of a native and alien macrophyte on dissolved oxygen in a large river. *Ecological Applications*, 12(5):1496 - 1509.

Carpenter, S. R. and Lathrop, R. C. (2008). Probabilistic estimate of a threshold for eutrophication. *Ecosystems*, 11:601 - 613.

Carpenter, S. R., Stanley, E. H. and Vander Zanden, M. J. (2011). State of the world's freshwater ecosystems: physical, chemical and biological changes. *Annual Review of Environment and Resources*, 36:75 - 99.

Chambers, P. A. and Prepas, E. E. (1994). Nutrient dynamics in riverbeds: the impact of sewage effluent and aquatic macrophytes. *Water Research*, 28 (2):453 - 464.

Chandra, S., Singh, A. and Tomar, P. K. (2012). Assessment of water quality values in Porur Lake Chennai, Hussain Sagar Hyderabad and Vihar Lake Mumbai, India. *Chemical Science Transactions*, 1(3):508 - 515.

Chiodi, B., A., Ante, C., Aeften, G. Moreno, V. and Gerpe, M. (2015). Assessment of heavy metal accumulation in two aquatic macrophytes: a field study. *African Journal of Environmental Science*, 9(1):1 - 7.

Chitranshi, V. R. and Bilgrami, P. A. (1986). Comparative ecological studies on two Oxbow lakes of river Burhi Gandak-I Report on macrophysics. *Proceedings of National Academy of Science*, (3):247 - 253.

Chou, C. C., Lin, Y. C. and Su, J. J. (2004). Microbial indicators for differentiation of human- and pig-sourced fecal pollution. *Journal of Environmental Science and Health*, 39:1415 - 1421.

Christophe, K., Guedenon, P., Kelome, N., Edoth, P. and Adechina, R. (2011). Evaluation of heavy metals pollution of Nokoue Lake. *African Journal of Environmental Science and Technology*, 5(3):255 - 261.

Cook, R. R. and Quin, J. F. (1995). The influence of colonization in nested species subsets. *Oecologia*, 102:413 - 424.

Cook, T. (1968). The Flora of Presidency of Bombay, Vol. I, II, and III. Botanical Survey of India.

Correl, D. L. (1998). The role of phosphorus in the Eutrophication of receiving waters, - A Review. *Journal of Environmental Quality*, 27:261 - 266.

Cude, C. G. (2001). Oregon water quality index: A tool for evaluating water quality management effectiveness. *Journal of the American Water Research Association*, 37:125 -137.

Dalu, T., Bere, T. and Froneman, W. (2016). Assessment of water quality based on diatom indices in a small temperate river system, Kowie River, South Africa. *Water SA*, 42 (2):183 - 193.

Daniel W. S. and Piedrahita, R. H. (1988). The relation between phytoplankton and dissolved oxygen in fish ponds. *Aquaculture*, 68:249 - 265.

Darchambeau, F., Sarmantob, H. and Descy, J. P. (2014). Primary production in a tropical large lake: the role of phytoplankton composition. *Science of Total Environment*, 473 - 474:178 - 188.

Das, S., Goswamy, S. and Talukdar, A. (2016). Physiological responses of water hyacinth, *Eichhornia crassipes* (Mart.) Solms, to cadmium and its phytoremediation potential. *Turkish Journal of Biology*, 40:84 - 94.

Davies, G. S. (1970). Productivity of macrophytes in Marion Lake. British Columbia. *Journal of Fisheries Research Board of Canada*, 27:71 - 81.

Debels, P., Figueroa, R., Urrutia, R., Barra, R. and Niell, X. (2005). Evaluation of water quality in the Chilla'n River (Central Chile) using physicochemical parameters and a modified water quality index. *Environmental Monitoring and Assessment*, 110:301 - 322.

Declerck, S., Vanderstukken, M., Pals, A., Muylaert, K. and Meester, L. (2007). Plankton biodiversity along a gradient of productivity and its mediation by macrophytes. *Ecology*, 88:2199 - 2210.

Dellon, P. J. and Reigler, F. H. (1975). A simple method for predicting the capacity of a lake for development based on Lake Trophic Status. *Journal of Fisheries Research Board*, 32:1519 - 1531.

Demirezen, D. and Aksoy, A. (2004). Accumulation of heavy metals in *Typha angustifolia* (L) and *Potamogeton pectinatus* (L) living in Sultan Marsh (Kayseri, Turkey). *Chemosphere*, 56:685 - 696.

Deng, H., Yea, Z. H. and Wong, M. H. (2004). Accumulation of lead, zinc, copper and cadmium by 12 wetland plant species thriving in metal-contaminated sites in China. *Environmental Pollution*, 132:29 - 40.

Derek, A., Zelmer, H. and Arai, P. (2004). Development of Nestedness: Host biology as a community process in parasite infracommunities of Yellow Perch (*Perca flavescens* (Mitchill)) From Garner Lake, Alberta. *Journal of Parasitology*, 90(2):435 - 436.

Desikachary, T. V. (1959). Cyanophyta. ICAR, New Delhi.

Devi, M. B., Das, T. and Gupta, S. (2013). Limnological studies of temple ponds in Cachar District, Assam, North East India. *International Research Journal of Environment Sciences*, 2(10):49 - 57.

Dhir, B. (2009). *Salvinia*: an aquatic fern with potential use in phytoremediation *International Journal of Science and Technology*, 4:23 - 27.

Dixit, S. and Tiwari, S. (2008). Impact assessment of heavy metal pollution of Shahpura Lake, Bhopal, India. *International Journal of Environmental Research*, 2(1):37 - 42.

Dornhofer, K. and Natascha, O. (2016). Remote sensing for lake research and monitoring - Recent advances, *Ecological Indicators*, 64:105 - 122.

Doyle, C. J., Pablo, F., Lim, R. P. and Hyne, R. V. (2003). Assessment of metal toxicity in sediment pore water from Lake Macquarie, Australia. *Archives of Environmental Contamination and Toxicology*, 44:343 - 350.

Eckhout, S., Brown, C. A. and King, J. M. (1996). National bimonitoring programme for riverine ecosystems. Technical consideration and protocol for the selection of reference and monitoring sites, MBP Report Series No.3 Institute for Water Quality Studies Department at water Affairs and Forestry, Pretoria.

Edem, C. A., Akpan, B. and Dosunmu, M. I. (2008). A comparative assessment of heavy metals and hydrocarbon accumulation in *Sphyrena afra*, *Oreochromis niloticus* and *Lops lacerta* from Anantigha Beach market in Calabar-Nigeria. *African Journal of Environmental Pollution and Health*, 6:61 - 64.

Edmondson, W. T. (1966). *Fresh Water Biology*. Second Edition. John Wiley and Sons INC. New York. London. Sydney.

Edward, J. W., Edyvane, K. S., Boxalls, V. A., Hamann, M. and Soole, K. L. (1998). Metal levels in seston and marine fish flesh near industrial and metropolitan centers in South Australia. *Pollution Bulletin*, 42(5):389 - 396.

Ekpo, F. E., Agu, N. N. and Udoakpan, U. (2013). Influence of heavy metals concentration in three common fish, sediment and water collected within quarry environment in Nigeria. *European Journal of Toxicological Sciences*, 3:1 - 11.

Ekwenye, U. K. and Oji, C. A. (2008). Quality of water from boreholes in Umualia, Nigeria. *Environment and Ecology*, 26:543 - 545.

Elmaci, A., Fatma, O. T., Nihan, O., Arzu, T., Sudan, K. and Huseyin, B. (2008). Evaluation of physical, chemical and microbiological properties of lake Ulubat, Turkey. *Journal of Environmental Biology*, 29:205 - 210.

Ensink, J. H. J., Simmons, R. W. and Van der Hoek, W. (2007). Wastewater use in Pakistan: The cases of Haroonabad and Faisalabad. The International Development Research Centre, Canada.

Eralagere, T. P. and Bhadravathi, R. K. (2008). Heavy metal transport in sewage fed Lake of Karnataka, India. 12th world lake conference, 347 - 354.

ESA (Ecological Society of America) (2008). Hypoxia. Washington DC: Ecological Society of America, 1pp.

Fernandes, C., Fontainhas- Fernandes, A., Cabral, D. and Salgado, M. A. (2008). Heavy metals in water, sediment and tissues of *Liza saliens* from Esmoriz-Paramos lagoon, Portugal. *Environmental Monitoring and Assessment*, 136: 267 - 275.

Fernandez, G. and Olalla, Y. (2000). Toxicity and bioaccumulation of lead and cadmium in marine protozoan communities. *Ecotoxicology and Environmental Safety*, 47: 266 - 276.

Fisher, M. M., Miller, S. J., Chapman, A. D. and Keenan, L. W. (2009). Phytoplankton dynamics in a chain of subtropical black water lakes: the upper St. Johns River, Florida, USA. *Lake Reservoir Management*, 25:73 - 86.

Forbes, S. A. (1887). The lake as Microcosm. Bull Peoria (III) SCI ASS (Reprinted in 1925 in Illinois) *Natural History Survey Bulletin*, 15:537 - 550.

Forel, F. A. (1869). Introduction a letude de ls faune proflonde de lacleman. *Bulletin de la Societe vaudoise d Lausnne*, 10:217 - 223.

Frank, G., Sven, B., Ilka, S. and Renate, R. (1999). Basic limnological characteristics of the shallow eutrophic Lake Grimnitzsee (Brandenburg, Germany). *Limnologica*, 29:105 - 119.

Fritsch, F. E. and Rich, F. (1937). Contributions to our knowledge of the fresh water algae of South Africa. *Transactions of the Royal Society of South Africa*, 25(2):153 - 228.

Gaikwad, R., Tarot, R. and Chavan, P. (2004). Diversity of phytoplankton and zooplankton with respect to pollution status of river Tapi in North Maharastra region. *Journal of Current Science*, 5:749 - 754.

Gandhi, H. P. (1955). A contribution to our knowledge of the fresh water diatoms of Pratapgarh, Rajasthan. *Journal of Indian Botanical Society*, 34:304 - 338.

Gandhi, H. P. (1998). Freshwater diatoms of central Gujarat, with review and some others. Bishen Singh Mahendra Pal Singh Publishers, Deharadun.

Garbisu, C. and Alkorta, I. (2001). Phytoextraction: a cost effective plant-based technology for the removal of metals from the environment. *Bioresource Technology*, 77:229 - 236.

Garg, R. K., Saksena, D. N. and Rao, R. J. (2006). Assessment of physico-chemical water quality of Harsi reservoir, Madhya Pradesh, India. *Journal of Eco-physiology Occupational Health*, 6:33 - 40.

George, G. T. and Gabriel, J. (2017). Phytoremediation of heavy metals from municipal waste water by *Salvinia molesta*. *Haya: The Saudi Journal of Life Sciences* 2(3):108 - 115.

George, M. G. (1966). Comparative plankton ecology of five fish tanks in Delhi, India. *Hydrobiologia*, 27:81 - 108.

Ghosh, M. and Singh, S. P. (2005). A review on phytoremediation of heavy metals and utilization of it's by products. *Applied Ecology and Environmental Research*, 3(1):1 - 18.

Giguere, A., Campbell, C., Hare, L., Mc Donald, G. and Rasmussen, B. (2004). Influence of lake chemistry and fish age on cadmium, copper, and zinc concentrations

in various organs of indigenous yellow perch (*Perca flavescens*). *Canadian Journal of Fisheries and Aquatic Sciences*, 61:1702 - 1716.

Goel, P. K., Khatvakar, S. D. and Kulkarni, A. Y. (1994). Nitrogen to phosphorus dependent blue green algal dominance in lakes. *Journal of Environmental Pollution*, 1 (2):67 - 78.

Gonsalves, E. A. and Joshi, D. B. (1946). Fresh water algae near Bombay. *Journal of Bombay Natural History Society*, 46(1):154 - 176.

Goswami, H. K. (2012). Let us minimize global warming impacts by multidisciplinary approach. *Bionature*, 32:51 - 69.

Guitttony-Philippe, A., Masotti, V., Hener, P., Boudenne, J., Viglione, J. and Laffont-Schwob, I. (2014). Constructed wetlands to reduce metal pollution from industrial catchments in aquatic Mediterranean ecosystems: a review to overcome obstacles and suggest potential solutions. *Environmental International*, 64:1 - 16.

Gulati, K. L., Nagpaul, K. K. and Bukhari, S. S. (1979). Uranium, boron, nitrogen, phosphorus and potassium in leaves of mangroves, Mahasagar. *Bulletin of the National Institute of Oceanography*, 12:183 - 186.

Gulati, R. D. and Wurtz, G. S. (1980). Remarks on the present status of Limnology in India based mainly on the Indian publications in *Hydrobiologia* and suggestions for further approach. *Hydrobiologia*, 72:211 - 222.

Gupta, M. C. and Sharma, L. L. (1993). Daily variation in selected water quality parameters and zooplankton in a shallow pond of Udaipur, Rajasthan. *Journal of Ecobiology*, 5:139 -142.

Gupte, A. and Nisar, S. (2013). Seasonal variations in physicochemical parameters and primary productivity of Shelar Lake Bhiwandi. *Universal Journal of Environmental Research and Technology*, 3(4):523 - 530.

Hadad, H. R., Maine, M. A., Mufarrege, M. M., Del, M. V. and Di Luca, G. A. (2011). Bioaccumulation kinetics and toxic effects of Cr, Ni and Zn on *Eichhornia crassipes*. *Journal of Hazardous Materials*, 190:1016 - 1022.

Hariprasad, N. V. and Dayananda, H. S. (2011). Environmental impact due to agricultural runoff containing heavy metals. *International Journal of Scientific and Research Publications*, 3(5):1 - 6.

Harris, J. E. (1992). Weathering of rock, corrosion of stone and rusting of iron. *Meccanica*, 27:23 - 250.

He, Z., Yang, X. E. and Stoffella, P. J. (2005). Trace elements in agro ecosystems and impacts on the environment. *Journal of Trace Elements Medicine and Biology*, 19:125 - 140.

Hillermannova, M., Kopp, R., Sukop, I. and Vitek, T. (2008). Accumulation of trace metals by aquatic macrophytes and their possible use in phytoremediation techniques. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 1:97 - 104.

Ho, Y. B. (1988). Metal levels in three intertidal macroalgae in Hong Kong waters. *Aquatic Botany*, 29:367 - 372.

Hodgetts, W. J. (1921). A study of the factors controlling the periodicity of fresh water algae in nature. *New Phytology*, 20(150-64):195 - 227.

Hosmani, S. P. (2013). Freshwater algae as indicators of water quality. *Universal Journal of Environmental Research and Technology*, 3(4):473 - 482.

Hosmani, S. P. (2014). Freshwater plankton ecology: A Review. *International Journal of Research in Management and Technology*, 3:1 - 10.

Howland, L. and Lucy, J. (1931). A four year investigation of the Hertford Shire pond. *New Phytology*, 30:210 - 265.

Hulten, E. (1937). Outline of the history of arctic and boreal biota during the quaternary period: their evolution during and after the glacial period as indicated by the equiformal progressive areas of present plant species. Stockholm: Lund University. Dissertation. 168 pp.

Hutchinson, G. E. (1957). A treatise on Limnology. John Wiley and Sons, Inc., New York.

Hutchinson, T. C., Gordon, C. A. and Meema, K. M. (1993). Global perspectives on lead, mercury and cadmium cycling in the Environment. Wiley Eastern Ltd.

Ikem, A., Egiebog, N. O. and Nyavor, K. (2003). Trace Elements in water, fish and sediment from Tuskegee Lake, Southeastern USA. *Water, Air and Soil Pollution*, 149:51 - 75.

Ikonnikov, V. V. (1990). The problem of toxic pollution of Ladoga Lake in Russia. *Nauka Leningard* 34 - 53.

Ingole, S. B., Naik, S. R. and Kadam, G. (2010). Study of phytoplankton of freshwater reservoir at Majalgaon on Sindphana river district Beed (M.S). *International Research Journal*, 1(13):87 - 88.

Iyengar, M. O. P. (1940). On the algae of some muddy rain water pools. Proceedings of the 27th Indian Science Congress, III:128.

Jackson, L. J. (1998). Paradigms of metal accumulation in rooted aquatic vascular plants. *Science of Total Environment*, 219: 223 - 231.

Jafari, N. G. and Gunale, V. R. (2006). Hydrobiological study of algae of an urban freshwater river. *Journal of Applied Science and Environmental Management*, 10(2):153 - 158.

Jayakumar, P., Jothivel, N., Thimmappaand, A. and Paul, V. I. (2009). Physico-chemical characterization of a lentic water body from Tamil Nadu with special reference to its pollution status. *The Ecoscan*, 3(1-2):59 - 64.

Jeffery, T., Brooks, R. R., Lee, J. and Reeves, R. D. (1976). *Sebertia accuminata*, A Nickel-accumulating plant from New Caledonia. *Science*, 193:579 - 580.

Jitendra, S., Agrawal, D. K. and Shradha, P. (2008). Seasonal variations in different physico-chemical characteristics of Yamuna River water quality in proposed Lakhwar hydropower project influence Area. *International Journal of Applied Environmental Sciences*, 3 (1):107 - 117.

Joppa, L. N., Montoya, J. N., Sole, R. and Stuart, P. (2010). On nestedness in ecological networks. *Evolutionary Ecology Research*, 12:35 - 46.

Joseph, K., Buttner, R., Soderberg, W. and Daniel, E. (1993). An introduction to water chemistry in freshwater aquaculture. NRAC Fact sheet. 170pp.

Jumbe, A. S. and Nandini, N. (2009). Impact assessment of heavy metals pollution of Vartur Lake, Bangalore. *Journal of Applied and Natural Science*, 1(1):53 - 61.

Kalff, J. (2002). Limnology. New Jersey: Prentice Hall. 592pp.

Kalyoncu, H. and Serbetci, B. (2013). Applicability of diatom-based water quality assessment indices in Dari stream, Isparta- Turkey. *World Academy of Science, Engineering and Technology*, 78:1891 - 1898.

Kaparapu, J. and Rao, M. N. (2013). Seasonal distribution of phytoplankton in Riwada reservoir, Visakhapatnam, Andhra Pradesh, India. *Notulae Scientia Biologicae*, 5(3):290 -295.

Karthick, B., Koeiolek, J. P., Mahesh, M. K. and Ramachandra, T. V. (2010). The diatom genus *Gomphonema* Ehrenberg in India: Check list and description of three new species. *Nova Hedwiga*, 93:211 - 233.

Karthick, B., Mahesh, M. K. and Ramachandra, T. V. (2011). Nestedness pattern in stream diatom assemblages of central Western Ghats. *Current Science*, 100(4):552 - 558.

Kavya, S. and Savitha U. (2014). Bacillariophyceae as ecological indicators of water quality in two lakes of Mysore. *Universal Journal of Environmental Research and Technology*, 4(1):1 - 11.

Khare, H. N. and Shukla, S. K. (2013). Water quality status of Benisagar dam Chhatarpur (M.P.) India. *International Journal of Innovative Research in Science, Engineering and Technology*, 2(11):6355 - 6363.

Kim, B., Park, J. H., Hwang, G., Jun, M. S. and Choi, K. (2001). Eutrophication of reservoirs in South Korea. *Limnology*, 2(3):223 - 229.

Kipriyanova, L. M. (1997). An evaluation of trace element accumulation in aquatic macrophytes of the Novosibirsk Reservoir. *Lake and Reservoir Management*, 13:315 - 327.

Klavins, M., Briede, A., Parele, A., Rodinov, V. and Klavina, I. (1998). Metal accumulation in sediments and benthic invertebrates in lakes of Latvia. *Chemosphere*, 36(15):3043 - 3053.

Koschel, R., Benndrof, J., Proft, G. and Recknagel, F. (1983). Calcit precipitations as a natural control mechanism of Eutrophication. *Archiv Fur Hydrobiologie*, (3): 380.

Krammer, K. (2003). Diatom of European inland waters and comparable habitats (Ed. Lange-Bertalot, H.) The genus *Cymbopleura*, *Delicata*, *Navicymbula*, *Gomphocymbellopsis* and *Afrocybella*, Koeltz Scientific Books, Koenigstein, 164pp.

Krishnamurthy, V. (2000). Algae of India and neighboring countries. Chlorophycota. Science Publishers, Inc. USA, 21pp.

Krishnamurthy, V. A. (1954). Contribution to the diatom flora of south India. *Journal of Indian Botanical Society*, 33:334 - 381.

Kumar, J. I., Soni, H. and Kumar, R. N. (2006). Biomonitoring of selected freshwater macrophytes to assess Lake trace element contamination: a case study of Nal Sarovar Bird Sanctuary, Gujarat, India. *Journal of Limnology*, 65(1):9 - 16.

Kumar, A. N., Apsara, T. D., Melchi, L. D. and Baluswami, M. (2011). A preliminary report on planktonic algae of temple tanks of Kanchipuram district, Tamil Nadu, India. *International Journal of Current Research*, 3(12):404 - 415.

Kurata, M. and Yuji, N. (1987). Seasonal change of the hydro graphic condition in lake Notoro-Hokkaido (Japan). *Science Report of Hokkaido Fish Experimental Station*, 29: 17 -24.

Ladipo, M. K., Ajibola, V. O. and Oniye, S. J. (2011). Seasonal variations in physicochemical properties of water in some selected locations of the Lagos lagoon. *Science World Journal*, 6(4):5 - 11.

Lampert, W. (1987). Predictability in lake ecosystems: the role of biotic interactions. *Ecological Studies*, 61:333 - 346.

Lampert, W. and Sommer, U. (1997). Limnoecology: the ecology of lakes and streams. Oxford University Press, New York. 382pp.

Lasat, M. M., Pence, N. S., Garvin, D. F., Ebbs, S. D. and Kochian, L.V. (2000). Molecular physiology of zinc transport in zinc hyperaccumulator *Thlaspi caerulescens*. *Journal of Experimental Botany*, 51:71 - 79.

Laskar, H. S. and Susmita, G. (2009). Phytoplankton diversity and dynamics of Chatla floodplain lake, Barak Valley, Assam, North East India - A seasonal study. *Journal of Environmental Biology*, 30:1007 - 1012.

Leclercq, L. and Maquet, B. (1987). Deux nouveaux indices chimique et diatomique de qualité d'eau courante: Application au Samson et à ses affluents (bassin de la Meuse belge). Comparaison avec d'autres indices chimiques, biocénotiques et diatomiques. Institut Royal des Sciences Naturelles de Belgique, document de travail 28.

Lecointe, C., Coste, M. and Prygiel, J. (1993). OMNIDA: Software for taxonomy, calculation of diatom indices and inventories management. *Hydrobiologia*, 269(270):509 - 513.

Lee, C. L., Li, X. D., Zhang, G., Li, J., Ding, A. J. and Wang, T. (2007). Heavy metals and Pb isotopic composition of aerosols in urban and suburban areas of Hong Kong and Guangzhou, South China Evidence of the long-range transport of air contaminants. *Environmental Pollution*, 41 (2):432 - 447.

Lewander, M., Greger, M., Kautsky, I. and Szarek, E. (1996). Macrophytes as indicators of bioavailable Cd, Pb and Zn flow in the river Przemsza, Katowice Region. *Applied Geochemistry*, 11:169 -173.

Linnik, M. and Zubenko, B. (2000). Role of bottom sediments in the secondary pollution of aquatic environments by heavy metal compounds. *Lakes and Reservoir: Research and Management*, 5:11 - 21.

Liou, S. M., Lo, S. L. and Hu, C. Y. (2003). Application of two-state fuzzy set theory to river quality evaluation in Taiwan. *Water Resource*, 37:1406 - 1416.

Lombi, E., Tearall, K. L., Howarth, J. R., Zhao, F. J., Hawkesford, M. J. and Mc Grath, S. P. (2002). Influence of iron status on calcium and zinc uptake by different ecotypes of the hyperaccumulator *Thlaspi caerulescens*. *Plant Physiology*, 128:1359 - 1367.

Loveson, A., Sivalingam, R. and Syamkumar, R. (2013). Aquatic macrophyte *Spirodela polyrrhiza* as a phytoremediation tool in polluted wetland water from Eloor, Kerala. *Journal of Environmental and Analytical Toxicology*, 1:268 - 276.

Lozak, A., Soltyk, K., Ostapezuk, P. and Fijalek, Z. (2001). Determination of selected trace elements in herbs and their infusions. *Science of the Total Environment*, 14(3):1 - 8.

Lu, Q., He, Z. L., Graetz, D. A., Stoffella, P. J. and Yang, X. (2010). Phytoremediation to remove nutrients and improve eutrophic stormwaters using water lettuce (*Pistia stratiotes* L.). *Environmental Science and Pollution Research*, 17:84 - 96.

Lu, X., Kruatrachue, M., Pokethitiyook, P. and Homyok, K. (2004). Removal of cadmium and zinc by water hyacinth- *Eichhornia crassipes*. *Science Asia*, 30:93 - 103.

Mahadik, B. B. and Jadhav, M. J. (2014). A preliminary study on algal biodiversity of Ujani Reservoir (MS). *Bioscience Discovery*, 5(1):123 - 125.

Mahesh S., Srikantha, H., Mohan Kumar, S. and Vathsala, S. (2014). Eutrophication assessment for the Dantaramakki Lake of Chikmagalur city using GIS technique. *International Journal of Chem Tech Research*, 6(1):440 - 449.

Maitera, O. N., Ogbuabuaja, V. O. and Barminas, J. T. (2011). Determination of trace metal levels in water and sediments of River Benue in Adamawa State, Nigeria. *Journal of Ecology and Natural Environment*, 3(4):149 - 56.

Malik, N. and Biswas A. (2012). Role of higher plants in remediation of metal contaminated sites. *Scientific Reviews in Chemical Communication*, 2(2):141 - 146.

Mandal, O. P., Sinha, A. K. and Sinha, K. M. P. (2005). Studies on primary productivity of a wetland. *Fundamentals of Limnology* (Ed. Kumar, A.) 230 - 237pp.

Mangadze, T., Bere, T. and Mwedzi, T. (2015). Epilithic diatom flora in contrasting land-use settings in tropical streams, Manyame Catchment, Zimbabwe. *Hydrobiologia*, 753(1):163 -173.

Mansourri, G. and Madani, M. (2016). Examination of the level of heavy metals in wastewater of Bandar Abbas wastewater treatment plant. *Open Journal of Ecology*, 6:55 - 61.

Marchand, L., Mench, M., Jacob, D. L. and Otte, M. L. (2010). Metal and metalloid removal in constructed wetlands, with emphasis on the importance of plants and standardized measurements: A Review. *Environmental Pollution*, 158:3447 - 3461.

Marker, A., Nusch, E., Rai, H. and Riemann B. (1980). The measurement of photosynthetic pigments in freshwaters and standardization methods, conclusions and recommendations. *Limnology*.14:91pp.

Markert, B. (1993). Plant as biomonitors: Indicators for heavy metals in the terrestrial environment. VCH Weinheim, New York/Basel/Cambridge.

Mathew, M., Mohanraj, R., Azeez, P. A. and Pattabhi, S. (2003). Speciation of heavy metals in bed sediments of wetlands in urban Coimbatore India. *Bulletin of Environmental Contamination*, 70:800 - 808.

Mathews, J. (2004). Effects of site and species characteristics on nested patterns of species composition in sedge meadows. *Plant Ecology*, 174(2):271 - 278.

Mathivanan, V., Vijayan P., Sabhanayakam, S. and Jeyachitra, O. (2007). An assessment of plankton population of Cauvery River with reference to pollution. *Journal of Environmental Biology*, 28:523 - 526.

McGrath, S. P. and Zhao, F. J. (2003). Phytoextraction of metals and metalloids from contaminated soils. *Current Opinion in Biotechnology*, 14:277 - 282.

Meerhoff, M., Mazzeo, N., Moss, B. and Rodriguez, L. (2003). The structuring role of free-floating versus submerged plants in a subtropical shallow lake. *Aquatic Ecology*, 37:377 - 391.

Meybeck, M. and Helmer, R. (1996). An introduction to water quality: Water quality assessments (Ed. Chapman, D.). Taylor and Frances, New York, 2nd Edn. 1 - 22 pp.

Millaleo, R., Reyes-Diaz, M., Ivanov, A., Mora, M. and Alberdi, M. (2010). Manganese as essential and toxic element for plants: transport, accumulation and resistance mechanisms. *Journal of Soil Science and Plant Nutrition*, 10 (4):476 - 494.

Miretzky, P., Saralegui, A. and Cirelli, A. F. (2004). Aquatic macrophytes potential for the simultaneous removal of heavy metals (Buenos Aires) *Chemosphere*, 11:997 - 1005.

Mishra, V. K., Upadhyaya, A. R., Pandey, S. K. and Tripathi, B. D. (2008). Heavy metal pollution induced due to coal mining effluent on surrounding aquatic ecosystem and its management through naturally occurring aquatic macrophytes. *Bioresource Technology*, 99:930 - 936.

Mudroch, A., Azcue, J. M. and Mudroch, P. (1997). Manual of physico- chemical analysis of aquatic sediments. CRC press Boca Raton, FL, USA.

Mukhopadhyay, G. and Dewanji, A. (2005). Presence of tropical hydrophytes in relation to limnological parameters - a study of two freshwater ponds in Kolkata, India. *International Journal of Limnology*, 41 (4):281 - 289.

Munnawar, M. and Zafar, A. R. (1967). A preliminary study of vertical movement of *Eudorina elegans* and *Trinema lineare* during a bloom caused by them. *Hydrobiologia*, 29(1-2):141 - 148.

Mushini, R., Venkata, S., R. Vaddi, D. and Bethapudi, S. A. (2012). Assessment of quality of drinking water at Srikurmam in Srikakulam district, Andhra Pradesh, India. *International Research Journal of Environment Sciences*, 1(2):13 - 20.

Nagarathna and Hosmani, S. P. (2002). Factors influencing the bloom *Nitzschia obtuse* in a polluted lake. *Indian Journal of Environmental and Ecological Planning*, 6(2):223 - 227.

Namdeo, A. K., Shrivastava, P. and Sinha, S. (2013). Ecological evaluation of seasonal dynamism in physic chemical characteristics of tropical reservoir in central India. *Universal Journal of Environmental Research and Technology*, 3(2):152 - 157.

Nandan, S. N, Mahajan, S. R., Kumavat, M. R. and Jain, D. S. (2001). Limnological study of Hartala Lake of Jalagaon, Maharashtra. *Proceedings of Indian Science Congress*, New Delhi. Part III (Advance abstract) 1 - 2pp.

Nandan, S. N. and Aher, N. H. (2005). Algal community used for assessment of water quality of Haranbaree Dam and Mosam River of Maharashtra. *Journal of Environmental Biology*, 26(2):223 - 27.

Nautiyal, P. and Mishra, A. S. (2013). Epilithic diatom assemblages in a mountain stream of the lesser Himalaya (India): Longitudinal patterns. *International Journal of Ecology and Environmental Sciences*, 39(3):171 - 185.

Nazneen, S. (1980). Influence of hydrological factors on seasonal abundance of phytoplankton in Kinjharlake, Pakistan, *Hydrobiology*, 65(2):269 - 282.

Ndeda, L. A. and Manohar, S. (2014). Bio concentration factor and translocation ability of heavy metals within different habitats of hydrophytes in Nairobi Dam, Kenya. *Journal of Environmental Science, Toxicology and Food Technology*, 8(5):42 - 45.

Ndimele, P. E., Kumolu-Johnson, C. A., Chukwuka, K. S., Ndimele, C. C., Ayorinde, O. A. and Adaramoye, O. R. (2014). Phytoremediation of Iron (Fe) and Copper (Cu) by Water Hyacinth (*Eichhornia crassipes* (Mart.) Solms). *Trends in Applied Sciences Research*, 9: 485 - 493.

Nicolau, R., Galera-Cunha, A. and Lucas, Y. (2006). Transfer of nutrients and labile nutrients from the continent to the sea by small Mediterranean river. *Chemosphere*, 63(3): 469 - 476.

Nirmal Kumar, J. I., Das, M., Mukherji, R. and Kumar, R. (2012). Trace metal contents in water, sediment and hydrophytes at a freshwater wetland in central Gujarat, India. *Bulletin of Environmental and Scientific Research*, 1(1):16 - 24.

Nsikak, U. Benson, U., Winifred, U., Anake, I. and Olanrewaju, O. (2013). Analytical relevance of trace metal speciation in environmental and bio physico chemical systems. *American Journal of Analytical Chemistry*, 4:633 - 641.

Odiete, W. O., Nwokoro, R. C. and Daramola, T. (2003). Biological assessment of four courses in Logos Metropolis receiving industrial and domestic waste discharge. *Nigerian Environmental Society*, 1(1):1 - 14.

Odjegba, V. J. and Fasidi, I. O. (2004). Accumulation of trace elements by *Pistia stratiotes*: implications for phytoremediation. *Ecotoxicology*, 13:637 - 646.

Ollerton, J., Mc Colin, D., Fautin, D. and Allen, G. R. (2007). Finding NEMO: Nestedness engendered by mutualistic organization in anemone fish and their hosts. *Proceedings of Royal Society of London B*, 274:591 - 598.

Othman, R., Nurul, A., Hanifah, B. and Izzati, S. (2011). Aquatic plants as phytoindicator for heavy metals contaminant in polluted freshwater bodies. *International Journal of Environmental Science and Technology*, 8 (2):401 - 416.

Otitolaju, A. and Don-Pedro, K. N. (2004). Integrated laboratory and field assessments of heavy metals accumulation in edible periwinkle, *Tympanotonus fuscatus* var. *Radula* (L). *Ecotoxicology and Environmental Safety*, 57(3):354 - 362.

Ozedon, F. (2013). Phytoplankton biomass impact on the lake water quality. *Cultivation and Utilization*. In Tech Publishers, 329 - 344 pp.

Parashar, C., Verma N., Dixit, S. and Shrivastava, R. (2008). Multivariate analysis of drinking water quality parameters in Bhopal, India. *Environmental Monitoring and Assessment*, 140:119 - 122.

Patel, A. C. and Patel, R. S. (2012). Comparison of the physico-chemical parameters of two lakes at Lodra and Nardipur under Biotic Stress. *International Journal of Scientific and Research Publications*, 2(9):1 - 7.

Patil, S., Patil, S. S. and Sathe, T. V. (2013). Limnological status of Khanapur freshwater reservoir from Ajara Kolhapur. *International Journal of Science and Environmentand Technology*, 2(6):1163 - 1174.

Patrick, R. (1948). Factors affecting distribution of Desmids. *Botanical Review*, 14(8):473 - 524.

Payne, A. (1986). Ecology of Tropical Lakes and Rivers. John Wiley and Sons, New York.

Pearsall, W. H. (1921). A suggestion to Phytoplankton as to the factors influencing the distribution of free floating vegetation. *Journal of Ecology*, 19(2):241 - 262.

Persaud, D., Jaagumagi, R. and Hayton, A. (1993). Guidelines for the protection and management of aquatic quality in Ontario. Ontario Ministry of the Environment, Water Resources Branch Toronto.

Poi De, N. and Casco, S. L. (2003). Biological agents that accelerate winter decay of *Eichhornia crassipes* in north eastern Argentina. (Ed. Thomas, S. M. and Bini, L. M.) *Ecologia e Manejo Macrofitas Aquaticas*. 127- 144pp.

Porvari, P. (1995). Mercury levels of fish in Tucuruí hydroelectric reservoir and in river Moju in Amazonia, in the state of Para, Brazil. *Science of the Total Environment*, 175 (2):109 - 117.

Potapova, M. and Charles, D. F. (2002). Benthic diatoms in USA Rivers: Distribution along spatial and environmental gradients. *Journal of Biogeography*, 29:167 - 187.

Prabhakar, C., Salesrani, K., Tharmaraj, K. and Kumar, V. M. (2012). Seasonal variation in hydrological parameters of Krishnagiri dam, Tamil Nadu, India. *International Journal of Pharmaceutical and Biological Archives*, 3(1):134 - 139.

Prasad S. C. (1991). BOD contamination in Kali River at Sadhu Ashram in Aligarh. *Indian Journal of Environmental Protection*, 11(5):325 - 326.

Prasad, B. N. and Misra, P. K. (1992). Fresh water algal flora of Andaman and Nicobar Islands. Vol.I and II. Bishan Singh Mahendra Pal Singh Dehradun, India.

Prescott, G .W. (1938). Objectionable algae and their control in lakes and reservoirs. *Louisiana Municipal Review*, 1:2 - 3.

Prescott, G. W. (1969). *The Algae: A Review*. Otto Koeltz science publishers, West Germany.

Pruthi, H. S. (1933). Studies on bionomics of fresh water in India. Seasonal changes in physical and chemical conditions of the tank in Indian museum compound. *International Review of Research in Hydrobiology and Hydrography*, 28:46 - 67.

Puttaiah, E. T. and Somashekar, R. K. (1987). Distribution of Euglenoids in lakes of Mysore city. *Phykos*, 26:39 - 46.

Qin, Lu., Zhenli, L., Donald, A., Peter, J. and Stoffella, X. Y. (2011). Uptake and distribution of metals by water lettuce (*Pistia stratiotes* L.) *Environmental Science and Pollution Research*, 18(6):978 - 986.

Qureshimatva, U. M. and Solanki, H. A. (2015). Physico-chemical parameters of water in Bibi Lake, Ahmedabad, India. *Journal of Pollution Effects and Control*, 3(2):2 - 5.

Rai, H. and Hill, G. (1982). On the nature of ecological cycle of Lago January: A central Amazonian Ria-Verzea Lake. *Tropical Ecology*, 23:1 - 49.

Rai, P. K. and Singh, M. M. (2016). *Eichhornia crassipes* as a potential phytoremediation agent and an important bioresource for Asia Pacific region. *Environmental Skeptics and Critics*, 5(1):12 - 19.

Rai, U. N. and Chandra, P. (1992). Accumulation of copper, lead, manganese and iron by field population of *Hydrodictyon reticulatum* L. *Science of Total Environment*, 116:203-11.

Rai, U. N., Sinha, S., Triphati, R. D. and Chandra, P. (1995). Waste water treatability potential of some aquatic macrophytes: removal of heavy metals. *Ecological Engineering* 5 (1):5 - 12.

Raina, U. S., Ahmed, A. and Shakto, R. (1984). Pollution studies on water quality. *Indian Environmental Health*, 26(3):187 - 210.

Rajendran, A., Dileep Kumar, M. and Bakker, J. F. (1992). Control of manganese and iron in Skagerrak sediments northeastern North Sea. *Chemical Geology*, 98:111 - 129.

Ramachandra, T. V. and Solanki, M. (2007). Ecological assessment of lentic water bodies of Bangalore. Environmental Information System Centre for Ecological Sciences, Indian Institute of Science, Technical Report: 25pp.

Rani, R. and Sivakumar, K. (2012). Physico-chemical parameters and phytoplankton richness in certain ponds of Chidambaram, in Tamil Nadu. *International Journal of Research in Environmental Science and Technology*, 2(2): 35 - 44.

Ranjani, G. N., Singh, P. and Singh, R. B. (2007). Physico- chemical characteristics of Ghrigareva pond of Birganji Nepal in relation to growth of phytoplankton. *National Environment and Pollution Technology*, 6(4):629 - 632.

Rao, C. B. (1953). On the distribution of algae in six small ponds. *Journal of Ecology*, 41: 62 - 71.

Rao, N. N. (1988). Manual on Water and Wastewater Analysis. NEERI, Nagpur.

Rashmi, B. S. and Somashekar, M. G. (2013). Diversity of phytoplankton of Lakkinakoppa Pond, Shivamogga, Karnataka. *Indian Journal of Plant Sciences*, 2 (3):87 - 91.

Ravera, O., Cenci, R., Beon, G. M., Dantas, M. and Lodigiani, P. (2003). Trace element concentrations in freshwater mussels and macrophytes as related to those in their environment, *Journal of Limnology*, 62(1):61 - 70.

Robert, D. S., Robert, W. H. and Evereff, L. G. (1974). Phytoplankton distribution and water quality indices of Lake Head. *Phycology*, 10(1):232 - 333.

Rodriguez-Girones, M. A. and Santamaria, L. (2006). A new algorithm to calculate the nestedness temperature of presence-absence matrices. *Journal of Biogeography*, 33:924 -935.

Romero, M. I. and Onaindia, M. (1995). Full-grown aquatic macrophytes as indicator of river water quality in the northwest Iberian Peninsula. *Annales Botanica Fennici*, 32:91 - 99.

Roy, S. and Kalita, J. C. (2011). Identification of estrogenic heavy metals in water bodies around Guwahati City, Assam, India *International Journal of ChemTech Research*, 3(2):699 - 702.

Roy, S., Labelle, S. and Mehta, P. (2005). Phytoremediation of heavy metal and PAH-contaminated Brown field sites. *Plant and Soil*, 272(1-2):277 - 290.

Sabine, H., Elisabeth, M. Grossb, M. and Harald, M. (2006). Restoration of submerged vegetation in shallow eutrophic lakes – A guideline and state of the art in Germany. *Limnologica*, 36:155 - 171.

Sachidanandamurthy, K. L. and Yajurvedi, H. N. (2006). A study on physicochemical parameters of an aquaculture body in Mysore city, Karnataka, India. *Journal of Environmental Biology*, 27:615 - 618.

Salmoni, S. E., Rocha, O., Hermany, G. and Lobo, E. A. (2011). Application of water quality biological indices using diatoms as bioindicators in the Gravatai River, Brazil. *Brazilian Journal of Biology*, 71(4):949 - 959.

Samrat, A. D., Wanjule, R.V. and Pande, B. N. (2012). Physico-chemical and biological status of Kagzipura Lake near Aurangabad (M.S.). Proceeding of International Conference SWRDM 1-3pp.

Sankar, P., Jayaraman, P. R. and Gangadevi, T. (2002). Studies on the hydrography of a lotic Ecosystem – Killiar at Thiruvananthapuram, Kerala, India. *Pollution Research*, 21(2): 113 - 121.

Santos, D. H., Silva-Cunha, M. G., Santiago, M. F. and Passavante, J. Z. (2010). Characterization of phytoplankton biodiversity in tropical shipwrecks off the coast of Pernambuco, Brazil. *Acta Botanica Brasilica*, 24(4):924 - 934.

Sarode, P. T. and Kamath, N. D. (1984). Freshwater diatoms of Maharashtra. Sai Krupa Prakashan, Aurangabad, 338pp.

Sawaiker, R. U. and Rodrigues, B. F. (2016). Physico-chemical characteristics and phytoplankton diversity in some fresh water bodies of Goa, India. *Journal of Environmental Research and Development*, 10 (04):706 - 711.

Saxena, K. L., Chakraborty, R. N., Khan, A. Q. and Chattopadhyaya, S. N. (1966). Pollution studies of the river Ganga near Kanpur. *Indian Journal of Environmental Health*, 8: 270 -285.

Saxena, M. (2012). Water quality and trophic status of Raipur reservoir in Gwalior, Madhya Pradesh. *Journal of Natural Sciences Research*, 2(8):82 - 96.

Schneider, S. and Melzer, A. (2003). Trophic index of macrophytes (TIM) a new tool for indicating the trophic state of running waters, *International Review of Hydrobiology*, 88:49 - 67.

Shaji, C. and Patel, R. J. (1994). Phytoplankton ecology of polluted pond at Anand, Gujarat. *Annals of Biology (Ludhiana)*, 10(2):191 -197.

Sharma, C., Jindal, R., Singh, U. B., Ahluwalia, A. S. and Thakur, R. K. (2013). Population dynamics and species diversity of plankton in relation to hydrobiological characteristics of river Sutlej, Punjab, India. *Ecology, Environment and Conservation*, 19(3):717 - 724.

Shekhar, R. T., Kiran, B. R., Puttaiah, E. T., Shivaraj, Y. and Mahadevan, K. M. (2008). Phytoplankton as index of water quality with reference to industrial pollution. *Journal of Environmental Biology*, 29:233 - 236.

Shiddamallayya, N. and Pratima, M. (2008). Impact of domestic sewage on fresh water body. *Journal of Environmental Biology*, 29(3):303 - 308.

Shine, J., Ryan, D., Limon, J. and Ford, T. (1998). Annual cycle of heavy metals in a tropical lake-Lake Chapala, Mexico. *Journal of Environment Science and Health*, 33:23 - 43.

Simeonov, V., Stefanov, S. and Tsakovski, S. L. (2000). Environmetrical treatment of water quality survey data from Yantra River, Bulgaria. *Microchimica Acta*, 134(1):15 - 21.

Singh, B. and Mahajan, R. (1987). Phytoplankton and water chemistry of Rewalsar and Renuka Lakes. Himachal Pradesh. *Indian Journal of Ecology*, 14(2):273 - 277.

Singh, B. N. and Swamp, K. (1979). Limnological studies of Uraha Lake (Ballia). The periodicity of phytoplankton. *Indian Botanical Society*, 58: 319 - 329.

Singh, D. K. and Singh, I. (2008). Interrelationship of certain physico-chemical parameters with plankton community of Motipur Ox-bow lakes (Muzaffarpur, Bihar). *Environment and Ecology*, 26(2):800 - 803.

Singh, P. (2014). Studies on seasonal variations in physico-chemical parameters of the river Gomti (U.P.) *International Journal of Advanced Research*, 2(2):82 - 86.

Singh, P. R. and Balasingh, G. S. (2012). Contribution of algal flora in Kodaikanal Lake, Tamil Nadu. *Indian Journal of Fundamental and Applied Life Sciences*, 2(4):134 -140.

Singh, V. P. (1960). Phytoplankton ecology on the inland water of Uttar Pradesh. *Proceedings of Symposium on Algology*, ICAR, New Delhi. 243 - 271pp.

Sinha, S. N. and Biswas, M. (2011). Analysis of physico-chemical characteristics to study the water quality of a lake in Kalyani, West Bengal. *Asian Journal of Experimental and Biological Sciences*, 2(1):18 - 22.

Sinicrope, T. L., Langis, R., Gersberg, B. M. and Zedler, J. B. (1992). Metal removal by wetland mesocosms subjected to different hydroperiods. *Journal Ecological Engineering*, 1:309 - 322.

Siriwan, P., Maleeya, K., Prayad P. and Suchart, U. (2006). Toxicity and bioaccumulation of cadmium and lead in *Salvinia cucullata*. *Journal of Environmental Biology*, 27(4):645 -652.

Skinner, K., Wright, N. and Goff, E. P. (2007). Mercury uptake and accumulation by four species of aquatic plants. *Environmental Pollution*, 145: 234 - 237.

Smaya, T. J. (2008). Complexity in the eutrophication, harmful algal bloom relationship, with comment on the importance of grazing. *Harmful Algae*, 8:140 - 151.

Smith, H. F., Harmeson, R. H. and Larson, T. E. (1971). The effect of commercial fertilizer on the quality of groundwater. Groundwater Pollution symposium Proceedings of the Moscow Symposium, Aish Publication. 103:96 - 102.

Smith, V. H. (2003). Eutrophication of freshwater and coastal marine ecosystems a global problem. *Environmental Science and Pollution Research*, 10(2):126 -139.

Smith, V. H. and Schindler, D. W. (2009). Eutrophication science: where do we go from here? *Trends in Ecology and Evolution*, 24:201 - 207.

Smith, V. H., Tilman, G. D. and Nekola, J. C. (1999). Eutrophication: impacts of excess nutrient inputs on freshwater, marine, and terrestrial ecosystems. *Environmental Pollution*, 100:179 - 196.

Smitha, S., Ajay, D. and Shivshankar, P. (2013). Physico-chemical analysis of the freshwater at River Kapila, Nanjangudu Industrial Area, Mysore, India. *International Research Journal of Environment Sciences*, 2(8):59 - 65.

Smolders, R., Bervoets, L. and Blust, R. (2004). In situ and laboratory bioassays to evaluate the impact of effluent discharges on receiving aquatic ecosystems. *Environmental Pollution*, 132:231 - 243.

Sobczynski, T. and Siepak, J. (2001). Speciation of heavy metals in bottom sediments of lakes in the area of Wielkopolski national park. *Polish Journal of Environmental Studies*, 10(6):463 - 474.

Soininen, J. (2008). The ecological characteristics of idiosyncratic and nested diatoms. *Protist*, 159:65 - 72.

Soininen, J., Heino, J., Kokocinski, M. and Muotka, T. (2009). Local regional diversity relationship varies with spatial scale in lotic diatoms. *Journal of Biogeography*, 36:720 -727.

Soininen, J., Korhonen, J., Karhu, J. and Vetterli, A. (2011). Disentangling the spatial patterns in community composition of prokaryotic and eukaryotic lake plankton. *Limnology and Oceanography*, 56:508 - 520.

Solak, C. N. and Acs, E. (2011). Water quality monitoring in European and Turkish Rivers using Diatoms. *Turkish Journal of Fisheries and Aquatic Sciences*, 11:329 - 337.

Sondergaard, M. and Sand-Jensen, K. (1979). Physico-chemical environment, phytoplankton biomass and production in oligotrophic soft water lake Kalgaard, Denmark. *Hydrobiologia*, 63:241 - 253.

Specie, A. and Hamelink, J. L. (1985). Bioaccumulation: Fundamentals of aquatic toxicology, methods and application, Hemisphere Publishing Corporation, New York, 124 -163pp.

Spencer, C. N. and King, D. L. (1989). Role of light, carbon dioxide and nitrogen in regulation of buoyancy, growth and bloom formation of *Anabaena flos-aquae*. *Journal of Plankton Research*, 11:283 - 296.

Sridhar, T., Thangaradjou, S. and Kannan, L. (2006). Water quality and phytoplankton characteristics in the Palk bay, southeast coast of India. *Journal of Environmental Biology*, 27:561 - 566.

- Stetes, E. G. and Cotner, J. B. (2008). Littoral zones as sources of biodegradable dissolved organic carbon in lakes. *Canadian Journal of fisheries and Aquatic Science*, 65(11):2454 - 2460.
- Storm, K. M. (1924). Studies on the ecology and geographical distribution of fresh water algae and plankton. *The Algal Revolution*, 1:1127 - 155.
- Subba, R. C. (1995). Ground water quality in residential colony. *Indian Journal of Environmental Health*, 37(4):295 - 30.
- Suphan, S., Peerapornpisal, Y. and Underwood, G. C. (2012). Benthic diatoms of Mekong River and its tributaries in northern and north- eastern Thailand and their applications to water quality monitoring. *Maejo International Journal of Science and Technology*, 6(1):28 - 46.
- Suresh, S., Hiresagarhalli, B. A. and Siddalingappa, T. (2011). Phytoplankton for biomonitoring of organic pollution in two tanks of Davangere district, Karnataka India. *South Western Journal of Horticulture, Biology and Environment*, 2 (2):107 - 112.
- Suxena, M. R. (1987). Environmental Analysis: Water, Air and Soil. Agrobotanical Publishers, India.
- Suziki, Y., Nogi, A. and Fukasawa, T. (1988). Gall I protein, an auxiliary transcription activator for genes encoding galactose-metabolizing enzymes in *Saccharomyces cerevisiae*. *Molecular and Cellular Biology*, 8(11):4991 - 4999.

Syed, T. H., Tariq, M. and Salman, A. M. (2010). Phytoremediation technologies for Ni⁺⁺ by water hyacinth. *African Journal of Biotechnology*, 9(50):8648 - 8660.

Sawidis, T., Chettri, M. K., Papaionnou, A., Zachariadis, G. and Stratis, J. (2001). A study of metal distribution from lignite fuels using trees as biological monitors. *Ecotoxicology and Environmental Safety*, 48:27 - 35.

Takano, K. and Hino, S. (1997). Effect of temperature on the succession of planktonic algae in hypertonic lake Barato, Hokkaido, Japan. *Japanese Journal of Phycology*, 45(2): 89 - 93.

Tan, X., Ma, P., Bunn, S. and Zhang, Q. (2015). Development of a benthic diatom index of biotic integrity (BD-IBI) for ecosystem health assessment of human dominant subtropical rivers, China. *Journal of Environmental Management*, 151:286 - 294.

Telesh, I. V. (2004). Plankton of the Baltic estuarine ecosystems with emphasis on Neva Estuary: a review of present knowledge and research perspectives. *Marine Pollution Bulletin*, 49(2):6 -19.

Thilakar, R. J., Rathi, J. and Pillai, P. M. (2012). Phytoaccumulation of Chromium and Copper by *Pistia stratiotes* L. and *Salvinia natans* (L.). *Journal of Natural Products and Plant Resources*, 2 (6):725 - 730.

Thompson, K. (2006). AWWA Research Foundation, Water Reuse Foundation and Water Quality Association. Characterizing and managing salinity loadings in reclaimed water systems. American Water Works Association.

Thresh, J. C., Sukling, E. V. and Beale, J. F. (1949). The examination of water supplies (Ed. Taylor, E. W.) Philadelphia Blakiston, 819 pp.

Trivedi, P. R. and Gurudeep, R. (1992). Environmental management of fresh water ecology (1st Edn). Akashdeep Publishing House, New Delhi.

Trivedy, R. K. and Goel, P. K. (1986). Chemical and biological methods for water pollution studies. Environmental Publications, Karad, India.

Tsai, L. J., Yu, K. C., Chen, S. F. and Kung, P. Y. (2003). Effect of temperature on removal of heavy metals from contaminated river sediments via bioleaching. *Water Research*, 37(10):2449 - 2457.

Tu, S., Ma, L. Q., Fayiga, A. O. and Zillioux, E. J. (2004). Phytoremediation of arsenic-contaminated groundwater by the arsenic hyper-accumulating fern *Pteris vittata* L. *International Journal of Phytoremediation*, 6(1):35 - 47.

Tulay, E. K. (2010). Nitrate and heavy metal pollution resulting from agricultural activity: a case study from Eskipazar (Karabuk, Turkey). *Environ Earth Science*, 61:703 - 721.

Ugya, Y. A., Tijjani, S. I. and Salisu, M. T. (2015). The use of *Pistia stratiotes* to remove some heavy metals from Romi Stream: A case study of Kaduna refinery and petrochemical company polluted stream. *Journal of Environmental Science, Toxicology and Food Technology*, 9(1):48 - 51.

Upadhyay, R., Pandey, A. K., Upadhyay, S. K., Bassin, J. K. and Misra, S. M. (2012). Limnochemistry and nutrient dynamics in upper lake, Bhopal, India. *Environmental Monitoring and Assessment*, 184:7065 - 7077.

USEPA, (1973). Methods for identifying and evaluating the nature and extent of non point sources of pollution, EPA-430/9-73-014, Washington D. C.

Vahdati, R. L. and Khara, H. (2012). Heavy metals phytoremediation by aquatic plants (*Hyrocotyl eranocloides*, *Ceratophyllum demersum*) of Anzali lagoon. *International Journal of Marine Science and Engineering*, 2(4):249 - 254.

Van Dam, H., Mertens, A. and Sinkeldam, J. (1994). A coded checklist and ecological indicator values of freshwater diatoms from the Netherlands. *Netherlands Journal of Aquatic Ecology*, 28:117 - 133.

Vandysh, O. I. (2004). Zooplankton as an indicator of the state of lake ecosystems polluted with mining wastewater in the Kola Peninsula. *Russian Journal of Ecology*, 35(2):110 - 116.

Vardanyan, L. G. and Ingole, B. S. (2006). Studies on heavy metal accumulation in aquatic macrophytes from Sevan (Armenia) and Carambolin (India) lake systems. *Environmental International*, 32:208 - 218.

Vasanthkumar, B. and Vijaykumar, K. (2011). Diurnal variation of physico chemical properties and primary productivity of phytoplankton in Bheema River. *Recent Research in Science and Technology*, 3(4):39 - 42.

Venkata Subba, R. M., Vaddi Dhilleswara, R. and Bethapudi, S. A. A. (2012). Assessment of quality of drinking water at Srikurmam in Srikakulam district, Andhra Pradesh, India. *International Research Journal of Environment Sciences*, 1(2):13 - 20.

Venkatachalapathy, R. and Karthikeyan, P. (2015). Diatom indices and water quality index of Cauvery River, India: Implications on the suitability of bio-indicators for environmental impact assessment. (Ed. Ramkumar, M. U., Kumaraswamy, K. and Mohanraj, R.) In: *Environmental Management of River Basin Ecosystems*. Springer Earth System Sciences, Switzerland, 1007/978-3-319-13425-3_31.

Verma, A. and Saksena, D. N. (2010). Assessment of water quality and pollution status of Kalpi River, Gwalior, Madhya Pradesh: with special reference to conservation and management plan. *Asian Journal of Experimental Biological Science*, 1(2):419 - 429.

Verma, J. and Mohanty, R. C. (1995). Phytoplankton and its correlation with certain physico-chemical parameters of Danmukundpur pond. *Pollution Research*, 14(2):233 - 242.

Verma, P. U., Chandawat, D. K. and Solanki, H. A. (2013). Pollution status of Nikol lake located in eastern Ahmedabad, Gujarat India. *International Journal of Innovative Research in Science, Engineering and Technology*, 2(8):3603 - 3609.

Verma, P. U., Chandawat, D. K. and solanki, H. A. (2011). Seasonal variation in physico-chemical and phytoplankton analysis of Kankaria Lake. *Life Sciences Leaflets*, 19:842-854.

Verma, P. U., Purohit, A. R. and Patel, N. J. (2012). Pollution status of Chandlodia Lake located in Ahmedabad Gujarat. *International Journal of Engineering Research and Applications*, 2:1600 - 1610.

Verma, P., Chandawat, D., Gupta, U. and Solanki, H. A. (2012). Water quality analysis of an organically polluted lake by investigating different physical and chemical parameters. *International Journal of Research in Chemistry and Environment*, 2:105 - 112.

Vestena, S., Cambraia, J., Olivia, M. A. and Olivera, J. A. (2007). Cadmium accumulation by water hyacinth and *Salvinia* under different sulfur concentrations. *Journal of Brazilian Society of Ecotoxicology*, 2(3):269 - 274.

Vijayakumar, M. and Subramaniyan, J. (2013). Survey of cyanobacterial flora from Samuthiram Lake of Thanjavur, Tamil Nadu, India. *Algal Biomass Utilization*, 4 (1):70 - 79.

Virendra, S., Salahuddin, K. and Manish, V. (2013). Pre impound mental studies on water quality of Narmada River of India. *International Research Journal of Environment Sciences*, 2(6):31 - 38.

Wagner, G. J. (1993). Accumulation of cadmium in crop plants and its consequences to human health. *Advances in Agronomy*, 51:173 - 212.

Wei, X. and Guihua, L. (2011). Iron biogeochemistry and its environmental impacts in freshwater lakes. *Journal of Environmental Research and Development*, 20(6):1339 - 1345.

West, W. and West, G. S. (1907). Freshwater algae from Burma including a few from Bengal and Madras. *Annals of the Royal Botanic Gardens, Calcutta* VI.260 pp.

Wetzel, R. G. (1975). *Limnology*. Philadelphia: Saunders.860 pp.

Wetzel, R. G. (1995). Fresh water ecology: changes, requirements, and future demands. *Journal of Liminology*, 1(1):3 - 9.

Wetzel, R. G. (2001). *Limnology: Lake and River ecosystems*; 3rd ed. Academic Press, San Diego, CA: 998 pp.

WHO (World Health Organization) (2011). *Guidelines for Drinking-water Quality Fourth Edition*, Geneva, Switzerland.

Williams, L. E., Pittman, J. K. and Hall, J. L. (2000). Emerging mechanisms for heavy metal transport in plants. *Biochimica et Biophysica Acta*, 1465(1):104 - 126.

Wolff, G. A., Pereira, G. C., Castro, E. M., Louzada, J. and Coelho, F. (2012). The use of *Salvinia auriculata* as a bioindicator in aquatic ecosystems: biomass and structure dependent on the cadmium concentration. *Brazilian Journal of Biology*, 72(1):71 - 77.

World Health Organization, (1988). *Global fresh water quality assessment report* WHO, Geneva, int. rept./pep/88.

Wright, D. H., Patterson, B. D., Mikkelson, G. M., Cutler, A. H. and Atmar, W. (1998). A comparative analysis of nested subset patterns of species composition. *Oecologia*, 113:1 - 20.

Wu, F. Y. and Sun, E. J. (1998). Effects of Copper, Zinc, Nickel, Chromium and Lead on the growth of water convolvulus in water culture. *Environmental Protection*, 21(1):63 - 72.

Wu, W., Wei, C., Honglu, L., Shiyang, Y. and Yong, N. (2014). A new model for head loss assessment of screen filters developed with dimensional analysis in drip irrigation systems. *Irrigation and Drainage*, 63:523 - 531.

Xhelal, K., Luan, D. and Ilir, K. (2014). Determination of physico-chemical parameters of water in biological minimum in the lake Radoniq. *European Scientific Journal*, 3:63 - 70.

Xi, C., Xiuxia C., Xianwei W., Boqi W. and Qin, H. (2010). Water hyacinth (*Eichhornia crassipes*) waste as an adsorbent for phosphorus removal from swine wastewater *Bioresource Technology*, 101: 9025 - 9030.

Yanamadala, V. (2005). Calcium carbonate phosphate binding ion exchange filtration and accelerated denitrification improve public health standards and combat eutrophication in aquatic ecosystems. *Water Environment Research*, 77(7):3003 - 3012.

Yanqun, Z., Yuan, L., Jianjun, C., Haiyan, C., Li, Q. and Schwartz, C. (2005). Hyper-accumulation of Pb, Zn and Cd in herbaceous grown on lead-zinc mining area in Yunnan. China. *Environmental International*, 31:755 - 762.

Yigal, H., Koteswara, G. and Martein, A. (1989). Factors involved in multiplication and survival of *E. coli* in lake water. *Microbiology and Ecology*, 17:171 - 180.

Yoh, I., Tomoe, U. and Hiroyuki, Y. (1999). Nonlinear behavior of the socio-economic dynamics for Lake Eutrophication control. *Ecological Economics*, 63:219 - 229.

Yoshamuri, S. (1932). Seasonal variations in the content of nitrogenous compounds and phosphate in water of Takatsuki Pond, Saitama Japan. *Archiv fur Hydrobiologie*, 27:25 -64.

Zeman, C., Rich, M. and Rose, J. (2006). World water resources: Trends, challenges, and solutions. *Reviews in Environmental Science and Bio-Technology*, 5:333 - 346.

Zhao, F. J., Lombi, E. and Mc Grth, S. P. (2003). Assessing the potential for zinc and cadmium phytoremediation with the hyperaccumulator *Thlaspi caerulescens*. *Plant and Soil*, 249:37 - 43.

Zheljazkov, V. D. and Nielson, N. E. (1996). Effect of heavy metals on peppermint and corn mint. *Plant Soil*, 178:59 - 66.

Zhu, Y. L., Zayed, A. M., Qian, J. H., De Souza, M. and Terry, N. (1999). Phytoremediation of trace elements by wetland plants: II. Water hyacinth. *Journal of Environmental Quality*, 28(1):339 - 344.

Zurayak, R., Sukkariyah, B. and Baalbaki, R. (2001). Common hydrophytes as bioindicators of nickel, chromium and cadmium pollution. *Water, Air and Soil Pollution*, 127(1- 4):373 - 388.

Zutschi, D. P. and Wanganeo, A. (1984). Phytoplankton and primary productivity of high altitude sub-trophic lake. *Verhandlungen des Internationalen Verein Limnologie*, 22: 1168 - 1172.

WEBLIOGRAPHY

<http://earthobservatory.nasa.gov/Features/Polynyas/>

<http://ga.water.usgs.gov/edu/temperature.html>

<http://water.epa.gov/type/rsl/monitoring/vms54.cfm>

<http://www.ess.uci.edu/~cpasquer/classes/ess130/notes/lec18.pdf>