

***LIST OF TABLES***

## LIST OF TABLES

Table No	Particulars	Page No.
1	Media compositions for bacterial culture and isolation	55-58
2	Growth and reduction in levels of nutrients, BOD <sub>5</sub> and COD in domestic sewage during the Yard experiment on 'Nutrient uptake rate of duckweeds'	60
3	Static bioassay with <i>Cirrhinus mrigala</i> (L.) in domestic sewage	62
4	Monthly variations in rainfall, relative humidity, air temperature, sunshine and wind speed at ASTP, Matagajpur, Cuttack	63
5a	Variations in mean dissolved oxygen contents (mg/l) of water at aquaculture-based sewage treatment system	66
5b	Analysis of variance on dissolved oxygen (mg/l) contents of water at aquaculture-based sewage treatment system	66
6	Percentage increase in dissolved oxygen content (mg/l) of water at aquaculture-based sewage treatment system	67
7a	Variations in mean pH levels of water at aquaculture-based sewage treatment system	70
7b	Analysis of variance on pH levels of water at aquaculture-based sewage treatment system	70
8a	Variations in mean levels of total alkalinity (mg/l) of water at aquaculture-based sewage treatment system	72
8b	Analysis of variance on total alkalinity levels (mg/l) of water at aquaculture-based sewage treatment system	72
9	Percentage reduction in total alkalinity levels (mg/l) of water at aquaculture-based sewage treatment system	73
10a	Variations in mean levels of total hardness (mg/l) of water at aquaculture-based sewage treatment system	75
10b	Analysis of variance on total hardness levels (mg/l) of water at aquaculture-based sewage treatment system	75
11	Percentage reduction in total hardness levels (mg/l) of water at aquaculture-based sewage treatment system	76
12a	Variations in mean ammonium-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	78
12b	Analysis of variance on ammonium-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	78

<b>Table No</b>	<b>Particulars</b>	<b>Page No.</b>
13	Percentage reduction in ammonium-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	79
14a	Variations in mean nitrite-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	81
14b	Analysis of variance on nitrite-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	81
15	Percentage reduction in nitrite-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	82
16a	Variations in mean nitrate-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	84
16b	Analysis of variance on nitrate-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	84
17	Percentage reduction in nitrate-nitrogen ( $\mu\text{g at-N/l}$ ) contents of water at aquaculture-based sewage treatment system	85
18a	Variations in mean phosphate- phosphorus ( $\text{mg/l}$ ) contents of water at aquaculture-based sewage treatment system	86
18b	Analysis of variance on phosphate-phosphorus ( $\text{mg/l}$ ) of water at aquaculture-based sewage treatment system	86
19	Percentage reduction in phosphate-phosphorus contents ( $\text{mg/l}$ ) of water at aquaculture-based sewage treatment system	87
20a	Variations in mean chloride ( $\text{mg/l}$ ) contents of water at aquaculture-based sewage treatment system	90
20b	Analysis of variance on chloride ( $\text{mg/l}$ ) contents of water at aquaculture-based sewage treatment system	90
21	Percentage reduction in chloride ( $\text{mg/l}$ ) contents of water at aquaculture-based sewage treatment system	91
22a	Variations in mean levels of Biochemical Oxygen Demand ( $\text{BOD}_5$ , $\text{mg/l}$ ) of water at aquaculture-based sewage treatment system	92
22b	Analysis of variance on Biochemical Oxygen Demand ( $\text{BOD}_5$ , $\text{mg/l}$ ) of water at aquaculture-based sewage treatment system	92
23	Percentage reduction in Biochemical Oxygen Demand ( $\text{BOD}_5$ , $\text{mg/l}$ ) of water at aquaculture-based sewage treatment system	93
24a	Variations in mean levels of Chemical Oxygen Demand ( $\text{COD}$ , $\text{mg/l}$ ) of water at aquaculture-based sewage treatment system	95

<b>Table No</b>	<b>Particulars</b>	<b>Page No.</b>
24b	Analysis of variance on Chemical Oxygen Demand (COD, mg/l) of water at aquaculture-based sewage treatment system	95
25	Percentage reduction in Chemical Oxygen Demand (COD, mg/l) of water at aquaculture-based sewage treatment system	96
26a	Variations in mean levels of dissolved organic matter (mg/l) of water at aquaculture-based sewage treatment system	97
26b	Analysis of variance on dissolved organic matter (mg/l) of water at aquaculture-based sewage treatment system	97
27	Percentage reduction in dissolved organic matter (mg/l) of water at aquaculture-based sewage treatment system	98
28a	Variations in pH levels of sludge at aquaculture-based sewage treatment system	100
28b	Analysis of variance on pH levels of sludge at aquaculture-based sewage treatment system	100
29a	Variations in specific conductivity (millimho/cm) of sludge at aquaculture-based sewage treatment system	102
29b	Analysis of variance on specific conductivity (millimho/cm) of sludge at aquaculture-based sewage treatment system	102
30	Variations in organic carbon (%) contents of sludge at aquaculture-based sewage treatment system	104
30b	Analysis of variance on organic carbon (%) contents of sludge at aquaculture-based sewage treatment system	104
31a	Variations in total nitrogen (%) contents of sludge at aquaculture-based sewage treatment system	107
31b	Analysis of variance on total nitrogen (%) contents of sludge at aquaculture-based sewage treatment system	107
32a	Variations in available phosphorus (mg/100g) of sludge at aquaculture-based sewage treatment system	109
32b	Analysis of variance on available phosphorus (mg/100g) of sludge at aquaculture-based sewage treatment system	109
33a	Variations in mean levels of total plankton (no /l) population at aquaculture-based sewage treatment system	112
33b	Analysis of variance on plankton (no /l) population at aquaculture-based sewage treatment system	112
34a	Mean monthly variations in phytoplankton (no /l) population at aquaculture-based sewage treatment system	115

<b>Table No</b>	<b>Particulars</b>	<b>Page No</b>
34b	Analysis of variance on phytoplankton (no /l) population at aquaculture-based sewage treatment system	115
35	Variations in mean percentage composition of phytoplankton at aquaculture-based sewage treatment system	116
36a	Mean monthly variations in zooplankton (no /l) population at aquaculture-based sewage treatment system	118
36b	Analysis of variance on zooplankton (no /l) population at aquaculture-based sewage treatment system	118
37	Variations in mean percentage composition of zooplankton at aquaculture-based sewage treatment system	119
38	Dominant genera of phyto- and zooplankton groups found at aquaculture-based sewage treatment system	121
39a	Variations in mean levels of aerobic heterotrophic bacterial populations of water (CFUs x 10 <sup>3</sup> /ml) at aquaculture-based sewage treatment system	123
39b	Analysis of variance on aerobic heterotrophic bacterial populations of water (CFUs x 10 <sup>3</sup> /ml) at aquaculture-based sewage treatment system	123
40a	Variations in mean levels of aerobic heterotrophic bacterial populations of sludge (CFUs x 10 <sup>5</sup> /g) at aquaculture-based sewage treatment system	124
40b	Analysis of variance on aerobic heterotrophic bacterial populations of sludge (CFUs x 10 <sup>5</sup> /g) at aquaculture-based sewage treatment system	124
41	Percentage reduction in aerobic heterotrophic bacterial counts (CFUs x 10 <sup>3</sup> /ml) of water at aquaculture-based sewage treatment system	126
42a	Variations in mean levels of total coliform bacterial populations of water (MPN x 10 <sup>2</sup> /100ml) at aquaculture-based sewage treatment system	128
42b	Analysis of variance on total coliform bacterial populations (MPN x 10 <sup>2</sup> /100ml) of water at aquaculture-based sewage treatment system	128
43	Variations in mean levels of total coliform bacterial populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	129

Table No	Particulars	Page No.
43b	Analysis of variance on total coliform bacterial populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	129
44	Percentage reduction in total coliform bacterial counts (MPN x 10 <sup>2</sup> /100ml) of water at aquaculture-based sewage treatment system	131
45a	Variations in mean levels of faecal coliform bacterial populations of water (CFUs x 10 <sup>2</sup> /100ml) at aquaculture-based sewage treatment system	133
45b	Analysis of variance on faecal coliform bacterial populations of water (CFUs x 10 <sup>2</sup> /100ml) at aquaculture-based sewage treatment system	133
46a	Variations in mean levels of faecal coliform bacterial populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	134
46b	Analysis of variance on faecal coliform bacterial populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	134
47	Percentage reduction in faecal coliform bacterial counts of water (CFUs x 10 <sup>2</sup> /100ml) at aquaculture-based sewage treatment system	136
48a	Variations in mean levels of faecal streptococcal bacterial populations of water (CFUs x 10 <sup>2</sup> /ml) at aquaculture-based sewage treatment system	138
48b	Analysis of variance on faecal streptococcal bacterial populations of water (CFUs x 10 <sup>2</sup> /ml) at aquaculture-based sewage treatment system	138
49a	Variations in mean levels of faecal streptococcal bacterial populations of sludge (CFUs x 10 <sup>5</sup> /g) at aquaculture-based sewage treatment system	139
49b	Analysis of variance on faecal streptococcal bacterial populations of sludge (CFUs x 10 <sup>5</sup> /g) at aquaculture-based sewage treatment system	139
50	Percentage reduction in faecal streptococcal bacterial counts (CFUs x 10 <sup>2</sup> /ml) of water at aquaculture-based sewage treatment system	141
51a	Variations in mean <i>Salmonella</i> populations of water (CFUs x 10 <sup>2</sup> /ml) at aquaculture-based sewage treatment system	142

Table No	Particulars	Page No.
51b	Analysis of variance on <i>Salmonella</i> populations of water (CFUs x 10 <sup>2</sup> /ml) at aquaculture-based sewage treatment system	142
52a	Variations in mean levels of <i>Salmonella</i> populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	143
52b	Analysis of variance on <i>Salmonella</i> populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	143
53	Percentage reduction in <i>Salmonella</i> bacterial counts (CFUs x 10 <sup>2</sup> /ml) of water at aquaculture-based sewage treatment system	145
54a	Variations in mean aerobic nitrogen-fixing bacterial populations of water (CFUs x 10 <sup>3</sup> /ml) at aquaculture-based sewage treatment system	147
54b	Analysis of variance on aerobic nitrogen-fixing populations (CFUs x 10 <sup>3</sup> /ml) of water at aquaculture-based sewage treatment system	147
55a	Variations in mean levels of aerobic nitrogen-fixing populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	148
55b	Analysis of variance on aerobic nitrogen-fixing populations of sludge (CFUs x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	148
56	Percentage reduction in aerobic nitrogen-fixing bacterial counts (CFUs x 10 <sup>3</sup> /ml) of water at aquaculture-based sewage treatment system	150
57a	Variations in nitrifying-I bacterial populations of water (MPN/ml) at aquaculture-based sewage treatment system	152
57b	Analysis of variance on nitrifying-I bacterial populations (MPN/ml) of water at aquaculture-based sewage treatment system	152
58a	Variations in nitrifying-I bacterial populations of sludge (MPN x 10 <sup>3</sup> /g) at aquaculture-based sewage treatment system	153
58b	Analysis of variance on nitrifying-I bacterial populations (MPN x 10 <sup>3</sup> /g) of sludge at aquaculture-based sewage treatment system	153
59	Percentage reduction in nitrifying-I (MPN/ml) bacterial counts of water at aquaculture-based sewage treatment system	155
60a	Variations in nitrifying-II bacterial populations of water (MPN/ml) at aquaculture-based sewage treatment system	156

<b>Table No.</b>	<b>Particulars</b>	<b>Page No.</b>
60b	Analysis of variance on nitrifying-II bacterial populations (MPN/ml) of water at aquaculture-based sewage treatment system	156
61a	Variations in nitrifying-II bacterial populations of sludge (MPN $\times$ $10^3$ /g) at aquaculture-based sewage treatment system	157
61b	Analysis of variance on nitrifying-II bacterial populations of sludge (MPN $\times$ $10^3$ /g) at aquaculture-based sewage treatment system	157
62	Percentage reduction in nitrifying-II bacterial counts (MPN/ml) of water at aquaculture-based sewage treatment system	159
63a	Variations in denitrifying bacterial populations of water (MPN/ml) at aquaculture-based sewage treatment system	161
63b	Analysis of variance on denitrifying bacterial populations (MPN/ml) of water at aquaculture-based sewage treatment system	161
64a	Variations in denitrifying bacterial populations of sludge (MPN $\times$ $10^3$ /g) at aquaculture-based sewage treatment system	162
64b	Analysis of variance on denitrifying bacterial populations (MPN $\times$ $10^3$ /g) of sludge at aquaculture-based sewage treatment system	162
65	Percentage reduction in denitrifying bacterial counts (MPN/ml) of water at aquaculture-based sewage treatment system	164
66a	Variations in mean levels of amylolytic bacterial populations of water (CFUs $\times$ $10^3$ /ml) at aquaculture-based sewage treatment system	165
66b	Analysis of variance on amylolytic bacterial populations of water (CFUs $\times$ $10^3$ /ml) at aquaculture-based sewage treatment system	165
67a	Variations in mean levels of amylolytic bacterial populations of sludge (CFUs $\times$ $10^5$ /g) at aquaculture-based sewage treatment system	166
67b	Analysis of variance on amylolytic bacterial populations (CFUs $\times$ $10^5$ /g) of sludge at aquaculture-based sewage treatment system	166
68	Percentage reduction in amylolytic bacterial counts (CFUs $\times$ $10^3$ /ml) of water at aquaculture-based sewage treatment system	168
69a	Variations in mean aerobic cellulolytic bacterial population of water (MPN/ml) at aquaculture-based sewage treatment system	170
69b	Analysis of variance on aerobic cellulolytic bacterial populations (MPN/ml) of water at aquaculture-based sewage treatment system	170



Table No.	Particulars	Page No.
70a	Variations in mean levels of aerobic cellulolytic bacterial populations of sludge (MPN $\times 10^3/g$ ) at aquaculture-based sewage treatment system	171
70b	Analysis of variance on aerobic cellulolytic bacterial populations of sludge (MPN $\times 10^3/g$ ) at aquaculture-based sewage treatment system	171
71	Percentage reduction in aerobic cellulolytic bacterial counts (MPN/ml) of water at aquaculture-based sewage treatment system	173
72a	Variations in mean levels of inorganic phosphorous- solubilising bacterial populations of water (CFUs $\times 10^3/ml$ ) at aquaculture-based sewage treatment system	174
72b	Analysis of variance on inorganic phosphorus-solubilising bacterial populations (CFUs $\times 10^3/ml$ ) of water at aquaculture-based sewage treatment system	174
73a	Variations in mean levels of inorganic phosphorus-solubilising bacterial populations of sludge (CFUs $\times 10^5/g$ ) at aquaculture-based sewage treatment system	175
73b	Analysis of variance on inorganic phosphorus-solubilising bacterial populations of sludge (CFUs $\times 10^5/g$ ) at aquaculture-based sewage treatment system	175
74	Percentage reduction in inorganic phosphorus-solubilising bacterial counts (CFUs $\times 10^3/ml$ ) of water at aquaculture-based sewage treatment system	177
75	Incidence of bacterial populations in organs of <i>Hypophthalmichthys molitrix</i> during the rearing period at aquaculture-based treatment system	179
76	Incidence of bacterial populations in organs of <i>Catla catla</i> during the rearing period at aquaculture-based treatment system	180
77	Incidence of bacterial populations in organs of <i>Labeo rohita</i> during the rearing period at aquaculture-based treatment system	181
78	Incidence of bacterial populations in organs of <i>Cirrhinus mrigala</i> during the rearing period at aquaculture-based treatment system	182
79	Duckweed biomass harvested (kg wet weight) from duckweed pond complex during the period November, 1995 to November, 1996	189
80	Stocking and harvesting details of production trials at a density of 10,000 fingerlings/ha during culture period at aquaculture-based sewage treatment system	190