

REFERENCES

1. AASHTO TP57-99. Standard Test Method for Methylene Blue Value of Clays Mineral Fillers, and Fines. AASHTO Standards. American Association of State Highway and Transportation Officials, Washington, D.C., 2000.
2. AASHTO T11. Standard Test Method for materials finer than 75 μ m.
3. Abou-Zeid, M.N. and Fakhry, M.M. "Short-term impact of high-aggregate fines content on concrete incorporating water-reducing admixtures", ACI Materials Journal, Vol. 100, No. 4, pp. 280-285, 2003.
4. Ahmed Ahmed, E. and Ahemed Kour, A. E. "Properties of concrete incorporating natural and crushed stone very fine sand", ACI Material Journal, Vol. 86, No. 4, pp. 417-424, 1989.
5. Ahn, N. "An Experimental Study on the Guidelines for Using Higher Contents of Aggregate Microfines in Portland Cement Concrete", PhD Dissertation, University of Texas at Austin, 2000.
6. Ahn, N. and Fowler, D. W. "An experimental study on the guidelines for using higher contents of aggregate microfines in Portland cement concrete", International Center for Aggregates Research, Research Report ICAR 102-1F, p. 435, 2001.
7. Ahn, N., Phelan, T., Fowler, D. W. and Hudson, B. P. "The Effects of High- Fines on the Properties of Cement Mortar and Concrete", ICAR 9th Annual Symposium, 2001.
8. Ahn, N. and Fowler, D. W. "The Effects of High Fines on the Properties of Concrete", ICAR 10th Annual Symposium, 2002.
9. AIB005 – 1 – 7/01 "Quality Aggregates and Manufactured Sand for Concrete", Report by Metso Minerals Limited, Matamata, New Zealand.
10. AS 1141.24 "Methods for sampling and testing aggregates-Aggregate soundness", Evaluation by exposure to sodium sulfate solution, 1997.

11. AS 1141.3.1 “Methods for sampling and testing aggregates - Sampling – Aggregates”, 1996.
12. AS 1141.4 “Methods for sampling and testing aggregates – Bulk density of aggregate”, 2000.
13. AS 1141.11 “Methods for sampling and testing aggregates - Particle size distribution by sieving”, 1996.
14. AS 1141.12 “Methods for sampling and testing aggregates - Materials finer than 75 μm in aggregates (by washing)”, 1996.
15. AS 1289.3.7.1 – 2002 “Method of testing soils for Engineering Purpose”
16. ASTM C 117 “Standard Test Method for Materials finer than 75 μm (No. 200) Sieve in Mineral Aggregates by Washing, Philadelphia, PA: American Society for Testing and Materials”, 1995.
17. ASTM C 157 “Standard Test Method for length change of hydraulic cement, mortar, concrete.
18. ASTM C 1202 “Standard Specification for Electrical Indication of Concrete’s Ability to Resist Chloride Ion Penetration, Philadelphia, PA: American Society for Testing and Materials”, 1997.
19. ASTM C 1260 “Standard test method for potential alkali reactivity of aggregate”, 2007.
20. ASTM C 1585 “Standard test method for measurement of rate of absorption (Sorptivity) of water”
21. ASTM C 457 & C 856 “Standard test method for air void, and standard practice for petrographical examination of hardened concrete.
22. ASTM C 642 -81 “Standard test method for density, absorption and voids in hardened concrete”.
23. ASTM C 944 Standard Specification for Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method, Philadelphia, PA: American Society for Testing and Materials, 1999.
24. ASTM C 1252 Standard Specification for Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture,

and Grading), Philadelphia, PA: American Society for Testing and Materials, 2003.

25. ASTM C88- 90 Soundness test of aggregates.
26. ASTM D 2419-95, Standard test method for sand equivalent value of soils and fine aggregate. 1998 Annual Book of ASTM Standards, American Society for Testing and Materials, Philadelphia, Vol. 04, No. 03, 1998.
27. ASTM D 422 “Standard test method for particle size analysis of soils”
28. Babu, K.K “Performance of quarry waste as replacement of aggregate in concrete”, International Seminar on Civil Engineering Practice Roorkee, pp. 926-934, 1996.
29. Baguant, B.K. “Use of rock dust for enhancing durability of concrete” University of Mauritius, 81 – 95. <https://eprints.kfupm.edu.sa/.../1999>.
30. British Geological Survey, Collation of the results of the 2001 Aggregate Minerals Survey for England and Wales. Commissioned report CR/03/53N, 2003.
31. Carrasquillo, L. “Properties of High strength concrete subject to short term loads”, ACI Journal, pp. 171-177, 1981.
32. CCAA T 60, Guide to the specification and use of manufactured sand in concrete, Cement concrete aggregate Australia, ISBN 978 – 1 – 877023 – 25 – 5, pp. 1-15.
33. Celik Ozyildirim “High Performance Concrete for Transportation Structures”, Concrete International, pp. 513-517, 1993.
34. Çelik, T. and Marar, K. “Effects of crushed stone dust on some properties of concrete”, Cement and Concrete Research, Vol. 26, pp. 1121-1130, 1996.
35. Chan, W.W.J. and Wu, C.M.L “Durability of concrete with high cement replacement”, Cement and Concrete Research, Vol. 30, pp. 865-879, 2000.
36. Chris Hartwiger and Patrick O’Brien “Making Sense of Manufactured Sand”, Newsletter Article, January 6, 2008.

37. Cortes, D.D, Kim, H.K., Palomino, A.M. and Santamarina, J.C “Rheological and Mechanical properties of mortars prepared with natural and manufactured sand”, Cement and Concrete Research, Vol. 38, pp. 1142-1147, 2008.
38. Crouch, L.K. and Jason Philips “Lean, Green and Mean Concrete”, 2009 World of Coal Ash Conference (WOCA), pp. 1-17, 2009.
39. Dale Bentz, P. “Multi – Scale Micro structural Modeling of Concrete Diffusivity: Identification of Significant Variables”, Journal of Cement, Concrete, Aggregates, pp. 1021-1025, 1998.
40. David Manning “Exploitation and Use of Quarry Fines”, Miro - final report, Report No. 087/MIST2/DACM/01, MIST project reference: MA/2/4/003, 19th March, pp. 1-60, 2004.
41. Dukatz, E. L. “Effective use of aggregate fines”, ICAR 3rd Annual Symposium, 1995.
42. Evertsson, C. M. “Cone Crusher Performance”, Göteborg: Chalmers University of Technology, 2000.
43. Felix Kala, T. and Partheeban, P. “Utilization of Granite Powder as Fine Aggregate in High Performance Concrete”, Proceedings of the National Conference on Emerging Trends in Construction and Concrete Technology, Sona College of Technology, 2009.
44. Fletcher, T., Eyad, A. and Masad, E. A. “AIMS: Aggregate Imaging System for Characterizing Fine and Coarse Aggregate Shape Properties”, ICAR 10th Annual Symposium, 2002.
45. Fowler, J. C. “Increasing amount of minus 75 microns fines in Portland cement concrete”, ICAR 5th Annual Symposium, 1997.
46. Garboczi, E. J., Martys, N. S., Saleh, H. and Livingston, R. “Acquiring, Analyzing, and Using Complete Three-Dimensional Aggregate Shape Information”, ICAR 9th Annual Symposium, 2001.
47. Gerry Huber and Bob McGennis “How to Increase Voids in Mineral Aggregate”, The Superpave Asphalt Research Programme, 2008.

48. Ghataora, G.S., Freer-Hewish, R.J. and Kennedy, J. "Utilisation of quarry fines", Department of Civil Engineering, The University of Birmingham, 2004.
49. Hailong Wang and Qingbin Li "Prediction of elastic modulus and Poisson's ratio for unsaturated concrete", International Journal of Solids and Structures, Vol. 44, pp. 1370-1379, 2007.
50. Hiroshi Uchikawa "Influence of microstructure on the physical properties of concrete prepared by substituting mineral powder for part of fine aggregate", Cement and Concrete Research, Vol. 26, No. 1, pp. 101-111, 1996.
51. Hudson B.P. "Manufactured sand for Concrete", The Indian Concrete Journal, pp. 237-240, 1997.
52. Hudson B. P. Progress- ICAR project 102- "Increasing fines in Portland Cement Concrete", ICAR 7th Annual Symposium, 1999.
53. ICAR 101-1: An Investigation of the Status of By-Product Fines in the United States, p. 110.
54. ICAR 101-2F: Framework for Development of a Classification Procedure for Use of Aggregate Fines in Concrete, p. 120.
55. ICAR 102-1F: An Experimental Study on the Guidelines for Using Higher Contents of Aggregate Microfines in Portland Cement Concrete, p. 435.
56. ICAR 102-F. "An experimental study on the guidelines for using higher contents of aggregate microfines in Portland cement concrete" Research Report Austin, Texas: International Center for Aggregates Research, University of Texas, Available at www.engr.utexas.edu/icar, December 2001.
57. ICAR 203-1: Evaluation of Aggregate Characteristics Affecting HMA Concrete Performance, p. 216.
58. ICAR 301-1F: Alkali-Silica Reaction in Portland Cement Concrete: Testing Methods and Mitigation Alternatives, p. 548.
59. ICAR 503-3F: Automation of Aggregate Characterization Using Laser Profiling and Digital Image Analysis.

60. ICAR REPORTS With the exception of ICAR 101-1, these reports are available as downloads from www.icar.utexas.edu.
61. Ilangovan, R. "Studies on Strength and behaviour of concrete by using quarry dust as fine aggregate", Proceedings of All India Seminar on Materials and Machines for Construction, New Age International, pp. 99-102, 2000.
62. Ilangovan, R. and Nagamani, K. "Application of quarry rock dust as fine aggregate in concrete construction", NICMAR-JCM, pp. 423-428, 2002.
63. Ilangovan, R., Mahendran, N. and Nagamani, K. "Strength and durability properties of concrete containing quarry rock dust as fine aggregate", ARPN Journal of Engineering and Applied Sciences, Vol. 3, No. 5, pp. 20 -26, 2008.
64. IS: 10262-1982 and SP 23:1982. Recommended guidelines for concrete mix, Bureau of Indian Standards, New Delhi.
65. IS: 1199-1959, Indian Standard methods of sampling and analysis of concrete, Bureau of Indian Standards, New Delhi.
66. IS: 2386-1963 Part 1 to VIII, Indian Standard methods of test for aggregate for concrete, Bureau of Indian Standards, New Delhi.
67. IS: 383-1970, Specification for coarse and fine aggregates from natural sources for concrete, Bureau of Indian standards, New Delhi.
68. IS: 516-1959. Indian Standard methods of test for strength of concrete, Bureau of Indian Standards, New Delhi.
69. IS 3085 (Part 7)-1965. Indian Standard methods of test for permeability of concrete, Bureau of Indian Standards, New Delhi.
70. IS 5816-1970. Indian Standard methods of splitting tensile strength of concrete, Bureau of Indian Standards, New Delhi.
71. Jaafar, M.S. "Strength and durability characteristics of high strength autoclaved stone dust concrete", The Indian Concrete Journal, pp. 202-206, 2002.

72. Jackson, N. M. and Brown, R. H. "Use of higher fines contents in Portland cement concrete", ICAR 4th annual symposium, 1996.
73. Jeffrey, C.A., Hill, I.A. and Fitch, P.J. "Waste minimisation by the application of integrated technology". MA 4/02/002. URL<http://www.mi-st.org.uk/research_projects/final_reports/final_report_ma_4_2_002.pdf>. Access date: [15/12/2007].Department of Geology. University of Leicester, 2003.
74. Justin Norvell, K. "Influence of Clays and Clay-Sized particles on Concrete Performance", Journal of materials in Civil Engineering, ASCE, pp. 1053-158, 2007.
75. Karthik Obla, H. and Colin Lobo, L. "Acceptance Criteria for Durability Tests", Concrete International, pp. 43-48, 2007.
76. Katz, A. and Baum, H. "Re-evaluation of the upper limit of fines content in concrete", Cement and Concrete Research, 2005.
77. Kawai, K., Yamaji, S. and Shinmi, T. "Concrete Deterioration Caused by Sulfuric Acid Attack", International Conference on Durability of Building Materials and Components (10DBMC) LYON [France], pp. 17-20, 2005.
78. Keiichi Imamoto, Sumie Ishii and Masanao Arai "Drying shrinkage properties of concretes with several kinds of aggregates and the influence of specific surface areas of the aggregates", Journal of Structural and Construction Engineering, AIJ, No. 606, pp. 9-14, 2006.
79. Keiichi Imamoto and Masanao Arai "Specific surface area of aggregate and its relation to concrete drying shrinkage", Materials and Structures, Vol. 41, pp. 323-333, 2008.
80. Kim, H, Haas, C. T, Rauch A. F. and Browne, C. "A Prototype Laser Scanner for Characterizing Size and Shape Parameters in Aggregates", ICAR 9th Annual Symposium, 2001.
81. Kome Shomglin, Paulo Monteiro and John Harvey "Accelerated Laboratory Testing for High Early Strength Concrete for Alkali Aggregate Reaction" California Department of Transportation, University of California at Berkeley, Institute of Transportation Studies, Pavement Research Center, July 2001.

82. Kosmatka, S. H., Kerkhoff, B. and Panarese, W. C. "Design and Control of Concrete Mixtures", Portland Cement Association, Skokie, Illinois, 2002.
83. Kurashige, I. "Mechanism and Prediction Method for Deterioration of Concrete due to Sulfuric Acid", Doctoral dissertation thesis in Tokyo University, Japan, 2002.
84. Lamb, M.J. "Design guide for applications of sandstone quarry sand in South Wales", Virigis Report VR8, TRL Limited, 2005.
85. Logan Andrew Thomas "Short-Term Material Properties of High-Strength Concrete", M.S Thesis, North Carolina State University, Department of Civil, Construction, and Environmental Engineering, 2005.
86. Machemehl, C. A. "Solving the fines problem", ICAR 5th Annual Symposium, 1997.
87. Malathy. R "Effect of mineral admixtures on the strength, durability and self compactability of high performance concrete", Ph.D thesis submitted to the Bharathiar University, 2004.
88. Marek, C. R. "Importance of fine aggregate shape and grading on properties of concrete", ICAR 3rd annual symposium, 1995.
89. Mark James Krinke "The Effect of Admixtures in Concrete Containing Manufactured Sand", Research Project towards the degree of Bachelor of Civil Engineering, Faculty of Engineering and Surveying, University of Southern Queensland, pp. 1-71, 2004.
90. Mitchell, C. and Benn, A. "Quarry fines minimisation: Process optimization", casestudy1:URL<http://www.goodquarry.com/documents/case_study_1.pdf>. Access date:[13-09-2007].
91. Mitchell, C. (2007a). "Quarry Fines Minimisation": MA/4/5/003, British Geological Survey, Nottingham.URL<http://www.mist.org.uk/research_projects/final_reports/final_report_ma_4_5_003.pdf>. Access date: [18/12/2007].
92. Nagaraj, T.S. and Zahida Banu "Efficient Utilization of rock dust and pebbles as Aggregates in Portland Cement Concrete", The Indian Concrete Journal, pp. 53-56, 1996.

93. Naidu, R.S., Zain, M.F.M. and Tan, K.S. "Strength and elasticity of concrete incorporating quarry dust and mineral admixtures", Proceedings of the 3rd International Conference on Advances in Strategic Technologies, Kuala Lumpur, Malaysia, pp. 1179-1184, 2003.
94. Nataraja, M.C., Nagaraj, T.S. and Ashok Reddy "Proportioning Concrete Mix with Quarry Wastes", Cement Concrete and Aggregate Journal, Vol. 23, No. 2, pp. 81-87, 2001.
95. Nataraja, M. C and Nalanda, Y "Performance of industrial by-products in controlled low-strength materials (CLSM)", Waste Management, pp. 787-791, 2007.
96. Nguyen Thanh Sang and Pham Duy Huu "An Experimental Research on Sand concrete in Mekong Delta", 3rd ACF International Conference- ACF/VCA, pp. 455-461, 2008.
97. Nisnevich, M., Sirotin, G. and Eshel, Y. "Light weight concrete containing thermal power station and stone quarry waste", Magazine of Concrete Research, Vol. 55, No. 4, pp. 313-320, 2003.
98. Pacheco-Torgal, F., Castro-Gomes, J.P. and Lopes, S.M.R., "Experimental Study of Concrete Durability Parameters produced with Different Types of Aggregates" XXX IAHS World Congress on Housing Construction – An Interdisciplinary Task, 2002.
99. Palani Raj, S. "Manufactured sand", Proceedings of the INCONTEST 2003, Kumaraguru College of Technology, Coimbatore, 2003.
100. Pedro Quiroga, N. Namshik Ahn and David Fowler, W. "Concrete Mixtures with High Microfines", ACI Materials Journal, pp. 103-108, 2006.
101. Persson, A.L. "Image analysis of shape and size of fine aggregates", Engineering Geology, Vol. 50, pp. 177-186, 1998.
102. Petavratzi, E. "An assessment of dust generation from ores", PhD Thesis, University of Nottingham. Nottingham, 2006.
103. Pofale, A.D. and Kulkarni, S.S. "Comparative Study of strength properties of concrete mixes with natural sand replaced fully or partially by crushed stone powder from aggregate crushing plant waste." Indian Concrete Institute, Bangalore, pp. 227-240, 1998.

104. Prachoom Khamput “A Study of Compressive Strength of Concrete used Quarry Dust to Replace Sand”, Technology and Innovation for Sustainable Development Conference (TISD2006), Faculty of Engineering, Khon Kaen University, Thailand, 2006.
105. Quiroga, P.N “The effect of the aggregate characteristics on the performance of portland cement concrete”, Ph.D. Dissertation, University of Texas at Austin, 2003.
106. Raman, S.N., Zain, M.F.M. and Mahmud, H.B “Influence of quarry dust and mineral admixtures on the 28th day initial surface absorption of concrete in Sustainable Development in Concrete Technology”, Proceedings of the Seventh International Conference on Concrete Technology in Developing Countries, Kuala Lumpur, Malaysia, pp. 33-42, 2004.
107. Revathi, V., Narasimha, V.L. and Jayanthi, S. “Studies on the Performance of Quarry Waste in Flowable Fly Ash-Gypsum Slurry”, Modern Applied Science, Vol. 3, No. 2, pp. 102-106, 2009.
108. Safiuddin Md, Raman, S.N. and Zain, M.F.M. “Utilization of Quarry Waste Fine Aggregate in Concrete Mixtures”, Journal of Applied Sciences Research, Vol. 3, No. 3, pp. 202-208, 2007.
109. Safiuddin, M., Zain, M.F.M., Mahmud, M.F. and Naidu, R.S. “Effect of quarry dust and mineral admixtures on the strength and elasticity of concrete”, Proceedings of the Conference on Construction Technology, Kota Kinabalu, Sabah, Malaysia, pp. 68-80, 2001.
110. Sahu A.K., Sunil Kumar and Sachan A.K “Quarry Stone Waste as Fine aggregate for concrete”, The Indian Concrete Journal, pp. 845-848, 2003.
111. Salvador Villalobos, Lange, D.A. and Roesler, J.R. “Evaluation, testing and comparison between the crushed manufactured sand and natural sand”, Technical Note, Dept of Civil and Environmental Engineering, University of Illinois, pp. 1-6, 2005.
112. Sawich, Z. and Heng, S.S. “Durability of concrete with addition of lime stone powder”, Magazine of Concrete Research, Vol. 48, No. 175, pp. 131-137, 1996.
113. Shahul Hameed, M. and Sekar, A.S.S. “Properties of green concrete containing quarry rock dust and marble sludge powder as fine

- aggregate”, *ARPJ Journal of Engineering and Applied Sciences*, ISSN 1819-6608, Vol. 4, No. 4, pp. 83 -89, 2009.
114. Shewaferaw Dinku Belay “The use of manufactured sand in concrete production”, M.S. Thesis, Addis Ababa University, July 2006.
 115. Shukla, A.K. and Sachan, A.K. “Performance of stone dust as fine aggregate replacing sand in concrete and mortar”, *National Seminar on Advances in Special Concretes*, Indian Concrete Institute, Bangalore, pp. 241-248, 1998.
 116. Shukla, M., Sahu, A.K., Srivastava, A.K. and Sachan, A.K. “Studies on Strength and Behaviour of Concrete by Using Stone Dust as Fine aggregate”, *Proceedings of National Seminar on Advances in Cement and Concrete*, pp. 38-43, 2000.
 117. Smith, J. O. and Slaughter, P. “Uses of by-product fines”, *ICAR 4th Annual Symposium*, 1996.
 118. St John, D.A., Poole, A.B. and Sims, I. “Concrete Petrography: A Handbook of Investigative Techniques”, London, Arnold, 1998.
 119. Sven-Henrik Norman “Sand solutions: Replacing natural sand in concrete”, *Special Report*, pp. 24-26, 2008.
 120. Tan, K.S., Zain, M.F.M., Yusof, K.M., Safiuddin, M., Chang, T.Y. and Lee, K.S. “Influence of quarry dust and silica fume on the properties of high performance concrete”, *Proceedings of the Second International Conference on Advances in Strategic Technologies*, Bangi, Selangor, Malaysia, pp. 1563-1572, 2000.
 121. Tony Thomas “Manufactured Sand – A sustainable Solution”, *Boral ACM*, pp. 1-21.
 122. Topçu, B. and Uurlu, A. “Effect of the use of mineral filler on the properties of concrete”, *Cement and concrete research*, Vol. 33, pp. 1071-1075, 2003.
 123. Ueda, H., Takata, J. and Tatematsu, H. “Deterioration mechanism of hardened cement paste by various acids”, *Proceedings of the Japan Concrete Institute*, Vol. 18, No. 1, pp. 879-884, 1996.

124. University of Leeds (2007a), “Goodquarry”, URL < [http://www.goodquarry.com/article.aspx id=31&navid=11](http://www.goodquarry.com/article.aspx?id=31&navid=11)>, Access date:[31-AUG-2007].
125. University of Leeds (2007c). Production goodpractice, URL < [http://www.goodquarry.com/article.aspx id=155&navid=19](http://www.goodquarry.com/article.aspx?id=155&navid=19)>. Access date: [13-09-2007].
126. Vasumathi, A.M. “A study on the strength of the concrete by partial replacement of cement with fly ash and sand with quarry dust”, Proceedings of National Seminar on Futuristics in Concrete and Construction Engineering,(NSFCCE), S.R.M Engineering College, Chennai, pp. 8-14, 2003.
127. Watson, D. “Georgia's experience with increasing the use of fines in concrete”, ICAR 7th annual symposium, 1999.
128. Wills, B. A. Mineral Processing Technology: An introduction to the practical aspects of ore treatment and mineral recovery. Butterworth-Heinemann, 6th Edition, p. 486, 1997.
129. Wilson, M.A., Taylor, S.C. and Hoff, W.D. “The initial surface absorption test (ISAT): an analytical approach”, Magazine of Concrete Research, Vol. 50, No. 2, pp. 179-185, 1998.
130. Wissam Elias Touma, B.S. “The Alkali – Silica reaction in Portland cement Concrete: Testing Methods and Mitigation Alternatives”, Dissertation, Presented to the Faculty of the Graduate School of The University of Texas at Austin, August 2000.
131. Yilmaz Akkaya “Effect of Sand Addition on Properties of Fibre – Reinforced Cement Composites”, ACI Material Journal, pp. 393-397, 2000.
132. Zain, M.F.M., Raman, S.N. and Safiuddin, M. “Influence of partial replacement of sand with quarry dust on the properties of fresh high performance concrete (in Malay)”, Journal Kejuruteraan, Vol. 12, pp. 21- 30, 2000.
133. Zhou Mingkai, Wang Jiliang, Zhu Lide and He Tusheng “Effects of Manufactured-sand on Dry Shrinkage and Creep of High-strength Concrete”, Journal of Wuhan University of Technology-Material Science, Ed., pp. 323-328, 2008.