

BIBLIOGRAPHY

- [1] J. Owen, "The digitization of information resources," in *Information Science and Knowledge Management*. Netherlands, Netherlands: Springer, 2006, ch. 4, pp. 93-130.
- [2] T. Dimond, "Devices for reading handwritten characters," in *Eastern joint computer conference: Computers with deadlines to meet*, Washington, D.C., 1957, pp. 232-237.
- [3] S. He and L. Schomaker, "Beyond OCR: Multi-faceted understanding of handwritten document characteristics," *Pattern Recognition*, vol. 31, no. 63, pp. 321-333, Mar 2017.
- [4] U. Pal, T. Wakabayashi, and F. Kimura, "Comparative study of Devnagari handwritten character recognition using different feature and classifiers," in *International Conference on Document Analysis and Recognition*, Barcelona, 2009, pp. 1111-1115.
- [5] N. Das et al., "Handwritten Bangla basic and compound character recognition using MLP and SVM classifier," *Journal of Computing*, vol. 2, no. 2, pp. 109-115, February 2010.
- [6] L. Ragha, "Handwritten character recognition for Indian languages," PhD Thesis 2011.
- [7] B. Verma, "A contour code feature based segmentation for handwriting recognition," in *Proceedings of the Seventh International Conference on Document Analysis and Recognition (ICDAR 2003)*, Edinburgh, UK, 2003, pp. 1203-1207.
- [8] B. Verma, M. Blumenstein, and S. Kulkarni, "Recent achievements in off-line handwriting recognition systems," in *International Conference on Computational Intelligence and Multimedia Applications*, 1998, pp. 27-33.
- [9] H. Fujisawa, "Forty years of research in character and document recognition—an industrial perspective," in *Pattern Recognition*, FL, USA,

2008, pp. 2435-2446.

- [10] N. Arica and F. Yarman-Vural, "An overview of character recognition focused on off-line handwriting," *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 31, no. 2, pp. 216-233, May 2001.
- [11] B. B. Chaudhuri, U. Pal, and M. Mitra, "Automatic recognition of printed Oriya script," *Sadhana*, vol. 27, no. 1, pp. 23-34, February 2002.
- [12] K. Y. Wong, R. G. Casey, and F. M. Wahl, "Document analysis system," *IBM journal of research and development*, vol. 26, no. 6, pp. 647-656, November 1982.
- [13] C. Liu, S. Jaeger, and M. Nakagawa, "Online recognition of Chinese characters: the state-of-the-art," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 26, no. 2, pp. 198-213, June 2004.
- [14] T. Araki, S. Ikehara, N. Tsukahara, and Y. Komatsu, "An evaluation of a method to detect and correct erroneous characters in Japanese input through an OCR using Markov models," in *fourth conference on Applied natural language processing*, 1994, pp. 198-199.
- [15] D. Patel, T. Som, S. Yadav, and M. Singh, "Handwritten character recognition using multiresolution technique and euclidean distance metric," *Journal of Signal and Information Processing*, vol. 3, no. 2, pp. 208-214, May 2012.
- [16] D. Shi, Rl. Damper, and SR. Gunn, "Offline handwritten Chinese character recognition by radical decomposition," *ACM Transactions on Asian language information processing*, vol. 2, no. 1, pp. 27-48, Mar 2003.
- [17] L. Chen, S. Wang, W. Fan, J. Sun, and S. Naoi, "Beyond human recognition: A CNN-based framework for handwritten character recognition," in *3rd IAPR Asian Conference on Pattern Recognition*, Kuala Lumpur, 2015, pp. 695-699.
- [18] KC, Nguyen and M. Nakagawa, "Text-line and character segmentation for offline recognition of handwritten Japanese text," *IEICE technical report*, vol. 115, no. 517, pp. 53-58, March 2016.

- [19] S. Kulkarni, P. Borde, R. Manza, and P. Yannawar, "Review on recent advances in automatic handwritten MODI script recognition," *International Journal of Computer Applications*, vol. 115, no. 19, pp. 5-12, April 2015.
- [20] R. Gandhi and K. Iyakutti, "A technique for segmentation over overlapping line of uniform sized text on non-headline based distorted Tamil scripts," *Int. J. of Advanced Networking and Applications*, vol. 2, no. 2, pp. 491-495, September 2010.
- [21] R. J. Kannan, R. Prabhakar, and R. M. Suresh, "Off-line cursive handwritten Tamil character recognition," in *International Conference on Security Technology*, Sanya, 2008, pp. 159-164.
- [22] U. Pal and S. Datta, "Segmentation of Bangla unconstrained handwritten text," in *Seventh International Conference on Document Analysis and Recognition*, DC, 2003, pp. 1128-1132.
- [23] N. Tripathy and U. Pal, "Handwriting segmentation of unconstrained Oriya text," *Sadhana*, vol. 31, no. 6, pp. 755-769., December 2006.
- [24] S. Dixit and S. Narayan, "Segmentation of Kannada handwritten text line through computation of variance," *International Journal of Computer Science and Information Security*, vol. 12, no. 2, pp. 56-60, February 2014.
- [25] H. Mamatha and K. Srikantamurthy, "Morphological operations and projection profiles based segmentation of handwritten Kannada document," *International Journal of Applied Information Systems*, vol. 4, no. 5, pp. 13-19, October 2012.
- [26] A. Alaei, P. Nagabhushan, and U. Pal, "A benchmark Kannada handwritten document dataset and its segmentation," in *International Conference on Document Analysis and Recognition*, Beijing, 2011, pp. 141-145.
- [27] C. Patel and A. Desai, "Gujarati handwritten character recognition using hybrid method based on binary tree-classifier and k-nearest neighbour," *International Journal of Engineering Research and Technology*, vol. 2, no. 6,

pp. 2337-2345, June 2013.

- [28] J. R. Prasad and U. V. Kulkarni, "Gujarati character recognition using adaptive neuro fuzzy classifier," in *International Conference on Electronic Systems, Signal Processing and Computing Technologies*, Nagpur, 2014, pp. 402-407.
- [29] A. R. Vasant, S. R. Vasant, and G. R. Kulkarni, "Performance evaluation of different image sizes for recognizing offline handwritten Gujarati digits using neural network approach," in *International Conference on Communication Systems and Network Technologies*, 2012, pp. 270-273.
- [30] M. J. Baheti and K. V. Kale, "Recognition Of Gujarati numerals using hybrid approach and neural networks," in *International Conference On Recent Trends In Engineering & Technology*, Coimbatore, 2013, pp. 12-17.
- [31] M. Goswami and S. Mitra, "Offline handwritten Gujarati numeral recognition using low-level strokes," *International Journal of Applied Pattern Recognition*, vol. 2, no. 4, pp. 353-379, April 2015.
- [32] S. Antani and L. Agnihotri, "Gujarati character recognition. In Document Analysis and Recognition," in *Fifth International Conference on Document Analysis and Recognition*, Bangalore, 1999, pp. 418-421.
- [33] M. Baheti and K. Kale, "Gujarati numeral recognition: affine invariant moments approach," in *International Conference on Recent Trends in Engineering & Technology*, Chennai, 2012, pp. 140-146.
- [34] A. Desai, "Gujarati handwritten numeral optical character reorganization through neural network," *Pattern Recognition*, vol. 43, no. 7, pp. 2582-2589, February 2010.
- [35] M. Kayasth and B. Patel, "Offline typed Gujarati character recognition," *National Journal of System and Information Technology*, vol. 2, no. 1, pp. 73-82, June 2009.
- [36] A. Negi and K. Murthy, "Issues of document engineering in the Indian context," University of Hyderabad, Hyderabad, Research Report supported by

- University Grants Commission under the Project "Language Engineering Research" under UPE scheme 2004.
- [37] S. Rohini, RS. UD, and S. Mohanavel, "Segmentation of touching, overlapping, skewed and short handwritten text lines," *International Journal of Computer Applications*, vol. 49, no. 19, pp. 24-27, January 2012.
- [38] J. Dholakia, A. Negi, and S. R. Mohan, "Zone identification in the printed Gujarati text," in *8th International Conference on Document Analysis and Recognition*, Seoul, 2005, pp. 272-276.
- [39] A. Jain, *Fundamental of Digital Image Processing*. New Delhi, India: PHI Learning, 2012.
- [40] P. Krishnan, N. Sankaran, A. Singh, and C. Jawahar, "Towards a robust OCR system for Indic scripts," in *International Workshop on Document Analysis Systems*, Hyderabad, 2014, pp. 141-145.
- [41] S. Mori, C. Suen, and K. Yamamoto, "Historical review of OCR research and development," in *IEEE*, vol. 21, 1992, pp. 1029-1058.
- [42] A. W. Senior, "Off-line cursive handwriting recognition using recurrent neural networks," University of Cambridge, Cambridge, PhD Thesis 1994.
- [43] S. N. Srihari, "High-performance reading machines," in *Proceedings of the IEEE*, 1992, pp. 1120-1132.
- [44] C. Tappert, C. Suen, and T. Wakahara, "The state of the art in online handwriting recognition," *IEEE Transactions on pattern analysis and machine intelligence*, vol. 12, no. 8, pp. 787-808, August 1990.
- [45] K. Moro, M. Fakir, El. Kessab, B. Bouikhalene, and C. Daoui, "Gujarati handwritten numeral optical character through neural network and skeletonization," *Jurnal Sistem Komputer*, vol. 3, no. 1, pp. 40-43, June 2013.
- [46] V. Govindan and A. Shivaprasad, "Character recognition—a review," *Pattern recognition*, vol. 23, no. 7, pp. 671-683, June 1989.
- [47] H. F. Schantz, *History of OCR, optical character recognition.:* Recognition

Technologies Users Association, 1982.

- [48] G. Nagy, "At the frontiers of OCR," in *Proceedings of the IEEE*, vol. 80, 1992, pp. 1093 - 1100.
- [49] J. C. Simon, "Off-line cursive word recognition," in *Proceedings of the IEEE*, 1992, pp. 1150-1161.
- [50] C. Suen, R. Legault, C. Nadal, M. Cheriet, and L. Lam, "Building a new generation of handwriting recognition systems," *Pattern Recognition Letters*, vol. 14, no. 4, pp. 303-315, April 1993.
- [51] Y. Huang and C. Suen, "A method of combining multiple experts for the recognition of unconstrained handwritten numerals," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 17, no. 1, pp. 90-94, May 1995.
- [52] S. Rajashekararadhya and P. Ranjan, "Handwritten numeral/mixed numerals recognition of South-Indian scripts: The zone-based feature extraction method," *Journal of Theoretical & Applied Information Technology*, vol. 6, no. 3, pp. 59-75, January 2009.
- [53] Y. Xu and G. Nagy, "Prototype extraction and adaptive OCR," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 21, no. 12, pp. 1280-1296, December 1999.
- [54] R. Bozinovic and S. Srihari, "Off-line cursive script word recognition," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 11, no. 1, pp. 68-83, Jan 1989.
- [55] R. Plamondon and S. Srihari, "Online and off-line handwriting recognition: a comprehensive survey ," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 22, no. 1, pp. 63 - 84, Jan 2000.
- [56] K. Roy, S. Vajda, U. Pal, and B. Chaudhari, "A System towards Indian Postal Automation," in *Ninth International Workshop on Frontiers in Handwriting Recognition*, Tokyo, 2004, pp. 580-585.

- [57] E. Lecolinet and O. Baret, "Cursive word recognition: Methods and strategies," *Fundamentals in Handwriting Recognition*, vol. 134, pp. 235-263, 1994.
- [58] V. Govindaraju, R. Srihari, and S. Srihari, "Handwritten text recognition," in *Document Analysis Systems*, Kaiserslautern, 1994, pp. 157-171.
- [59] H. Thaker, "Analysis and recognition of handwritten character and its patterns.," Rajkot, PhD Thesis 2015.
- [60] P. Wong and C. Chan, "Off-line handwritten Chinese character recognition as a compound Bayes decision problem," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 20, no. 9, pp. 1016-1023, Sep 1998.
- [61] J. H., Ren, J., Jiang, J., Al-Muhtaseb, H. AlKhateeb, "Offline handwritten Arabic cursive text recognition using Hidden Markov Models and re-ranking," *Pattern Recognition Letters*, vol. 32, no. 8, pp. 1081-1088, June 2011.
- [62] B. Gatos, I. Pratikakis, A. L. Kesidis, and S. J. Perantonis, "Efficient off-line cursive handwriting word recognition," in *10th International workshop on frontiers in handwriting recognition*, La Baule, 2006.
- [63] J. Dasgupta, K. Bhattacharya, and B. Chanda, "A holistic approach for Off-line handwritten cursive word recognition using directional feature based on Arnold transform," *Pattern Recognition Letters*, vol. 19, no. 1, pp. 73-79, August 2016.
- [64] T. Steinherz, E. Rivlin, and N. Intrator, "Offline cursive script word recognition—a survey," *International Journal on Document Analysis and Recognition*, vol. 2, no. 2, pp. 90-110, Dec 1999.
- [65] R. C. Gonzalez and R. E. Woods, *Digital image processing*, 3rd ed.: Pearson Education, 2009.
- [66] J. Kothari and C. Kumbharana, "A phonetic study for constructing a database of Gujarati characters for speech synthesis of Gujarati text," *International Journal of Computer Applications*, vol. 117, no. 19, pp. 6-11, May 2015.

- [67] H. Thaker and C. Kumbharana, "Analysis of structural features and classification of Gujarati consonant for offline character recognition," *International Journal of Scientific and Research Publications*, vol. 4, no. 8, pp. 1-5, August 2014.
- [68] L. Otsu, "A threshold selection method from gray-level histogram," *IEEE Transactions on Systems, Man and Cybernetics*, vol. 9, no. 1, pp. 62-66, January 1979.
- [69] R. Babu, P. Kumar, and M. Dhannawat, "Skew angle estimation and correction of handwritten, textual and large areas of non-textual document images: A novel approach," *IPCV*, pp. 510-515, 2006.
- [70] E. M. Nel, J. A. du Preez, and B. M. Herbst, "A pseudo-skeletonization algorithm for static handwritten scripts," *International Journal of Document Analysis and Recognition*, vol. 12, no. 1, pp. 47-62, May 2009.
- [71] L. Lam, S. W. Lee, and C. Y. Suen, "Thinning methodologies-a comprehensive survey," *IEEE Transactions on pattern analysis and machine intelligence*, vol. 14, no. 9, pp. 869-885, September 1992.
- [72] A. Desai, "Support vector machine for identification of handwritten Gujarati alphabets using hybrid feature space," *CSI transactions on ICT*, vol. 2, no. 4, pp. 235-241, January 2015.
- [73] C. K. Cheng and M. Blumenstein, "Improving the segmentation of cursive handwritten words using ligature detection and neural validation," in *4th Asia Pacific international symposium on information technology*, Gold Coast, 2005, pp. 56-59.
- [74] L. Fletcher and R. Kasturi, "A robust algorithm for text string separation from mixed text/graphics images," *IEEE transactions on pattern analysis and machine intelligence*, vol. 10, no. 6, pp. 910-918, November 1988.
- [75] R. G. Casey and E. Lecolinet, "A survey of methods and strategies in character segmentation," *IEEE transactions on pattern analysis and machine*

- intelligence*, vol. 18, no. 7, pp. 690-706, July 1996.
- [76] D. X. Ni, "Application of neural networks to character recognition," in *Proceedings of students/faculty research day*, 2007.
- [77] M. Maloo and K. Kale, "Support vector machine based Gujarati numeral recognition," *International Journal on Computer Science and Engineering*, vol. 3, no. 7, pp. 2595-2600, July 2011.
- [78] J. Sima, "Introduction to Neural Networks," Institute of Computer Science, Academy of Sciences of the Czech Republic, Czech Republic, Technical Report 1998.
- [79] V. L. Lajish, "Handwritten character recognition using perceptual fuzzy-zoning and class modular neural networks," in *4th International Conference on Innovations in Information Technology*, 2007, pp. 188-192.
- [80] P. Daniels and W. Bright, *The world's writing systems*. New York, USA: Oxford University Press, 1996.
- [81] W. Tisdall, *A Simplified Grammar of the Gujarati Language : together with A short reading book and vocabulary*. London, England, 1892.
- [82] M. Kayasth, "Recongition and transformation of a Gujarati text paper document into electronic form," Veer Narmad South Gujarat University, Surat, India, PhD Thesis 2010.
- [83] K. Varghese, A. James, and S. Chandran, "A novel tri-stage recognition scheme for handwritten malayalam character recognition," *Procedia Technology*, vol. 24, pp. 1333-1340, Dec 2016.
- [84] De Stefano, Fontanella F., Marrocco C., and A. Scotto di Freca, "A GA-based feature selection approach with an application to handwritten character recognition," *Pattern Recognition Letters*, vol. 35, pp. 130-141, 2014.
- [85] A. H. Choksi and S. P. Thakkar, "Recognition of similar appearing Gujarati characters using fuzzy-knn algorithm," *International Journal of Computer Applications*, vol. 55, no. 6, pp. 12-17, January 2012.

- [86] A. Sharma, D. Adhyaru, and T. Zaveri, "Chain code feature based recognition of handwritten Gujarati numerals," *International Journal of Advanced Research in Computer Science*, vol. 8, no. 1, pp. 74-77, January 2017.
- [87] C. Patel and A. Desai, "Extraction of characters and modifiers from handwritten Gujarati words," *International Journal of Computer Applications*, vol. 73, no. 3, pp. 7-12, July 2013.
- [88] S. Chaudhari and R. Gulati, "Segmentation problems in handwritten Gujarati text," *In International Journal of Engineering Research and Technology*, vol. 3, no. 1, pp. 1937-1942, January 2014.
- [89] Y. Lu, "Machine printed character segmentation-An overview," *Pattern recognition*, vol. 28, no. 1, pp. 67-80, January 1995.
- [90] A. Lemaitre, J. Camillerapp, and B. Coüason, "A perceptive method for handwritten text segmentation," in *Document recognition and retrieval XVIII - Electronic Imaging*, San Francisco, 2011, p. 7874 0C.
- [91] R. P. dos Santos, G. S. Clemente, T. I. Ren, and G. D. Cavalcanti, "Text line segmentation based on morphology and histogram projection," in *10th International Conference on Document Analysis and Recognition*, Barcelona, 2009, pp. 651-655.
- [92] L. Sulem, A. Zahour, and B. Taconet, "Text line Segmentation of Historical Documents: a Survey," *International Journal on Document Analysis and Recognition*, vol. 9, no. 2, pp. 123-138, April 2007.
- [93] A. Nicolaou and B. Gatos, "Handwritten text line segmentation by shredding text into its lines," in *10th International Conference on In Document Analysis and Recognition*, Bcelona, 2009, pp. 626-630.
- [94] Y. Pu and Z. Shi, "A natural learning algorithm based on Hough transform for text lines extraction in handwritten documents," in *6th International Workshop on Frontiers in Handwriting Recognition*, Taejon, 1998, pp. 637-646.

- [95] L. Likforman-Sulem, A. Hanimyan, and C. Faure, "A Hough based algorithm for extracting text lines in handwritten documents," in *3rd International Conference on Document Analysis and Recognition*, Montreal, Canada, 1995, pp. 774-777.
- [96] Z. Shi and V. Govindaraju, "Historical document image enhancement using background light intensity normalization," in *17th International Conference on Pattern Recognition*, Cambridge, 2004, pp. 473-476.
- [97] V. Papavassiliou, T. Stafylakis, V. Katsouros, and G. Carayannis, "Handwritten document image segmentation into text lines and words," *Pattern Recognition*, vol. 43, no. 1, pp. 369-377, Jan 2010.
- [98] G. A. Samra, K. Jambi, H. Al-Barhamtoshy, R. Amer, and I. Al-Bidewi, "A comprehensive algorithm for segmenting handwritten Arabic scripts in off-line systems," in *Document Recognition and Retrieval XVIII*, 2011.
- [99] K. Bhattacharyya and K. Sarma, "ANN-based innovative segmentation method for handwritten text in Assamese," *International Journal of Computer Science Issues*, vol. 5, pp. 1694-0784, November 2009.
- [100] V. Hole, L. Ragha, and P. Hole, "Text line and word segmentation of Indian Script Handwritten Document," in *International Conference & Workshop on Recent Trends in Technology*, Mumbai, 2012, pp. 25-32.
- [101] A. Alaei, U. Pal, and P. Nagabhushan, "A new scheme for unconstrained handwritten text-line segmentation," *Pattern Recognition*, vol. 44, no. 4, pp. 917-928, April 2011.
- [102] A. Ramteke and M. Rane, "Offline handwritten Devanagari script segmentation," *International Journal of Scientific & Technology Research*, vol. 1, no. 4, pp. 142-145, May 2012.
- [103] A. Singh and E. Singh, "Line segmentation of handwritten documents written in Gurumukhi script," *International Journal of Application or Innovation in Engineering & Management*, vol. 2, no. 8, pp. 314-317, August 2013.

- [104] M. Kumar, M. Jindal, and R. Sharma, "Segmentation of isolated and touching characters in offline handwritten gurmukhi script recognition," *International Journal of Information Technology and Computer Science*, vol. 6, no. 2, pp. 58-63, January 2014.
- [105] R. Sarkar et al., "Word extraction and character segmentation from text lines of unconstrained handwritten Bangla document images," *Journal of Intelligent Systems*, vol. 20, no. 3, pp. 227-260, November 2011.
- [106] M. R. Kumar, N. N. Shetty, and B. P. Pragathi, "Text line segmentation of handwritten documents using clustering method based on thresholding approach," in *National Conference on Advanced Computing and Communications*, Durgapur, 2012, pp. 9-12.
- [107] U. Pal, A. Belaid, and Ch. Choisy, "Touching numeral segmentation using water reservoir concept," *Pattern Recognition Letters*, vol. 24, no. 1, pp. 261-272, January 2003.
- [108] A. L. Koerich and P. R. Kalva, "Unconstrained handwritten character recognition using metaclasses of characters," in *International Conference on Image Processing*, vol. 2, Genova, 2005, pp. II-542.
- [109] V. Shapiro, G. Gluhchev, and V. Sgurev, "Handwritten document image segmentation and analysis," *Pattern recognition Letters*, vol. 14, no. 1, pp. 71-78, January 1993.
- [110] S. Saha, N. Paul, S. K. Das, and S. Kundu, "Optical character recognition using 40-point feature extraction and artificial neural network," *International Journal of Advanced Research in Computer Science and Software Engineering*, vol. 3, no. 4, pp. 495-502, April 2013.
- [111] V. L. Sahu and B. Kubde, "Offline English hand written character recognition using neural network," *International Journal of Scientific Research in Computer Science*, vol. 1, no. 2, pp. 16-20, September 2013.
- [112] E. Kavallieratou, N. Fakotakis, and G. Kokkinakis, "Handwritten character

- recognition based on structural characteristics," in *16th International Conference on Pattern Recognition*, vol. 3, Quebec, Canada, 2002, pp. 139-142.
- [113] D. Sharma and D. Gupta, "Isolated handwritten digit recognition using adaptive unsupervised incremental learning technique," *International Journal of Computer Applications*, vol. 7, no. 4, pp. 27-33, September 2010.
- [114] J. Pradeep, E. Srinivasan, and S. Himavathi, "Diagonal based feature extraction for handwritten character recognition system using neural network," in *3rd International Conference on Electronics Computer Technology*, Kanyakumari, 2011, pp. 364-368.
- [115] L. Dinges, A. Al-Hamadi, M. Elzobi, Z. Al Aghbari, and H. Mustafa, "Offline automatic segmentation based recognition of handwritten arabic words," *International Journal of Signal Processing, Image Processing and Pattern Recognition*, vol. 4, no. 4, pp. 131-143, December 2011.
- [116] B. K. Prasad and G. Sanyal, "A model approach to off-line English character recognition. ," *International Journal of Scientific and Research Publications*, vol. 6, no. 2, pp. 1-6, June 2012.
- [117] K. Khan, R. Ullah, N. A. Khan, and K. Naveed, "Urdu character recognition using principal component analysis," *International Journal of Computer Applications*, vol. 60, no. 11, pp. 1-4, Jan 2012.
- [118] K. V. Kale, P. D. Deshmukh, S. V. Chavan, M. M. Kazi, and Y. Rode, "Zernike moment feature extraction for handwritten Devanagari compound character recognition.," in *Science and Information Conference*, London, 2013, pp. 459-466.
- [119] M. Mendapara and M. Goswami, "Stroke identification in Gujarati text using directional feature," in *International Conference on Green Computing Communication and Electrical Engineering*, Coimbatore, 2014, pp. 1-5.
- [120] B. Su, S. Lu, and C. Tan, "Robust document image binarization technique for

- degraded document images," *IEEE transactions on image processing*, vol. 22, no. 4, pp. 1408-1417, April 2013.
- [121] D. Fernández-Mota, J. Lladós, and A. Fornés, "A graph-based approach for segmenting touching lines in historical handwritten documents," *International Journal on Document Analysis and Recognition*, vol. 17, no. 3, pp. 293-312, September 2014.
- [122] N. Nikolaou, M. Makridis, B. Gatos, N. Stamatopoulos, and N. Papamarkos, "Segmentation of historical machine-printed documents using Adaptive Run Length Smoothing and skeleton segmentation paths.," *Image and Vision Computing*, vol. 28, no. 4, pp. 590-604, April 2010.
- [123] K. Kuzhinjedathu, H. Srinivasan, and S. Srihari, "Robust line segmentation for handwritten documents," in *Document Recognition and Retrieval XV, Electronic Imaging Science and Technology*, vol. 6815, New York, 2008.
- [124] S. Singh and M. Hewitt, "Cursive digit and character recognition in CEDAR database," in *15th International Conference on Pattern Recognition*, Spain, 2000, pp. 569-572.
- [125] J. Prasad. Data set of handwritten Gujrati characters. [Online]. HYPERLINK "http://tdildc.in/index.php?option=com_download&task=gendownloadLink&requestid=...&token=...&lang=en." [http://tdildc.in/index.php?option=com_download&task=gendownloadLink&requestid=...&token=...&lang=en.](http://tdildc.in/index.php?option=com_download&task=gendownloadLink&requestid=...&token=...&lang=en)
- [126] O. Singh, T. Sinam, O. James, and T. Singh, "Local contrast and mean thresholding in image binarization," *International Journal of Computer Applications*, vol. 51, no. 6, pp. 5-10, August 2012.
- [127] Zuiderveld Karel, "Contrast limited adaptive histogram equalization," in *Graphics gems IV*. San Diego, CA, USA: Academic Press Professional, Inc., 1994, pp. 474-485.
- [128] J. S. Lim, *Two-dimensional signal and image processing*. Englewood Cliffs, NJ:

Prentice Hall, 1990.

- [129] S. Calabretto and Bozzi A., "The philological workstation BAMBI (Better Access to Manuscripts and Browsing of Images)," *International Journal of Digital Information*, vol. 1, no. 3, pp. 1368-7506, January 1998.
- [130] J. He and A. C. Downton, "User-assisted archive document image analysis for digital library construction," in *7th International Conference on Document Analysis and Recognition*, DC, 2003, pp. 498-502.
- [131] E. Oztop, A. Y. Mulayim, V. Atalay, and F. Yarman-Vural, "Repulsive attractive network for baseline extraction on document images," *Signal Processing*, vol. 75, no. 1, pp. 1-10, April 1999.
- [132] Y. H. Tseng and H. J. Lee, "Recognition-based handwritten Chinese character segmentation using a probabilistic Viterbi algorithm," *Pattern Recognition Letters*, vol. 20, no. 8, pp. 791-806, August 1999.
- [133] V. Katsouros and V. Papavassiliou, "Segmentation of Handwritten Document Images into Text Lines," in *Image Segmentation*, Pei-Gee. Ho, Ed.: InTech, 2011, ch. 11.
- [134] A. Amin and S. Singh, "Recognition of hand-printed Chinese characters using decision trees/machine learning C4. 5 system," *Pattern Analysis & Applications*, vol. 1, no. 2, pp. 130-141, June 1998.
- [135] K. Mohan and C. V. Jawahar, "A post-processing scheme for malayalam using statistical sub-character language models," in *9th IAPR International Workshop on Document Analysis Systems*, New York, 2010, pp. 493-500.
- [136] G., Kumar and P. K. Bhatia, "A detailed review of feature extraction in image processing systems," in *International Conference on Advanced Computing & Communication Technologies*, Rohatak, 2014, pp. 5-12.
- [137] R. Sachdeva and D. Sharma, "A brief study of feature extraction and classification methods used for character recognition of Brahmi Northern Indian scripts," *International Journal of IT, Engineering and Applied Sciences*

Research, vol. 4, no. 2, pp. 25-29, February 2015.

- [138] S. Sridhar, *Digital Image Processing*. India: Oxford University Press, India, 2016.
- [139] J. R. Prasad, U. V. Kulkarni, and R. S. Prasad, "Offline handwritten character recognition of Gujrati script using pattern matching," in *3rd International Conference on Anti-counterfeiting, Security, and Identification in Communication*, Hong Kong, 2009, pp. 611-615.
- [140] A. Alaei, P. Nagabhushan, and U. Pal, "A new dataset of Persian handwritten documents and its segmentation," in *7th Iranian Conference on Machine Vision and Image Processing*, Tehran, November 2011, pp. 1-5.
- [141] S. Haykin, *Neural Networks: A Comprehensive Foundation*, 2nd ed.: Tsinghua University Press, 2001.
- [142] CT. Liljestrand, "Repetitive Stress Injuries and the Computer Keyboard: If There Still Is No Causal Relationship Between Use and Injury, Is It Wise to Warn?," *The John Marshall Journal of Information Technology & Privacy Law*, vol. 13, no. 3, pp. 391-403, 1995.
- [143] V. Kumar and P. Sengar, "Segmentation of printed text in Devnagari script and Gurmukhi script," *International Journal of Computer Applications*, vol. 3, no. 8, pp. 24-29, June 2010.