

---

**References**

- Accascina, F., Petrucci, S., (1959). Solutions of Electrolytes in Non Aqueous Solvents, *Ric.Sci.Suppl.*, 29, 1383.
- Accascina, F., Swarts, E.L., Mercer, P.L., Kraus, C.A., (1953). The Conductance of Solutions of Salts in Orthodichlorobenzene, *Proc.Nat.Acad. Sci.*, 39,917.
- Adams, D.M., (1967). *Metal Ligand and related Vibrations*, Edward Arnold, London.
- Borun, A., Bald, A, (2012). Conductometric studies of 1-ethyl-3-methylimidazolium tetrafluoroborate and 1-butyl-3-methylimidazolium tetrafluoroborate in N,N-Dimethylformamide at temperatures from 283.15 -318.15K, *J.Chem.Eng.Data*, 57:475-481.
- Akhadov, Y., (1981). *Dielectric Properties of Binary Solutions*. A Data Handbook, Pergamon Press, Oxford, p 274.
- Alpert, N.L., Keiser, W.E., Szymanski, H.A., (1970). *IR-Theory and Practice of Infrared Spectroscopy*, 2nd ed., Plenum Press, New York.
- Aurbach, D., (1999). *Non-Aqueous Electrochemistry*. Marcel Dekker Inc., New York.
- Azzari, M., Kraus, C.A., (1952). Ion association in aqueous solution of 1-1 electrolytes at 25°C, *Chemistry*, Vol. 42:590-596.
- Bag, G.C., Singh, Th.D., Singh, N.M., Singh, N.R., (2009). Ion Pair Association Constants of bis-1-amidino-O-methylurea copper (II) acetate in Aqueous Medium at Different Temperature: A Conductance Study, *Asian journal of Chemistry.*, 21(6):4167-4172.
- Bag, G.C., Singh, N.M., Singh, R.N., (2000). Ion Association of a-alanine bis-biguanide cobalt(III) Iodide in Methanol + Water Mixtures at Different Temperatures, *J. Indian Chem. Soc.*, 77, 146.
- Banewicz, J.J., Maguire, J.A., Shih, P.S., (1968). Spectroscopic study of the propionitrile-iodine molecular complex, *J.Phys.Chem.*, 72, 1960.

- Barthel, J., Wachter, R., Gores, H.J., (1979). *Temperature Dependence of Conductance of Electrolytes in Nonaqueous Solutions*, Modern Aspects of Electrochemistry, pp 1-79
- Barthel, J., Gores, H.J., Watchter, R., (1977). Ion-Ion and Ion-Solvent Interactions. The Chemical Society Faraday Division, General Discussion 64 (Oxford), p. 285
- Bauman, R.P., (1962). *Absorption Spectroscopy*, Wiley, New York.
- Beard, J.H., Plesch, P.H., (1964). The rate constant of a quaternisation in methylene dichloride between 35 and  $-71^{\circ}\text{C}$  and the irrelevance of dielectric constant in kinetics, *J. Chem. Soc.*, 4879.
- Benson, G.S., Gordon, A.R., (1945). A Reinvestigation of the Conductance of Aqueous Solutions of Potassium Chloride, Sodium Chloride, and Potassium Bromide at Temperatures from  $15^{\circ}$  to  $45^{\circ}\text{C}$ . *J. Chem. Phys.*, 13, 473.
- Beronius, P., (1977). Ionic association and Ion-solvent interactions: The conductance of lithium bromide in acetone-water at 15-35 degrees C. *Acta Chem. Scand. Ser.*, 31, 869.
- Berns, D.S., Fuoss, R.M., (1961). Studies of complex perchlorates, *J. Amer. Chem. Soc.*, 83, 1321.
- Berns, D.S., Fuoss, R.M., (1960). The mechanical properties of solid polymers, *J. Amer. Chem. Soc.*, 82, 5585.
- Bezman, I.I., Verhoek, F.H., (1967). Spectroscopic Properties of Inorganic & Organometallic Compounds Vol 1, *J. Amer. Chem. Soc.*, 67, 1330.
- Bhat, J. I., Bindu, P., (1995). Studies on the effect of ethanol on the solvation behaviour of thiamine hydrochloride in water. *J. Ind. Chem. Soc.*, 72, 783.
- Bhattacharyya, D.N., Lee, C.L., Smid, J., Szwarc, M., (1965). Reactivities and Conductivities of Ions and Ion Pairs in Polymerization Processes. *J. Phys. Chem.*, 69, 608.

- Bianchi, H.L., Irene, Dujrvne., Fernandez-Prini, R., (2000). Comparison of electrolytic conductivity theories: Performance of classical and new theories, *J. Sol. Chem.*, **29** (3):237-253.
- Bjerrum, N., (1926). Ionic Association .I. Influence of Ionic Association on the Activity of Ions at a Moderate Degrees of Association, *Kgt,danskeVidensk.Selsk, Math-Pys. Medd.*,**7**: 1-48.
- Blatz, L.A., (1967). Low-Frequency Raman Spectra of Liquids. *J.Chem.Phys.*, 47, 841.
- Bockris, J.O.M., Reddy, A.K.N., (1998). *Modern Electrochemistry*, Plenum Press: New York., Vol. 1, 2<sup>nd</sup> Edition, p 251, 552.
- Bolzan, J.A., Arvia, A.J., (1970). Effect of temperature on the electrical conductance of hydrogen chloride in dimethylsulphoxide, *Electrochim.Acta.*, 15, 39.
- Bonner, O.D., Kim, S.J., Torres, A.L., (1969). The osmotic and activity coefficients of some thioureas in water and in ethylene carbonate, *J.Phys. Chem.*, 73, 1968.
- Born M., (1920). Molecular aspects of halide ion hydration, *Z. Phys. Chem.*.1, 221.
- Bosenseh, H.K., Ramsey, J.B., (1965). Ion pair association in isodielectric mixtures at 25°C, *J.Phys.Chem.*, 69, 543.
- Boyd, R.H., (1961).Conductance of sodium nitrate in ethanol-water,*J. Chem. Phys.*, 35, 1281.
- Brewster, P.W., Schmidt, F.C., Schaap W.B., (1959). The conductances of a number of acids and divalent metal salts in anhydrous ethanolamine, *J.Amer.Chem.Soc.*, 81, 5532.
- Briscoe, W.T., Dirkse T.P, (1940). The conductance of salts in monoethanolamine.*J. Phys. Chem.* **44**: 388-397.
- Braunstein, J., (1971). *In ionic interactions*; S. Petrucci., Ed.; Academic press: New York., Vol.1, pp.180.
- Bufalini, J., Stern K.H., (1959). Solvent Interactions: Effect of Electrolytes on Vibrational Spectrum of Methanol,*Science.*, 130,1249.

- Bulkin, B.J., (1969). Concerning the Non-Specific: Far Infrared Absorption of Polar Liquids.*Helv. Chim. Acta.*, 52, 1348.
- Burgess, J., (1978). Metal Ions in Solution, EllisHorwood,. ISBN 0-85312-027-7. Chapter 5, "Solvation numbers".
- Butler, J.P., Shiff, H.I., Gordon, A.R., (1951). Conductivities of KF and CsF in methanol at 25°C, *J.Chem.Phys.*, 19, 752.
- Busby, R.E., Griffiths., (1963). The conductivity of silver nitrate in non-aqueous and mixed solvents. Part VII,*J.Chem.Soc.*, 902-906.
- Carvajal, C., Tolle, K.J., Smid, J., Szwarc, M., (1965). Kinetic studies of Anionic polymerization of polystyryl salts in tetrahydrofuran and 2-Methoxytetrahydrofuran, *J.Amer.Chem.Soc.*, 87, 5548.
- Chanda, R., Roy, M.N., (2008).Study of ion–solvent interactions of some tetraalkylammonium halides in THF + CCl<sub>4</sub> mixtures by conductance measurements,*Fluid Phase Equilibria.*, 269, 134-138.
- Chatterjee, A., Das, B., (2006). Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetrphenylborate, and Sodium Bromide in Methanol (1) + Water (2) Mixtures at (298.15, 308.15, and 318.15) K,*J.Chem.Eng., Data* 51, 1352-1355.
- Chakraborty, J. M., Das, B., (2004). Electrical Conductances and Viscosities of TetrabutylammoniumThiocyanate in Acetonitrile in the Temperature Range 25-45<sup>0</sup>C,*Z. Phys. Chem.*, 19, 218.
- Chen, Z., Hojo, M., (1997). Relationship between Triple Ion Formation Constants and the Salt Concentration of the Minimum in the Conductometric Curves in Low-Permittivity Solvents.*J. Phys. Chem. B.*, 101, 10896-10902.
- Coates, G.E., Ridley, D., (1964). The low-frequency infrared spectra of some complex halides of zinc, cadmium, and mercury, *J. Chem. Soc.*, 166-173..

- Coetzee, J.F., McGuire, D.K., (1963). Relative basicities of nitriles, acetone, and water as solvents *J.Phys. Chem.*, 67, 1810.
- Coetzee, J.F., Cunningham, G.P., McGuire, D.K., Padmanabhan, G.R., (1965). Purification of Acetonitrile as a Solvent for Exact Measurements, *Analytical Chemistry - ANAL CHEM* , vol. 34, no. 9, pp. 1139-1143, 1962
- Colthup, N.B., Daly, L.H., Wiberley, S.E., (1964). *Introduction to infrared and Raman Spectroscopy*, Academic Press, New York.
- Conti, F., Pistoria, G., (1968). Ion pair association of strong electrolytes in binary mixtures of polar solvents: alkali perchlorates in methanol-methyl cyanide mixtures, *J. Phys. Chem.*, 72, 2245-2248.
- Conway, B.E., (1978). The evaluation and use of properties of individual ions in solution, *J. Sol. Chem.*, 7: 721-770.
- Conway, B. E., (1981). *Ionic hydration in chemistry and biophysics*, Elsevier Scientific Publishing Co.
- Conway, B.E., Verral, R.E., Desnoyers, J.E., (1965). Specificity in ionic hydration and the evaluation of individual ionic properties, *J. Phys. Chem.*, (Leipzig), **230**: 157-178.
- Coplan, M.A., Fuoss R.M., (1964). Conductance behavior of 1:1 electrolytes in 3-methyl-2-oxazolidone, *J.Phys.Chem.*, 68, 1177.
- Copley, E.D., Hartley H., (1930). The mobility of the perchlorate ion in methyl alcohol, *J.Chem.*, 2488.
- Cotton, F. A., (1990). *Chemical Applications of Group Theory* (3<sup>rd</sup> ed.). New York John Wiley & Sons. ISBN 978-0471510949.
- Corradini, F., Marcheselli, L., Marchetti, A., Tagliazuchi, M., Tassi, L & Tosi, G., (1994). 2-Methoxyethanol-water solvent system: static relative permittivity from -10 to + 80 °C, *J chem. Soc, Faraday Trans*, **90** (6): 859-864..

- Covington, A.K., Dickinson, T., (1973). Physical chemistry of organic solvent systems, Plenum, New York, 2, Chapter 5.
- Curry, H.L., Gilkerson, W.R., (1957). Kinetics and Mechanism of reactions of transition metal complexes, *J. Amer. Chem. Soc.*, 79, 4021.
- D'Aprano, A., Fuoss R.M., (1963). Electrolyte-solvent interaction. X. dipole solvation, *J. Phys. Chem.*, **67(8)**: 1722-1723.
- Das, D., Das, B., Hazra, D. K., (2002). Conductance of Some 1:1 Electrolytes in N, N-Dimethylacetamide at 25 °C. *J. Solution Chem.*, **31**: 425-431.
- Das, D., Das, B., Hazra, D. K., (2003). Electrical Conductance of Some Symmetrical Tetraalkylammonium and Alkali Salts in N,N-Dimethylacetamide at 25 °C, *J. Solution Chem.*, **32**, 77-83.
- Das, U.N., Patnaik, R.K., (1996). Interfacial Tension of PerSulphate in Water + acetone Mixtures, *Indian J. Chem.*, 35(A):69-75.
- Das, D., (2008). Ion association and solvation behavior of some lithium salts in tetrahydrofuran. A conductivity and Raman spectroscopic study., *J. Sol. Chem.*, 37:947-955.
- Das, B., Mathuri, P.K., Hazra, D.P. (1999). Viscosities of Some Symmetrical Tetraalkylammonium Perchlorates in 2-Methoxyethanol + Water at 298.15, 308.15, and 318.15 K, *Journal of Chemical and Engineering Data - J CHEM ENG DATA.*, vol. 44, no. 1, pp. 6-10.
- Das, D., Saha, N., (2000). Viscosities of Some Symmetrical Tetraalkylammonium Salts in Acetonitrile at (288.15, 298.15, 308.15, and 318.15) K, *J. Chem. Eng. Data*, 44, 2-5.
- Das, D., Das, B., Hazra, D.K., (2004). Electrical conductances of some alkali metal salts in N,N-dimethylacetamide-water mixture at 25°C, *J. Phys. Chem.*, **101(B)**:3329-3332.
- Dash, U. N., Pasupalak, N. N., (1997). Ion association and solvation of octahedral Co(III) complexes in water + DMSO mixtures at different temperatures, *Indian J Chem.*, 36, 88.

- Davies, M., (1963). *Infrared Spectroscopy and Molecular Structure*, Elsevier Publishing Co., Amsterdam.
- Dawson, L.R., Vaughn, J.W., Lester, G.R., Pruitt, M.E., Sears, P.G., (1963). Solvents having high dielectric constants. xiii. conductances of multivalent electrolytes in n-methylacetamide at 40°, *J. Phys. Chem.*, 67, 278-280.
- Dawson, L.R., Vaughn, J.W., Pruitt, M.E., Eckstrom, H.C., (1962). Solvents having high dielectric constants. x. solutions of acetic acid and its derivatives in n-methylacetamide at 40°, *J. Phys. Chem.*, 66, 2684-2686.
- Dawson, L.R., Sears, P.G., Graves, R.H., (1955). Solvents Having High Dielectric Constants. II. Solutions of Alkali Halides in N-Methylacetamide from 30 to 60°, *J. Amer. Chem. Soc.*, 77, 1986.
- Debenedetti, P. G., Stanley, H. E., (2003). "Supercooled and Glassy Water", *Physics Today*, **56(6)**: 40-46.
- De, R., Guha, C., Das, B., (2006). Ion Association and Solvation Behavior of Some 1-1 Electrolytes in 2-Ethoxyethanol Probed by a Conductometric Study, *J. Solution Chem.*, 35, 1505-1514.
- Debye, P., Huckel, E., (1923). The interionic attraction theory of deviations from ideal behavior in solution, *Z. Phys.*, **24**: 120.
- Debye, P., Hückel, E., (1923). Debye-Hückel theory for charge symmetric Coulomb systems, *Z. Phys. Chem.*, 24, 187.
- Della Monica, M., Lamanna, U., (1968). The conductance of tetrabutylammonium salt in water-sulfolane mixtures at 30°C, *J. Phys. Chem.*, 72, 4329.
- Desfrancois, C., Periquet, V., Carles, S., Schermann, J. P., Adamowicz, L., (1998). Neutral and negatively-charged formamide, N-methylformamide and dimethylformamide clusters. *Chem. Phys.*, **239**: 475-483.

- Diamond, R.M., (1963). Aqueous solution behaviour of large univalent ions. A new type of ion pairing, *J. Phys. Chem.*, **67**: 2513-2517.
- Dogonadze, R.R., Kalman, E., Kornyshev, A.A., Ulstrup, J., (1986). The chemical Physics of solvation, Part B, Spectroscopy Solvation, Elsevier, Amsterdam.
- Dogonadze, R.R., Kalman, E., Kornyshev, A.A., Ulstrup J., (1986). The chemical Physics of Einstein A., *Ann. Phys.*, 19, 289.
- Drago, R.S., Wayland, B., Carson, R.L., (1963). Thermodynamic Data for Iodine Adducts with a Series of Substituted N,N-Dimethylamides, *J. Amer. Chem. Soc.*, 85, 3125.
- Dupont, J., De Souza, R.F., Suarez, P.A., (2002). Ionic Liquid (Molten Salt) Phase Organometallic Catalysis, *Z. Chem. Rev.*, 102, 3667-3692.
- Earlie, M.J., Seddon, K.R., (2000). Ionic liquids: Green solvents for the future, *Pure Appl. Chem.*, 72, 1391-1398.
- Edgell, W.F., Watts, A.T., (1969). Abstracts, Symposium on Molecular Structure and Spectroscopy, p.85, Ohio State University, June.
- El-Dossoki, F. I., (2010). Effect of hydrogen bond, relative permittivity and temperature on the transport properties and the association behavior of some 1:1 electrolytes in some binary mixed solvents, *JMol. Liquids.*, 1-8, 151.
- Ellingsen, T., Smid, J., (1969). The Reactivity of Carbanions, *J. Phys. Chem.*, 73, 2712.
- Eliassaf, J., Fuoss, R.M., Lind, J.E., (1970). Electrochemical Studies on *cis*-[Cr<sup>III</sup>(bipy)<sub>2</sub>(SCN)<sub>2</sub>]<sub>3</sub>I<sub>3</sub> (Where bipy Denotes 2,2'-Bipyridine) in Acetonitrile, *J. Phys. Chem.*, 67, 1724.
- Elschenbroich, C., Salzer, A., (1992). Organometallics : A Concise Introduction (2<sup>nd</sup> ed.) Weinheim, Wiley-VCH. ISBN 3527281649.
- Endres, F., Zein El Abedin, S., (2006). Air and water stable ionic liquids in physical chemistry, *Phy. Chem. Chem. Phys.*, 8, 2101-2116.



- Evans, D.F., Broadwater, T.L., (1968). The conductance of divalent Ions in H<sub>2</sub>O at 10 and 25°C and in D<sub>2</sub>O, *J.Phys. Chem.*, 72, 1037.
- Evans, J.C., Lo, G.Y.S., (1965). Raman and infrared studies of acetonitrile complexed with zinc chloride, *Spectrumchim. Acta*, 21, 1033.
- Evans, M.G., Noncollas, G.H., (1952). Spectrophotometric Investigation of some Complexes Cobaltic Chloro, Bromo,Iodo and Azide Ion-Pairs, *Trans, Faraday Soc.*, **49**:363-371.
- Ekka, D., Roy, M.N., (2013). Molecular interactions of  $\alpha$ -amino acids insight into aqueous  $\beta$ -cyclodextrin systems, *Amino acids*, 45, 755-777.
- Fernandez-Prini, R., (1973).*Physical Chemical Organic Solvents System*, in eds.: A.K. Covington and T. Dickinson, Plenum Press, London, Chap. 5.
- Fernandez-Prini, R., Corti, H., Crovetto, R., (1980). Mobilities and ion-pairing in LiB(OH)<sub>4</sub> and NaB(OH)<sub>4</sub> aqueous solutions. A conductivity study, *Journal of Solution Chemistry*, **9**(8): 617-625.
- Ferraro, J.R., (1959). Interpretation of the Infrared Spectra of Inorganic Molecules, *J.Inorg. Nucl.Chem.*, 10, 319.
- Fini, G., Mirone, P., Patella, P., (1968). Study of Fermi resonance using the method of varying solution refractive index, *J.Mol.Spectrosc.*, 28, 144.
- Florence, A.T., Attwood, D., (1988). *Physicochemical principle of Pharmacy*, Mcmillan, London.
- Fowles, G.W.A., McGregor, W.R., (1964). Alkali-metal-amine solutions: Spectroscopic and magnetic studies, *J.Phys.Chem.*, 68, 1342.
- Frank, H.S., Wen, W.Y., (1957). Solvent models and the interpretation of ionization and solvation phenomena, in: "Chemical Physics of Ionic Solutions," *Disc. Farad.Soc.*, 24, 133.
- French, C.M., Tomlinson, R.C.B., (1961). The conductance of solutions in which the solvent molecule is "large." Part VII. Solutions in triarylphosphites, *J.Chem.Soc.*, 311.

- French, C.M., Glover, K.H., (1955). The electrical conductance of solutions in solvents of high dielectric constant. Part 2.—Solutions in N-methylacetamide, *Trans.Faraday Soc.*, 51, 1427
- French, C.M., Muggleton, D.F., (1957). The conductivity of some quaternary ammonium and amine picrates in acetonitrile at 25°, *J.Chem.Soc.*, 2131.
- Freiser, H., (1969).Relevance of solubility parameters in ion association extraction systems, *Anal. Chem.*, **41**:1354-1355.
- Fronaeus, S., (1963). Techniques of Inorganic Chemistry, Vol. 1, Chapter 1 (A. B. Jonassen and A. Weinberger, eds.), Interscience, New York.
- Fuoss, R.M., (1966). Chemical Physics of Ionic Solutions, Eds. B. E. Conway, R.G. Barradas, Wiley, New York, (1966), 462.
- Fuoss, R.M., Kraus, C. A., (1933). Properties of Electrolytic Solutions. IV. The Conductance Minimum and the Formation of Triple Ions Due to the Action of Coulomb Forces *J Am Chem. Soc.*, 55. 2387-2399.
- Fouss, R.M., (1978). Paired Ions: Dipolar pairs as a subset of diffusion pairs, *Proc. Natl. Acad. Sci., USA.*,**75(1)**:16-20.
- Fouss, R.M., Shedlovsky, T., (1949).Extrapolation of conductance data for weak electrolytes. *Journal of the American Chemical Society*, **71**: 1496-1498.
- Fuoss, R. M., Hsia, K. L., (1967). Association of 1-1 salts in water,*Proc. Natl. Acad. Sci.*, 57, 1550.
- Fuoss, R.M., Hirsch, E., (1960). Single ion conductances in non aqueous solvents, *J. Amer. Chem. Soc.*, **82**:1013.
- Fuoss, R. M., Accascina F., (1959). *Electrolytic Conductance*, Wiley, New York, 207.
- Fouss, R.M., Onsager, L., (1955). Ionic Association in Electrolytic Theory, *Proc. Natl. Acad. Sci, USA.*, **41**: 274, 1010.

- Gilkerson, W.R., Ezell, J.B., (1965). Ion-Solvent Interaction. The Interaction of a Phosphine Oxide and a Quaternary Ammonium Ion, *J. Amer. Chem. Soc.*, 87, 3812.
- Girolami, G. S., Rauchfuss, T.B., Angelici, R.J., (1999). Synthesis and Technique in Inorganic chemistry, University Science Books : Mill Valley, CA, ISBN 0-935702-48-2.
- Glasstone, S., (1942). An Introduction to Electrochemistry, East West Press, New Delhi, India, p.8.
- Glemser, O., Sauer, H., (1963). TetraammineCopper(II) Sulfate” Handbook of Preparative inorganic Chemistry, 2<sup>nd</sup> Ed., Edited by G.Brauer, Academic Press, NY.. Vol.1, 1021
- Goldenberg, N., Amis, E.S., (1962). A study of transference and solvation phenomena of hydrochloric acid in water-dioxane solvents, *Z. Phys. Chem. (Frankfurt)*, 31, 145.
- Goodisman, J., (1987). Electrochemistry: Theoretical Foundations, Quantum and Statistical Mechanics, Thermodynamics, Solid State, Wiley, New York.
- Griffiths, V.S., Lawrence, K.S., Pearce, M.L., (1958). The Conductivity of Silver Salts in Non-aqueous and Mixed Solvents, *J. Chem. Soc.*, 3998.
- Gutmann, V., (1976). Spectroscopic and electrochemical studies on dinuclear mixed Ni(II)-chelates, *Electrochim. Acta*, 21, 661.
- Grunwald, E., (1997). Thermodynamics of molecular species, Wiley, New York, chapter 12.
- Gruskiewicz, M.S., Wood, R., (1997). Conductance of sodium acetate solution to 469K and acetic acid and sodium acetate/acetic acid mixtures to 548K and 20 MPa, *J. Sol. Chem.*, **31(12)**: 995-1016.
- Guha, C., Chakraborty, J.M., Karanjai, S., Das, B., (2003). Ion association and solvation behavior of some 1-1 electrolytes in 2-ethoxyethanol probed by a conductometric study, *J. Phys. Chem. B*, 107, 12814-12819.
- Hammett, L.P., (1970). Physical organic chemistry, McGraw-Hill, New York, 2nd. Edition.

- Hammonds, C.N., Westmoreland, T.D., Day, M.C., (1969). Preparation and characterization of lithium- and tetraalkylammoniumtetrabutylaluminates, *J. Phys.Chem.*, 73, 4347.
- Harada, Y., Salamon, M., Petrucci, S., (1985). Ion-Pair and Triple-Ion Formation by Some Tetraalkylammonium Iodides in Binary Mixtures, *J. Phys. Chem.*, 89, 2006.
- Harada, Y., Salomon, M., Petrucci, S., Delsignore, M., Farber, H. (1985).A. Molecular dynamics and ionic associations of LiAsF<sub>6</sub> in 4-butyrolactone mixtures with 2-methyl tetrahydrofuran. Part B. Molecular dynamics and ionic associations of LiBF<sub>4</sub> in 1,2-dimethoxymethane, Technical Report, 1, Polytechnic Inst. of New York, Farmingdale.
- Held, R.P., Criss, C.M. , (1965). NMR studies of interionic interactions in N-methylformamide, *J.Phys.Chem.*, 69, 2611.
- Hodgman, C.D., Weast, R.C., Selby, S.M., (1956). *Handbook of Chemistry and Physics*, Chemical Rubber Publishing Co., Cleaveland, p. 57, 1956-57. P.2257;
- Hoover, T.B., (1964). High Dielectric Constant of a Mixture of N-Alkyl Aliphatic Amides, *J.Phys.Chem.*, 68, 876.
- Hughes, S.C.R., White, S.H., (1966).Conductimetric studies in ketonic solvents, *J.Chem.Soc.*, A, 1216.
- Hyne, J.B., (1963). Mixtures of Water and Organic Compounds, *J.Amer.Chem.Soc.*, 85, 304.
- Inami, Y.H., Bodenseh, H.K., Ramsey, J.B., . (1961). The dissociation equilibria of tetraalkylammonium, *J.Amer.Chem.Soc.*, 83, 4745
- Inove, N., Xu, M., Petrucci, S., (1987).A conductivity and Raman spectroscopy study, *J PhysChem*, 91:4628-4635.
- Irish D.E., (1971). Ionic Interactions: From Dilute Solutions to Molten Salts, Vol. 2, Chapter 9, p.187, Academic Press, New York.
- Irish, D.E., McCarroll, B., Young, T.F., (1963). Raman spectral studies of aqueous zinc bromide solutions to 300°C, *J. Chem. Phys.*, 39, 3436.

- Irwin, G.M., Kostenbauder, H.B., Dittert, L.W., Staples, R., Misher, A., Swintoski, J.V., (1969). Enhancement of gastrointestinal absorption of a quaternary ammonium compound by trichloroacetate, *J. Pharm.Sci.*, **58**:313-315.
- Jakobsen, R.J., Brasch, J.W., (1964). Dielectric polarization of unassociated and associated liquids,*J.Amer.Chem.Soc.*, 86, 3571.
- Janz, G.J., Danyluk, S.S., (1960). The bromination of purines with a charge transfer complex between bromine and lutidine, *Chem.Rev.*, 60, 209.
- Janz, G.J., Anmed, I., (1964). Electrochemical and physicochemical characterizations of methanol-tolerant,*Electrochim.Acta.*, 9, 1539.
- Janz, C.G., Tomkins, R.P.T., (1973). *Non-aqueous Electrolytes Handbook*, Academic Press, New York, Vol.2.
- Jenkins, I.L., Monk, C.B., (1951). The conductivities of some complex cobalt chlorides and sulphates, *J. Am. Chem. Soc.*, 68: 67-73.
- Johari, G.P., Tewari, P.H., (1965) Outer-sphere Complexes of Tervalent Cobalt. *J.Phys.Chem.*, 69, 2862.
- Kabbani, A.T., Ramadan H., Hammud, H.H., Ghannoum, A.M., Mouneimme, Y., (2005). Synthesis of some metal complexes of N-[(benzylamino)-thioxomethyl]-aminoacid (HL). *Journal of the University of Chemical Technology and Metallurgy.*,**40(4)**: 339-344.
- Katzin, L.I., (1962).Infrared spectra of inorganic nitrates in acetone,*J.Inorg. Nucl. Chem.*, 24, 245.
- Kay, R.L., Evans, D.F., (1964). Effect of pressure and temperature on electrolyte, *J. Amer.Chem.Soc.*, 86, 2748.
- Kay, R.L., Hawes, J.L., (1965).Solvent structure in aqueous mixtures,*J. Phys. Chem.*, 69, 2787.

- Kay, R.L., Evans, D.F., (1968). Transference numbers for anhydrous methanol solutions at 10 and 25°C, *J.Phys.Chem.*, 72, 1037.
- Kecki, Z., (1962). Effect of ion field on the parameters of IR absorption bands of dipolar solvents, *Spectrochim, Acta.*, 18, 1155, 1165.
- Kecki, Z., (1970). Hydrogen bonding between the anions and water, *Roczniki Chem.*, 44, 847.
- Kempa, R.F., Lee W.H., (1961). Physicochemical Studies of Some Cyclic Carbonates, *J.Amer.Chem.Soc.*, 100.
- Kortum, G.,(1965). *Treatise on Electrochemistry*. 2<sup>nd</sup> Edition, Amsterdam, Elsevier, 637p.
- Kortum, G., Quabeck, H., Ber.Bunsenges., (1968). Infrared study of molecular complexes arising from adsorption, *Phys.Chem.*, 72, 53.
- Kunze, R.W., Fuoss, R.M., (1963). Ion pairing in solutions of sodium tetraphenylborate, *J.Phys. Chem.*, 67, 385.
- Kurowski, S., Minc S., (1963). Raman spectral changes of alcoholic zinc chloride solutions from liquid, *Spectrochim.Acta.*, 19, 345.
- Krumgalz, B. S., (1985). Viscosity B-coefficients of the aqueous cyanide, *J. Chem. Soc. Faraday I.*, 81, 241.
- Krumgalz, B.S., (1983). Separation of limiting equivalent conductances into ionic contributions in non-aqueous solutions by indirect methods, *J. Chem. Soc. Faraday Trans. I.*, 79, 571-587.
- Lacour, J., Moraleda, D.,(2009). Chiral-anion mediated asymmetric ion pairing chemistry, *Chem. Commun.* 7073-7089.
- Larsson, R., Mieziš, A., (1968). Perspectives in Catalysis, *Acta Chem.Scand.*, 22, 3261.
- Lester, G.R. ,Groves, C.P., Sears, P.G., (1956). 1,1,3,3-Tetraethylurea as a solvent for conductance, *J.Phys.Chem.*, 60, 1076.

- Lee, S.J. (1987). Hydrophobization of ionic drugs for transport through membranes, *J. Contr. Rel.*, 6:3-13.
- Lee, S.J.,Kurihara-Bergstrom., Kim, S.W., (1987). Ion-paired drug diffusion through polymer membranes, *Int. J. Pharm.*, **47**:59-73.
- Little, R.C., Singleterry, C.R., (1964). Effect of Solubilized Methanol on Micelle Size in a Nonpolar Solvent, *J.Phys.Chem.*, 68, 2709.
- Luthian, G.F., (1969). Absorption Spectrophotometry, 3rd ed., Adam Hilger Ltd., London.
- MacFarlane, D.R., Forsyth, M., Howlett, P.C., Pringle, J.M., Sun, J., Annat, G., Neil, W., Izgorodina, E.I., (2007). Ionic liquids and reactions at the electrochemical interface, *Acc. Chem, Res.***4**:1165-1173.
- Marcus, Y., (2008). Tetraalkylammonium ions in aqueous and non-aqueous solutions, *J. Sol. Chem.*,**37**:1017-1098.
- Marusak, R.A., Lappin, A.G., (1989). Observations on the structure of ion pair formed between  $[\text{Co}(\text{en})_2]^{3+}$  and  $[\text{Co}(\text{edta})]^-$ , *J. Phys. Chem.*, **93**:6856-6859.
- Marcus, Y., Hefter, G., (2006). Ion pairing, *Chem. Rev.*, **106**: 4585-4621.
- McDowell, M.J., Kraus, C.A., (1951). Conductivities of some tetraalkylammonium salts in acetonitrile,*J.Amer.Chem.Soc.*, 73, 3293.
- Mikhail, S.Z., W.R. Kimel., (1961). Densities and Viscosities of Methanol-Water Mixtures, *Journal of Chemical and Engineering Data*; Vol.6, No.4, October.
- Minc, S., Kecki, Z., Gulik-Kryzwicki., (1963).Infrared spectra of coordinated acetone,*Spectrochim, Acta.*, 19,353.
- Mirone, P., (1966).Solvent effects on raman band intersities, *Spectrochim.Acta.*, 22, 1897.
- Murgulescu, I.G., Barbulescu, F., Greff, A., (1965).Kinetic analysis of thermogravimetric data,*Rev.Roum.Chim.*, 10, 387.

- Murray, L.J., Yeager, H.L., (1973). A conductance study of 1-1 electrolytes in propylene carbonate, *J. Phys. Chem.*, **77(26)**:3089-3092.
- Nakamoto, K., (1970). Infrared Spectra of inorganic and Co-ordination compounds, 2nd edn., Wiley-Interscience, New York.
- Nandi, D., Roy, M. N., Hazra, D. K., (1993). Conductometric Study of Some Metal Halides in Glycerol, *J. Indian Chem. Soc.*, 70, 305.
- Nelson, J.B., Errington, M.E., (2005). The association constants of H<sup>+</sup> and Ca<sup>2+</sup> with 2-Keto-D-Gluconate in aqueous solutions, *J. Sol. Chem.*, **34(7)**: 789-800.
- Nortwitz, G., Chasan, D.E., (1969). Infrared spectra of inorganic nitrates in acetone, *J. Inorg. Nucl. Chem.*, 31, 2267.
- Notley, J.M., Spiro, M., (1966). Evaluation of solvated radii of ions in non-aqueous solvents *J. Phys. Chem.*, 70, 1502.
- Onsager, L., (1927). Report on a revision of the conductivity theory. *Trans. Faraday Soc.* 23, 341-349.
- Padova, J., (1972). *Water and Aqueous Solutions*, Ed. R. A. Horne, Wiley Interscience, Chapter 4.
- Pagliai, M., (2003). Hydrogen bond dynamics in liquid methanol. *J. Chem. Phys.*, **119**: 6655-6662.
- Pandey, J.D., Yasmin, A., (1997). Viscosity and density of binary electrolytes in aqueous solutions, *Proc. Ind. Acad. Sci.*, 109, 289.
- Parfitt, G.D., Smith, A.L., (1963). Conductance of silver, potassium and lithium nitrates in ethanol-water mixtures, *Trans. Faraday Soc.*, **59**:257-267.
- Parvatalu, D., Srivastava, A. K., (2003). Proton Medium Effect Based on the Ferrocinium Assumption in 80 Mass-% Propylene Carbonate + 20 Mass-% *p*-Xylene Medium, *J. Chem. Eng. Data*, 48, 608-611



- Perelygin, I.S., (1962). Infrared Spectra of Ionic Solutions of Acetonitrile, *Optics and Spectrosc.*, 13, 198.
- Passeron, E.J., (1964). Ionic solvation in non aqueous and mixed solvents. *J. Phys. Chem.*, 68, 2728.
- Pearson, R.G., (1973). *Hard and Soft Acids and Bases*, Dowdon, Hutchinson and Ross, Strondsburgh.
- Persson, J., (1986). Solvation and complex formation in strongly solvating solvents, *Pure and Appl. Chem.*, **88(8)**:1153-1161.
- Per B., (1977). Ionic Association and Ion-Solvent Interactions. The Conductance of Lithium Bromide in Acetone-Water Mixtures at 15-35°C *Acta Chem. Scand.*, **31(A)**: 869-876.
- Petrella, G., A. Sacco., (1978). Some conductance and potentiometric studies in 20 mass% propylene carbonate + ethylene carbonate: application of hydrogen and quinhydrone electrodes, *J. Chem. Soc. Faraday I.*, 74, 2070.
- Pitts, E., Tabor, R. E., Daly, J., (1969). Concentration dependence of electrolyte conductance, *Trans. Faraday Soc.*, 65, 849.
- Plechkov, N. V., Seddon, K. R., (2008). Applications of ionic liquids in the chemical industry, *Chem. Soc. Rev.*, 37, 123-150.
- Popov, A.I., Skelly, N.E., (1954). : Non-aqueous solutions, *J. Amer. Chem. Soc.*, 76, 5309.
- Popvyeh, O., Tomkins, R.P.T., (1981). *Nonaqueous Solution Chemistry*, Wiley-Interscience: New York, Chapter 4.
- Prue, J.E., Sherringstons, P.J., (1961). Electrolyte conductivity of salts in hexamethylphosphotriamide, *Trans. Faraday Soc.*, 57, 1795.
- Pura, S., Atun, G., (2003). Ion association between hexaamminecobalt (III) ion and monovalent anions in methanol-water mixtures from 10 to 50°C, *Journal of Solution Chemistry.*, **32(4)**: 341-360.

- Quintanar-Guerrero, D., Allemann, E., Fessi, H., Doelker, E., (1997). Applications of the ion pair concept to hydrophilic substances with special emphasis on peptides (Review), *Pharmaceutical Research*, **14**(2):119-127.
- Ralph, E.K., Gilkerson, W.R., (1964). Ion solvation in mixed solvents, *J. Amer. Chem. Soc.*, **86**, 4783.
- Raju, K., Manaiyah, V., Sethuram, B., NavaneethRao, T., (1990). Ion pair formation in solutions of lithium acetate in acetonitrile-water mixtures at 25<sup>0</sup>C: A Conductometric study. *Phys. Chem. Lig.*, **22**:163-167.
- Raju, U.G., Sethuram, B., Rao, T.N., (1982). Conductometric study of ion-ion and ion-solvent interactions. III. Conductances of silver acetate in acetonitrile-water mixtures at 25 DEG, *Bull. Chem. Soc. Jpn.*, **55**, 293
- Ray, R.K., Dutta, R.L., (1979). Coordination Chemistry Reviews, *J. Indian Chem. Soc.*, **52**, 67.
- Reich R.A., Atewart P.A., Bohaychick J., Urbansky J.A., (2003). Physics and Chemistry of an Ionic Liquid in Some Industrially Important Solvent Media, *Lubr. Eng.*, **59**:16-21.
- Reynolds, M.B., Kraus, C.A., (1948). Electrolytic conductivities of KF and CsF in methanol, *J. Phys. Chem. Soc.*, **70**, 1701.
- Robinson, R.A., Harned, H.S., (1941). Structure of Anomalous Water and Its Mechanism, *Chem. Rev.*, **28**, 419.
- Robinson, R. A., Stokes, R.H., (1959). *Electrolyte Solutions*, Butterworth: London, Ch 6, p 130.
- Roy, M.N., Roy, P.K., Sah, R.S., Pradhan, P and Sinha, B. (2009). Ion pair and triple ion formation by some tetraalkylammonium iodide in binary mixtures of carbon tetrachloride + nitrobenzene, *J. Chem. Eng. Data*. **54**:2429-2435.

- Roy, M. N., Gurung, B. B., Dakua, V.K., (2006). Conductometric Study of Some Metal Halides in Glycerol + Water Mixtures, *Int J Thermophys.*, **27**: 1539
- Roy, M.N., Pradhan, P., Das, R.K., Guha, P.G., Sinha, B., (2008). Ion-Pair and Triple-Ion Formation by Some Tetraalkylammonium Iodides in Binary Mixtures of 1,4-Dioxane + Tetrahydrofuran, *J. Indian Chem. Eng. Data.*, **53**, 1417-1420
- Roy, M.N., Sinha, B., Dey, R., Sinha, A., (2005). Solute–Solvent and Solute–Solute Interactions of Resorcinol in Mixed 1,4-Dioxane–Water Systems at Different Temperatures, *International Journal of Thermophysics*, Volume 26, Issue 5, pp 1549-1563.
- Sadek, H., Fuoss, R.M., (1959). Conductance of  $\text{KIO}_3$  in glycerol-water mixtures, *J. Amer. Chem. Soc.*, **81**, 4507.
- Samoilov, Y., Ya., (1957). *Strukturavodnykh rastvorov elektrolitov I gidratatsiya ionov* (Structure of aqueous solution of electrolytes and hydration of ions), Moscow; Izd-vo AN SSSR.
- Saito, T., Ikeda, H., Matsuda, Y., Tamura, H., (1976). The properties of some mixed organic electrolyte solutions and their effects on the anodic performances of Mg electrodes, *J. Appl. Electrochem.*, **6**, 85-88.
- Savedoff, L.G., (1966). Concerning the electrophilic perchlorations of alkenes, *J. Amer. Chem. Soc.*, **88**, 664.
- Schwartz, L.M., (1995). Ion pair complexation in moderately strong aqueous acids. *J. Chem.*, pp72.
- Sears, P.G., Wilhoit, E.D., Dawson, L.R., (1955). Conductances of some electrolytes in 2-methylpyridine-N-oxide at 55°C, *J. Phys. Chem.*, **59**, 373.
- Sears, P.G., Wolford, R.K., Dawson, L.R., (1956). Conductances and solubilities of uni-univalent electrolytes in 2-cyanopyridine at 30°C, *J. Electrochem. Soc.*, **103**, 633.

- Sears, P.G., Caruso, J.A., Popov, I.A., (1967). The conductance of tetrabutylammonium iodide in toluene, *J. Phys. Chem.*, 71, 905.
- Shedlovsky, T., (1932). An equation for electrolytic conductance, *J. Am. Chem. Soc.*, 54:1405-1410.
- Shedlovsky, T., (1959). The Structure of Electrolytic Solutions, p.268, Wiley, New York.
- Shedlovsky, T., Franklin, J., (1938). Chemistry of non-aqueous solvent, *Instt.*, 225, 739.
- Shedlovsky, T., Kay, R.L., (1956). The ionization constant of acetic acid in water-methanol mixtures at 25 °C from conductance measurements, *J. Phys. Chem.*, 60, 151-155.
- Shehata, H.A., Add. El-Bary, H.M., (1996). Study on association of strontium nitrate in glycerol-H<sub>2</sub>O mixtures at different temperatures using conductometric technique, *J. Indian Chem. Soc.*, 73:459-461
- Shun-Li, O., Nan-Nan, W., Jing-Yao, L., Cheng-Lin, S., Zuo-Wei, L., Shu-Qin, G., (2010). Investigation of hydrogen bonding in neat dimethyl sulfoxide and binary mixture (dimethyl sulfoxide + water) by concentration-dependent Raman study and ab initio calculation, *Chin. Phys. B.*, 19: 123101-123107.
- Singh, R.D., Rastogi, R.P., Gopal, R., (1968). N-Methylacetamide as a solvent, *Canad. J. Chem.*, 46, 3525.
- Singh, N.M., Singh, T.D., Yaiphaba, N., Singh, N.R., (2008). Ion pair formation and thermodynamics of glycine bis-1-Amidino-O-Methylurea cobalt (III) halides in water + methanol mixed solvents at different temperatures. *Asian J. Chem.*, 20(3): 1750-1760.
- Sinha, A., Roy, M.N., (2007). Conductivity studies of sodium iodide in pure tetrahydrofuran and aqueous binary mixtures of tetrahydrofuran and 1,4-dioxane at 298.15 K, *Phys. Chem. Liq.*, 45, 67.
- Spiro, M., (1920). Physical Chemistry of Organic Solvent Systems.

- Springer, C.H., Coetzee, J.F., Kay, R.L., (1969). Conductance studies on lithium salt-acetonitrile solutions at 25°C. *J.Phys.Chem.*, 73, 471.
- Spivey, H.O., Shedlovsky, T., (1967). Studies of Electrolytic Conductance in Alcohol-Water Mixtures. I. Hydrochloric Acid, Sodium Chloride, and Sodium Acetate at 0, 25, and 35° in Ethanol-Water Mixtures, *J.Phys.Chem.*, 71, 2165.
- Stokes, R.H., Robinson, R.A., (1957). The application of volume fraction statistics to the calculation of activities of hydrated electrolytes, *Trans. Faraday Soc.*, 53, 301.
- Szwarc.M., (1972). *Ions and Ion Pairs in Organic Reactions*, vol.1., Wiley Interscience, New York, 14.
- Takezawa, S., Kondo, Y., Tokura, N., (1973). Solution Properties of Tetraalkylammonium Halide, *J. Phys. Chem.*, 77, 2133.
- Tewari, P.H., Johari, G.P., (1963). Characterisation of dielectric loss in solids and liquids, *J.Phys.Chem.*, 67, 512.
- Thomas, A.B., Rochow, E.G., (1957). Electrochemically generated free radicals, *J.Phys.Chem.*, 79, 1843.
- Timmermanns, J., (1960). "The Physico-Chemical Constants of Binary Systems in Concentrated Solution, Interscience, New York, A, Vol. 4. p. 786, 1956-57.
- Tissier, M., Douheret, G., (1978). The conductance of tetraethylammonium salts in water-methanol mixtures, *J. Solution Chem.*, 7, 87.
- Treiner, C., Justice, J.C., (1969). Temperature dependence of electrolyte conductance of aqueous solutions of potassium tellurite, *Compt.Rend.*, 269, 1364.
- Ue, M., (1994). Conductivities and ion association of quaternary ammonium tetrafluoroborates in propylene carbonate, *ElectrochimicaActa.*, 2083-2087.
- Ue, M., Mori, S., (1995). Mobility and ionic association of Li salts in a propylene carbonate-ethyl methyl carbonate mixed solvents, *J. Electrochem. Soc.*, **142(8)**: 2577-2581.

- Unni, A.K.R., Elias, L., Schiff, H.I., (1963). Partial molal heat capacities of aqueous tetraalkylammonium bromides as functions of temperature, *J. Phys. Chem.*, 67, 1216.
- Venkatasetty, H.K., Brown, G.H., (1963). The conductance of tetraalkylammonium salts in isobutyl and isopentyl alcohol, *J. Phys. Chem.*, 67, 954.
- Verstegen., (1964). Extraction Systems with Associated Extractants. *J. Inorg. Nucl. Chem.*, 26.
- Walden, P., Ulich, H., Busch, G., (1926). Organic Liquids' of Volume 18: Viscosity of Pure Organic Liquids and Binary Liquid Mixtures, *Z. Phys. Chem.*, 123, 429.
- Walden, P., Birr, E.J., (1929). The Solvation of Inorganic Substances and Complex Formation in Non-aqueous Solutions, *Z. Phys. Chem.*, 144A, 269.
- Waldstein, P., Blatz, L.A., (1967). Low-Frequency Raman Spectra of Liquids. *J. Phys. Chem.*, 71, 2271.
- Wechman T.C and Popov. A.I., (1968). Acid-base Behaviour, *J. Phys. Chem.*, 72, 4031.
- Welton, T., (1999). Room-Temperature Ionic Liquids. Solvents for Synthesis and Catalysis. *Chem. Rev.*, 99, 2071-2084.
- Wilhoit, E.D., Sears, P.G., (1956). Electrical conductivities of quaternary ammonium salts in acetone, *Trans. Kentucky Acad. Sci.*, 17, 123.
- Williams, W.D., Ellard, J.A., Dawson, L.R., (1957). Solvents Having High Dielectric Constants. VI. Diffusion in N-Methylacetamide, *J. Amer. Chem. Soc.*, 79, 4652-4654.
- Wang, P., Zakeeruddin, S.M., Moser, J.E., Grätzel, M., (2003). A New Ionic Liquid Electrolyte Enhances the Conversion Efficiency of Dye-Sensitized Solar Cells, *J. Phys Chem B*, **107**: 13280-13285.
- Welton, T., (1999). Room-Temperature Ionic Liquids: Solvents for Synthesis and Catalysis. *Chem. Rev.*, 99, 2071-2084.

- Yandagni, R., Kebarle, P., (1972). Solvation of negative ions by protic and aprotic solvents. Gas-phase solvation of halide ions by acetonitrile and water molecules. *J. Am. Chem. Soc.*, **94**: 2940-2943.
- Ye, C., Liu, W., Chen, Y., Yu, L., (2001). Room-temperature ionic liquids: a novel versatile lubricant, *ChemCommun.*, 2244.
- Yeager, H.L., Kratochvil, B., (1975). Conductance Study of Ion Pairing of Alkali Metal Tetrafluoroborates and Hexafluorophosphates in Acetonitrile, *Canadian Journal of Chemistry*, **53(22)**: 3448-3451,
- Yeager, H.L., Fedyk, J.D., Parker, R.J., (1973). Spectroscopic studies of ionic solvation in propylene carbonate, *J. Phys. Chem.*, **77 (20)**: 2407–2410.
- Zimmerman, G., Gruskiewicz, M.S. and Wood, R., (1997). Conductance of dilute HCl, NaCl, NaBr and CsBr solutions in supercritical water using a flow conductance cell, *J. Phys. Chem.*, **101B** :6549-6559.
- Zwanzig, R., (1963). Dielectric friction on a moving ion, *J. Chem. Phys.*, 38: 1603.
- Zwolenik, J.J., Fuoss, R.M., (1964). Electrolyte conductivity of salts in hexamethylphosphotriamide, *J. Phys. Chem.*, **68**: 434,903.