

REFERENCES

1. Abdelaziz Laifa and Mohamed Boudour, "Optimal Location of SVC for Voltage Security Enhancement using MOPSO", Journal of electrical systems, Special Issue No.1, pp.73-78, 2009.
2. Abdelsalam, H.A., Aly, G.E.M., Abdelkrim, M. and Shebl, K.M. "Optimal Location of the Unified Power Flow Controller in Electrical Power Systems", IEEE Proc., Large Engineering systems Conference on Power Engineering, Halifax, NS, Canada, pp. 41- 46 , 2004.
3. Ajjarapu, V. and Lee, B. "Bibliography on Voltage Stability", IEEE Trans. on Power Systems, Vol. 13, No. 1, pp. 115-125, 1998.
4. Ajjarapu, V. Computational Techniques for Voltage Stability Assessment and Control, Springer Science+ Business Media, LLC, 2006.
5. Ajjarapu, V. and Christy, C. "The Continuation Power Flow a Tool for Steady State Voltage Stability Analysis", IEEE Trans. on Power Systems, Vol. 7, No. 1, pp. 416- 423, 1992.
6. Alabduljabbar, A.A. and Milanovic, J.V. "Genetic Algorithm Based Optimization for Allocation of Static VAR Compensators", The 8th IEE International Conference on AC and DC Power Transmission, pp.115-120, 2006.
7. Amir Mohammadi and Mostafa Jazaeri, "A Hybrid Particle Swarm Optimization-Genetic Algorithm for Optimal Location of SVC Devices in Power System Planning", IEEE Proc., 42nd International Universities Power Engineering Conference, University of Brighton, Brighton, UK, pp.1175-1181, 2007.
8. Andrade, A.C., Barbosa, F.P.M., Fidalgo, J.N. and Ferreira, J.R. "Voltage Stability Assessment Using a New FSQV Method and Artificial Neural Networks", IEEE Mediterranean Electro technical Conference, Torremolinos, Malaga, Spain, pp. 1003-1006, 2006.
9. Arabkhaburi, D., Kazemi, A., Yari, M. and Aghaei, J. "Optimal Placement of UPFC in Power Systems Using Genetic Algorithm", IEEE International Conference on Industrial Technology, Mumbai, India, pp. 1694-1699, 2006.

10. Arthit Sode-Yome and Nadarajah Mithulananthan “Static Voltage Stability Margin Enhancement using STATCOM, TCSC and SSSC”, IEEE/PES Transmission and Distribution Conference and Exhibition: Asia and Pacific Dalian, China, pp.1-6, 2005.
11. Baghaee, H. R., Jannati, M., Vahidi, B., Hosseinian, S.H and Jazebi, S. “Optimal Multi-type FACTS Allocation using Genetic Algorithm to Improve Power System Security”, IEEE Proc., 12th International Middle-East Power system conference, Nile Cruise Aswan, Egypt, pp. 162-166, 2008.
12. Bakirtzis, A.G., Bisnkas, P.N., Zoumas, C.E. and Petridis, V. “Optimal Power Flow by Enhanced Genetic Algorithm”, IEEE Trans. on Power Systems, Vol. 17, No. 2, pp. 229-236,2002.
13. Bekri, O.L. and Fella, M.K. “Optimal Location of SVC and TCSC for Voltage Stability Enhancement”, IEEE Proc., 4th International Power Engineering and Optimization Conference, Shah Alam, Selangor, Malaysia, pp.7-12, 2010.
14. Belazzoug, M.and Boudour, M. “FACTS Placement Multiobjective Optimization For Reactive Power System Compensation”, IEEE Proc., 7th International Multi-Conference on Systems, Signals and Devices, Amman, Jordan, pp.1-6, 2010.
15. Benabid, R., Boudour, M.and Abido, M.A. “Optimal Placement of FACTS devices for Multiobjective Voltage Stability Problem”, IEEE/PES Power Systems Conference and Exposition, Romania, pp.1-11, 2009.
16. Bhasaputra, P and Ongsakul, W. “Optimal Power Flow with Multi-type of FACTS Devices by Hybrid TSISA Approach”, IEEE International Conference on Industrial Technology, Bangkok, Thailand, Vol.1, pp. 285-290, 2002.
17. Bindeshwar Singh, Sharma, N. K. and Tiwari, A.N. “Prevention of Voltage Instability by using FACTS Controllers in Power Systems: A Literature Survey”, International Journal of Engineering Science and Technology Vol. 2, No.5, pp. 980-992, 2010.
18. Cai, L.J., Erlich, I.and Stamtzis, G. “Optimal Choice and Allocation of FACTS Devices in Deregulated Electricity Market using Genetic Algorithms”, IEEE PES Power Systems Conference and Exposition, New York, Vol.1, pp. 201-207, 2004.

19. Candelo, J.E., Caicedo, N.G. and Castro-Aranda, F. "Proposal for the Solution of Voltage Stability Using Coordination of FACTS Devices", IEEE/PES Transmission and Distribution Conference and Exposition: Latin America, pp. 1-6, 2006.
20. Canizares, C.A. and Faur, Z.T. "Analysis of SVC and TCSC Controllers in Voltage Collapse", IEEE Trans. on Power Systems, Vol. 14, No. 1, pp. 158-165, 1999.
21. Canizares, C.A., Alvarado, F.L., De Marco, C.L., Dobson, I. and Long, W.F. "Point of Collapse Methods Applied to AC/DC Power Systems", IEEE Trans. on Power Systems, Vol.7, No.2, 1992.
22. Chowdhury, B.H. and Taylor, C.W. "Voltage Stability Analysis: V-Q Power Flow Simulation Versus Dynamic Simulation", IEEE Trans. on Power Systems, Vol. 15, No. 4, pp. 1354-1359, 2000.
23. Das, D., Prasai, A., Harley, R.G. and Divan, D. "Optimal Placement of Distributed Facts Devices in Power Networks Using Particle Swarm Optimization", IEEE Energy Conversion Congress and Exposition, Sunny San Jose, California, pp.527-534, 2009.
24. David W. and Hilt P.E. "August 14, 2003, Northeast Blackout Impacts and Actions and the Energy Policy Act of 2005", Technical report, North American Electric Reliability Council, 2006.
25. de Souza, A.C.Z., de Souza, J.C.S. and da Silva, A.M.L. "On-Line Voltage Stability Monitoring", IEEE Trans. on Power Systems, Vol. 15, No. 4, pp. 1300-1305, 2000.
26. Del Valle, Y., Hernandez, J.C., Venayagamoorthy, G.K. and Harley, R.G. "Optimal STATCOM Sizing and Placement using Particle Swarm Optimization", IEEE/PES, Transmission and Distribution Conference and Exposition: Latin America, Caracas, Venezuela, pp.1-6, 2006.
27. Deng Guiping, Sun Yuanzhan and Xu Jian "A New Index of Voltage Stability Considering Distribution Network", IEEE Proc., Asia-Pacific Power and Energy Engineering Conference, Wuhan, China, pp. 1-4, 2009.
28. Dib, A.A., Youssef, H.K.M., Metwally, M.M. and Osman, Z. "Optimum Var Sizing and Allocation Using Particle Swarm Optimization", IEEE, Power Engineering Society General Meeting, Montreal, Quebec, Canada, pp.1-8, 2006.

29. Eberhart, R., and Kennedy, J. "Particle Swarm Optimization", IEEE Proc., International Conference on Neural Networks, Perth, Western Australia, Vol. 4, pp. 1942-1948, 1995.
30. Ejebe, G.C., Irisarri, G.D., Mokhtari, S., Obadina, O., Ristanovic, P. and Tong, J. "Methods for Contingency Screening and Ranking for Voltage Stability Analysis of Power Systems", IEEE Trans. on Power Systems, Vol. 11, No. 1, pp. 350 -356, 1996.
31. Enrique Acha, Fuerte-Esquivel, R., Hugo Ambriz-Perez and Cesar Angeles-Camacho Modelling and Simulation in Power Networks, John Wiley & Sons Ltd, England, 2004.
32. Esmin, Ahmed A.A., Germano Lambert-Torres and Zambroni de souza, C. "A Hybrid Particle Swarm Optimization Applied to Loss Power Minimization", IEEE Trans. on Power Systems, Vol. 20, No.2, pp. 859- 866, 2005.
33. Farsangi, M.M., Nezamabadi-Pour, H. and Lee, K.Y. "Multi-objective VAR Planning with SVC for a Large Power System Using PSO and GA", IEEE PES Power Systems Conference and Exposition, 33. Atlanta, Georgia, pp.274-279, 2006.
34. Gao, B., Morison, G.K. and Kundur. P. "Voltage Stability Evaluation Using Modal Analysis", IEEE Trans. on Power Systems, Vol. 7, No. 4, pp. 1529-1542, 1992.
35. Gerbex, S., Cherkaoui, R. and Germond, A.J. "Optimal Location of Multi type FACTS Devices in a Power System by Means of Genetic Algorithms", IEEE Trans. on Power Systems, Vol. 16, No. 3, pp. 537-544, 2001.
36. Goh, S.H., Dong, Z.Y. and Sana, T.K. "Locating Voltage Collapse Points using Evolutionary Computation Techniques", IEEE Congress on Evolutionary Computation, Singapore, pp. 2923- 2930, 2007.
37. Gotham, D. and Heydt, G.T. "Power Flow Control and Power Flow Studies for Systems with FACTS devices", IEEE Trans. on Power Systems, Vol.13, No.1, pp. 60-65, 1998.
38. Guanglin Cai, Zhen Ren and Tao Yu "Optimal Reactive Power Dispatch Based on Modified Particle Swarm Optimization Considering Voltage Stability", IEEE Power Engineering Society General Meeting, Tampa, Florida, pp. 1-5, 2007.

39. Hadi Saadat Power System Analysis, Tata McGraw-Hill, New York, 2002.
40. Haifeng Liu, Licheng Jin, McCalley, J.D., Kumar, R., Ajarapu, V. and Elia, N. "Planning Reconfigurable Reactive Control for Voltage Stability Limited Power Systems", IEEE Trans. on Power Systems, Vol.24, No.2, pp. 1029-1038, 2009.
41. Hasani, M. and Parniani, M. "Method of Combined Static and Dynamic Analysis of Voltage Collapse in Voltage Stability Assessment", IEEE/PES Transmission and Distribution Conference and Exhibition: Asia and Pacific Dalian, China, pp.1- 6, 2005.
42. Hingorani, N.G. and Gyugyi, L. Understanding FACTS Concepts and Technology of Flexible AC Transmission Systems, IEEE Press, New York, 2000.
43. Hirotaka Yoshida, Kenichi Kawat, Yoshikazu Fukuyama, Shinichi Takayama and Yosuke Nakanishi "A Particle Swarm Optimization for Reactive Power and Voltage Control Considering Voltage Security Assessment", IEEE Trans. on Power Systems, Vol.15, No.4, pp.1232-1239, 2001.
44. Holland, J.H. Adaptation in Natural and Artificial Systems: An Introductory Analysis with Applications to Biology, Control, and Artificial Intelligence, University of Michigan Press, 1975.
45. Huang, J.S. and Negnevitsky, M. "A Messy Genetic Algorithm Based Optimization Scheme for SVC Placement of Power Systems under Critical Operation Contingence", IEEE Proc., International Conference on Computer Science and Software Engineering, Wuhan, Hubei, China pp. 467- 472, 2008.
46. Iraj Kheirizad, Amir Mohammadi and Mohammad Hadi Varahram "A Novel Algorithm for Optimal Location of FACTS Devices in Power System Planning", Journal of Electrical Engineering and Technology, Vol. 3, No. 2, pp. 177-183, 2008.
47. Jafari, M. and Afsharnia, S. "Voltage Stability Enhancement in Contingency Conditions Using Shunt FACTS devices", IEEE Proc., the International Conference on Computer as a Tool, Warsaw, Poland, pp.1660-1665, 2007.

48. Jia Hongjie, Yu Xiaodan and Yu Yixin “An Improved Voltage Stability Index and Its Application”, IEEE Proc., 12th IEEE Mediterranean Electrotechnical Conference, Dubrovnik, Croatia, Vol.3, pp.884-892, 2004.
49. Jizhong Zhu Optimization of Power System Operation, John Wiley & Sons, Inc., 2009.
50. Jizhong Zhu, Kwok Cheung, Hwang, D. and Sadjadpour, A. “Operation Strategy for Improving Voltage Profile and Reducing System Loss”, IEEE Trans. on Power Delivery, Vol.25, No.1, pp. 390- 397, 2010.
51. Karami, M., Mariun, N. and Kadir, M.Z.A.A. “On Basic Definition of Optimal Allocation of FACTS Devices in Power System”, IEEE Student Conference on Research and Development, Selangor, Malaysia, pp. 418-421, 2009.
52. Kataoka, Y., Watanabe, M. and Iwamoto, S. “A New Voltage Stability Index Considering Voltage Limits”, IEEE PES Power Systems Conference and Exposition, pp.1878-1883, 2006.
53. Kazemi, A., Vahidinasab, V. and Mosallanejad, A. “Study of STATCOM and UPFC Controllers for Voltage Stability Evaluated by Saddle-Node Bifurcation Analysis”, IEEE International Power and Energy Conference, Atlanta, Georgia, pp. 191-195, 2006.
54. Kessel, P. and Glavitsch, H. “Estimating the Voltage Stability of a Power System”, IEEE Trans. on Power Delivery, Vol. 1, No. 3, pp.346-354, 1986.
55. Kowsalya, M., Ray, K.K., Kothari, D.P., Kumar, A. and Ghai, A. “A Fast Technique of Voltage Stability Analysis and Optimization in the Grid Network”, IEEE Region 10, Third international Conference on Industrial and Information Systems, Kharagpur, India, pp. 1-6, 2008.
56. Kumari, M. Sailaja, Priyanka, G. and Sydulu, M. “Comparison of Genetic Algorithms and Particle Swarm Optimization for Optimal Power Flow Including FACTS devices”, IEEE Lausanne Power Tech, Lausanne, Switzerland, pp. 1105-1110, 2007
57. Kundur, P. Power System Stability and Control, McGraw Hill, New York, 1994.

58. Kundur, P., Gao, B. and Morison, G.K. "Practical Application of Modal Analysis for Increasing Voltage Stability Margins", IEEE Proc., Joint International Power Conference Athens Power Tech, Athens, Greece, Vol.1, pp. 222-227, 1993.
59. Lachs, W.R. and Sutanto, D. "Different Types of Voltage Instability", IEEE Trans. on Power Systems, Vol. 9, No. 2. pp. 1126-1134, 1994.
60. Larki, F., Kelk, H.M., Pishvaei, M., Johar, A. and Joorabian, M. "Optimal Location of STATCOM and SVC Based on Contingency Voltage Stability by Using Continuation Power Flow: Case Studies of Khuzestan Power Networks in Iran", IEEE Proc., Second International Conference on Computer and Electrical Engineering, Dubai, Vol.1, pp. 179-183, 2009.
61. Lee, B.H. and Lee, K.Y. "Dynamic and Static Voltage Stability Enhancement of Power Systems", IEEE Trans. on Power Systems, Vol. 8, No. 1, pp. 231-238, 1993.
62. Leeton, U., Uthitsunthorn, D., Kwannetr, U., Sinsuphun, N. and Kulworawanichpong, T. "Power Loss Minimization Using Optimal Power Flow Based on Particle Swarm Optimization", IEEE Proc., International Conference on Electrical Engineering/Electronics Computer Telecommunications and Information Technology, Chaing Mai, Thailand, pp. 440-444, 2010.
63. Leung, H.C. and Chung, T.S. "Optimal Placement of FACTS Controller in Power System by a Genetic-based Algorithm", IEEE International Conference on Power Electronics and Drive Systems, Hong Kong, Vol.2, pp. 833- 836, 1999.
64. Lian, S., Minami, S., Morii, S. and Kawamoto, S. "Analysis Method of Voltage Stability for Bulk Power System by P-V and Q-V Curves Considering Dynamic Load", IEEE/PES Power Systems Conference and Exposition, Seattle, Washington, USA, pp. 1-6, 2009.
65. Lof, P.A., Andersson, G. and Hill, D. J. "Voltage Stability Indices for Stressed Power Systems", IEEE Trans. on Power Systems, Vol. 8, No. 1, pp. 326-335, 1993.
66. Lof, P.A., Smed, T., Andersson, G. and Hill, D.J. "Fast Calculation of a Voltage Stability Index", IEEE Trans. on Power Systems, Vol. 7, No. 1, pp.54-64, 1992.

67. Lu, Z., Li, M.S., Tang, W.J. and Wu, Q.H. "Optimal Location of FACTS Devices by A Bacterial Swarming Algorithm for Reactive Power Planning", IEEE Congress on Evolutionary Computation, Singapore, pp. 2344-2349, 2007.
68. Malakar, T., Sinha, N., Goswami, S. K. and Saikia, L. C. "Optimal Location and Size Determination of FACTS Devices by Using Multiobjective Optimal Power Flow", IEEE Region 10 Conference TENCON, Fukuoka, Japan, pp.474-478, 2010.
69. Malik, I.M. and Srinivasan, D. "Optimum Power Flow Using Flexible Genetic Algorithm Model in Practical Power Systems", IEEE Proc., International Power and Energy Conference, Singapore pp.1146-1151, 2010.
70. Marouani, I., Guesmi, T., Abdallah H, H. and Ouali, A. "Application of a Multiobjective Evolutionary Algorithm for Optimal Location and Parameters of FACTS Devices Considering the Real Power Loss in Transmission Lines and Voltage Deviation Buses", IEEE Proc., 6th International Multi-Conference on Systems, Signals and Device, Djerba, Tunisia, pp.1-6, 2009.
71. Marouani, I., Guesmi, T., Hadj Abdallah, H. and Ouali, A. "Optimal Location of Multi Type Facts Devices for Multiple Contingencies using Genetic Algorithms", IEEE Proc., 8th International Multi-Conference on Systems, Signals & Devices, Sousse, Tunisia, pp.1-7, 2011.
72. Mathur, R.M. and Varma, R.K. Thyristor-Based FACTS Controllers for Electrical Transmission Systems, Wiley-IEEE Press, 2002.
73. Metwally, M.M., Emary, A.A., Bendary, F.M. and Mosaad, M.I. "Optimal Allocation of FACTS Devices in Power System Using Genetic Algorithms", IEEE Proc., 12th International Middle-East Power system conference, Aswan, Egypt, pp.1-4, 2008.
74. Milano, F. "An Open Source Power System Analysis Toolbox", IEEE Trans. on Power Systems, Vol. 20, No. 3, 2005.
75. Moghawemi, M. and Faruque, M. O. "Effects of FACTS Devices on Static Voltage Stability", IEEE proc., TENCON, Kuala Lumpur Malaysia, Vol.2, 357- 362, 2000.

76. Morison, G.K., Gao, B. and Kundur, P. "Voltage Stability Analysis Using Static and Dynamic Approaches", IEEE Trans. on Power Systems, Vol. 8, No. 3, pp.1159-1171, 1993.
77. Mozafari, B., Amraee, T. and Ranjbar, A.M. "An Approach for Under Voltage Load Shedding Using Particle Swarm Optimization", IEEE International Symposium on Industrial Electronics, Montreal, Quebec, Canada, Vol.3, pp. 2019-2024, 2006.
78. Musirin, I. and Rahman, T.K.A. "On-line Voltage Stability Based Contingency Ranking Using Fast Voltage Stability Index (FVSI)", IEEE/PES Transmission and Distribution Conference and Exhibition, Yokohama, Japan, Vol.2, pp.1118-1123, 2002
79. Najafi, S.R., Abedi, M. and Hosseinian, S.H. "A Novel Approach to Optimal Allocation of SVC using Genetic Algorithms and Continuation Power Flow", IEEE International Power and Energy Conference, Putra Jaya, Malaysia, pp.202-206, 2006 .
80. Narayana Prasad Padhy, Abdel-Moamen, M.A. and Praveen Kumar, B.J. "Optimal Location and Initial Parameter Settings of Multiple TCSCs for Reactive Power Planning Using Genetic Algorithms", IEEE Power Engineering Society General Meeting, Denver, Colorado, USA, Vol.1, pp. 1110-1114, 2004.
81. Narmatha Banu, R. and Devaraj, D. "Optimal Power Flow for Steady State Security Enhancement Using Genetic Algorithm with FACTS Devices", IEEE Proc., Third international Conference on Industrial and Information Systems, Kharagpur, India, pp. 1-6, 2008.
82. Nasr Azadani, E., Hosseinian, S. H. and Hasanpor, P. "Optimal Placement of Multiple STATCOM for Voltage Stability Margin Enhancement Using Particle Swarm Optimization", Electrical Engineering, Vol.90, No.7, pp. 503-510, 2008.
83. Natesan, R. and Radman, G. "Effects of STATCOM, SSSC and UPFC on Voltage Stability", IEEE Proc. Thirty-Sixth Southeastern Symposium on System Theory, Tuskegee, Alabama, United States, pp.546-550, 2004.
84. NERC, "Survey of the Voltage Collapse Phenomenon", Technical report, North American Electric Reliability Council, 1991.

85. Nikoukar, J. and Jazaeri, M. "Genetic Algorithm Applied to Optimal Location of FACTS Devices in a Power System", Proceedings of the 3rd IASME/WSEAS Int. Conf. on Energy, Environment, Ecosystems and Sustainable Development, Agios Nikolaos, Greece, 2007.
86. Nireekshana, T., Kesava Rao, G. and Siva Naga Raju, S. "Incorporation of Unified Power Flow Controller Model for Optimal Placement using Particle Swarm Optimization Technique", IEEE Proc., 3rd International Conference on Electronics Computer Technology, Kanyakumari, India, pp. 209 -214, 2011.
87. Parizad, A., Khazali, A. and Kalantar, M. "Application of HSA and GA in Optimal Placement of FACTS Devices Considering Voltage Stability and Losses", IEEE Proc., International Conference on Electric Power and Energy Conversion Systems, Sharjah, pp.1-7, 2009.
88. Patrick Mills, Edward Tsang, Qingfu Zhang and John Ford "A survey of AI-based Meta-Heuristics for Dealing with Local Optima in Local Search", Technical Report, 2004.
89. Perez, E.A. and Wei-Jen Lee "Voltage Stability Assessment of the Salvadorian Power System", IEEE PES Power Systems Conference and Exposition, Atlanta, Georgia, pp. 1198-1203, 2006.
90. Perez, M. A., Messina, A. R. and Fuerte-Esquivel, C.R. "Application of FACTS Devices to Improve Steady State Voltage Stability", IEEE Power Engineering Society Summer Meeting, Seattle, Washington, USA, Vol.2, pp.1115-1120, 2000.
91. Phadke, A. R., Fozdar, M. and Niazi, K. R. "Multi-objective Fuzzy-GA Formulation for Optimal Placement and Sizing of Shunt FACTS Controller", IEEE Proc., International Conference on Power Systems, Kharagpur, India, pp. 1- 6, 2009.
92. Pisica, I., Bulac, C., Toma, L. and Eremia, M. "Optimal SVC Placement in Electric Power Systems Using a Genetic Algorithms Based Method", IEEE Bucharest Power Tech, Bucharest, Romania, pp. 1-6, 2009.
93. Pourbeik, P., Koessler, R.J., Quaintance, W. and Wong, W. "Performing Comprehensive Voltage Stability Studies for the Determination of Optimal Location, Size and Type of Reactive Compensation", IEEE Power Engineering Society General Meeting, Atlanta, Georgia, 2006.

94. Pourbeik, P., Meyer, A. and Tilford, M.A. "Solving a Potential Voltage Stability Problem with the Application of a Static VAR Compensator", IEEE Power Engineering Society General Meeting, Tampa, Florida, pp. 1-8, 2007.
95. Power System Test Case Archives, Retrieved 10 December 2004. from <http://www.ee.washington.edu/research/pstca>.
96. Prabhakar Karthikeyan, S., Palanisamy, K., Rani, C., Jacob Raglend, I. and Kothari, D.P. "Security Constrained Unit Commitment Problem with Operational, Power Flow and Environmental Constraints", WSEAS Trans. on Power Systems, Vol. 4, No. 2, pp. 53-66, 2009.
97. Praing, Ch., Tran-Quoc, T., Feuillet, R., Sabonnadiere, J.C., Nicolas, J., Nguyen-Boi, K. and Nguyen-Van, L. "Impact of FACTS Devices on Voltage and Transient Stability of A Power System Including Long Transmission Lines", IEEE Power Engineering Society Summer Meeting, Seattle, Washington , Vol. 3, pp.1906-1911, 2000.
98. Prashant Kumar Tiwari and Yog Raj Sood "Optimal Location of FACTS Devices in Power System Using Genetic Algorithm", IEEE Proc., World Congress on Nature and Biologically Inspired Computing, Coimbatore, India, pp. 1034-1040, 2009.
99. Quintela, A.S. and Castro, C.A. "Improved Branch-based Voltage Stability Proximity Indices Part 11: Application in Security Analysis", IEEE, Proc., Large Engineering Systems Conference on Power Engineering, Halifax, NS, Canada, pp.115-119, 2002.
100. Quoc Tuan, T., Fandino, J., Hadjsaid, N., Sabonnadire, J. C. and Vu, H. "Emergency Load Shedding to Avoid Risks of Voltage Instability using Indicator", IEEE Trans. on Power Systems, Vol.9, No. 1, pp.341-347, 1994.
101. Radu, D., and Besanger, Y. "Blackout Prevention by Optimal Insertion of FACTS Devices in Power Systems", IEEE Proc., International Conference on Future Power Systems, Amsterdam, Netherlands, pp. 1-6, 2005.
102. Rajagopalan, C., Hao, S., Shirmohammadi, D. and Celik, M.K. "Voltage Collapse Operating Margin Analysis Using Sensitivity Techniques", IEEE Proc., Joint International Power Conference Athens Power Tech, Athens, Greece, Vol.1, pp. 332- 336, 1993.

103. Rao, G.G., Khincha, H.P. and Thukaram, D. "Voltage Stability: Some Reflections on Q-V Characteristics of Loads", IEEE Proc., International Conference on Energy Management and Power Delivery, Singapore, Vol.1, pp. 79-84, 1998.
104. Rashed, G.I., Shaheen, H.I. and Cheng, S.J. "Optimal Location and Parameter Settings of Multiple TCSCs for Increasing Power System Loadability Based on GA and PSO Techniques". IEEE Proc., Third International Conference on Natural Computation, Haikou, China, pp. 335-344, 2007.
105. Sameh Kamel Mena Kodsı and Claudio Canizares, A. "Modeling and Simulation of IEEE 14 Bus System with FACTS Controllers", Technical Report, 2003.
106. Saravanan, M., Mary Raja Slochanal, S., and Venkatesh, P., Prince Stephen Abraham, J. "Application of PSO Technique for Optimal Location of FACTS Devices Considering System Loadability and Cost of Installation", IEEE Proc., 7th International Power Engineering Conference, Singapore, Vol. 2, pp. 716-721, 2005.
107. Sarmiento, H.G., Pampin, G. and de Leon, J.D. "FACTS Solutions for Voltage Stability Problems in a Large Metropolitan Area", IEEE PES Power Systems Conference and Exposition, New York, Vol.1, pp.275-282, 2004.
108. Shaheen, H. I., Rashed, G. I. and Cheng, S. J. "Optimal Location and Parameters Setting of UPFC based on GA and PSO for Enhancing Power System Security under Single Contingencies", Power and Energy Society General Meeting - Conversion and Delivery of Electrical Energy in the 21st Century, Pittsburgh, PA, USA, pp.1-8, 2008.
109. Shaheen, H.I., Rashed, G.I. and Cheng, S.J. "Application of Evolutionary Optimization Techniques for Optimal Location and Parameters Setting of Multiple UPFC Devices", IEEE Proc., Third International Conference on Natural Computation, Haikou, China, pp. 688-697, 2007.
110. Shaheen, H.I., Rashed, G.I. and Cheng, S.J. "Optimal Location and Parameters Setting of Unified Power Flow Controller Based on Evolutionary Optimization Techniques", IEEE Power Engineering Society General Meeting, Tampa, Florida, pp. 1-8, 2007.

111. Sheikhi, F.A., Saad, Y.M, Osman, S.O. and Arroudi, K.M. “Voltage Stability Assessment using Modal Analysis of Power Systems Including FACTS”, IEEE Proc., Large Engineering Systems Conference on Power Engineering, Montreal, Quebec, Canada, pp. 105-108, 2003.
112. Sivanandam, S.N. and Deepa, S.N. Introduction to Genetic Algorithms, Springer Berlin Heidelberg New York, 2008.
113. Sumathi, S. and Surekha, P. Computational Intelligence Paradigms Theory and Applications using MATLAB, CRC Press Taylor and Francis Group, 2010.
114. Sundareswaran, K., Bharathram, P., Siddharth, M., Vaishnavi, G., Shrivastava, N.A. and Sarma, H. “Voltage Profile Enhancement Through Optimal Placement of FACTS Devices Using Queen-Bee-Assisted GA”, International Conference on Power Systems, Kharagpur, India, pp.1-5, 2009.
115. Sundareswaran, K., Hariharan, B, Fawas Palasseri Parasseri, Daniel Sanju Antony and Binyamin Subair “Optimal Placement of Static VAR Compensators (SVC’s) Using Particle Swarm Optimization”, IEEE Proc., International Conference on Power, Control and Embedded Systems, Allahabad, India, pp.1- 4, 2010.
116. Taegyun Kim, Yunhwan Lee, Byongjun Lee, Hwachang Song and Taegyun Kim “Optimal Capacitor Placement considering Voltage Stability Margin based on improved PSO algorithm”, IEEE Proc., 15th International Conference on Intelligent System Applications to Power Systems, Curitiba, Brazil pp.1-5, 2009.
117. Taylor, C.W. Power System Voltage Stability, McGraw-Hill, New York, 1994.
118. Thomas, R.J. and Sakk, E. “An Approach to Controlling Voltage Instabilities In Large-scale Power Systems”, IEEE Proc., Joint International Power Conference Athens Power Tech, Athens, Greece, pp. 211-215, 1993.
119. Thukaram, D., Lakpathi, S., Ravishankar, K. and Surendra, S. “Reactive Power Optimization with Different Objectives in Large Power Systems Including HVDC Systems and FACTS Devices”, IEEE Proc., International Conference on Power Systems, Kharagpur, India, pp. 1-6, 2009.

120. Vijayakumar, K., Kumudinidevi, R.P. and Suchithra, D. "A Hybrid Genetic Algorithm for Optimal Power Flow Incorporating FACTS Devices", IEEE Proc., International Conference on Computational Intelligence and Multimedia Applications, Sivakasi, Tamil Nadu, India, pp. 463-467, 2007.
121. Vu, K., Begovic, M.M., Novosel, D. and Saha, M.M. "Use of Local Measurements to Estimate Voltage-Stability Margin", IEEE Trans. on Power Systems, Vol. 14, No. 3, pp. 1029- 1035, 1999.
122. Whei-Min Lin, Kai-Hung Lu, Cong-Hui Huang, Ting-Chia Ou, and Yuan-Hui Li "Optimal Location and Capacity of STATCOM for Voltage Stability Enhancement using ACO plus GA", IEEE/ASME International Conference on Advanced Intelligent Mechatronics, Singapore, pp.1915-1920, 2009.
123. Wood A. J. and Wollenberg, B.F. Power Generation, Operation, and Control, John Wiley and Sons, New York, 1996.
124. Ya-Chin Chang "Multi-Objective Optimal SVC Installation for Power System Loading Margin Improvement", IEEE Trans. on power systems, Vol. 27, No. 2, pp. 984-992, 2012.
125. Yorino, N., El-Araby, E.E., Sasaki, H. and Harada, S. "A New Formulation for FACTS Allocation for Security Enhancement Against Voltage Collapse", IEEE Trans. on Power Systems, Vol.18, No.1, pp.3-10, 2003.
126. Zhang Yanping, Zhang Jianhua, Yang Jingyan and Huang Wei "Research on the Critical Point of Steady State Voltage Stability", IEEE Proc., 7th International Power Engineering Conference, Singapore, pp.1-559, 2005.
127. Zhihong Jia and Jeyasurya, B. "Contingency Ranking for On-Line Voltage Stability Assessment", IEEE Trans. on Power Systems, Vol. 15, No. 3, pp. 1093-1097, 2000.