BIBLIOGRAPHY

Abraham, S. (1966). Studies on spontaneous and induced mutations. Cytologia, 30:155-172.

Alexender, P. and S.F.Consens (1958). Biochem. Pharmacology, 1:25.

Ambrose, E.J., and A.R.G. Ayengar (1952). Molecular orientation and chromosome breakage. Sym. on chromosome breakage Heredity 6 suppl., 293-298.

Auerbach, C. (1947). The induction by mustard gas of Chromosomal instabilities in Drosophila melangoaster. Proc.Roy.Soc.Edinburgh, B62,307-320.

Auerbach, C. (1958). Radiomimetic substances. Rad.Res. 9 : 33-47

Auerbach, C. and J.M. Robson (1944). Mutation chemically induced. Production of mutation by Allyl isothiocyanite Nature 154,81.

_____ (1946). The chemical production of mutation. Nature 157,302

Ahnstrom, G. and A.T.Natarajan. (1966). Mechanism of chromosome breakage - a new theory Hereditas. 53(3):379

Barber, H.N. and H.G.Callen (1943). The effect of cold and colchicine on mitosis in newt. Proc. Roy.Soc. B,131:258-271

Beadle, G.W. (1932). A gene for sticky chromosome in Zea mays. Z.Indukt.Abstamm-u-Vererbungsl. 63,195-217.

Bhaduri, P.N. and A.T.Natarajan (1949). Studies on the effect of nitrogen mustard on chromosomes in somatic and gametic plant tissues. Ind. J.Genet. 48: 8-23.

Biesele, J.J. (1958). Mitotic poisons and the cancer problem. (Elsevier Publishing Co.N.York).

Bowen, C.C. and G.B.Wilson (1954). A comparison of the effects of several antimitotic agents. J.Heredity 45:2-9

Brachet,J.(1964). Studies on the effects of formamide on amphibian eggs and embryos. Proc.Natl.Acad.Sci.(India) B34: 13-18

Brookes, P. and P.D.Lawley (1960). The methylation of adenosine and adenylic acid. J.Chem.Soc. 539-545.

*Chevremont (1960). Biochem.Pharmacol. 4: 67-78

Cornman, I.(1947). The response of onion and lily mitosis to coumarin and parasorbic acid. J.Exptt.Biol.23, 292-297

Crombie,L.(1952). Amides of vegetable origin. J.Chem.Soc.2997-3008

D'Amato,F.(1950). The chromosome breaking activity of chemicals as studied by the Allium cepa test. Pubbl.Staz.Zool.napoli 22 Suppl.,158-170

_____(1952). The problem of the origin of spontaneous mutations. Caryologia 5, 1-13.

_____(1954a). Cytological and genetical effects of acridines. Acta Radiol.Suppl. 116, 701-702.

_____and M.G.Avanzi (1949). Studio comparitivo dell' atti vita citologica di alcume essenzi. Caryologia, 1:175-193

Darlington,C.D. (1942). Chromosome chemistry and gene action. Nature 149: 66-69.

Darlington,C.D. and P.C.Koller (1947). The chemical breakage of chromosomes. Heredity 1, 187-221.

Darlington,C.D. and P.T.Thomas (1937). The break down of cell division in a Festuca-Lolium derivative.

Ann. of Bot. 1,747-761.

Davidson,D. and R.D.Macloed (1966). Changes in mitotic indexes in roots of Vicia faba, I

Antagonistic effect of Colchicine and I.A.A.

Chromosoma 18: 421-437

Duncan, R.E. and Woods, P.S.(1953). Some cytological aspects of Antagonism in synthesis of Nucleic acids.

Chromosoma 6: 45-60

Dustin,P. (1947). Some new aspects of mitotic poisoning.

Nature 159: 794-797

Eigsti,O.J. and P.Dustin Jr.(1955). Colchicine in Agriculture, medicine, Biology and Chemistry.
Iowa State College Press,
Ames, Iowa.

Ennis, H.L. and M.Lubin (1966). Cycloheximide - Aspects of inhibition of the protein synthesis in mammalian cells.

Science 146: 3650(1474-76).

Ericksson,R.O. and Rosen,G.V.(1949). Cytological effect of Protoanemonin on the root-tip of Zea mays.

Am.J.Botan. 36: 317-322.

Fitzhugh, O.G. and A.A.Nelson (1948). Liver tumors in rats fed thiourea or thioacetamide.

Science, 108 : 626-628

Ford, C.E.(1949). Chromosome breakage in mustard gas treated Vicia faba root-tip cells.

Proc.8th Intern.Congr.Genet. Stockholm. Hereditas.Suppl.325-337.

Galinsky,I (1949). The effect of certain phosphates on mitosis in Allium roots.

J.Heredity 60(11): 289-295.

Goldacre,R.J.,A.Loveless and W.C.J.Ross (1949). Mode of production of chromosomal abnormalities by the nitrogen mustards.
Nature 163: 667-669

Haddow, A., R.J.C.Harris, G.A.R.Kon and E.M.E.Roe (1948). The growth inhibitory and carcinogenic properties of 4- aminostilbene and derivatives.

Trans. Roy.Soc. A241: 147-195.

Haddow,A., Timmis,G. and Brown, S.(1958). Tumour inhibiting action of 1:6-dimethyl anesulphonyl - D - mannitol

Nature, 182: 1164.

*Hadder, J.C. and G.B.Wilson (1958). Chromosoma 9,91

Hawthorne,M.E. and G.B.Wilson (1952). The cytological effects of the Antibiotic Actidione.

Cytologia, 17: 71-85

Huskin,C.L. (1948). Segregation and reduction in somatic tissues.I. Initial observations on Allium cepa

Jour.Heredity 39:311-325

_____and K.C.Cheng (1950). Segregation and reduction in somatic tissues IV. Reductional groupings induced in Allium cepa by low temperature.

J.Heredity 51: 13-18

Hussein,F. and M.G.Hussein (1963). Cytological effects of some Organophosphate compounds on Vicia faba.

J.Bot.Un.Arab.Repub. 6:27-52.

Kato,Y. (1954). Descriptional and experimental cytology in Allium II. Chromosome breakage in the seedling of Allium.

Botan.Mag.(Tokyo),67:122-128.

Kaul,B.L.(1963). Studies on the cytogenetic effects of base analogues on some crop plants.

Thesis, I.A.R.I. 1-98.

Kaul, B.L. and A.T.Natarajan,(1966). Radiomimetic and Radiosensiting effects of 5-BU and 2-AP in root meristems of barley and onion.

Ind.J.Expt.Biol.,4:109-113.

Kihlman,B.A.(1951). The permeability of nuclear envelope and the mode of action of purine derivatives on chromosomes.

Symbalo.Bot.Upsal. 11: 1-40

Kihlman,B.(1952). Induction of chromosome changes with purine derivatives.

Symbol.Bot.Upsal,12:1-96

_____(1962). Different effects of 5 FudR and 5-BudR on the frequencies of chromatid aberrations obtained in Vicia faba after irradiation with X-rays.

Expt.Cell.Res.27: 604-607.

_____,T.Eriksson and G.Odmark (1966). Effects of Hydroxyurea on chromosomes, cell Division and nucleic acid synthesis in Vicia faba.

Hereditas 55: 386-397.

_____ and A.Levan (1951). Localised chromosome breakage in Vicia faba.

Hereditas 37: 382-388.

Kodani,M. (1948). Sodium ribose nucleate and mitosis.

J.Hered. 39: 327-335.

Koller, P.C.(1947). The experimental modification of nucleic acid system in the cell.

Nucleic acids p- 270-290.

Koller,P.C.(1953). A dicentric chromosome in a rat tumour induced by an aromatic nitrogen mustard.

Heredity, 6:181.

Levan,A.(1945). Cytological reactions induced by Inorganic salt solutions.

Nature, 156:751.

_____(1949). The influence on chromosomes and mitosis by chemicals as studied by the Allium test.
Proc.8th Intern.Congr.Genet.Stockholm.

Hereditas, 325-337.

Levan,A.(1951). Chemicall induced chromosomal reaction in Allium cepa and Vicia faba.

Hereditas 36: 470-480.

Levan,A. and J.H.Tjio (1948). Induction of chromosome fragmentation by Phenols.

Hereditas 34: 453-484.

Levan, A,& K.H.Wangenheim (1952). Potassium cyanide in the Allium test.

Hereditas 38: 297-313

Loveless, A and S.Revell (1949). New evidence on the mode of action of mitotic poisons.

Nature 164: 938-955

Macfarlane, E.W.E.(1954). Some phenyl mercurials as polyploidogenic and radiomimetic agents for plants compared with colchicines with remarks on Antagonism.

Rev.Cytol.etc.biol.Vegetales. 15: 139-146

MaCleish,S. (1952). The action of maleic hydrazide on Vicia faba.

Heredity 6, suppl., 125-147.

Marguardt, H. (1938). Die Routgenpathologie der mitose I & II. I. Der premarehekt weicher Rontgenstrahten of die mitose von Scillia companulata.

Z.Bot.32: 401-82

Marquardt,H.(1949). Mutations auslosung durch putrescin-hydrochlorid und Kaltextrakt aus uberalterten Oenotherasamen.

Experientia 5: 401-403.

Mehra, P.N. (1949). Effect of Sulfanilamide on mitotic division in pollen grains of Ephedra.

Bot.Gaz. 111: 53-63.

_____(1960). Effect of chemicals on cell division.

Mem.Ind.Bot.Soc.Memoir,3:59-72.

Montgomery,J.A.(1959). The relation of Anticancer activity to chemical structure.

Cancer Res, 19: 447-463.

Moutschen-Dahmen,J.M. and Loppes,R.(1963). Differential mutagenic activity of l(+) and d(-) diepoxybutane.

Nature 199:406-407

Muller,H.J.(1927). Artificial transmutation of the gene.

Science 66: 84-87

Natarajan,A.T.(1964). Analysis of Base composition in chromosomes of higher plants through response to mutagens.

Sym.Nucleic.Acids. Hyderabad.(Abstract).

_____(1966). Studies on mutation and chromosome breakage in higher plants.

AB Gustaf Lindstroms Boktryckeri, Stockholm,1-16

*Oehlkers,F. (1943). Die Austosung von chromosomeu-mutationen in der Meiosis durch chemikalien.

Z.Induktive Abstammungs-u Vererbungslehre, 81:313-341

_____(1953). Chromosome breaks influence by chemicals.

Suppl.to Heredity, 6:95-105

Ono,R. and S.Tunihuzi (i960). Cytological effects of extracts from noxious plants.

Jap.Jour.Genetics,35:120-124.

Oppenheimer, J.J. and W.N.Fishbein (1965). Induction of chromosome breaks in cultured normal human lukocytes by Potassium arsenite - hydroxyurea and related compounds.

Cancer Res.25(7): 980

Östergren,G.(1944). Colchicine mitosis, chromosome contraction, narcosis and protein chain folding.

Hereditas 30: 429-67

_____(1950). Cytological standards for the quantitative estimation of spindle disturbances.

Hereditas, 36: 371-382.

Patau,K. and Patil,R.P.(1951). Mitotic effects of sodium nucleate in root-tips of Rhoeo-discolour,Hans.

Chromosoma 4: 740-502.

Prakken,R. and M.S.Swaminathan (1952). Experience with the hydroxy quinoline smear method.

Mededelingen van Landbouwhogeschool Te Wageningen,Netherland 50: 137-140.

*Prescott,D.M., J. F.Bollum and B.C.Kluss (1962). J.Cell. Biol. 13: 172.

Price, C.C.(1958). Fundamental mechanism of alkylation. Ann. N.Y.Acad.Sci., 68: 663-668

Revell, S.H.(1958). A new hypothesis for the interpretation of chromatid aberrations and its relevance to theories for the mode of action of chemical agents. N.Y.Acad.Sci.Ann., 68: 802-810

Sawamura, S.(1965). Cytological studies on the effects of Herbicides on plant cells in vivo I. Cytologia 30(3): 325.

*Selman, G.G.(1952). Expt.Cell.Research, 3: 650

Sharma, A.K. and M.Chaudhury (1959). An aspect of gammexane effect on chromosomes. Current.Sci., 28: 498-499.

Sharma, A.K. and K.B.Dutta (1962). Radiomimetic effects of plant pigments. Folia Biologica,10: 59-66.

Stadler,L.J.(1928). Genetic effects of X-rays in maize. Proc.Natl.Acad.Sci.U.S.14:69-75.

Stange, L.(1951). Untersuchungen uber den Einfluss von Begleitfaktoren auf die mutationsauslosende wirkung von Rontgenstrahlen. Z.Indukt.Abstamm-u Vererbungsl. 83: 485-512.

Steinegger,E. and L.Levan (1947). The cytological effect of chloroform and colchicine on Allium. Hereditas, 33:315

Swaminathan,M.S., V.L.Chopra and S.Bhaskaran (1962). Chromosome aberrations and the frequency & spectrum of mutations induced by EMS in barley and wheat. Ind.J.Genetics,22:192-207.

_____ and A.T.Natarajan (1956). Chromosome breakage induced by vegetable oils and edible fats. Current.Sci.25: 382-384.

Swaminathan,M.S. and A.T.Natarajan (1959). Cytological and genetic changes induced by vegetable oils in Triticum.

J.Heredity, 50: 177-187.

Tanahuzi,Y. (1955). Effects of Extracts from two poisonous plants upon living plant tissues.

Ann.Report.Natl.Inst.Genet.Japan, 5: 69-71.

Taylor, J.H., W.F.Haut, and J.Tang (1962). Effects of 5-FUDR on DNA replication, chromp-some breakage and reunion.

Proc.Nat.Head.Sci.Wash.,48:190-198

Vaarama,A.(1947). Experimental studies on the influence of D.D.T. insecticide upon plant mitosis.

Hereditas, 33: 191-219.

Von-Rosen,G.(1954). Radiomimetic activity.

Socker, Haudl.,8: 157 -273.

_____(1957). Mutations induced by the action of metalions in Pisium.

Hereditas, 43; 644-664.

Walpole,A.D.(1958). Carcinogenic action of alkylating agents.

Ann.New York.Acad. Sci.,68: 750-761.

Watson,J.D.(1965). Molecular genetics of the gene.

(W.A.Benjamin, Inc.)
New York.

Wilson,G.B.(1950). Cytological effects of some antibiotics.

J.Heredity, 41: 227-231.

_____ and C.C.Bowen (1951). Cytological effects of some more antibiotics.

J.Heredity,42: 251-55

_____ and K.C.Cheng (1949). Segregation and reduction in somatic tissues II. The separation of homologous chromosomes in Trillium species.

Jour.Hered., 40: 36

Wilson,G.B. and J.H.Morrison (1958). Mitotic activity and behaviour as an index of

chemical effect.
Nucleus 1: 45-56

Wolff, S. (1963). Radiation induced chromosome aberration (Columbia University Press) New York & London.

_____ and H.E. Luippold (1956). The production of two chemically different types of chromosomal breaks by ionizing radiations. Proc. Natl. Acad. Sci. Wash., 49: 510-514.

* ORIGINAL NOT SEEN.

*****