

LIST OF TABLES

Table No.	Table Caption	Page No.
Table 1.1	Hazardous effects of heavy metals on human health	4
Table 2.1	Range of heavy metal concentrations (mg/kg) in igneous and sedimentary rocks	12
Table 2.2	Worldwide emissions of heavy metals from natural sources	13
Table 2.3	Some advantages of biosorption	36
Table 2.4	Maximum Pb(II) uptake capacities by microbial biomass	40
Table 2.5	Maximum Cu(II) uptake capacities by microbial biomass	41
Table 2.6	Maximum Cd(II) uptake capacities by microbial biomass	42
Table 2.7	Biosorption capacity of Pb(II) by various adsorbents	43
Table 2.8	Biosorption capacity of Cu(II) by various adsorbents	44
Table 2.9	Biosorption capacity of Cd(II) by various adsorbents	45
Table 2.10	Summary of removal of different heavy metals by using natural adsorbents	49
Table 3.1	Composition of constituents in <i>Adenanthera pavonina</i> seeds	72
Table 3.2	Percentage composition of <i>Adenanthera pavonina</i> seed oil	73
Table 4.1	Metal salts used for preparation of stock solution	84
Table 4.2	Operating conditions of AAS for quantification of different heavy metals along with their characteristic wavelengths	85
Table 4.3	Levels of parameters tested in Plackett- Burman design	88
Table 4.4	Methods used for water quality analysis	90
Table 5.1	CHNS content in powdered <i>Adenanthera pavonina</i> seeds	96
Table 5.2	BET surface area, pore size and pore volume of powdered <i>Adenanthera pavonina</i> seeds	97
Table 5.3	Prominent FTIR bands of PSAP before and after adsorption with metal ions	98
Table 5.4	Langmuir isotherm parameters for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	128

Table No.	Table Caption	Page No.
Table 5.5	Freundlich isotherm parameters for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	131
Table 5.6	Temkin isotherm parameters for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	133
Table 5.7	Dubinin-Radushkevich isotherm parameters for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	136
Table 5.8	Parameters for pseudo-first order kinetics for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	139
Table 5.9	Slope and intercept for the pseudo-first order kinetic plots for Pb(II) biosorption on PSAP	140
Table 5.10	Slope and intercept for the pseudo-first order kinetic plots for Cu(II) biosorption on PSAP	141
Table 5.11	Slope and intercept for the pseudo-first order kinetic plots for Cd(II) biosorption on PSAP	142
Table 5.12	Parameters for second-order kinetics for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	143
Table 5.13	Slope and intercept for the second-order kinetic plots for Pb(II) biosorption on PSAP	145
Table 5.14	Slope and intercept for the second-order kinetic plots for Cu(II) biosorption on PSAP	146
Table 5.15	Slope and intercept for the second-order kinetic plots for Cd(II) biosorption on PSAP	147
Table 5.16	Parameters for Elovich kinetic models for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	148
Table 5.17	Slope and intercept for the Elovich kinetic plots for Pb(II) biosorption on PSAP	149
Table 5.18	Slope and intercept for the Elovich kinetic plots for Cu(II) biosorption on PSAP	150
Table 5.19	Slope and intercept for the Elovich kinetic plots for Cd(II) biosorption on PSAP	151

Table No.	Table Caption	Page No.
Table 5.20	Parameters for the intra-particle diffusion models for biosorption of Pb(II), Cu(II) and Cd(II) on PSAP	152
Table 5.21	Slope and intercept for the intra-particle disffusion plots for Pb(II) biosorption on PSAP	154
Table 5.22	Slope and intercept for the intra-particle disffusion plots for Cu(II) biosorption on PSAP	155
Table 5.23	Slope and intercept for the intra-particle disffusion plots for Cd(II) biosorption on PSAP	156
Table 5.24	Plackett-Burman experimental design matrix representing the simultaneous removal of Pb(II), Cu(II) and Cd(II) in ternary solutions	164
Table 5.25	Analysis of variance for percentage removal of Pb(II), Cu(II) and Cd(II) in ternary system	165
Table 5.26	Significance of concentrations of Pb(II), Cu(II) and Cd(II) on each other's removal in the study in terms of Student's t-test	167
Table 5.27	Results of effluent discharge values versus the standard limit value	173
Table 5.28	Percentage removal of Pb(II), Cu(II) and Cd(II) from industrial waste water by biosorption on PSAP	175