

LIST OF FIGURES

Figure No.	Figure Caption	Page No.
Figure 5.1	Experimental mass titration curve for determination of pH_{pzc} of PSAP	95
Figure 5.2	FTIR spectra of fresh and dried PSAP	99
Figure 5.3	FTIR spectra of Pb(II) loaded PSAP	100
Figure 5.4	FTIR spectra of Cu(II) loaded PSAP	101
Figure 5.5	FTIR spectra of Cd(II) loaded PSAP	102
Figure 5.6	FTIR spectra of Pb(II)+Cu(II)+Cd(II) loaded PSAP	103
Figure 5.7	Effect of contact time on Pb(II) biosorption on PSAP	112
Figure 5.8	Effect of contact time on Cu(II) biosorption on PSAP	113
Figure 5.9	Effect of contact time on Cd(II) biosorption on PSAP	114
Figure 5.10	Effect of initial metal ion concentration on Pb(II) biosorption on PSAP	117
Figure 5.11	Effect of initial metal ion concentration on Cu(II) biosorption on PSAP	118
Figure 5.12	Effect of initial metal ion concentration on Cd(II) biosorption on PSAP	119
Figure 5.13	Effect of adsorbent dose on Pb(II) biosorption on PSAP	121
Figure 5.14	Effect of adsorbent dose on Cu(II) biosorption on PSAP	122
Figure 5.15	Effect of adsorbent dose on Cd(II) biosorption on PSAP	123
Figure 5.16	Effect of pH on Pb(II) biosorption on PSAP	125
Figure 5.17	Effect of pH on Cu(II) biosorption on PSAP	126
Figure 5.18	Effect of pH on Cd(II) biosorption on PSAP	126
Figure 5.19	Langmuir isotherm plot of biosorption of Pb(II) on PSAP	128
Figure 5.20	Langmuir isotherm plot of biosorption of Cu(II) on PSAP	129
Figure 5.21	Langmuir isotherm plot of biosorption of Cd(II) on PSAP	129
Figure 5.22	Freundlich isotherm plot of Pb(II) biosorption on PSAP	131

Figure No.	Figure Caption	Page No.
Figure 5.23	Freundlich isotherm plot of Cu(II) biosorption on PSAP	132
Figure 5.24	Freundlich isotherm plot of Cd(II) biosorption on PSAP	132
Figure 5.25	Temkin isotherm plot of Pb(II) biosorption on PSAP	133
Figure 5.26	Temkin isotherm plot of Cu(II) biosorption on PSAP	134
Figure 5.27	Temkin isotherm plot of Cd(II) biosorption on PSAP	134
Figure 5.28	D-R isotherm plot for Pb(II) biosorption on PSAP	136
Figure 5.29	D-R isotherm plot for Cu(II) biosorption on PSAP	137
Figure 5.30	D-R isotherm plot for Cd(II) biosorption on PSAP	137
Figure 5.31	Pseudo-first order kinetics for the adsorption of Pb(II) on PSAP	140
Figure 5.32	Pseudo-first order kinetics for the adsorption of Cu(II) on PSAP	141
Figure 5.33	Pseudo-first order kinetics for the adsorption of Cd(II) on PSAP	142
Figure 5.34	Second-order kinetics for the adsorption of Pb(II) on PSAP	145
Figure 5.35	Second-order kinetics for the adsorption of Cu(II) on PSAP	146
Figure 5.36	Second-order kinetics for the adsorption of Cd(II) on PSAP	147
Figure 5.37	Elovich kinetic plots for the adsorption of Pb(II) on PSAP	149
Figure 5.38	Elovich kinetic plots for the adsorption of Cu(II) on PSAP	150
Figure 5.39	Elovich kinetic plots for the adsorption of Cd(II) on PSAP	151
Figure 5.40	Intra-particle diffusion plots for the adsorption of Pb(II) on PSAP	154
Figure 5.41	Intra-particle diffusion plots for the adsorption of Cu(II) on PSAP	155
Figure 5.42	Intra-particle diffusion plots for the adsorption of Cd(II) on PSAP	156
Figure 5.43	Comparison of percentage removal of Pb(II) on PSAP, with Pb(II) ions present as single metal and with increasing concentrations of Cu(II) ions	158
Figure 5.44	Comparison of percentage removal of Pb(II) on PSAP, with Pb(II) ions present as single metal and with increasing concentrations of Cd(II) ions	158
Figure 5.45	Comparison of percentage removal of Cu(II) on PSAP, with Cu(II) ions present as single metal and with increasing concentrations of Pb(II) ions	159

Figure No.	Figure Caption	Page No.
Figure 5.46	Comparison of percentage removal of Cu(II) on PSAP, with Cu(II) ions present as single metal and with increasing concentrations of Cd(II) ions	160
Figure 5.47	Comparison of percentage removal of Cd(II) on PSAP, with Cd(II) ions present as single metal and with increasing concentrations of Pb(II) ions	161
Figure 5.48	Comparison of percentage removal of Cd(II) on PSAP, with Cd(II) ions present as single metal and with increasing concentrations of Cu(II) ions	161
Figure 5.49	Pareto charts showing the effect of different heavy metals on each other's removal by PSAP in the multicomponent system	170