

## LIST OF FIGURES

### Chapter 2:

Figure 2.1	Periodic Table showing classifications of elements	11
Figure 2.2	Crystalline geometries of zirconia (a) cubic (b) tetragonal (c) monoclinic	14
Figure 2.3	Scheme of transformation toughening process in zirconia	15
Figure 2.4	Balls-sticks models of rutile, anatase and brookite crystal forms of titania	16
Figure 2.5	A general photocatalytic performance of Titania	17
Figure 2.6	Crystal structure of quartz and amorphous silica	18
Figure 2.7	General applications of metal oxide nanoparticles	20

### Chapter 3:

Figure 3.1	Classification of synthesis routes through tree diagram	29
Figure 3.2	Schematic of step wise sol-gel route	32
Figure 3.3	Applications of sol-gel in diverse fields	36
Figure 3.4	Scheme of spin coating process	38
Figure 3.5	Variation of angular velocity at different stages	38
Figure 3.6	Schematic diagram of X-ray powder diffractometer	39
Figure 3.7	Bragg's Law of diffraction	40
Figure 3.8	Schematic diagram of Fourier transform infra-red spectrometer	41
Figure 3.9	Schematic diagram of Scanning electron microscope (SEM) with EDX	42
Figure 3.10	X-ray-emission phenomenon	44
Figure 3.11	Schematic diagram of Transmission electron microscope (TEM)	45
Figure 3.12	Schematic diagram of double beam UV-visible spectrophotometer	46
Figure 3.13	Beer's law of absorption	47
Figure 3.14	Mechanism of photoluminescence emission	48
Figure 3.15	Schematic diagram of a general purpose spectrofluorometer	49
Figure 3.16	A typical TGA curve showing mass loss at different stages	51

Figure 3.17	Example of a DTA curve	52
Figure 3.18	Schematic diagram of thermal analyzer	52

#### Chapter 4:

Figure 4.1	XRD patterns of $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites (a) $x=1$ , (b) $x=0.7$ (c) $x=0.5$ (d) $x=0.3$ , annealed at $650^\circ\text{C}$ , $875^\circ\text{C}$ and $1100^\circ\text{C}$ for 4h	60-61
Figure 4.2	Rietveld refinement plots of $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites (a) $x=1$ , (b) $x=0.7$ (c) $x=0.5$ (d) $x=0.3$ , annealed at $1100^\circ\text{C}$ for 4h	63-64
Figure 4.3	FTIR spectra of $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites ( $x=1, 0.7, 0.5, 0.3$ ), annealed at $1100^\circ\text{C}$ for 4h	67
Figure 4.4	SEM images of $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites (a) $x=1$ , (b) $x=0.7$ (c) $x=0.5$ (d) $x=0.3$ ; and EDX spectra of $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites (e) $x=1$ , (f) $x=0.7$ (g) $x=0.5$ (h) $x=0.3$ , annealed at $1100^\circ\text{C}$ for 4h	68-69
Figure 4.5	Photoluminescence spectra of $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites ( $x=0.7, 0.5, 0.3$ ), annealed at $1100^\circ\text{C}$ for 4h; and inset shows photoluminescence spectra of pure $\text{TiO}_2$ and $\text{ZrO}_2$ , annealed at $1100^\circ\text{C}$ for 4h	70
Figure 4.6	(a) Optical absorption spectra and (b) Tauc's plot of $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites ( $x=1, 0.7, 0.5, 0.3$ ), annealed at $1100^\circ\text{C}$ for 4h	71-72
Figure 4.7	DTA/TGA thermograms of as prepared $x\text{TiO}_2-(1-x)\text{ZrO}_2$ composites (a) $x=1$ , (b) $x=0.7$ (c) $x=0.5$ (d) $x=0.3$	74-75

#### Chapter 5:

Figure 5.1	XRD patterns of tetragonal zirconia QDs in silica [annealing effect]( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ), (a) $x=100$ , (b) $x=70$ (c) $x=50$ , (d) $x=30$ , (e) $x=0$ , annealed at $650^\circ\text{C}$ , $875^\circ\text{C}$ and $1100^\circ\text{C}$ for 4h	84-86
Figure 5.2	XRD patterns of tetragonal zirconia QDs in silica [Compositional effect] ( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ), (a) $x=100$ , (b) $x=70$ (c) $x=50$ , (d) $x=30$ , (e) $x=0$ , annealed at $1100^\circ\text{C}$ for 4h	89
Figure 5.3	FTIR spectra of tetragonal zirconia QDs in silica ( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ), (a) $x=100$ , (b) $x=70$ (c) $x=50$ , (d) $x=30$ , (e) $x=0$ , annealed at $1100^\circ\text{C}$ for 4h	91

Figure 5.4	(a-e) SEM images and (f-j) EDX spectra of tetragonal zirconia QDs in silica ( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ), (a) $x=100$ , (b) $x=70$ (c) $x=30$ (d) $x=0$ , annealed at $1100^\circ\text{C}$ for 4h	92-93
Figure 5.5	TEM micrographs with corresponding histograms of tetragonal zirconia QDs in silica ( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ) (a) $x=100$ , (b) $x=70$ (c) $x=50$ (d) $x=30$ , annealed at $1100^\circ\text{C}$ for 4h	94-95
Figure 5.6	(a) Optical absorption spectra and (b) Tauc's plot of tetragonal zirconia QDs in silica ( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ), annealed at $1100^\circ\text{C}$ for 4h	97
Figure 5.7	Photoluminescence spectra of tetragonal zirconia QDs in silica ( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ), annealed at $1100^\circ\text{C}$ for 4h	99
Figure 5.8	DTA/TGA thermograms of as prepared tetragonal zirconia QDs in silica ( $x\text{ZrO}_2-(100-x)\text{SiO}_2$ ) (a) $x=100$ , (b) $x=70$ (c) $x=50$ (d) $x=30$ (e) $x=0$	100-102
 <b>Chapter 6:</b>		
Figure 6.1	Flow chart of experimental procedure followed for preparation of pyrochlore rare earth titanates	109
Figure 6.2	XRD patterns of pyrochlore rare earth titanates (a) $\text{Dy}_2\text{Ti}_2\text{O}_7$ (RET-1 and RET-2) (b) $\text{Sm}_2\text{Ti}_2\text{O}_7$ (RET-3 and RET-4)	111
Figure 6.3	Williamson-Hall plot of pyrochlore rare earth titanates annealed at $875^\circ\text{C}$ (a) RET-1, (b) RET-2, (c) RET-3 and (d) RET-4	112
Figure 6.4	TEM images with their corresponding histograms of pyrochlore rare earth titanates annealed at $875^\circ\text{C}$ (a) RET-1, (b) RET-2, (c) RET-3 and (d) RET-4	113-114
Figure 6.5	FTIR spectra of pyrochlore rare earth titanates annealed at $875^\circ\text{C}$ (a) RET-1, (b) RET-2, (c) RET-3 and (d) RET-4	115
Figure 6.6	TGA/DTA thermograms of pyrochlore rare earth titanates (a) RET-1, (b) RET-2, (c) RET-3 and (d) RET-4	118-119
Figure 6.7	(a) UV-visible absorption spectra (b) Tauc's plots of pyrochlore rare earth titanates annealed at $875^\circ\text{C}$	120-121
Figure 6.8	Photoluminescence emission spectra of pyrochlore rare earth titanates annealed at $875^\circ\text{C}$	122

## Chapter 7:

Figure 7.1	Flow chart of experimental procedure followed for preparation of tetragonal titania QDs stabilized in silica	127
Figure 7.2	XRD patterns of tetragonal titania QDs stabilized in silica [annealing effect]( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ), (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$ , annealed at 650°C, 875°C and 1100°C for 4h	129-130
Figure 7.3	XRD patterns of tetragonal titania QDs stabilized in silica [compositional effect] ( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ), (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$ , annealed at 1100°C for 4h	131
Figure 7.4	TEM micrographs with corresponding histograms of tetragonal titania QDs stabilized in silica ( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ), (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$ , annealed at 1100°C for 4h	133
Figure 7.5	(a-c) SEM images and (d-f) EDX spectra of tetragonal titania QDs stabilized in silica ( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ), (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$ , annealed at 1100°C for 4h	134-135
Figure 7.6	FTIR spectra of tetragonal titania QDs stabilized in silica ( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ), (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$ , annealed at 1100°C for 4h	137
Figure 7.7	DTA/TGA thermograms of as prepared ( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ) specimens, (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$	139-140
Figure 7.8	(a) Optical absorption spectra and (b) Tauc's plot of tetragonal titania QDs stabilized in silica ( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ), (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$ , annealed at 1100°C for 4h	141
Figure 7.9	Photoluminescence spectra of tetragonal titania QDs stabilized in silica ( $x\text{TiO}_2-(1-x)\text{SiO}_2$ ), (a) $x=0.7$ , (b) $x=0.5$ (c) $x=0.3$ , annealed at 1100°C for 4h	143

## LIST OF TABLES

### Chapter 2:

Table 2.1	Physical properties of zirconia ( $ZrO_2$ )	15
Table 2.2	Physical properties of titania ( $TiO_2$ )	18
Table 2.3	Physical properties of silica	19

### Chapter 4:

Table 4.1	Molar composition for preparation of $xTiO_2-(1-x)ZrO_2$ composites ( $x=1, 0.7, 0.5, 0.3$ )	58
Table 4.2	Structural parameters of $xTiO_2-(1-x)ZrO_2$ composites ( $x=1, 0.7, 0.5, 0.3$ )	62
Table 4.3	Refined structural parameters of $xTiO_2-(1-x)ZrO_2$ composites ( $x=1, 0.7, 0.5, 0.3$ )	65
Table 4.4	Bond distances and bond angles of $xTiO_2-(1-x)ZrO_2$ composites ( $x=1, 0.7, 0.5, 0.3$ )	66

### Chapter 5:

Table 5.1	Structural and optical parameters calculated for tetragonal zirconia quantum dots in silica annealed at $1100^\circ C$	88
Table 5.2	Functional groups and their corresponding wavenumber recorded by FTIR for tetragonal zirconia quantum dots in silica matrix annealed at $1100^\circ C$	90

### Chapter 6:

Table 6.1	Structural parameters calculated for pyrochlore rare earth titanates annealed at $875^\circ C$	113
Table 6.2	Thermal effects and their corresponding assignments in pyrochlore rare earth titanates	117

### Chapter 7:

Table 7.1	Structural parameters calculated for tetragonal titania QDs stabilized in silica annealed at $1100^\circ C$	132
Table 7.2	Functional groups and their corresponding wavenumber for tetragonal titania QDs stabilized in silica annealed at $1100^\circ C$	136
Table 7.3	Thermal effects and their corresponding assignments of tetragonal titania QDs stabilized in silica	138