

## REFERENCES

1. Abdelrahim, K.A., Ramaswamy, H.S. and Marcotte, M. "Residence time distribution of meat and carrot cubes in the holding tube of an aseptic processing system", *Lebensmittel- Wissenschaftund – Technologies*, Vol.30, pp. 9-22, 1997.
2. Abdelrahim, K.A., Ramaswamy, H.S., Marcotte, M. and Toupin, C. "Residence time distribution of carrot cubes in starch solutions in a pilot scale aseptic processing system". *Food Research International*. Vol.26, No.6, pp. 431-441, 1993.
3. Abichandini, H. and Sarma, S.C. "Residence time distribution in horizontal thin film scraped surface heat exchanger (SSHE)", *Journal of Food Process Engineering*, Vol.10, pp.71-80, 1988.
4. Alhamdan, A. and Sastry, S.K. "Residence time distribution of food and simulated particles in a model horizontal swept surface heat exchanger", *Journal of Food Process Engineering*, Vol.21, pp.145-180, 1998.
5. Arimond, J. and Erwin, L. "A simulation of motionless mixer", *Chemical Engineering Commun*, Vol.37, pp.105–126, 1985.
6. Baptista, P.N., Oliveira, F.A.R., Sannervik, J. and Oliveira, J.C. "The effect of mixing particles with different characteristics on the residence time distribution of particles in two-phase flow in a tubular system", *Journal of Food Engineering*, Vol. 29, pp.361-373, 1996.
7. Bateson, R.N. "The effect of age distribution on aseptic processing". *Chemical Engineering Progress Symposium*, Vol.67, pp.44-52, 1971.
8. Bird, R.B., Stewart W.E. and Light Foot, E.N. "Transport phenomena", *John Wiley & Sons Inc.*, New York , 1960.
9. Bor, T. "Static mixer as a chemical reactor", *British Chemical Engineering*, Vol. 16, pp.610, 1971.

10. Buffham, B.A. "Internal and External Residence Time Distributions" Chem. Eng. Communication, Vol.22, pp.105 – 117, 1983.
11. Buffham, B.A. and Mason, G. "Holdup and Dispersion: Tracer Residence Times, Moments and Inventory Measurements" Chemical Engineering Science, Vol. 48, No.23, pp.3879 – 3887, 1993.
12. Cha, L.C. and Fan, L.T. "Age distributions for flow systems", Canadian Journal of chemical Engineering, Vol.41, pp.62-66, 1963.
13. Champernowne, D.G. "An elementary method of solution of the queuing problem with a single server and constant parameters", Journal of the Royal Statistical Society Series B, Vol.18, pp125-128, 1956.
14. Chandarana, D.I. and Unverferth, J.A. "Residence time distribution of particulate foods at aseptic processing temperatures", Journal of Food Engineering. Vol.28, pp.349-360, 1996.
15. Charbel Habchi, Thierry Lemenand, Dominique, D., Valle and Hassan Peerhossaini, "Turbulent mixing and residence time distribution in novel multifunctional heat exchangers-reactors" Chemical Engineering and Processing: Process Intensification, 2010.
16. Chen, M.S.K. "The theory of micromixing for unsteady state flow reactors", Chemical Engineering Science, Vol.26, pp.17-28, 1971.
17. Clarke, A.B. "A waiting line process of Markov type", The Annals of Mathematics Statistic, Vol. 27, pp.452-459, 1956.
18. Conolly, B.W. and Langaris, C. "On a new formula for the transient state probabilities for  $M/M/1$  queues and computational implications", Journal of Applied Probability, Vol.30, pp.237-246, 1993.
19. Danckwerts, P. V. "Continuous flow systems: distribution of residence times". Chemical Engineering Science. Vol.2, pp.1-11, 1953.
20. David Olivet, Joan Valls, M. Angels Gordillo, A., Angel Freixo and Antoni Sa´ nchez, "Application of residence time distribution technique to the study of the hydrodynamic behaviour of a full-scale wastewater treatment plant plug-flow bioreactor", J Chem Technol Biotechnol Vol.80, pp.425-432, 2005.

21. Dickerson, R.W., Scalzo, A.M., Read, R.B. and Parker, R.W. "Residence time of milk products in holding tubes of high-temperature short-time pasteurizers", *Journal of Dairy Science*, Vol.51, pp.1731-1738, 1968.
22. Dutta, B. and Sastry, S.K. "Velocity distributions of food particle suspensions in holding tube flow: distribution characteristics and fastest-particle velocities", *Journal of Food Science*, Vol.55, No.6, pp.1703-1710, 1990a.
23. Dutta, B. and Sastry, S.K. "Velocity distributions of food particle suspensions in holding tube flow: experimental and modeling studies on average particle velocities", *Journal of Food Science*. Vol.55, No.5, pp. 1448-453, 1990b.
24. Eliot-Godereaux, S.C., Fairhurst, P.G., Goullieux, A. and Pain, J.P, "Passage time distributions of cubes and spherical particles in an ohmic heating pilot plant", *Journal of Food Engineering*, Vol.47, pp.11-22, 2001.
25. Fahidy, T.Z. "An application of the Fan-Nassar model to the unsteady-state age distribution of a class of nonideal flow". *Chemical Engineering Science*, Vol.42, pp.1513-1514, 1987.
26. Fairhurst, P.G., Barigou, M., Fryer, P.J. and Pain, J.P. "Particle passage time distributions in vertical pipe flow of solid-liquid food mixtures", *Transactions of I Chem E*. Vol.77, Part C, pp.293-301, 1999.
27. Fan, K. and Fu, W. "Residence time distribution of suspended particle in vertical tube flow", *Journal of Food Science*. Vol.61, No.5, pp.982-984, 1996.
28. Fan, L. "A mechanic Kinetic Model of the Rate of Mixing Segregating Solid Particles". *Powder Technology*, Vol.12, pp.139-156, 1975 (in English).
29. Fan, L. and Lait, F. "Numerical and experimental simulation studies on the mixing of particulate solids and the synthesis of a mixing system". *Computers and Chemical Engineering*, Vol. 2, pp.19-32, 1990 (in English).
30. Fan, L. and Marcov, A. "Chain Model for the Motionless Mixer", *ALChE Journal*, Vol.18, No.5, 1972 (in English).

31. Fan, L., Shen, B. and Chou, S. "Stochastic modeling of transient residence time distribution during start-up". *Chemical Engineering Science*, Vol. 50, No.2, pp.211-221, 1995 (in English).
32. Fan, L.T., Fan, L.S. and Nassar, R.F. "A stochastic model of the unsteady state age distribution in a flow system", *Chemical Engineering Science*. Vol.34, pp.1172-1174, 1979.
33. Fan, L.T., Too, J.R. and Nassar, R. "Stochastic flow reactor modeling: a general continuous time compartmental model with first order reactions, in *Residence Time Distribution Theory in Chemical Engineering*", A. Petho and R. D. Noble. Edi. pp. 75-102. Verlag Chemie, Weinheim, West Germany.
34. Fogler, H.S. "Elements of Chemical Reaction Engineering", Prentice-Hall international, New Jersey, 1999.
35. Fox, R.O. and Fan, L.T. "A master equation formulation for stochastic modelling of mixing and chemical reactions in inter-connected continuous stirred tank reactors", *Proceedings of ISCRE 8, The 8th International Symposium on Chemical Reaction Engineering*, pp. 561-568. Pergamon Press, Oxford, 1984.
36. Gianetto, A., Baldi, G., Specchia, V. and Sicardi, S. "Hydrodynamics and Solid-Liquid Contacting Effectiveness in Trickle Bed Reactors" *AICHE Journal*, Vol.24, No.6, pp.1087 – 1104, 1978.
37. Henri Berthiaux and Vadim Mizonov, "Applications of Markov Chains in Particulate Process Engineering: A Review", *Canadian Journal of Chemical Engineering*, vol. 82, No.6, pp.1143-1168, 2008.
38. Hobbs, D.M. and Muzzio, F.J. "The Kenics static mixer: a three-dimensional chaotic flow", *Chemical Engineering Journal*, vol. 67, pp.153–166, 1997a.
39. Hobbs, D.M. and Muzzio, F.J. "effects of injection location, flow ratio and geometry on Kenics mixer performance", *A.I.Ch.E. Journal*, Vol.43, pp.3121–3132, 1997b.
40. Hobbs, D.M. and Muzzio, F.J. "Optimization of a static mixer using dynamical systems techniques", *Chemical Engineering Science*, Vol.53, pp.3199–3213 and 1998.

41. Hovorka, R.B. and Kendall, H.B. "Tubular Reactor at Low Flow Rates", *Chemical Engineering Progress*, vol. 56, no. 8, pp. 58-62, Aug. 1960.
42. John Adeosun, T. and Adeniyi Lawal, "Residence-time distribution as a measure of mixing in T-junction and multilaminated/elongational flow micromixers", *Chemical Engineering Science*, Vol. 65, No.5, pp.1865-1874, 2010.
43. Jose Miguel Ponciano, Frederik P.J. Vandecasteele, Thomas F., Hess Larry, J., Forney, and Ronald, L. Crawford and Paul Joycel, "Use of Stochastic Models To Assess the Effect of Environmental Factors on Microbial Growth", *Applied And Environmental Microbiology*, Vol. 71, No. 5, pp. 2355–2364, 2005.
44. Kembrowski, Z. and Pustelnik, P. "Residence time distribution of a power-law fluid in Kenics static mixers", *Chemical Engineering Science*, Vol. 43, pp.473–478, 1988.
45. Khakhar, D.V., Franjione, J.G. and Ottino, J.M. "A case study of chaotic mixing in deterministic flows: The partitioned-pipe mixer", *Chemical Engineering Science*, Vol. 42, pp.2909–2926, 1987.
46. Knudsen J.G. and Katz D.L. "Fluid Dynamics and Heat Transform", McGraw-Hill Book Co., New York (1958).
47. Krambeck, F.J., Shinnar, R. and Katz, S. "Stochastic mixing models for chemical reactors", *Indian Engineering Chemical Fundamental*. Vol.6, pp.276-288.
48. Lee, J.H. and Singh, R.K. "Particle residence time distributions in a model horizontal scraped surface heat exchanger", *Journal of Food Process Engineering*, Vol.14, pp.125-146, 1991.
49. Lee, J.H. and Singh, R.K. "Modeling particle residence time distributions in model scraped surface heat exchangers", *Lebensmittel-Wissenschaft und –Technology*, Vol.25, No.4, pp.340-345, 1992.
50. Lee, J.H., Singh, R.K. and Lineback, D.S. "Particle concentration influence on liquid residence time distributions in a model aseptic processing system", *Journal of Food Processing Engineering*, Vol.18, pp. 119-133, 1995.

51. Mann, U. and Rubinovitch, M. "Characterization and analysis of continuous recycle systems: II. Cascade", A.I.Ch.E.J., Vol.27, pp.829-836, 1981.
52. Mann, U., Rubinovitch, M. and Crosby, E.J. "Characterization and analysis of continuous recycle systems: I. Single unit", A.I.Ch.E.J., Vol.25, pp.873-882, 1979.
53. Mellado, J.P., Sarkar, S. and Zhou, Y. "Large-eddy simulation of Rayleigh-Taylor turbulence with compressible miscible fluids", Physics of Fluids, Vol.17, 2005.
54. Michael Köhler, J., Beate Schleiff, Steffen Schneider, Dusan Boskovic, Thomas Henkel, G. and Alexander Grob, "Characterization of viscosity dependent residence time distribution in the static micromixer Statmix6", Chemical Engineering Journal, Vol.160, No.3, pp.845-851, 2010.
55. Mills, P.L. and Dudukovic, M.P. "Convolution and Deconvolution of Non Ideal Tracer Response Data with Application to Three Phase Packed Beds", Computers Chem. Eng. Vol.13, No.8, pp.881 – 898, 1989.
56. Milton, J.M. and Zahradnik, J.W. "Residence time distribution of a rotator pilot plant using a non-newtonian fluid", Transactions of the ASAE, Vol.16, pp.1186-1189, 1973.
57. Monisha Mridha, K.D.P. and Nigam, "Coiled flow inverter as an inline mixer", Chemical Engineering Science, Vol. 63, No.6, pp.1724-1732, 2008.
58. Morris, W.D. and Misson, P. "An Experimental Investigation of Mass Transfer and Flow Resistance in the Kenics Static Mixer", Ind. Eng. Chem. Process Des. Dev., Vol.13, pp.270, 1974.
59. Naor, P. and Shinnar, R. "Representation and evaluation of residence time distributions", Indian Engineering Chemical Fundamental, Vol.2, pp.278-286, 1963.
60. Nauman, E.B. and Buffham, B.A. "Mixing in Continuous Flow Systems", pp.3-52. Wiley, New York, 1983.
61. Nauman, E.B. "Reactions and residence time distributions in motionless mixers", Canadian Journal of Chemical Engineering, Vol.60, pp.136-140, 1982.

62. Nauman, E.B. "Residence time distribution theory for unsteady stirred tank actors", Chemical Engineering Science. Vol.24, pp.1461-1470, 1969.
63. Nauman, E.B. "Maintenance of product quality during transients in stirred tank reactors", Chemical Engineering Science, Vol.25, pp.595-1603, 1970.
64. Nauman, E.B. "Residence time distributions in systems governed by the dispersion equation", Chemical Engineering Science, Vol.36, pp.957-966, 1981.
65. Nauman, E.B., Kothari, D. and Nigam, K.D.P. "Static Mixers to Promote Axial Mixing", Trans E, Vol.80, Part A, 2002.
66. Nigam, K.D.P. and Vasudeva, K. "Residence time distributions in static mixers," Canadian Journal of Chemical Engineering, Vol. 58, pp.543-544, 1980.
67. Octave Levenspiel, "Chemical Reaction Engineering", John Wiley & Sons, New York, 1974.
68. Pahl, M.H. and Muschelknautz, E. "Static mixers and their applications", Int Chem Eng 22:197-205 Press W, Teukolsky S, Vetterling W, Flannery B (1995) Numerical Recipes in FORTRAN. Cambridge University Press, 1982.
69. Palazoglu, T.K. and Sandeep, K.P. "Effect of tube curvature ratio on the residence time distribution of multiple particles in helical tubes", Lebensmittel-Wissenschaft und – Technologie, Vol.37, pp.387-393, 2004.
70. Palazoglu, T.K. and Sandeep, K.P. "Assessment of the effect of fluid-to-particle heat transfer coefficient on microbial and nutrient destruction during aseptic processing of particulate foods", Journal of Food Science, Vol.67, No.9, pp.3359-3364, 2002.
71. Parthasarathy, P.R. "A transient solution to an  $M/M/1$  queue: a simple approach", Advances in Applied Probability, Vol.19, pp.997-998, 1987.
72. Parthasarathy, P.R. "Transient solution to the many-server Poisson queue: a simple approach", Journal of Applied Probability, Vol.26, pp.584-594, 1989.

73. Parthasarathy, P.R. and Sudhesh, R. "An exact solution for an  $M/M/1$  queue with piecewise-constant rates", *The Mathematical Social Sciences*, Vol.31, No.1, pp.48-52, 2006.
74. Pattison, D.A. "Motionless Inline Mixers Stir Up Broad Interest", *Chem. Eng.*, Vol. 19, pp. 94-96, 1969.
75. Pitera, E.W. and Middleman, S. "Convection Promotion in Tubular Desalination Membranes", *Ind. Eng. Chem. Process Des. Develop.*, vol. 12, pp.52, 1973.
76. Ramaswamy, H.S., Abdelrahim, K.A., Simpson, B.K. and Smith, J.P. "Residence time distribution (RTD) in aseptic processing of particulate foods: a review", *Food Research International*. Vol.28, No.3, pp.291-310, 1995.
77. Ramaswamy, H.S., Pannu, K., Simpson, B.K. and Smith, J.P. "An apparatus for particle-to-fluid relative velocity measurement in tube flow at various temperatures under nonpressurized flow conditions", *Food Research International*, Vol.25, pp.277-284, 1992.
78. Reis, N. "The use of fibre optic probes for flow monitoring within a small-scale tube", 3<sup>rd</sup> International Symposium on Two-Phase Flow Modelling and Experimentation Pisa, pp.22-24, 2004.
79. Robinson, B.A. and Tester, J.W. "Characterisation of Flow Maldistribution Using Inlet-Outlet Tracer Technique: An Application of Internal Residence Time Distributions" *Chemical Engineering Science*, Vol.41, No.3, pp.469 – 483, 1986.
80. Roig, S.M., Vitali, A.A., Ortega Rodriguez, E. and Rao, M.A. "Residence time distribution in the holding tube of a plate heat exchanger", *Lebensmittel-Wissenschaft und Technology*, Vol.9, pp.255-256, 1976.
81. Rubbinovitch, M. and Mann, U. "Single-particle approach for analyzing flow systems: I. Visits to flow regions", *A.I.Ch.E.J.*, Vol.29, pp.658-662, 1983a.
82. Rubinovitch, M. and Mann, U. "A single-particle approach for analyzing flow systems: III Multiple fluids", *A.I.Ch.E.J.*, Vol.31, pp.615-620, 1985.



83. Ruxton, G.D. "The effect of emigration and immigration on the dynamics of a discrete-generation population", *J. Biosci.*, Vol. 20. No. 3, pp. 397–407, 1995.
84. Salengke, S. and Sastry, S.K. "Residence time distribution of cylindrical particles in a curved section of a holding tube: the effect of particle size and flow rate", *Journal of Food Process Engineering*, Vol.18, pp.363-381, 1995.
85. Salengke, S. and Sastry, S.K. "Residence time distribution of cylindrical particles in a curved section of a holding tube: the effect of particle concentration and bend radius of curvature", *Journal of Food Engineering*, Vol.27, pp.159-176, 1996.
86. Sancho, M.F. and Rao, M.A. "Residence time distribution in a holding tube", *Journal of Food Engineering*, Vol.15, pp.1-19, 1992.
87. Sandeep K.P., Zuritz, C.A. and Puri, V.M. "Modeling non-newtonian two phase flow in conventional and helical-holding tubes", *International Journal of Food Science and Technology*, Vol.25, pp.511-522, 2000.
88. Sandeep, K.P. and Zuritz, C.A. "Residence time distribution of multiple particles in non-newtonian holding tube flow: statistical analysis", *Journal of Food Science*, Vol.59, No.6, pp.1314-1317, 1994.
89. Sandeep, K.P. and Zuritz, C.A. "Residence time of multiple particles in non-newtonian holding tube flow: effect of process parameters and development of dimensionless correlations". *Journal of Food Engineering*, Vol.25, pp.31-44, 1995.
90. Sandeep, K.P., Zuritz, C.A. and Puri, V.M. "Residence time distribution of particles during two-phase non-newtonian flow in conventional as compared with helical holding tubes", *Journal of Food Science*, Vol.62, No.4, pp.647-652, 1997.
91. Sastry, S.K. and Cornelius, B.D. "Aseptic processing of foods containing solid particulates", John Wiley and Sons, Inc., New York, 2002.
92. Saxena, A.K. and Nigam, K.D.P. "Coiled configuration for flow inversion and its effect on residence time distribution", *AIChE Journal*, Vol. 30, No. 3, pp. 363–368, 1984.

93. Sharma, O.P. "Markovian Queues", Ellis Horwood Limited. England, 1990.
94. Sharma, O.P. and Bunday, B. "A simple formula for the transient state probabilities of an  $M/M/1/_$  queue", *Optimisation*, Vol.40, pp.79-84, 1997.
95. Sharma, O.P. and Shobna, B. "A new approach to the  $M/M/1$  queue", *Journal of Engineering Probability*, Vol.7, pp.70-79, 1984.
96. Sharma, O.P. and Tarabia, A.M.K. "A simple transient analysis of an  $M/M/1/N$  queue", *The Indian Journal of Statistics Series A*, pp.273-281, 2000.
97. Shinnar, R. and Naor, P. "Residence time distributions in systems with internal reflux", *Chemical Engineering Science*, Vol.22, pp.1369-1381, 1967.
98. Sicardi, S., Baldi, G. and Specchia, V. "Hydrodynamic Models for Interpretation of the Liquid Flow in Trickle Bed Reactors", *Chemical Engineering Science*, Vol.35, pp.1775 – 1782, 1980.
99. Simpson, L.L. "Turbulence and Industrial mixing", *Chem. Eng. Prog.*, Vol.70, pp.77, 1974.
100. Simunovic, J. "Particle Flow Monitoring in Multiphase Aseptic Systems", Ph.D. Dissertation, North Carolina State University, Raleigh, 1998.
101. Subhashini Vashisth and Nigam, K.D.P. "Experimental investigation of gas hold-up and flow regime mapping in coiled flow inverter", *Chemical Engineering and Processing*, Vol.47, pp.1287-1297, 2008.
102. Taeymans, D., Roelans, E. and Lenges, J. "Residence time distribution in a horizontal SSHE used for UHT processing of liquids containing solids. Food Engineering and Process Applications. In "Transport phenomena", Maguer, M.L., Jelen, P. Edt., Elsevier Applied Sciences Publishers. pp. 247-258, 1986.
103. Tarabia, A.M.K. "Analysis of a non-empty  $M/M/1/N$  queue and alternative approach", *Journal of the Operational Research Society of India*, Vol.38, No.4, pp.431-440, 2001.
104. Tarabia, A.M.K. "A new formula for the transient behaviour of a non-empty  $M/M/1/_$  queue", *Journal of Computational and Applied Mathematics*, Vol.132, pp.1-10, 2002.

105. Torres, P.A., Oliveria F.A.R. and Fortuba, S.P. "Residence time distribution of liquids in a continuous tubular thermal processing system part I: relating RTD to processing conditions", *Journal of Food Engineering*, Vol.35, pp.147-163, 1998.
106. Tucker, G.S. and Heydon, C. "Food particle residence time measurement for the design of commercial tubular heat exchangers suitable for processing suspensions of solids in liquids", *Transactions of IChemE. Part C. Vol.76*, pp.208-216, 1998.
107. Tucker, G.S. and Withers, P.M. "Determination of residence time distribution of non settling food particles in viscous food carrier fluids using Hall Effect sensors", *Journal of Food Process Engineering*. Vol.17, pp.401-422, 1994.
108. Wang, Y., Ong, K.W., Brannock, M. and Leslie, G. "Evaluation of membrane bioreactor performance via residence time distributions: effects of membrane configuration and mixing", *Water Science and Technology*, Vol.57, No.3, pp.353-359, 2008.
109. Wang, R. and Fan, L. "Axial Mixing of Grains in a Motionless Sulzer (Koch) Mixer", *Ind. Eng. Chem., Process Des. Dev.*, Vol. 15, No.3, 1976 (in English).
110. Wang, R. and Fan, L. "Stochastic Modeling of Segregation in a Motionless mixer", *Chemical Engineering Science*, Vol.32, pp.695-701, 1977 (in English).
111. Watanabe Seiichi Nippon Suisan Gakkaishi, "Restocking Effects on the Single Species Population Obeying Difference Equation", *The Japanese Society of Fisheries Science*, Vol.53, No.3, pp.363-366, 1987.
112. Weinekotter, R. and Gericke. H. "Mixing of solids", Kluwer academic publishers, India, 2000.
113. Xiao-chang CAO, Ting-an Zhang and Qiu-yue Zhao, "Computational simulation of fluid dynamics in a tubular stirred reactor", *Transactions of Nonferrous Metals Society of China*, Vol. 19, No. 2, pp. 489-495, 2009.
114. Yang, B.B. and Swartzel, K.R. "Photo-sensor methodology for determining residence time distributions of particles in continuous flow thermal processing systems", *Journal of Food Science*, Vol.56, No.4, pp.1076-1089, 1991.

115. Yijie Gao, Aditya Vanarase, Fernando Muzzio and Marianthi Ierapetritou, "Characterizing continuous powder mixing using residence time distribution", *Chemical Engineering Science*, Vol.66, pp.417-425, 2011.
116. Zhang, G.T., Wannemacher, N., Haider, A. and Levenspiel, O. "How to narrow the residence time distribution of fluids in laminar flow in pipes", *The Chemical Engineering Journal*. Vol.45, pp.43-48, 1990.
117. Zheng Yonggang, Fang Duo and Li Guifen, "Basic equations of turbulent flow for variable density and variable viscosity Newtonian fluid in open channel", *Applied Mathematics and Mechanics*, Vol. 18, No. 9, pp. 883-890, 1997.