

Bibliography

- Adeyo O, Horn PJ, Lee S, Binns DD, Chandrahas A, Chapman KD and Goodman JM. (2011) The yeast lipin orthologue Pah1p is important for biogenesis of lipid droplets. *J. Cell Biol.* 192: 1043–1055.
- Ahmed W, Khan N, Glueck CJ. (2009) Low serum 25 (OH) vitamin D levels (<32 ng/mL) are associated with reversible myositis-myalgia in statin-treated patients. *Transl Res – J Lab Clin Med.* 153(1):11–6.
- Anderson JW, Johnstone BM, Cooke -Newell ME. (1995) Meta-analysis of the effects of soy protein intake on serum lipids. *N Engl J Med.* 333:276-281.
- Annie S, Rajagopal PL, Malini S. (2005) Effect of *Cassia auriculata* Linn root extract on cis-platin and gentamicin-induced renal injury. *Phytomedicine.* 12: 555–60.
- Araya J, Rodrigo R, Pettinelli P, Araya AV, Poniachik J, Videla LA. (2010) Decreased liver fatty acid delta-6 and delta-5 desaturase activity in obese patients. *Obesity (Silver Spring)* 18:1460–1463.
- Artham SM, Lavie CJ, Milani RV, Ventura HO. (2008) The obesity paradox: impact of obesity on the prevalence and prognosis of cardiovascular diseases. *Postgraduate Med.* 120:34–41.
- Asgary S, Kelishadi R, Rafieian-Kopaei M, Najafi S, Najafi M, Sahebkar A. (2013) Investigation of the lipid-modifying and anti-inflammatory effects of *Cornus mas* L. supplementation on dyslipidemic children and adolescents. *Pediatr Cardiol.* 34:1729-1735.
- Asgary S, Rafieian-Kopaei M, Shamsi F, Najafi S, Sahebkar A. (2014) Biochemical and histopathological study of the anti-hyperglycemic and anti-hyperlipidemic effects of cornelian cherry (*Cornus mas* L.) in alloxan-induced diabetic rats. *J Complement Integr Med.* 11:63-69.
- Athenstaedt K, Weys S, Paltauf F, Daum G. (1999b) Redundant systems of phosphatidic acid biosynthesis via acylation of glycerol-3-phosphate or dihydroxyacetone phosphate in the yeast *Saccharomyces cerevisiae*. *J Bacteriol.* 181: 1458–1463.
- Baigent C, Landray, MJ, Reith C. (2011) The effects of lowering LDL cholesterol with simvastatin plus ezetimibe in patients with chronic kidney disease (Study of

- Heart and Renal Protection): a randomised placebo-controlled trial. *Lancet*. 377:2181–92.
- Ballantyne CM. (2007) Treatment of dyslipidemia to reduce cardiovascular risk in patients with multiple risk factors. *Clin Cornerstone*. 6:6-13.
- Becker DJ, Gordon RY, Halbert SC. (2009) Red yeast rice for dyslipidemia in statin-intolerant patients: a randomized trial. *Ann Intern Med*.150:830–9.
- Bellentani SG, Saccoccio F, Masutti F, Crocè LS, Brandi G, Sasso F, Cristanini G, Tiribelli C.(2000) Prevalence of and risk factors for hepatic steatosis in northern Italy. *Ann Intern Med*. 132:112–117.
- Beller M, Riedel D, Jänsch L, Dieterich G, Wehland J, Jäckle H. and Kühnlein RP. (2006) Characterization of the *Drosophila* lipid droplet subproteome. *Mol Cell. Proteomics* 5: 1082–1094.
- Beller M, Sztalryd C, Southall N, Bell M, Jäckle H, Auld DS and Oliver B. (2008) COPI complex is a regulator of lipid homeostasis. *PLoS Biol*. 6: e292.
- Beltowski J, Wojcicka G, Jamroz-Wisniewska A. (2009) Adverse effects of statins – mechanisms and consequences. *Curr. Drug Saf*. 4: 209–228.
- Bhattacharyya S, Bhattacharyya K, Maitra A. (2012) Possible mechanisms of interaction between statins and vitamin D. *QJM – Mon J Assoc Phys*. 105:487–91.
- Binns D, Januszewski T, Chen Y, Hill J, Markin VS, Zhao Y, Gilpin C, Chapman KD. (2006) Anderson, R.G., and Goodman, J.M.: An intimate collaboration between peroxisomes and lipid bodies, *J Cell Biol.*, 173: 719-31.
- Bligh E.G, Dyer W.J. (1959). A rapid method of total lipid extraction and purification. *Canadian Journal of Biochemistry and Physiology*. 37: 911-917.
- Bloomgarden ZT. (2004) Dyslipidemia and the metabolic syndrome. *Diabetes Care*. 27:3009– 3016.
- Bodzioch M, Orso E, Klucken J, Langmann T, Bottcher A, Diederich W, Drobnik W, Barlage S, Buchler C, Porsch- Ozcurumez M, Kaminski WE, Hahmann HW, Oette K, Rothe G, Aslanidis C, Lackner KJ, Schmitz G. (1999) The gene encoding ATP-binding cassette transporter 1 is mutated in Tangier disease. *Nat Genet* .22:347–351.

- Bogsrud MP, Langslet G, Ose L. (2013) No effect of combined coenzyme Q10 and selenium supplementation on atorvastatin-induced myopathy. *Scand Cardiovasc J.* 47:80–7.
- Bookstaver DA, Burkhalter NA, Hatzigeorgiou C. (2012) Effect of coenzyme Q10 supplementation on statin-induced myalgias. *Am J Cardiol.*110:526–9.
- Botstein D, Chervitz S.A, Cherry J.M (1997). *Yeast as a Model Organism.* Science New York, N.Y 277: 1259-1260.
- Braet F, Wisse E. (2012) AFM imaging of fenestrated liver sinusoidal endothelial cells. *Micron.* 43:1252-8.
- Brand N. *Cynara scolamus L.* (1990) the artichoke. *Z Phytother.*11:169-175.
- Brasaemle DL, Dolios G, Shapiro L. and Wang R. (2004) Proteomic analysis of proteins associated with lipid droplets of basal and lipolytically stimulated 3T3-L1 adipocytes. *J Biol Chem.* 279: 46835–46842.
- Bray GA. (2000) Overweight, mortality and morbidity. In: Bouchard C (ed) *Physical Activity and Obesity.* Human Kinetics Publishers Inc, Champaign, IL, pp 31–54.
- Brooks-Wilson A., M. Marcil S. M. Clee, L. H. Zhang, K. Roomp, M. van Dam, L. Yu, C. Brewer J. A. Collins H. O. Molhuizen O. Loubser, B. F. Ouelette, K. Fichter, K. J. Ashbourne-Excoffon C, W.Sensen, S. Scherer, S. Mott, M. Denis, D. Martindale, J. Frohlich, K. Morgan, B. Koop, S. Pimstone, J. J. Kastelein, and M. R. Hayden. (1999) Mutations in ABC1 in Tangier disease and familial high density lipoprotein deficiency *Nat. Genet.* 22: 336–345.
- Brown MS, Goldstein JL. (1997). The SREBP pathway: regulation of cholesterol metabolism by proteolysis of a membrane-bound transcription factor. *Cell.*89: 331-40.
- Brown MS, Goldstein JL. (1997) The SREBP pathway: regulation of cholesterol metabolism by proteolysis of a membrane-bound transcription factor, *Cell* 89:331–340.
- Cannon CP, Giugliano RP, Blazing MA. (2008) Rationale and design of IMPROVE-IT (IMProved Reduction of Outcomes:Vytorin Efficacy International Trial): comparison of ezetimibe/simvastatin versus simvastatin monotherapy on cardiovascular outcomes in patients with acute coronary syndromes. *Am Heart J.* 156:826–32.

- Caso G, Kelly P, McNurlan MA. (2007) Effect of coenzyme q10 on myopathic symptoms in patients treated with statins. *Am J Cardiol.* 99: 1409–12.
- Charney P. (1999) *Coronary Artery disease in women.* 2 ed. Philadelphia, USA. pp: 101-159. Nd.
- Chattopadhyaya R, Pathak D, Jindal DP. (1996) Antihyperlipide mic agents. A review. *Indian Drugs* 33: 85-97.
- Childress L, Gay A, Zargar A. (2013) Review of red yeast rice content and current Food and Drug Administration oversight. *J Clin Lipidol.* 7: 117–22.
- Chowdhury R, Khan H, Heydon E. (2013) Adherence to cardiovascular therapy: a meta-analysis of prevalence and clinical consequences. *Eur Heart J.* 34:2940–8.
- Cintra DE, Ropelle ER, Vitto MF, Luciano TF, Souza DR, Engelmann J. (2012) Reversion of hepatic steatosis by exercise training in obese mice: the role of sterol regulatory element-binding protein-1c. *Life Sci.* 91: 395-401
- Clee M, Kastelein JJ, Dam M, Marcil M, Roomp K, Zwarts KY, Collins JA, Roelants R, Tamasawa N., Stulc T, Suda T, Ceska R, Boucher B, Rondeau C, Desouich C, Brooks-Wilson A, Molhuizea HO, Frohlich J, Genest J, Hayden MR. (2000) Age and residual cholesterol efflux affect HDL cholesterol levels and coronary artery disease in ABCA1 heterozygotes, *ClinInves.* 106: 1263-1270.
- Cohen JD, Brinton EA, Ito MK. (2012) Understanding Statin Use in America and Gaps in Patient Education (USAGE): an internet-based survey of 10,138 current and former statin users. *J Clin Lipidol.*6:208–15.
- Connerth M, Grillitsch K, Kofeler H, Daum G (2009). Analysis of lipid particles from Yeast. *J.Bacteriol.* 173: 2026–2034.
- Cortse, C., Levy, Y. Janus, E.D. (1983) Modes of action of lipid-lowering drugs in man; Studies of apo-B kinetics in relation to fat consumption and dietary fatty acid composition. *Eur. J. Clin Invest.* 13: 79-85.
- Czabany T, Athenstaedt K, and Daum G. (2007) Synthesis, storage and degradation of neutral lipids in yeast. *Biochim Biophys Acta.* 1771: 299-309
- Czarnecka H, Yokoyama S. (1993) Regulation of lecithin-cholesterol acyltransferase reaction by acyl acceptors and demonstration of its "idling" reaction. *J. Biol. Chem* 268: 19334–19349.

- Dahanukar SA, Kulkarni RA, Rege N N. (2000) Pharmacology of medicinal plants and natural products. *Indian Journal of Pharmacology*. 32: 81-118.
- Dahanukar SA, Kulkarni RA, Rege NN. (2000) Pharmacology of medicinal plants and natural products. *Indian J Pharmacol*. 32: 81–118.
- Dahlqvist A , Ståhl U , Lenman M, Banas A , Lee M , Sandager L, Ronne H , Stymne S.(2000).Phospholipid: diacylglycerol acyltransferase: An enzyme that catalyzes the acyl-CoA independent formation of triacylglycerol in yeast and plants. *Proceedings of the National Academy of Sciences of the United States of America*. 97: 6487-6492.
- Dahlqvist A, Stahl U, Lenman M, Banas A, Lee M, Sandager L, Ronne H, and Stymne S. (2000) Phospholipid: diacylglycerol acyltransferase: an enzyme that catalyze sthe acyl-CoA-independent formation of triacylglycerol in yeast and plants. *Proc Natl Acad Sci USA* 97: 6487-6492.
- Dahlqvist A, Ståhl U, Lenman M, Banas A, Lee M, Sandager L, Ronne H and Stymne S. (2000) Phospholipid:diacylglycerol acyltransferase: an enzyme that catalyzes the acyl-CoA-independent formation of triacylglycerol in yeast and plants. *Proc Natl Acad Sci USA*. 97: 6487–6492.
- Davis TM, Ting R, Best J.D. (2011) Effects of fenofibrate on renal function in patients with type 2 diabetes mellitus: the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) Study. *Diabetologia*. 54:280–90.
- Defo K. (2014) Beyond the transition frameworks: the cross-continuum of health, disease and mortality framework. *Global Health Action*.15:24804.
- DeLeve LD. (2015) Liver sinusoidal endothelial cells in hepatic fibrosis. *Hepatology*.61:1740-6.
- Dentin R, Girard J, Postic C. (2005) Carbohydrate responsive element binding protein (ChREBP) and sterol regulatory element binding protein-1c (SREBP-1c): two key regulators of glucose metabolism and lipid synthesis in liver. *Biochimie*. 87: 81-6.
- Dietschy JM, Turley SD, Spady DK. (1993) Role of liver in the maintenance of cholesterol and low density lipoprotein homeostasis in different animal species, including humans. *J Lipid Res*. 10: 1637-59.
- Dutta AC. (1998) Botany for degree students. Oxford University Press, London,1994; 73.

- Edwards PA, Muroya H, and R.G. (1972) Gould, In vivo demonstration of the circadian rhythm of cholesterol biosynthesis in the liver and intestine of the rat. *Journal of lipid research*, 13: 396-401.
- Eghdamian B Ghose K. (1998).Mode of action and adverse effects of lipid lowering drugs. extracts of *Cassia auriculata* L. flowers on diabetes using alloxan induced diabetic *Drugs Today (Barc)* 34 : 943-956.
- Eghdamian B, Ghose K. (1998) Mode of action and adverse effects of lipid lowering drugs. *Drugs Today (Barc)* 34:943–956.
- Eisenberg DM, David RB, Ettner SL. (1998) Trends in alternative medicine use in the United States, 1990-1997: results of a follow-up national survey. *JAMA*.280:1569-1575.
- Enas EA, Yusuf S, Mehta J. (1992) Prevalence of coronary artery disease in Asian Indians. *Am J Cardiol* 70: 945–949.
- Englisch W, Beckers C, Unkauf M, Ruepp M, Zinserling V. (2000) Efficacy of artichoke dry extract in patients with hyperlipoproteinemia. *Arzneimittelforschung*. 50:260-265.
- Farese RV Jr and Walther TC. (2009) Lipid droplets finally get a little R-E-S-P-E-C-T. *Cell* 139: 855–860.
- Farrell GC, Teoh NC, McCuskey RS. (2008) Hepatic microcirculation in fatty liver disease. *Anat Rec*. 291:684–692.
- Fauci AS, Braunwald E, Kasper DL, Hauser SL, Longo DL, Jameson JL, Loscalzo J. (2008) *Harrison's Principles of Internal Medicine*. 7 ed. Th.
- Favari E. (2015) Cholesterol efflux and reverse cholesterol transport. *Handbook of experimental pharmacology*, 224: 181-206.
- Fedacko J, Pella D, Fedackova P. (2013) Coenzyme Q(10) and selenium in statin-associated myopathy treatment. *Can J Physiol Pharmacol*. 91:165–70.
- Fei W, Shui G, Gaeta B, Du X, Kuerschner L, Li P, Brown AJ, Wenk MR, Parton RG and Yang H. (2008) Fld1p, a functional homologue of human seipin, regulates the size of lipid droplets in yeast. *J. Cell Biol*. 180: 473–482.
- Fei W, Shui G, Gaeta B, Du X, Kuerschner L, Li P, Brown AJ, Wenk MR, Parton RG and Yang H. (2008) Fld1p, a functional homologue of human seipin, regulates the size of lipid droplets in yeast. *J. Cell Biol*. 180: 473–482

- Fei W, Shui G, Zhang Y, Krahmer N, Ferguson C, Kapterian TS, Lin RC, Dawes IW, Brown AJ, Li P, Huang X, Parton RG, Wenk MR, Walther TC, Yang H. (2011) A role for phosphatidic acid in the formation of "supersized" lipid droplets. *PLoS Genet.* 7:e1002201.
- Fernandes R, Shaikh I, Wegstapel H. 2012. Possible association between statin use and bowel dysmotility. *BMJ Case Rep.* <http://dx.doi.org/10.1136/bcr.10.2011.4918>.
- Fodor JG, Frohlich JJ, Genest JJ Jr, McPherson PR. (2000) Recommendations for the management and treatment of dyslipidemia. Report of the Working Group on Hypercholesterolemia and Other Dyslipidemias. *CMAJ.* 162:1441-7.
- Fruchart JC, Brewer Jr HB, Leitersdorf E. (1998) Consensus for the use of fibrates in the treatment of dyslipoproteinemia and coronary heart disease. Fibrate Consensus Group. *Am J Cardiol.* 81:912–7.
- Fujimoto T, Kogo H, Ishiguro K, Tauchi K. and Nomura R. (2001) Caveolin-2 is targeted to lipid droplets, a new “membrane domain” in the cell. *J Cell Biol.* 152: 1079–1085.
- Fujimoto Y, Itabe H, Sakai J, Makita M, Noda J, Mori M, Higashi Y, Kojima S. and Takano T. (2004) Identification of major proteins in the lipid droplet-enriched fraction isolated from the human hepatocyte cell line HuH7. *Biochim Biophys Acta* .1644: 47–59.
- Fujimoto Y, Itabe H, Sakai J, Makita M, Noda J, Mori M, Higashi Y, Kojima S. and Takano T. (2004) Identification of major proteins in the lipid droplet-enriched fraction isolated from the human hepatocyte cell line HuH7. *Biochim Biophys Acta* .1644: 47–59.
- Fuster V, Kelly, B.B. (2010) *Promoting Cardiovascular Health in the Developing World: A Critical Challenge to Achieve Global Health.* Washginton, DC: National Academies Press.
- Garg A, Grundy SM. (1990) Nicotinic acid as therapy for dyslipidemia in non-insulin-dependent diabetes mellitus. *J Am Med Assoc.* 264:723–6.
- Gauthier A, Lau P, Zha X, Milne R, McPherson R. (2005) Cholesteryl ester transfer protein directly mediates selective uptake of high density lipoprotein cholesteryl esters by the liver. *Arterioscler Thromb Vasc Biol.* 25: 2177–2184.

- Ghatak SB, Panchal SJ. (2012) Anti-hyperlipidemic activity of oryzanol, isolated from crude rice bran oil, on Triton WR-1339-induced acute hyperlipidemia in rats. *Brazilian Journal of Pharmacognosy*. 22: 642-648.
- Gissen P, Arias IM. (2015) Structural and functional hepatocyte polarity and liver disease. *Journal of hepatology*. 63: 1023-37.
- Glass CK, Witztum JL. (2001) Atherosclerosis. the road ahead. *Cell*. 104:503-16.
- Glomset JA. (1968) The plasma lecithins: cholesterol acyltransferase reaction. *J. Lipid Res*. 9: 155– 167.
- Glueck CJ, Budhani SB, Masineni SS. (2011) Vitamin D deficiency, myositis-myalgia, and reversible statin intolerance. *Curr Med Res* .27:1683–90.
- Goodman JM. (2008) The gregarious lipid droplet. *J. Biol. Chem*. 283: 28005–28009.
- Gotto AM Jr, LaRosa JC. (2005) The benefits of statin therapy--what questions remain? *Clin Cardiol*. 28: 499-503.
- Grillitsch K, Connerth M, Kofeler H, Arrey TN, Rietschel B, Wagner B, Karas M and Daum G. (2011) Lipid particles/droplets of the yeast *Saccharomyces cerevisiae* revisited: lipidome meets proteome. *Biochim Biophys Acta*. 1811: 1165-1176.
- Groundy SM. (1997) Small LDL atherogenic dyslipidemia, and the metabolic syndrome. *Circulation*. 95: 1–4.
- Gupta A, Thompson PD. (2011) The relationship of vitamin D deficiency to statin myopathy. *Atherosclerosis*. 215:23–9.
- Gupta R, Gupta KD. (2009) Coronary heart disease in low socioeconomic status subjects in India: an evolving epidemic. *Indian Heart J*. 61:358–367.
- Gupta R, Gupta R, Guptha S, Sharma KK, Gupta A, Deedwania PC. (2012) Regional variations in cardiovascular risk factors in India: India Heart Watch. *World J Cardiol*. 4:112–120.
- Haffnar M. (1999) Diabetes, hyperlipidemia and coronary artery disease. *Am J Cardiol*. 83: 17–21.
- Halbert SC, French B, Gordon RY. (2010) Tolerability of red yeast rice (2,400 mg twice daily) versus pravastatin (20 mg twice daily) in patients with previous statin intolerance. *Am J Cardiol*. 105: 198–204.

- Halilbasic E, Claudel T, Trauner M. (2013) Bile acid transporters and regulatory nuclear receptors in the liver and beyond. *J hepatology*. 58: 155-68.
- Halliwell B, Rafter J, Jenner A. (2005) Health promotion by flavonoids, tocopherols, tocotrienols and other phenols: direct and indirect effects? Antioxidant or not? *Clin.Nutr.*81: 268S-276.
- Harikumar K, Abdul Althaf S, Kishore K B, Ramunaik M, Suvarna CS. (2013) A Review on Hyperlipidemic, *Int. J.Novel Trends Pharm.* 3,-59.
- Hathcock JN, Shao A. (2006) Risk assessment for coenzyme Q10 (Ubiquinone). *Regul Toxicol Pharmacol.* 45:282–8.
- Hayden M, Kastelein J, Attie A. (2001) Insights derived from mutations in ABCA1 in humans and animal models. *J. Lipid Res.* 48: 1439–1445.
- Hebert PR, Gaziano JM, Chan KS, Hennekens CH. (1997) Cholesterol lowering with statin drugs, risk of stroke, and total mortality: an overview of randomized trials. *JAMA.* 278:313–321.
- Heidarian E, Rafieian-Kopaei M. (2013) Protective effect of artichoke (*Cynara scolymus*) leaf extract against lead toxicity in rat. *Pharm Biol.* 51:1104-1109.
- Hellerstein M, Turner S. (2014) Reverse cholesterol transport fluxes. *Current opinion in lipidology.* 25: 40-7.
- Hofmann AF, KJ. (1992) Mussels, Bile acid solubility and precipitation in vitro and in vivo: the role of conjugation, pH, and Ca²⁺ ions. *J lipid research.* 33: 617-26.
- Horton D, Bashmakov Y, Shimomura I, Shimano H. (1998) Regulation of sterol regulatory element binding proteins in livers of fasted and refed mice *Proc. Natl. Acad. Sci. USA.* 95: 5987-5992.
- Horton JD, Bashmakov Y, Shimomura I, Shimano H. (1998) Regulation of sterol regulatory element binding proteins in livers of fasted and refed mice *Proc. Natl. Acad. Sci. USA.* 95:5987-5992.
- Horton JD. (2003) Combined analysis of oligonucleotide microarray data from transgenic and knockout mice identifies direct SREBP target genes. *Proceedings of the National Academy of Sciences of the United States of America.* 100: 12027-32.

- Javekar AR, Halade GV. (2006) Hypoglycemic activity of *Cassia auriculata* in neonatal streptozotocin-induced non-insulin dependent diabetes mellitus in rat. *J Nat Remedies*. 1:14–8.
- Jonas A. (2000) Lecithin cholesterol acyltransferase. *Biochim Biophys Acta*. 1529: 245-256.
- Joshi S G, (2000). Medicinal plants. Oxford and IBH publishing. *J. Biochem. Phy* 37: 911 – 917.
- Joshi SG. (2000) *Cesalpiniaceae – Cassia auriculata*. Textbook of Medicinal Plants. IBH Publishing Oxford. pp: 119.
- Julius U, Fischer S. (2013) Nicotinic acid as a lipid-modifying drug – a review. *Atheroscler Suppl*. 14:7–13.
- Karthikeyan G, Teo KK, Islam S. (2009) Lipid profile, plasma apolipoproteins, and risk of a first myocardial infarction among Asians: an analysis from the INTERHEART Study. *J Am Coll Cardiol*. 53: 244–253.
- Keech A, Simes R.J., Barter P. (2005) Effects of long-term fenofibrate therapy on cardiovascular events in 9795 people with type 2 diabetes mellitus (the FIELD study): randomised controlled trial. *Lancet*. 366:1849–61
- Kellner A, Correll JW, Ladd AT. (1951) Sustained hyperlipidemia induced in rabbits by means of intravenously injected surface active agents. *J Exp Med*. 93: 373-384.
- Keys, A., Anderson J.T., Grande, F. (1985) Serum cholesterol response to changes in the diet, Part IV; Particular saturated fatty acids in the diet. *Metabolism*. 14: 776-87.
- Khanna AK, Rizvi F, Chander R. (2002) Lipid lowering activity of *Phyllanthus niruri* in hyperlipemic rats. *J Ethnopharmacol*. 82: 19-22.
- Kharbanda RK, Wallace S, Walton B, Donald A, Cross JM, Deanfield J. (2005) Systemic Acyl- CoA: cholesterol acyltransferase inhibition reduces inflammation and improves vascular function in hypercholesterolemia. *Circulation*. 111:804–807.
- Kim JB, Spiegelman BM. (1996) ADD1/SREBP1 promotes adipocyte differentiation and gene expression linked to fatty acid metabolism, *Genes Dev*. 10: 1096–1107.

- Kim YW, Kim YM, Yang YM, Kim TH, Hwang SJ, Lee J.R. (2010) Inhibition of SREBP-1c-mediated hepatic steatosis and oxidative stress by sauchinone, an AMPK-activating lignan in *Saururus chinensis*. *Free Radic Biol Med.* 48:567-78.
- Koch B, Schmidt C, and Daum G. (2014) Storage lipids of yeasts: a survey of nonpolar lipid metabolism In *Saccharomyces cerevisiae*, *Pichia pastoris*, and *Yarrowia lipolytica*. *FEMS Microbiol Rev.* 38: 892-915.
- Kopito RR. (1982) Metabolism of plasma mevalonate in rats and humans. *Journal of lipid research.* 23: 577-83.
- Krukemyer JJ, Talbert, R.L. (1987) Lovastatin: a new cholesterol-lowering agent. *Pharmacotherapy.* 7:198–210.
- Kumar Rajagopal S, Manickam P, Periyasamy V, Namasivayam N. (2003) Activity of *Cassia auriculata* leaf extract in rats with alcoholic liver injury. *J NutrBiochem.* 14:452- 8.
- Kumar RS, Ponmozhi M, Nalini M. 2002. Effect of *Cassia auriculata* leaf extract on lipids in rats with alcoholic liver injury, *Asia Pacific J of Clinical Nutrition* 11: 157-163.
- Kumar RS, Ponmozhi M, Viswanathan P, Nalini N. (2003). Activity of *Cassia auriculata* leaf extract in rats with alcoholic liver injury. *J of Nutritional Biochemistry* 14: 452-458.
- Kumar S, Kumar V, Prakash O. (2011) Antidiabetic, hypolipidemic and histopathological analysis of *Dillenia indica* (L.) leaves extract on alloxan induced diabetic rats. *Asian Pac J Trop Med.*4: 347-352.
- Kumaran A, Joel Karunakaran R. (2007). Antioxidant activity of *Cassia auriculata* flowers. *Fitoterapia* 78: 46-47.
- Kumaran A, Karunakaran RJ. (2007) Antioxidant activity of *Cassia auriculata* flowers. *Fitoterapia.*78: 46-7.
- Kumaran A, Karunakaran RJ. (2007) Antioxidant activity of *Cassia auriculata* flowers. *Fitoterapia.*78: 46–7.
- Kupke D, von Sanden H, rinczek-Gartner H. (1999) An evaluation of the choleric activity of a plant-based chologogue. *Z Allgemeinmed.* 67:1046-1058.
- Kurat CF, Natter K, Petschnigg J, Wolinski H, Scheuringer K, Scholz H, Zimmermann R, Leber R, Zechner R. and Kohlwein SD. (2006) Obese yeast: triglyceride

- lipolysis is functionally conserved from mammals to yeast. *J Biol Chem.* 281: 491-500.
- Larsen S, Stride N, Hey-Mogensen M. (2013) Simvastatin effects on skeletal muscle: relation to decreased mitochondrial function and glucose intolerance. *J Am Coll Cardiol.* 61:44–53.
- Latha M , Pari L. (2003). Preventive effects of *Cassia auriculata* L. flowers on brain lipid peroxidation in rats treated with streptozotocin. *Mol. Cell. Biochem* 243: 23–28.
- Lawn RM, Wade DP, Garvin MR, Wang X, Schwartz K, Porter JG, Seilhamer JJ, Vaughan AM, Oram JF. (1999) The Tangier disease gene product ABC1 controls the cellular apolipoprotein-mediated lipid removal pathway. *J Clin Invest.* 104: R25-R31.
- Le May C. (2013) Transintestinal cholesterol excretion is an active metabolic process modulated by PCSK9 and statin involving ABCB1. *Arteriosclerosis, thrombosis, and vascular biology.* 33:1484-93.
- Leber R , Zinser E , Zellnig G, Paltauf F, Daum G (1994). Characterization of lipid particles of the yeast, *Saccharomyces cerevisiae*. *Yeast* . 10:1421–1428.
- Lee M, Saver JL, Towfighi A. (2011) Efficacy of fibrates for cardiovascular risk reduction in persons with atherogenic dyslipidemia: a meta-analysis. *Atherosclerosis.* 217(2):492–8.
- Li T, Chiang JY. (2014) Bile acid signaling in metabolic disease and drug therapy. *Pharmacological reviews.* 66:948-83.
- Liu J, Zhang J, Shi Y. (2006) Chinese red yeast rice (*Monascus purpureus*) for primary hyperlipidemia: a meta-analysis of randomized controlled trials. *Chin Med.* 1:4.
- Londos C, Sztalryd C, Tansey JT and Kimmel AR. (2005) Role of PAT proteins in lipid metabolism. *Biochimie.* 87: 45–49.
- Lukasova M, Hanson J, Tunaru S. (2011) Nicotinic acid (niacin): new lipid-independent mechanisms of action and therapeutic potentials. *Trends Pharmacol Sci.* 32:700–7.
- Lukmanul HF, Giriya S, Senthil KR, Jalaludeen MD. (2007) Effect of aqueous and ethanol extracts of *Cassia auriculata* L. flowers on diabetes using alloxan induced diabetic rats. *Int J Diabetes Metab.* 15: 100–6.

- Madan K, Bhardwaj P, Thareja S, Gupta SD, Saraya A. (2006) Oxidant stress and antioxidant status among patients with nonalcoholic fatty liver disease (NAFLD). *J Clin Gastroenterol.* 40:930–5.
- Madihi Y, Merrikhi A, Baradaran A. (2013) Bioactive components and the effect of hydroalcoholic extract of *Vaccinium myrtillus* on postprandial atherosclerosis risk factors in rabbits. *Pak J Med Sci.* 29:384-389.
- Madihi Y, Merrikhi A, Baradaran A. (2013) Impact of sumac on postprandial high-fat oxidative stress. *Pak J Med Sci.* 29: 340-345.
- Marcoff L, Thompson PD. (2007) The role of coenzyme Q10 in statin-associated myopathy: a systematic review. *J Am Coll Cardiol.* 49:2231–7.
- Marjanovic J , Chalupska D , Patenode C, Coster A , Arnold E , Ye A , Anesi G, Lu Y, Okun I , T kachenko S, Haselkorn R , Gornicki P. (2010) Recombinant yeast screen for new inhibitors of human acetyl-CoA carboxylase 2 identifies potential drugs to treat obesity. *Proceedings of the National Academy of Sciences of the United States of America* 107: 9093– 9098.
- Marr N, Foglia J, Terebiznik M, Athenstaedt K, .Zarem- berg V .(2012) Controlling lipid fluxes at glycerol-3-phosphateacyltransferase step in yeast: unique contribution of Gat1p to oleic acid-induced lipid particle formation. *J. Biol. Chem.*, 287:10251 – 1026.
- Mathers C, Fat DM, Boerma JT. (2008) for World Health Organization. *The Global Burden of Disease: 2004 Update.* Geneva: World Health Organization.
- McLean AJ, Cogger VC, Chong GC, Warren A, Markus AM, Dahlstrom JE, Le Couteur DG. (2003) Age-related pseudocapillarization of the human liver. *J Pathol.* 200:112-7.
- McLean J, Fielding C, Drayna D , Dieplinger H , Baer B, Kohr W , Henzel W, Lawn R (1986) Cloning and expression of human lecithin-cholesterol acyltransferase cDNA. *Proc. Natl. Acad. Sci. U. S. A.* 83: 2335–2339.
- Middleton-junior E, Kandaswami C, Theoharides TC. 2000. The effects of plant flavonoids on mammalian cells: implications for inflammation, heart disease and cancer. *Pharmacol Rev* 52: 673–751.
- Miettinen T.A. (1982) Diurnal variation of cholesterol precursors squalene and methyl sterols in human plasma lipoproteins. *Journal of lipid research.* 23: 466-73.

- Mossi AJ, Mazutti, Paroul, M., Corazza N, Dariva ML, Cansian, C. & Oliveira RL. (2009). Chemical variation of tannins and triterpenes in Brazilian populations of *Maytenus ilicifolia* Mart. *Ex Reiss Brazilian Journal of Biology* 69 -2.
- Nageswara Rao G, Mahesh Kumar P, Dhandapani VS, Rama Krishna T, Hayashi T. (2000) Constituents of *Cassia auriculata*. *Fitoterapia* .71: 82–3.
- Nasri H, Nematbakhsh M, Rafieian-Kopaei M. (2013) Ethanolic extract of garlic for attenuation of gentamicin-induced nephrotoxicity in Wistar rats. *Iran J Kidney Dis.*7:376-382.
- Nielsen I. (2009) A Flp-nick system to study repair of a single protein-bound nick in vivo. *Nat Methods* 6:753-7.
- Nityanand S, Srivastava JS, Asthana OP. (1989) Clinical trials with gugulipid. A new hypolipidaemic agent. *J Assoc Physicians India.*37:323-328.
- Oelkers P, Behari A, Cromley D, Billheimer JT, and Sturley SL. (1998) Characterization of two human genes encoding acyl coenzyme A:cholesterolacyltransferase-related enzymes. *J Biol Chem.* 273: 26765-26771.
- Oelkers P, Behari A, Cromley D, Billheimer JT, and Sturley SL. (1998) Characterization of two human genes encoding acyl coenzyme A:cholesterolacyltransferase-related enzymes. *J Biol Chem.* 273: 26765-26771.
- Oelkers P, Tinkelenberg A, Erdeniz N, Cromley D, Billheimer JT, and Sturley SL. (2000) A lecithin cholesterol acyltransferase-like gene mediates diacylglycerol esterification in yeast. *J Biol Chem.* 275: 15609-15612.
- Ogel H.G.V. (1997) *Drug, discovery and Evaluation: Pharmacological Assays*, 3rd edition, Springer Berlin Heidelberg publisher. 1095-107.
- Okazaki M, Suzuki M, Oguchi K. (1990) Changes in coagulative and fibrinolytic activities in Triton WR-1339-induced hyperlipidemia in rats. *Jpn J Pharmacol.* 52: 353–61.
- Omran AR. (1971) The epidemiologic transition. A theory of the epidemiology of population change. *Milbank Mem Fund Q.* 49: 509–538.
- Oram JF, and A. M. Vaughan. (2000) ABCA1-mediated transport of cellular cholesterol and phospholipids to HDL apolipoproteins. *Curr. Opin. Lipidol.* 11: 253–260.

- Ozasa H, Miyazawa S, Furuta S, Osumi T, Hashimoto T. (1985) Induction of peroxisomal beta-oxidation enzymes in primary cultured rat hepatocytes by clofibrac acid. *J Biochem* .97:1273– 1278.
- Pandor A, Ara RM, Tumor I. (2009) Ezetimibe monotherapy for cholesterol lowering in 2,722 people: systematic review and meta-analysis of randomized controlled trials. *J Intern Med*. 65:568–80.
- Pari L, Latha M (2002). Antidiabetic Activity of Cassia auriculata Flowers: Effect on Lipid Peroxidation in Streptozotocin Diabetes Rats. *Pharmaceutical Biology*. 40: 512-517.
- Pari L, Latha M. (2002) Antidiabetic Activity of Cassia auriculata Flowers: Effect on Lipid Peroxidation in Streptozotocin Diabetes Rats, *Pharmaceutical Biology*. 40: 512-517.
- Pari L, Latha M. (2002) Effect of Cassia auriculata flowers on blood sugar levels, serum and tissue lipids in streptozotocin diabetic rats. *Singapore Med J*. 43:617–21.
- Pari L**, Latha M. (2002) Effect of Cassia auriculata flowers on blood sugar levels, serum and tissue lipids in streptozotocin diabetic rats. *Singapore Med J*. 43: 617–21.
- Parker BA, Gregory SM, Lorson L. (2013) A randomized trial of coenzyme Q10 in patients with statin myopathy: rationale and study design. *J Clin Lipidol*. 7:187–93.
- Parker BA, Thompson PD. (2012) Effect of statins on skeletal muscle: exercise, myopathy, and muscle outcomes. *Exerc. Sport Sci. Rev*. 40: 188–194
- Patel V, Chatterji S, Chisholm, D. (2011) Chronic diseases and injuries in India. *Lancet*.; 377:413–428.
- Perumal SR, Ignacimuthu S. (2000). Antibacterial activity of some folklore medicinal plants used by tribes in Western chats of India. *J.Ethanopharmacol*. 69: 63-71.
- Pierce LR, Wysowski DK, Gross T.P. (1990) Myopathy and rhabdomyolysis associated with lovastatin-gemfibrozil combination therapy. *J Am Med*. 264:71–5.
- Pi-Sunyer FX. (1993) Medical hazards of obesity, *AnnIntern Med*. 119: 655 – 660.

- Plotnikoff GA, Quigley JM. (2003) Prevalence of severe hypovitaminosis D in patients with persistent, nonspecific musculoskeletal pain. *Mayo Clin Proc.* 78(12):1463–70.
- Podar K, Anderson KC. (2006) Caveolin-1 as a potential new therapeutic target in multiple myeloma. *Cancer Lett* .233:10–15
- Prasanna R, Harish CC, Pichai R, Sakthisekaran D, Gunasekaran P. (2009) Anti-cancer effect of *Cassia auriculata* leaf extract in vitro through cell cycle arrest and induction of apoptosis in human breast and larynx cancer cell lines, *Cell Bio l Int.* 33:127–34.
- Qadry S, Shah and Qadry's. (2005) *Pharmacognosy*. 12th revised ed. Ahmedabad: B.S. 237-243.
- Radhakrishnamurthy B, Ruiz HA, Dalferes ER, Srinivasan SR, Foster TA, Berenson GS. (1982) Studies of arterial wall glycosaminoglycans and collagen during experimental regression of atherosclerotic lesions in cynomolgus monkeys. *Lab Invest.* 47: 153-159.
- Rafieian-Kopaei M, Setorki M, Doudi M, Baradaran A, Nasri H. (2014) Atherosclerosis: process, indicators, risk factors and new hopes. *Int J Prev Med.* 5:927-946.
- Rajakumari S, Grillitsch K, and Daum G. (2008) Synthesis and turnover of non-polar lipids in yeast. *Prog. Lipid Res.* 47: 157–171.
- Rogler LH, Cortes D, Malgady R. (1991). Acculturation and mental health status among Hispanics. *American Psychologist.* 6: 585-597
- Rosenson RS. (2012) Cholesterol efflux and atheroprotection: advancing the concept of reverse cholesterol transport. *Circulation.*125: 1905-19.
- Rubins HB, Robins SJ, Collins D. (1999) Gemfibrozil for the secondary prevention of coronary heart disease in men with low levels of high-density lipoprotein cholesterol. Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial Study Group. *N Engl J Med.* 341:410–8
- Ruggles KV. (2014) A Functional, Genome-wide Evaluation of Liposensitive Yeast Identifies the "ARE2 Required for Viability" (ARV1) Gene Product as a Major Component of Eukaryotic Fatty Acid Resistance. *J Biol Chem* 289:4417-31

- Ruixing Y, Yuming CS, Shangling P. (2006) Comparison of lipid levels, hyperlipidemia prevalence and its risk factors between Guangxi Hei Yi Zhuang and Han populations. *Archives of Medical Research*. 37: 787-93.
- Rust, S., M. Rosier, H. Funke, J. Real, Z. Amoura, J. C. Piette, J. F. Deleuze, H. B. Brewer, N. Duverger, P. Denee, and G. Assmann.1999. Tangier disease is caused by mutations in the gene encoding ATP-binding cassette transporter 1. *Nat.Genet*. 22: 352–355.
- Rye KA, Barter PJ. (2014) Regulation of high-density lipoprotein metabolism. *Circulation research*. 114: 143-56.
- Santamarina-Fojo SA, Remaley T, Neufeld E, Brewer HB. (2001) Regulation of intracellular trafficking of ABCA1. *J. Lipid Res*. 42: 1339–1345.
- Saravanakumar A, Vijit Mazumder A, Saravanan VS. (2008) Antihyperlipidemic activity of camellia sinensis leaves in Triton WR-1339 induced albino rats, *Pharmacognosy magazine*. 4: 70-64.
- Satyavati GV. (1988) Gum guggul (*Commiphora mukul*) the success story of an ancient insight leading to a modern discovery. *Indian J Med Res*. 87:327-335
- Scartezzini P, Speroni E. (2000). Review on some plants of Indian traditional medicine with antioxidant activity. *J Ethnopharmacol*. 71:23-43.
- Schulz V, Hansel R, Tyler VE. (1998) *Rational Phytotherapy: A Physicians' Guide to Herbal Medicine*. 3rd ed. Berlin, Germany: Springer-Verlag.112.
- Schurr PE, Schultz JR, Parkinson TM. (1972) Triton induced hyperlipidaemia in rats as an animal model for screening hypolipidemic drugs. *Lipids*.7: 69-74.
- Schurr PE, Schultz JR, Parkinson TM. (1972) Triton-induced hyperlipidemia in rats as an animal model for screening hypolipidemic drugs. *Lipids*. 7: 68–74.
- Sereday MS, Gonzalez C, Giorgini D, De Lored, L. Braguinsky, J. Cobeñas, C. Libman C, Tesone, C. (2004) Prevalence of diabetes, obesity, hypertension and hyperlipidemia in the central area of Argentina. *Metab*. 30: 335-9.
- Sewright KA, Clarkson PM, Thompson PD. (2007) Statin myopathy: incidence, risk factors, and pathophysiology. *Curr. Atheroscler. Rep*. 9: 389–396.
- Shirzad H, Taji F, Rafieian-Kopaei M. (2011) Correlation between antioxidant activity of garlic extracts and WEHI-164 fibrosarcoma tumor growth in BALB/c mice. *J Med Food*. 14: 969-974.

- Sikarwar MS, Patil MB. (2012) Antihyperlipidemic activity of *Salaciachinensis* root extracts in Triton-induced and atherogenic diet-induced hyperlipidemic rats, *Indian J. Pharmacol*, 44:88–92.
- Siva R, Krishnamurthy KV. (2005) Isozyme diversity in *Cassia auriculata* L. *African J of Biotechnology* 4: 772-775.
- Sorger, D., Daum, G. (2002). Synthesis of triacylglycerols by the acyl-coenzyme A:diacyl- glycerol acyltransferase Dga1p in lipid particles of the yeast *Saccharomyces cerevisiae*, *J Bacteriol* ., 184, 519-24.
- Stanley MM, Pineda EP, Cheng SH. (1959) Serum cholesterol esters and intestinal cholesterol secretion and absorption in obstructive jaundice due to cancer. *The New England journal of medicine*.261: 368-73.
- Steinmetz, K.L. (2002) Colesevelam hydrochloride. *Am J Health Syst Pharm*.59:932–939.
- Stone NJ, Robinson J, Lichtenstein AH. (2013) ACC/AHA Guideline on the treatment of Blood Cholesterol to Reduce Atherosclerotic Cardiovascular Risk in Adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*.
- Sturgeon CM, Kemmer D, Anderson HJ, Roberge M (2006) .Yeast as a tool to uncover the cellular targets of drugs. *Biotechnology Journal I*: 289-298.
- Sturgeon CM, Kemmer D, Anderson HJ, Roberge M. (2006) Yeast as a tool to uncover the cellular targets of drugs. *Biotechnology Journal I*: 289 –29.
- Surana SJ, Gokhale SB, Jadhav RB, Sawant JB, Wadekar RL. (2008) Antihyperglycemic Activity of Various Fractions of *Cassia auriculata* Linn. In Alloxan Diabetic Rats. *Indian Journal of Pharmaceutical Sciences*. 70 : 227-229.
- Surana SJ, Gokhale SB, Jadhav RB, Sawant RL, Wadekar JB. (2008) Antihyperglycemic activity of various fractions of *Cassia auriculata* Linn, In Alloxan diabetic rats. *Indian J Pharm Sci*.70:227–9.
- Sztalryd C, Xu G, Dorward H, Tansey JT, Contreras JA, Kimmel AR. and Londos C. (2003) Perilipin A is essential for the translocation of hormone-sensitive lipase during lipolytic activation. *J. Cell Biol*. 161: 1093–1103.

- Szymanski KM, Binns D, Bartz R, Grishin NV, Li W-P, Agarwal AK, Garg A, Anderson RG and Goodman JM. (2007) The lipodystrophy protein seipin is found at endoplasmic reticulum lipid droplet junctions and is important for droplet morphology. *Proc Natl Acad Sci USA*. 104: 20890–20895.
- Temel RE, Brown JM. (2015) A new model of reverse cholesterol transport: enTICEing strategies to stimulate intestinal cholesterol excretion. *Trends Pharmacol Sci*. 36: 440-51.
- Trauner M, Arrese M, Wagner M. (2010) Fatty liver and lipotoxicity. *Biochim Biophys Acta*. 1801: 299–310.
- Turley SD, Dietschy JM. (2003) Sterol absorption by the small intestine. *Current opinion in lipidology*. 14: 233-40.
- Ueshima K, Akihisa-Umeno H, Nagayoshi A, Takakura S, Matsuo M, Mutoh S. (2005) Implitapide, a microsomal triglyceride transfer protein inhibitor, reduces progression of atherosclerosis in apolipoprotein E knockout mice fed a Western-type diet: involvement of the inhibition of postprandial triglyceride elevation. *Biol Pharm Bull*. 28:247–252.
- Uma DP, Selvi SS, Selvam K, Chinnaswamy P. (2006) Antidiabetic and hypolipidemic effect of *Cassia auriculata* in alloxan induced diabetic rats. *Int J Pharmacol*. 2: 601–7.
- Umadevi P, Selvi S, Suja S, Selvam K, and Chinnaswamy P. (2006). Antidiabetic and hypolipidemic effect of *Cassia auriculata* in alloxan induced diabetic rats, *International J of Pharmacology*. 2: 601-607.
- Van Meer G. (2001) Caveolin, cholesterol, and lipid droplets?. *J. Cell Biol*. 152: F29–F34.
- Vasudevan AR, Jones P.H. (2005) Effective use of combination lipid therapy. *Curr Cardiol Rep*. 7:471–479.
- Vedavathy S, Rao KN. (1991). Antipyretic activity of six indigenous medicinal plants of Tirumala hills, *J Ethanopharmacol*. 33: 193-196.
- Videla LA, Rodrigo R, Araya J, Poniachik J. (2006) Insulin resistance and oxidative stress interdependency in non-alcoholic fatty liver disease. *Trends Mol Med*. 12:555–558.

- Vijayakumar R, Anilkumar K, Nachiappan V. (2017) Antihyperlipidemic activity of *Cassia auriculata* flower extract in oleic acid induced hyperlipidemia in *Saccharomyces cerevisiae*. *J Food Sci Technol*. 1007: 13197-017.
- Vijayaraj K, Muthukumar J, Sabarirajan V. (2013) Nachiappan, Antihyperlipidemic activity of *Cassia auriculata* flowers in triton WR 1339 induced hyperlipidemic rats, *Exp Toxicol Pathol* 65: 135-41.
- Vogel HG, Vogel WH. (1997) Drug discovery and evaluation- Pharmacological assays. New York: Springer-Verlag Berlin Hiedelberg; p. 598.
- Walther TC and Farese RV Jr. (2009) The life of lipid droplets. *Biochim Biophys Acta*. 1791: 459–466.
- Watts GF, Dimmitt, S. B. (1999) Fibrates, dyslipoproteinaemia and cardiovascular disease. *Curr Opin Lipidol*. 10:561–574.
- Weber LW, Boll M, Stampfl A. (2004) Maintaining cholesterol homeostasis: sterol regulatory element-binding protein. *World J Gastroenterol*. 10:3081-7.
- WHO. WHO traditional medicine strategy 2002- 2005. WHO, Geneva, 2002.
- Woollett, L.A., Spady D.K., Dietschy J.M. (1992) Saturated and unsaturated fatty acids independent entry regulate LDL receptor activity and production rate. *J. Lipid Res*. 33: 77-88.
- World Health Organization. (2004) The Global Burden of Disease: Update. Geneva, Switzerland: World Health Organization; 2008.
- Xiao X, Song BL. (2013) SREBP: a novel therapeutic target. *Acta biochimica et biophysica Sinica*. 45: 2-10.
- Yamamoto A, DeWald DB, Boronenkov IV, Anderson RA, Emr SD et al. (2010) Novel PI(4)P 5-kinase homologue, Fab1p, essential for normal vacuole function and morphology in yeast. *Mol Biol Cell*. 6: 525–539.
- Yang H , Bard M, Bruner DA, Gleeson A , Deckelbaum RJ, Aljinovic G, Pohl TM, Rothstein R, Sturley SL. (1996) Sterol esterification in yeast: a two-gene process. *Science* 272: 5266:1353-1356.
- Yen CL, Stone SJ, Koliwad S, Harris C. and Farese RV Jr. (2008) The matic review series: glycerolipids. DGAT enzymes and triacylglycerol biosynthesis. *J. Lipid Res*. 49: 2283-2301.

- Young JM, Florkowski CM, Molyneux SL. (2007) Effect of coenzyme Q(10) supplementation on simvastatin-induced myalgia. *Am J Cardiol.* 100:1400–3.
- Zannis VI. (2015) HDL biogenesis, remodeling, and catabolism. *Handbook of experimental pharmacology.* 224: 53-111.
- Zarzecki MS, Araujo SM, Bortolotto VC, Trindade de Paula M, Jesse CR , Marina M.(2014) Hypolipidemic action of chrysin on Triton WR-1339-induced hyperlipidemia in female C57BL/6 mice. *Toxicol. Rep.* 1, 200–208.
- Zhao YY, Weir MA, Manno M. (2012) New fibrate use and acute renal outcomes in elderly adults: a population-based study. *Ann Intern Med.* 156:560–9.
- Ziaee A, Zamansoltani F, Nassiri-Asl M, Abbasi E. (2009) Effects of rutin on lipid profile in hypercholesterolaemic rats. *Basic Clin Pharmacol Toxicol.* 104: 253 – 258.
- Zinser E , Sperka-Gottlieb CD, Fasch EV, Kohlwein SD, Paltauf F, Daum G. (1991). Phospholipid synthesis and lipid composition of subcellular membranes in the unicellular eukaryote *Saccharomyces cerevisiae*. *J. Bacteriol.* 173: 2026–2034.
- Zlatohlavek L, Vrablik M, Grauova B. (2012) The effect of coenzyme Q10 in statin myopathy. *Neuro Endocrinol Lett.*33:98–101.
- Zweytick D, Athenstaedt K and Daum G. (2000a) Intracellular lipid particles of eukaryotic cells. *Biochim Biophys Acta* 1469: 101–120.