

REFERENCES

1. Abdellaoui, H, Bensalah, H, Echaabi, J, Bouhfid, R & Qaiss, A 2015, 'Fabrication, characterization and modelling of laminated composites based on woven jute fibers reinforced epoxy resin', *Materials and Design*, vol. 68, pp. 104-113.
2. Abhishek, K, Panda, BN, Datta, S & Mahapatra, SS 2014, 'Comparing predictability of genetic programming and ANFIS on drilling performance modeling for GFRP composites', *Procedia Materials Science*, vol. 6, pp. 544-550.
3. Abu Bakar, A, Hariharan & Khalil, HA 2005, 'Lignocellulose-based hybrid bilayer laminate composite: Part I-studies on tensile and impact behaviour of oil palm fiber-glass fiber-reinforced epoxy resin', *Journal of Composite Materials*, vol. 39, no. 8, pp. 663-684.
4. Ahmed, K.S. and Vijayarangan, S., 2008. Tensile, flexural and interlaminar shear properties of woven jute and jute-glass fabric reinforced polyester composites. *Journal of materials processing technology*, vol. 207, no. 1-3, pp. 330-33.
5. Alavudeen, A, Rajini, N, Karthikeyan, S, Thiruchitrambalam, M & Venkateshwaren, N 2015, 'Mechanical properties of banana/kenaf fiber-reinforced hybrid polyester composites: Effect of woven fabric and random orientation', *Materials and Design*, vol. 66, pp. 246-257.
6. Arumuga Prabu, V, Manikandan, V, Uthayakumar, M & Kalirasu, S 2012, 'Investigations on the mechanical properties of red mud filled sisal and banana fiber reinforced polyester composites', *Materials Physics and Mechanics*, vol. 15, pp. 173-179.
7. Ashik, KP & Ramesh S Sharma 2015, 'A review on mechanical properties of natural fiber reinforced hybrid polymer composites', *Journal of Minerals and Materials Characterization and Engineering*, vol. 3, pp. 420-426.
8. ASTM D 790-07. Standard Tests Method for Testing Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Material. Available from: < [https:// www. astm. Org / DATABASE. CART / HISTORICAL / D790-07.htm](https://www.astm.org/DATABASE.CART/HISTORICAL/D790-07.htm) >



9. ASTM D256-06a. Standard Test Method for Determining Izod Pendulum Impact Resistance of Plastics. Available from: <[https:// www. astm. Org / DATABASE. CART / HISTORICAL / D256-06A. htm](https://www.astm.org/DATABASE.CART/HISTORICAL/D256-06A.htm)>
10. ASTM D570-98 (Reapproved 2005), Standard Test Method for Water Absorption of Plastics. Available from: <<https://www.astm.org/Standards/D570.htm>>
11. ASTM D638-03. Standard Test Method for Testing Tensile Properties of Plastics. Available from: <<https://www.astm.org/DATABASE.CART/HISTORICAL/D638-03.htm>>
12. Athijayamani, A, Manickam, C, Kumar, J & Diwahaar, N 2015, 'Mechanical and wear behaviour s of untreated and alkali treated roselle fiber-reinforced vinyl ester composite', Journal of Engineering Research, vol. 3, no. 3, pp. 1-10.
13. Athijayamani, A, Thiruchitrabalam, M, Natarajan, U & Pazhanivel, B 2010, 'Influence of alkali-treated fibers on the mechanical properties and machinability of roselle and sisal fiber hybrid polyester composite', Polymer Composites, vol. 31, no. 4, pp. 723-731.
14. Azam, T, Mohd Din, Hameed, BH & Abdul L Ahmad 2009, 'Batch adsorption of phenol onto physiochemical-activated coconut shell', Journal of Hazardous Materials, vol. 161, pp. 1522-1529.
15. Aziz, Sharifah, H & Martin P Ansell 2004, 'The effect of alkalization and fibre alignment on the mechanical and thermal properties of kenaf and hemp bast fibre composites: Part 1–polyester resin matrix', Composites science and technology, vol. 64, no. 9, pp. 1219-1230.
16. Bachtiar, Dandi, Sapuan, SM & Megat M Hamdan 2008, 'The effect of alkaline treatment on tensile properties of sugar palm fiber reinforced epoxy composites', Materials and Design, vol. 29, no. 7, pp. 1285-1290.
17. Baker, JE 1987, 'Reducing bias and inefficiency in the selection algorithm', Second International Conference on Genetic Algorithms, pp. 14-21.
18. Bessel, TJ & Mutuli, SM 1982, 'The interfacial bond strength of sisal-cement composites using a tensile test', Journal of Materials Science Letters, London, vol. 1, pp. 244-246.



19. Bisht, DCS & Jangid, A 2011, 'Discharge modelling using adaptive neuro-fuzzy inference system', *International Journal of Advanced Science and Technology*, vol. 31, pp. 99-114.
20. Chaitanyan, C & Raghuraman, S 2013, 'A study of mechanical properties of sisal-glass reinforced hybrid composites', *IJARSET*, vol. 6, pp. 1-6.
21. Chianelli-Juniora, R, Reisb, JML, Cardosoa, JL & Castroa, PF 2013, 'Mechanical characterization of sisal fiber-reinforced recycled HDPE composites', *Materials Research*, vol. 16, no. 6, pp. 1393-1397.
22. Christy Fernandez 2003, *Coir for Eco-Development*. *Coir News*, vol. 32, no. 6.
23. Cus, F, Balic, J & Zuperl, U 2009, 'Hybrid ANFIS-ants system based optimisation of turning parameters', *Journal of Achievements in Materials and Manufacturing Engineering*, vol. 36, pp. 79-86.
24. Dabade, BM, Ramachandra Reddy, G, Rajesham, S & Udaya Kiran, C 2006, 'Effect of fiber length and fiber weight ratio on tensile properties of sun hemp and palmyra fiber reinforced polyester composites', *Journal of Reinforced Plastics and Composites*, vol. 25, no. 16, pp. 1733-1738.
25. Dash, BN, Rana, AK, Mishra, HK, Naik, SK, Mishra, SC & Tripathy, SS 1999, 'Novel low cost jute-polyester composites', Part 1. Processing, Mechanical Properties and SEM Analysis. *Polym Compos*, vol. 20, pp. 62-71.
26. Dick, TM, P, YB & Jar JJR Cheng 2009, 'Prediction of fatigue resistance of short-fiber-reinforced polymers', *International Journal of Fatigue*, vol. 31, pp. 284-291.
27. Dinesh, KR, Jagadish, SP, Thimmanagouda, A & Neeta Hatapaki 2013, 'Characterization and investigation of tensile and compression test on sisal fiber reinforcement epoxy composite materials used as orthopaedic implant', *International Journal of Application or Innovation in Engineering and Management*, vol. 2, no. 12.
28. Eichhorn, SJ, Baillie, CA, Zafeiropoulos, N, Mwaikambo, LY, Ansell, MP, Dufresne, A, Entwistle, KM, Herrera-Franco, PJ, Escamilla GC, Groom, L, Hughes M, Hill C, Rials, TG & Wild, PM 2001, 'Current international research into cellulosic fibers and composites', *J Mater Sci*, vol. 36, pp. 2107-2131.



29. Garg, A, Tai, K, Lee, CH & Savalani, MM 2012, 'A hybrid M5_-genetic programming approach for ensuring greater trustworthiness of prediction ability in modelling of FDM process', *Journal of Intelligent Manufacturing*, vol. 25, pp. 1349-1365.
30. Gill, S & Singh, J 2010, 'An adaptive neuro-fuzzy inference system modeling for material removal rate in stationary ultrasonic drilling of sillimanite ceramic', *Expert Systems with Applications*, vol. 37, pp. 5590-5598.
31. Girisha, C, Sanjeevamurthy & Gunti Rangasrinivas 2012, 'Tensile properties of natural fiber-reinforced epoxy-hybrid composites', *International Journal of Modern Engineering Research (IJMER)*, vol. 2, no. 2, pp. 471-474.
32. Girisha, C, Sanjeevamurthy & Guntiranga Srinivas 2012, 'Effect of alkali treatment, fiber loading and hybridization on tensile properties of sisal fiber, banana empty Fruit bunch fiber and bamboo fiber reinforced thermoset composites', *International Journal of Engineering Science and Advanced Technology*, vol. 2, no. 3, pp. 706-711.
33. Goldberg, DE & Holland, JH 1988, 'Genetic algorithms and machine learning', *Machine Learning*, vol. 3, no. 2, pp. 95-99.
34. Gupta, MK & Srivastava, RK 2016, 'Mechanical, thermal and water absorption properties of hybrid sisal/jute fiber reinforced polymer composite', vol. 23, pp. 231-238.
35. Hanafi Ismail, MR, Edyham, B & Wirjosentonom 2002, 'Bamboo fiber filled natural rubber composites: The effects of filler loading and bonding agent', *Polymer Testing*, vol. 21, pp. 139-144.
36. Hassan, ML, Rowell, RM, Fadl, NA, Yacoub, SF & Chrisainsen, AW 2000, 'Thermo plasticization of bagasse I preparation and characterization of esterified bagasse fibers', *Journal of Applied Polymer Science*, vol. 76, pp. 561-574.
37. Haykin, S 1994, *Neural Networks, A Comprehensive Foundation* (No. BOOK). Macmilan.
38. Jacquemin, F, Freour, S & Guillen, R 2009, 'Prediction of local hygroscopic stresses for composite structures-analytical and numerical micromechanical approaches', *Composites Science and Technology*, vol. 69, pp. 17-21.



39. Jain, S & Kumar, R 1992, 'Mechanical behaviour of bamboo and bamboo composite', *Journal of Material Science*, vol. 27, pp. 4598-4604.
40. Jarrah, MA & Al-Assafy El kadi, H 2002, 'Neuro-fuzzy modeling of fatigue life prediction of unidirectional glass fiber/epoxy composite laminates', *Journal of Composite Materials*, vol. 36, pp. 685-700.
41. Jena, H, Pandit, MKU & Pradhan, AKU 2012, 'Study the impact property of laminated bamboo-fiber composite filled with cenosphere', *International Journal of Environmental Science and Development*, vol. 3, pp. 456-459.
42. Jochen Gassan & Andrzej K Bledzki 1999, 'Possibilities for improving the mechanical properties of jute/epoxy composites by alkali treatment of fibres', *Composites Science and Technology*, vol. 59, pp. 1303-1309.
43. Joffe, R, Andersons, J & Wallstrom, L 2003, 'Strength and adhesion characteristics of elementary flax fibers with different surface treatments', *Compos Part A*, vol. 34, pp. 603-612.
44. Joseph, K, Toledo Filho, RD, James, B, Thomas, S & Hecker De Carvalho, L 1999, 'A review on sisal fiber reinforced polymer composites', *Revista Brasileira de Engenharia Agricola e Ambiental*, vol. 3, P. 367.
45. Joshi, SV, Drzal, LT, Mohanty, K & Arora, S 2004, 'Are natural fiber composite environmentally superior to glass fiber reinforced composites', *Composites: Part-A*, vol. 35, no. 3, pp. 371-6.
46. Kartalopoulos, SV 1996, 'Understanding neural networks and fuzzy logic', *Basic Concepts and Applications*. New York, NY: The Institute of Electrical and Electronics Engineers.
47. Kasama Jarukumjorn & Nitinat Suppakarn 2009, 'Effect of glass fiber hybridization on properties of sisal fiber-polypropylene Composites', *Composites: Part B*, vol. 40, no. 7, pp. 623-627.
48. Kathrine Conrad 2008, 'Correlation between the distribution of lignin and pectin and distribution of sorbed metal ions (lead and zinc) on coir (*Cocos nucifera* L.)', *Bioresource Technology*, vol. 99, no. 17, pp. 8476-8484 .
49. Ketty Bilba, Marie-Ange Arsene & Alex Ouensanga 2007, 'Study of banana and coconut fiber botanical composition, thermal degradation and textural observations', *Bioresource Technology*, vol. 98, no. 1, pp. 58-68.



50. Khanlou, HM, Woodfield, P, Summerscales, J & Hall, W 2017, 'Consolidation process boundaries of the degradation of mechanical properties in compression moulding of natural-fibre bio-polymer composites', *Polymer Degradation and Stability*, vol. 138, pp. 115-125.
51. Langella, NeleL & Maio, A 2005, 'A torque and thrust prediction model for drilling of composite materials', *Composites: Part A*, vol. 36, pp. 83-93.
52. Lee, SH & Wang, S 2006, 'Biodegradable polymers/bamboo fiber biocomposite with bio-based coupling agent', *Composites: Part A*, vol. 37, pp. 80-91.
53. Maache, M, Bezazi, A, Amroune, S, Scarpa, F & Dufresne, A 2017, 'Characterization of a novel natural cellulosic fiber from *juncus effusus* L', *Carbohydrate Polymers*, vol. 171, pp. 163-172.
54. Manoharan, SG, Senthil Kumar, K, Balasubramanian, B & Dhanasakkaravarthi 2016, 'Investigation on properties of banana and bamboo fiber composites by experimentation', *Middle-East Journal of Scientific Research*, vol. 24, no. S1, pp. 16-18.
55. Maya Jacob & Sabu Thomas, KT Varughese 2004, 'Mechanical properties of sisal/oil palm hybrid fiber reinforced natural rubber composite', *Composites Science and Technology*, vol. 64, no. 7, pp. 955-965.
56. Mizanur Rahman, M, Mubarak, A & Khan, B 2007, 'Surface treatment of coir (*Cocos nucifera*) fibers and its influence on the fibers', *Physico-Mechanical Properties*, *Composites Science and Technology*, vol. 67, no. 11, pp. 2369-2376.
57. Modibbo, UU, Aliyu, BA & Nkafamiya, II 2009, 'The effect of mercerization media on the physical properties of local plant bast fibres', *International Journal of Physical Sciences*, vol. 4, no. 11, pp. 698-704.
58. Monteiro, SN, Rodriquez, RJS, De Souza, MV & D'Almeida, JRM 1998, 'Sugar cane bagasse waste as reinforcement in low cost composites', *Advanced Performance Material*, vol. 5, no. 3, pp. 183-191.
59. Mukherjee, KG & Satyanarayana, KG 1984, 'Structure and properties of some vegetable fibers', *J Mater Sci*, vol. 19, no. 12, pp. 3925-34.
60. Murali Mohan Rao, KK & Mohana Rao 2007, 'Extraction and tensile properties of natural fibers: Vakka, date and bamboo', *Composite Structures*, vol. 77, no. 3, pp. 288-295.



61. Mwaikambo, LY & Ansell, MP 2002, 'Chemical modification of hemp, sisal, jute, and kapok fibers by alkalisiation', *J Appl Polym Sci*, vol. 84, no. 12, pp. 2222-34.
62. NILSSON, L 1975, 'Reinforcement of concrete with sisal and other vegetable fibers', Stockholm: Swedish Council for Building Research, vol. 68, no. 10, pp. 1-10.
63. Nilza, G, Justiz-Smith, G, Junior Virgo & Vernon, E 2007, 'Buchanan, potential of jamaican banana, coconut coir and bagasse fibers as composite materials', *Journal of Material Characterization*, vol. 59, no. 9, pp. 1273-1278.
64. Noorunnisa Khanam, P, Mohan Reddy, M, Raghu, K, John, K & Venkata Naidu, S 2007, 'Tensile, flexural and compressive properties of sisal/silk hybrid composites', *Journal of Reinforced Plastics and Composites*, vol. 26, no. 10, pp. 1065-1070.
65. Okubo, KK Fuji, Y & Yamamoto 2004, 'Development of bamboo-based polymer composites and their mechanical properties', *Composites: Part A*, vol. 35, pp. 377-383.
66. Onal, L & Adanur, S 2002, 'Effect of stacking sequence on the mechanical properties of glass—carbon hybrid composites before and after impact', *Journal of Industrial Textiles*, vol. 31, pp. 255-271.
67. Panthapulakkal, S & Sain, M 2007, 'Injection-molded short hemp fiber/glass fiber reinforced polypropylene hybrid composites – mechanical, water absorption and thermal properties', *J Appl Polym Sci*, vol. 103, no. 4, pp. 2432-41.
68. Passipoularidis, VA & Philippidis, TP 2009, 'A study of factors affecting life prediction of composites under spectrum loading', *International Journal of Fatigue*, vol. 31, pp. 408-417.
69. Prasad, AV, Mohana Rao, K & Nagasrinivasulu, G 2009, 'Mechanical properties of banana empty fruit bunch fibre reinforced polyester composites', *Indian J Fiber Tex Rex*, vol. 34, P. 162.
70. Pujari, S, Ramakrishna, A & Suresh Kumar, M 2014, 'Comparison of jute and banana fiber composites: A review', *International Journal of Current Engineering and Technology*.



71. Rajesh, M & Pitchaimani, J 2017, 'Experimental investigation on buckling and free vibration behaviour of woven natural fiber fabric composite under axial compression', *Composite Structures*, vol. 163, pp. 302-311.
72. Rajulu, AV, Rao, GB & Reddy, RL 2001, 'Chemical resistance and tensile properties of epoxy/polycarbonate blend coated bamboo fibers', *Journal of Reinforced Plastics and Composites*, vol. 20, pp. 335-340.
73. Rana, K, Mandal, A, Mitra, BC, Jacobson, R, Rowell, R & Banerjee, A N 1998, 'Short jute fiber-reinforced polypropylene composites: Effect of compatibilizer', *Journal of Applied Polymer Science*, vol. 69, pp. 329-338.
74. Ratna Prasad, AV & Mohana Rao, K 2011, 'Mechanical properties of natural fiber reinforced polyester composites', *Jowar, Sisal and Bamboo. Materials and Design*, vol. 32, no. 8, pp. 4658-4663.
75. Ray, D, Sarkara, BK, Rana, AK & Bose, NR 2001, 'The mechanical properties of vinylester resin matrix composites reinforced with alkali-treated jute fibres', Part A, vol. 32, pp. 119-127.
76. Rozman, HD, Tay, GS, Kumar, RN, Abusamah, A, Ismail, H & Mohd Ishak ZA 2001, 'Polypropylene-oil palm empty fruit bunch-glass fiber hybrid composites: A preliminary study on the flexural and tensile properties', *Eur Polym J*, vol. 37, pp. 1283-91.
77. Sakthivel, M & Ramesh, S 2013, 'Mechanical properties of natural fiber (Banana, Coir, Sisal) polymer composites', *Science Park*, vol. 1, no. 1, pp. 1-6.
78. Sanjeevamurthy, GC, Rangasrinivas, G & Manu, S 2012, 'Mechanical performance of natural fiber-reinforced epoxy-hybrid composites', *International Journal of Engineering Research and Applications (IJERA)*, vol. 2, no. 5, pp. 615-619.
79. Sapuan, SM, Leenie, A, Mohamed Harimi & Yeo Kiam Beng 2006, 'Mechanical properties of woven banana fibre reinforced epoxy composites', *Materials and Design*, vol. 27, no. 8, pp. 689-693.
80. Sezgin Ersoy & Haluk Kucuk 2009, 'Investigation of industrial tea-leaf-fiber waste material for its sound absorption properties', *Applied Acoustics*, vol. 70, no. 1, pp. 215-220.
81. Shah, N & Lakkad, SC 1981, 'Mechanical properties of jute-reinforced plastics', *Fibre Science and Technology*, vol. 15, pp. 41-46.



82. Shin, FG, Jian, XJ, Zheng, WP & Yipp, MW 1989, 'Analysis of the mechanical properties and microstructure of bamboo-epoxy composites', *Journal of Material Science*, vol. 24, pp. 3483-90.
83. Srinivas, K, Naidu, AL & Raju Bahubalendruni, MVA 2017, 'A review on chemical and mechanical properties of natural fiber reinforced polymer composites', *International Journal of Performability Engineering*, vol. 13, no. 2, pp. 167-185.
84. Sukru Yetgin, O, Zlem, CAVDAR, Ahmet, C & Avdar 2008, 'The effects of the fiber contents on the mechanic properties of the adobes', *Construction and Building Materials*, vol. 22, no. 3, pp. 222-227.
85. Swain, PTR & Biswas, S 2014, 'Physical and mechanical behaviour of Al₂O₃ filled jute fiber reinforced epoxy composites', *International Journal of Current Engineering and Technology*, vol. 2, pp. 67-71.
86. Takagi, H & Hayashi, I 1988, 'Artificial neural network -driven fuzzy reasoning', *Proceedings in International workshop Fuzzy System Applications*, Iizuka, Japan, 217C18, pp. 1-11.
87. Tara Sen, HN & Jagannatha Reddy 2011, 'Application of sisal, bamboo, coir and jute natural composites in structural upgradation', *International Journal of Innovation, Management and Technology*, vol. 2, no. 3, pp. 186-191.
88. Tawfik, BE, Leheta, H, Elhewy, A & Elsayed, T 2017, 'Weight reduction and strengthening of marine hatch covers by using composite materials', *International Journal of Naval Architecture and Ocean Engineering*, vol. 9, no. 2, pp. 185-198.
89. Thiruchitrabalam, M, Alavudeen, A, Athijayamani, A, Venkateshwaran, N & Perumal, AE 2009, 'Improving mechanical properties of banana/kenaf polyester hybrid composites using sodium lauryl sulfate treatment', *Materials Physics and Mechanics*, vol. 8, no. 2, pp. 165-173.
90. Tolêdo Filho, RD & England, GL 1997, 'Compressive behaviour of natural fiber reinforced mortar composites', *Revista Brasileira De Engenharia Agrícola e Ambiental*, vol. 1, pp. 79-88.
91. Venkateshwaran, NA, ElayaPerumal, A, Alavudeen & Thiruchitrabalam, M 2011, 'Mechanical and water absorption behaviour of banana/sisal reinforced hybrid composites', *Materials and Design*, vol. 32, no. 7, pp. 4017-4021.



92. Wang, C, Zhao, M, Li, J, Yu, J, Sun, S, Ge, S, Guo, X, Xie, F, Jiang, B, Wujcik, EK & Huang, Y 2017, 'Silver nanoparticles/graphene oxide decorated carbon fiber synergistic reinforcement in epoxy-based composites', *Polymer*, vol. 131, pp. 263-271.
93. Yan Li, Chunjing Hu & Yehong Yu 2008, 'Interfacial studies of sisal fiber reinforced high density polyethylene (HDPE) composites', *Part A* 39, pp. 570-578.
94. Yang, Z, Wang, Y & Ouyang, G 2014, 'Adaptive neuro-fuzzy inference system for classification of background EEG signals from ESES patients and controls', *The Scientific World Journal*.
95. Zamri, MH, Akil, HM, Bakar, AA, Ishak, ZAM & Cheng, LW 2012, 'Effect of water absorption on pultruded jute/glass fiber-reinforced unsaturated polyester hybrid composites', *Journal of Composite Materials*, vol. 46, pp. 51- 61.

