

REFERENCES

- [1]. Adhikari, S and Kar, T 2012, 'Bulk single crystal growth and characterization of l-leucine– A nonlinear optical material' *Materials Chemistry and Physics*, vol. 133, no. (2-3), pp.1055-1059.
- [2]. Alabugin, IV, Manoharan, M, Peabody, S and Weinhold, F 2003, 'Electronic Basis of Improper Hydrogen Bonding: A Subtle Balance of Hyperconjugation and Rehybridization', *Journal of the American Chemical Society*, vol. 125, no. 19, pp. 5973-5987.
- [3]. Alagar, M, Krishnakumar, RV, SubhaNandhini, M & Natarajan, S 2001, 'L-Alaninium maleate', *Acta Crystallographica Section E Structure Reports Online*, vol. 57, no.9, pp. o855-o857.
- [4]. Alberts, IL, Nadassy, K & Wodak, SJ 1998, 'Analysis of zinc binding sites in protein crystal structures', *Protein Science*, vol. 7, no.8, pp.1700-1716.
- [5]. Altomare, A, Cascarano, C, Giacovazzo, C & Guagliardi, A 1993, 'Completion and refinement of crystal structures withSIR92', *Journal of Applied Crystallography*, vol. 26, no. 3, pp. 343- 350
- [6]. Archibald, P & Parent, E 1976, 'Source evaporant systems for thermal evaporation', *Solid State Technology*, vol. 19, no. 7, pp. 32-40
- [7]. Arivuoli, D, Gnanam, FD & Ramasamy, P, 1986 'Growth of hollow $Sb_2 S_3$ - $Sb_2 Se_3$ mixed crystals from vapour', *Journal of materials science letters*, vol. 5, no. 10, pp. 959-960.

- [8]. Arjunan, V, Balamurugan, PS, Santhanam, R & Mohan, S 2012, 'FTIR, FT-Raman and quantum chemical investigations of 4,5-dimethyl-1,3-dioxol-2-one', *Journal of Molecular Structure*, vol. 1024, pp. 54–64
- [9]. Arjunan, V, Devi, L, Subbulakshmi, R, Rani, T & Mohan, S 2014, 'Synthesis, vibrational, NMR, quantum chemical and structure-activity relation studies of 2-hydroxy-4-methoxyacetophenone', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 130, pp. 164-177.
- [10]. Arjunan, V, Jayaprakash, A, Carthigayan, K, Periandy, S & Mohan, S 2013, 'Conformational, structural, vibrational and quantum chemical analysis on 4-aminobenzohydrazide and 4-hydroxybenzohydrazide – A comparative study', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 108, pp. 100-114.
- [11]. Arjunan, V, Ravindran, P, Balakrishnan, K, Santhanam, R & Mohan, S 2012, 'Combined spectroscopic and DFT studies on 2-chloro-4-nitrotoluene and 4-chloro-2-nitrotoluene', *Journal of Molecular Structure*, vol. 1016, pp. 82-96.
- [12]. Arjunan, V, Saravanan, I, Mariusz, M K Marchewka, Mohan, S 2012, 'A comparative study on vibrational, conformational and electronic structure of 2-chloro-4-methyl-3-nitropyridine and 2-chloro-6-methylpyridine', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 92, pp. 305-317.

- [13]. Arslan, F 2007, 'Synthesis, crystal structure and spectrothermal characterization of zinc (II) salicylato complex with 2, 2'-azobispyridine, [Zn (Hsal) 2(H₂O)(abpy)]·H₂O', *Dyes and Pigments*, vol. 75, no. 3, pp. 521-525.
- [14]. Aruldas, G 2004, *Molecular Structure and Spectroscopy*, PHI Learning Pvt. Ltd., India.
- [15]. Asath, MR, Premkumar, R, Mathavan, T & Milton Franklin Benial, A 2017, 'Structural, Spectroscopic and Molecular Docking Studies on 2-Amino-3-Chloro-5-Trifluoromethyl Pyridine: A Potential Bioactive Agent', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 175, no. 3, pp. 51–60.
- [16]. Asath, MR, Rekha, TN, Premkumar, S, Mathavan, T & Milton Franklin Benial, A 2016, 'Vibrational, Spectroscopic, Molecular Docking and Density Functional Theory Studies on *N*-(5-Aminopyridin-2-Yl)acetamide', *Journal of Molecular Structure*, vol. 1125, no. 5, pp. 633–642.
- [17]. Banfi, GP, Degiorgio, V and Sherwood, JN, 2001, 'Frequency conversion processes in the non-linear organic crystal *N*-(4-nitrophenyl)-*l*-prolinol', *Synthetic metals*, vol.124, no. 1, pp.221-225.
- [18]. Banwell, CN & Mccash, CM 1995, *fundamentals of molecular spectroscopy*, Macgraw-Hill, New Delhi.
- [19]. Baran, J, Barnes, A., Engelen, B, Panthöfer, M, Pietraszko, A, Ratajczak, H & Sledz, M 2000, 'Structure and polarised IR and Raman spectra

of the solid complex betaine–trichloroacetic acid’. *Journal of Molecular Structure*, vol. 550–551, pp. 21–41.

[20]. Barrett, CS & Massalski, TB 1966, *Structure of Metals*, McGraw- Hills, New York.

[21]. Bauernschmitt R & Ahlrichs R 1996, ‘Treatment of electronic excitations within the diabatic approximation of time dependent density functional theory’, *Chemical Physics Letters*, vol. 256, pp. 454-464.

[22]. Becke, AD 1988, ‘Density-functional exchange-energy approximation with correct asymptotic behavior’, *Physical Review A*, vol. 38, no. 6, pp. 3098- 3100.

[23]. Becke, AD 1993, ‘Density-functional thermochemistry. III. The role of exact exchange’, *The Journal of Chemical Physics*, vol. 98, no. 7, pp. 5648-5652.

[24]. Becker, FF & Banik, BK 1998, ‘Polycyclic aromatic compounds as anticancer agents: Synthesis and biological evaluation of some chrysene derivatives’, *Bioorganic & Medicinal Chemistry Letters*, vol. 8, no. 20, pp. 2877-2880.

[25]. Bellamy, LJ 1975, *The Infrared Spectra of Complex Molecules*, John Wiley and Sons, New York.

[26]. Beny, C, West, W & Moser, FH 1963, *The Art and Science of Growing Crystals*, Wiley, New York.

- [27]. Berg, RW & Thorup, N 2005, 'The reaction between ZnO and molten $\text{Na}_2\text{S}_2\text{O}_7$ or $\text{K}_2\text{S}_2\text{O}_7$ forming $\text{Na}_2\text{Zn}(\text{SO}_4)_2$ or $\text{K}_2\text{Zn}(\text{SO}_4)_2$, studied by Raman spectroscopy and x-ray diffraction', *Inorganic Chemistry*, vol. 44, no. 10, pp. 3485-3493.
- [28]. Bernath, P 1995, *Spectra of Atoms and Molecules*, Oxford University Press, Toronto.
- [29]. Bertrand, LJ 1997, *Handbook of Instrumental Techniques for Analytical Chemistry*, Prentice Hall, Inc., New Jersey.
- [30]. Beulah, Rajkumar, M & Ramakrishnan, V 2000, 'Infrared and Raman spectra of L-valine nitrate and L-leucine nitrate', *Journal of Raman Spectroscopy*, vol. 31, no. 12, pp. 1107-1112.
- [31]. Bhagavannarayana, G, Riscob, B and Shakir, M, 2011, 'Growth and characterization of l-leucine l-leucinium picrate single crystal: a new nonlinear optical material' *Materials Chemistry and Physics*, vol.126, no. 1-2, pp. 20-23.
- [32]. Bhatt, VP, Gireesan, K & Pandya, GR, 1989, 'Growth and characterization of SnSe and SnSe₂ single crystals', *Journal of Crystal Growth*, vol.96, no. 3, pp. 649-651.
- [33]. Bierlein, JD & Vanherzeele, H 1989, 'Potassium titanyl phosphate: properties and new applications', *Journal of the Optical Society of America B*, vol. 6, no.4, pp. 622-633.
- [34]. Bijini, BJ, Prasanna, S, Deepa, M, Nair, CMK & Rajendrababu, K 2012a, 'Spectral, Thermal, Dielectric Studies and Crystal Structure of Novel

Nonlinear Optical Diaquabis(Salicylato)Zinc,” *Int. J. Chem Tech Res.*, vol. 4, pp.739– 748.

[35]. Bijini, BR, Prasanna, S, Deepa, M, Nair, CMK & Babu, KR 2012b, ‘Crystal structure, spectral, thermal and dielectric studies of a new zinc benzoate single crystal’, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 97, no. 11, pp. 1002-1006.

[36]. Bishop, DM, Bernard, K & Benoît, C 1997, ‘Differences between the exact sum-over-states and the canonical approximation for the calculation of static and dynamic hyperpolarizabilities’, *Journal of Chemical Physics A*, vol. 107, pp. 5780-5787.

[37]. Bloembergen, N & Pershan, PS, 1962, ‘Light Waves at the Boundary of Nonlinear Media’ *Physical Review*, vol.128, no. 2, pp. 606–622.

[38]. Bloembergen, N 1999, ‘Surface nonlinear optics: a historical overview’, *Applied Physics B: Lasers and Optics*, vol. 68, no. 3, pp. 289–293.

[39]. Boaz, BM, Linet, JM, Varghese, B, Palanichamy, M & Das, SJ 2005, ‘Growth and characterization of a new nonlinear optical material: Potassium p-nitrophenolate dihydrate ($\text{NO}_2\text{-C}_6\text{H}_4\text{-OK}\cdot 2\text{H}_2\text{O}$) with new bonding properties’, *Journal of Crystal Growth*, vol. 280, no. 3-4, pp. 448-454.

[40]. Bondi, A 1964, ‘van der Waals Volumes and Radii’, *The Journal of Physical Chemistry*, vol. 68, no.3, pp. 441-451.

[41]. Bradley 1963, *The Art and Science of Growing Crystals*, Wiley, New York.

- [42]. Brame, EG & Grasselli, J 1976, *Infrared and Raman Spectroscopy: Part A*, Marcel Dekker Inc., New York.
- [43]. Bremer, SS 1963, *The Art and Science of Growing Crystals*, Wiley, New York.
- [44]. Brice, JC 1973, *The growth of crystals from Liquids*, North- Holland, Amsterdam.
- [45]. Brice, JC 1986, *Crystal growth process*, John Wiley and Sons, New York.
- [46]. Bridgman, PW 1925, *Certain Physical Properties of Single Crystals of Tungsten, Antimony, Bismuth, Tellurium, Cadmium, Zinc, and Tin*. *Proceedings of the American Academy of Arts and Sciences*, vol. 60, no. 6, pp. 305-383.
- [47]. Brownless, NJ, Edwards DA & Mahon, MF 1999, 'Some complexes derived from zinc salicylate or 3, 5-di-tert-butylsalicylate. The crystal structure of (2,2'-bipyridyl)(methanol)(O-salicylato)(O,O'-salicylato)zinc', *Inorganica Chimica Acta*, vol. 287, no. 1, pp 89-94.
- [48]. Buckley, HE 1951, *Crystal Growth*, John Wiley and sons, New York.
- [49]. Buckley, HE 1995, *Crystal Growth*, John Wiley and Sons, New York.
- [50]. Bury, A, Underhill, AE, Kemp, DR, O'Shea, NJ, Smith, JP & Gomm, PS 1987, 'Metal complexes of anti-inflammatory drugs. Part IV. Tenoxicam complexes of manganese(II), iron(III), cobalt(II), nickel(II) and copper(II)', *Inorganica Chimica Acta*, vol. 138, no. 1, pp. 85–89.

- [51]. Butcher, PN & Cotter, D 1990, *The elements of nonlinear optics*, Cambridge University Press. Cambridge.
- [52]. Ch. Bosshard, Spreiter, R, Degiorgi, L & Gunter, P 2002, 'Infrared and Raman spectroscopy of the organic crystal DAST: Polarization dependence and contribution of molecular vibrations to the linear electro-optic effect', *Physical Review B*, vol. 66, no. 20, pp. 20510- 20516.
- [53]. Chaitanya, K 2012, 'Molecular structure, vibrational spectroscopic (FT-IR, FT-Raman), UV-vis spectra, first order hyperpolarizability, NBO analysis, HOMO and LUMO analysis, thermodynamic properties of benzophenone 2,4-dicarboxylic acid by ab initio HF and density functional method', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 86, pp. 159–173.
- [54]. Chantrapromma, S, Fun, H-K & Usman, A 2006, 'Orthorhombic-to-Monoclinic Temperature-Dependent Phase Transition of Hexamethylenetetraminium-3,5-Dinitrobenzoate-3,5-Dinitrobenzoic Acid Monohydrate Crystal', *Journal of Molecular Structure*, vol. 789, no. 1–3, pp. 30–36.
- [55]. Chattaraj, PK, Maiti, B & Sarkar, U 2003, 'Philicity: A Unified Treatment of Chemical Reactivity and Selectivity', *The Journal of Physical Chemistry A*, vol. 107, pp. 4973-4975.
- [56]. Chernov, AA 1984, 'Modern crystallography', *Crystal Growth*, Springer Verlag, Bierline. vol. 3, pp. 415–455.

- [57]. Chithambaram, V & Krishnan, S 2014, 'Synthesis, optical and thermal studies on novel semi organic nonlinear optical Urea Zinc Acetate crystals by solution growth technique for the applications of optoelectronic devices', *Optics & Laser Technology*, vol. 55, pp.18-20.
- [58]. Chocholousova, J, Spirko, V & Hobza, P 2004, 'First local minimum of the formic acid dimer exhibits simultaneously red-shifted O–H···O and improper blue-shifted C–H···O hydrogen bonds', *Physical Chemistry Chemical Physics*, vol. 6, no. 1, pp. 37-41.
- [59]. Clark, T, Chandrasekhar, J, Spitznagel, GW & Schleyer, PVR 1983, 'Efficient diffuse function-augmented basis-sets for anion calculations. III. The 3-21+G basis set for first-row elements, Li-F', *Journal of Computational Chemistry*, vol. 4, no.3, pp. 294-301.
- [60]. Coates, J 2000, 'Interpretation of Infrared Spectra: a Practical Approach', John Wiley & Sons Inc., New York.
- [61]. Colthup, NB, Daly, LH, Wiberley, SE 1990, *Introduction to Infrared and Raman Spectroscopy*, Academic Press, New York.
- [62]. Cossi, M, Vincenzo, B, Roberto, C & Jacopo, T 1996, 'Ab initio Study of Solvated Molecules: a New Implementation of the Polarizable Continuum Model', *Chemical Physics Letters*, vol. 255, pp. 327-335.
- [63]. Dalal, J, Sinha, N, Yadav, H & Kumar, B 2015, 'Structural, electrical, ferroelectric and mechanical properties with Hirshfeld surface analysis of

novel NLO semiorganic sodium p-nitrophenolate dihydrate piezoelectric single crystal', RSC Advances, vol. 5, no. 71, pp. 57735–57748.

[64]. Dash, WC 1959, 'Growth of Silicon Crystals Free from Dislocations', Journal of Applied Physics, vol. 30, no. 4, pp. 459–474.

[65]. de Matos Gomes, E, Rodrigues, VH, Costa, MMR, Belsley, MS, Cardoso, PJM, Gonçalves, CF & Proença, F 2006, 'Unusual supramolecular assembly and nonlinear optical properties of L-histidinium hydrogen malate', Journal of Solid State Chemistry, vol. 179, no. 8, pp. 2521-2528.

[66]. Debrus, S, Marchewka, MK, Drozd, M & Ratajczak, H 2007, 'Vibrational, calorimetric and nonlinear optical studies of melaminium-bis(trichloroacetate) monohydrate molecular–ionic crystal', Optical Materials, vol. 29, no. 8, pp. 1058–1062.

[67]. Del Zoppo, M, Tommasini, M, Castiglioni, C & Zerbi, G 1998, 'A relationship between Raman and infrared spectra: the case of push-pull molecules', Chemical Physics Letters, vol. 287, pp. 100-108.

[68]. Dennington, R, Keith, T & Milam, J 2009, Gauss View, Version 5, Semichem Inc., Shawnee Mission KS.

[69]. Dewey Jr, CF, Cook Jr, WR, Hodgson, RT and Wynne, JJ 1975, 'Frequency doubling in $\text{KB}_5\text{O}_8 \cdot 4\text{H}_2\text{O}$ and $\text{NH}_4\text{B}_5\text{O}_8 \cdot 4\text{H}_2\text{O}$ to 217.3 nm', Applied Physics Letters, vol. 26, no. 12, pp.714-716.

[70]. Dhanabal, T & Amirthaganesan, G, 2014, 'Growth, spectral, thermal and dielectric studies on a new semiorganic NLO material: Di-N-

methylanilinium tetrachlorocadmiate (II)', *Optik-International Journal for Light and Electron Optics*, vol. 125, no.1, pp. 238-242.

[71]. Di Blascio, B, Pedone, C & Sringu. A 1975, 'DL-Leucine', *Acta Crystallographica Section B Structural Crystallography and Crystal Chemistry*, vol. 31, no. 2, pp. 601-602.

[72]. Ding, X, Wang, He, W & Huang, W 2011, '3-Aminobenzonitrile-3,5-dinitrobenzoic acid (1/1)', *Acta Crystallographica Section E Structure Reports Online*, vol. 67, no. 11, pp. o2833.

[73]. Dmitriev, VG, Gurzadyan, GG & Nikogosyan, DN 1991, *Handbook of Nonlinear Optical Crystals*, Springer-Verlag, Berlin.

[74]. Dollish, FR, Fately, WG, Bentley, F & Characteristic, F 1997, *Raman frequencies of organic compounds*, John Wiley & Sons, New York.

[75]. Du, YP & Hu, MC 2006, 'Potassium 3,5-dinitrobenzoate', *Acta Crystallographica Section E Structure Reports Online*, vol. 62, no. 3, pp. m496-m497.

[76]. Eaton, DF 1991, 'Nonlinear Optical Materials', *Science*, vol. 253, no. 5017, pp. 281-287.

[77]. Effenberger, F, Wuerthner, F & Steybe, F 1995, 'Synthesis and Solvatochromic Properties of Donor-Acceptor-Substituted Oligothiophenes', *The Journal of Organic Chemistry*, vol. 60, no. 7, pp. 2082-2091.

[78]. El-Hakam, EA, El-Nasr, A, Fujii, A, Ebata, T & Mikami, N 2003, 'Substitution effects on the excited-state intramolecular proton transfer of

salicylic acid: an infrared spectroscopic study on the OH stretching vibrations of jet-cooled 5-methoxysalicylic acid', *Chemical Physics Letters*, vol. 376, no. 5-6, pp 788–793.

[79]. Elwell, D & Scheel, HJ 1975, *Crystal growth from high temperature Solutions*, Academic Press, London.

[80]. Etter, MC & Baures, PW 1988, 'Triphenylphosphine oxide as a crystallization aid', *Journal of the American Chemical Society*, vol. 110, no. 2, pp. 639-640.

[81]. Faktor, MM & Garrett, L 1974, *Growth of Crystals from the Vapour*, Chapman and Hall, London.

[82]. Felming, I 1978, "Frontier Orbitals and Organic Chemical Reactions", John Wiley & Sons, New York.

[83]. Ferraro, JR, Nakamoto, K & Brown, CW 2003, 'Introductory Raman Spectroscopy', Academic Press, New York.

[84]. Foster, JP & Weinhold, F 1980, 'Natural hybrid orbitals', *Journal of the American Chemical Society*, vol. 102, no. 24, pp. 7211–7218.

[85]. Frisch, MJ, Pople, JA, Binkley & JS 1984, 'Self-consistent molecular orbital methods 25. Supplementary functions for Gaussian basis sets', *The Journal of Chemical Physics*, vol. 80, no. 7, pp. 3265-3269

[86]. Frisch, MJ, Trucks, GW, Schlegel, HB, Scuseria, GE, Robb, MA, Cheeseman, JR, Scalmani, G, Barone, V, Petersson, GA, Nakatsuji, H, Li, X, Caricato, M, Marenich, AV, Bloino, J, Janesko, BG, Gomperts, R, Mennucci,

B, Hratchian, HP, Ortiz, JV, Izmaylov, AF, Sonnenberg, JL, Williams-Young, D, Ding, F, Lipparini, F, Egidi, F, Goings, J, Peng, B, Petrone, A, Henderson, T, Ranasinghe, D, Zakrzewski, VG, Gao, J, Rega, N, Zheng, G, Liang, W, Hada, M, Ehara, M, Toyota, K, Fukuda, R, Hasegawa, J, Ishida, M, Nakajima, T, Honda, Y, Kitao, O, Nakai, H, Vreven, T, Throssell, K, Montgomery, JA, Jr, Peralta, JE, Ogliaro, F, Bearpark, MJ, Heyd, JJ, Brothers, EN, Kudin, KN, Staroverov, VN, Keith, TA, Kobayashi, R, Normand, J, Raghavachari, K, Rendell, AP, Burant, JC, Iyengar, SS, Tomasi, J, Cossi, M, Millam, JM, Klene, M, Adamo, C, Cammi, R, Ochterski, JW, Martin, RL, Morokuma, K, Farkas, O, Foresman, JB, Fox, DJ 2009, Gaussian 09, Revision A. 02, Gaussian, Inc., Wallingford CT.

[87]. Fukui, A 1975, 'Theory of Orientation and Stereoselection', Springer-Verlag, Berlin.

[88]. Fukui, K, Teijiro, Y & Haruo, S 1952, 'A Molecular Orbital Theory of Reactivity in Aromatic Hydrocarbons', Journal of Chemical Physics, vol. 20, pp. 722-725.

[89]. Fuquen, RM & Lechat, JR 1992, 'Structure of the 1:1 complex formed by triphenylphosphine oxide and 4-nitrophenol', Acta Crystallographica Section C Crystal Structure Communications, vol. 48, no.9, pp. 1690-1692.

[90]. Furukawa, Y, Sato, M, Nitanda, F & Ito, K 1990, 'Growth and characterization of MgO-doped LiNbO₃ for electro-optic devices', Journal of Crystal Growth, vol. 99, no. 1-4, pp. 832-836.

- [91]. Gardiner, DJ & Graves, PR 1989, 'Practical Raman Spectroscopy' VCH Pub., Inc., New York.
- [92]. Geis, W, Sinta, R, Mowers, W, Deneault, SJ, Marchant, MF, Krohn, KE, Spector, SJ, Calawa, DR & Lyszczarz, TM 2004, 'Fabrication of crystalline organic waveguides with an exceptionally large electro-optic coefficient', Applied Physics Letters, vol. 84, no. 19, pp. 3729-3731.
- [93]. Geskin, VM, Lambert, C & Brédas, J-L 2003, 'Origin of High Second- and Third-Order Nonlinear Optical Response in Ammonio/Borato Diphenylpolyene Zwitterions: the Remarkable Role of Polarized Aromatic Groups', Journal of the American Chemical Society, vol. 125, no. 50, pp. 15651–15658.
- [94]. Gillon, AI, Davey, RJ & Jones, HP 2005, 'Sodium 3,5-dinitrobenzoate', Acta Crystallographica Section E Structure Reports Online, vol. 61, no.6, pp. m1131- m1132.
- [95]. Glendening, ED, Reed, AE, Carpenter, FE & Weinhold, F 1998, NBO Version 3.1, University of Wisconsin, Madison.
- [96]. Go, K & Parthasarthy, R 1995, 'Crystal structure and a twisted β -sheet conformation of the tripeptide L-leucyl-L-leucyl-L-leucine monohydrate trimethanol solvate: Conformation analysis of tripeptides', Biopolymers, vol. 36, no. 5, pp. 607-614.

- [97]. Goel, N, Sinha, N & Kumar, B 2013, 'Enhanced optical, NLO, dielectric and thermal properties of novel sodium hydrogen phthalate single crystals doped with zinc', *Optical Materials*, vol. 35, no. 3, pp.479-486.
- [98]. Gramstad, T, Husebye, S, Maartmann-Moe, K, Lund, H, Krogsgaard-Larsen, P, Ryhage, R and Isaksson, R 1986, 'Crystal Structure of the Hydrogen-bonded Complex between Pentafluorophenol and Triphenylphosphine Oxide', *Acta Chemica Scandinavica*, vol. 40b, pp. 26-30.
- [99]. Hartl, M, Daemen, L, Hartl, H, Brüdgam, I & Eckert, J 2013, 'Short hydrogen bonds in 2,4-dinitrobenzoic acid complexed with pyridine', *Chemical Physics*, vol. 427, pp. 87-94.
- [100]. Hartmann, P 1973, *Crystal growth: An introduction*, North-Holland, Amsterdam.
- [101]. Hehre WJ 2003, *A guide to molecular mechanics and quantum chemical calculations*, Wavefunction Inc., Irvine, 2003.
- [102]. Hehre, WJ 1976, 'Ab initio molecular orbital theory', *Accounts of Chemical Research*, vol. 9, pp. 399-406.
- [103]. Hendra, PJ 1997, 'News and Review', *The International Journal of Vibrational Spectroscopy*, vol. 14, no. 1, pp. 155-156
- [104]. Henisch, HK 1970, *Crystal Growth in Gels*, Pennsylvania State University Press, Philadelphia P.A.
- [105]. Herzberg, G 2008, *Molecular spectra and structure*, Lightning source Inc., Princeton.

- [106]. Hinchliffe, A 2005, *Molecular Modelling for Beginners*, (2nd Ed.), John Wiley & Sons Ltd., England.
- [107]. Hirshfeld, FL 1977, 'Bonded-atom fragments for describing molecular charge densities', *Theoretica chimica acta*, vol. 44, no. 2, pp. 129-138.
- [108]. Hoffman, P & Knozinger, E 1987, 'Dynamic Range Problems in Fourier Transform IR and Far-IR Spectroscopy', *Applied Spectroscopy*, vol. 41, pp. 1303-1306.
- [109]. Holland, L 1956, *Vacuum Deposition of Thin Films*, Chapman and Hall, London.
- [110]. Horlick, G & Yuen, WK 1978, 'A Modular Michelson Interferometer for Fourier Transform Spectrochemical Measurements from the Mid-infrared to the Ultraviolet', *Applied Spectroscopy*, vol. 32, pp. 38-46.
- [111]. Howe, S & Elbaum, C, 1961, 'The occurrence of dislocations in crystals grown from the melt', *Philosophical Magazine*, vol. 6, no. 70, pp.1227-1240.
- [112]. Hubert Joe, I, Kostova, I, Ravikumar, C, Amalanathan, M & Pînzaru, SC 2009, 'Theoretical and vibrational spectral investigation of sodium salt of acenocoumarol', *Journal of Raman Spectroscopy*, vol. 40, no. 8, pp. 1033-1038
- [113]. Hundal, G, Martinez-Ripoll, M, Hundal, MS & Poonia, NS 1996, 'Bis(triethanolamine)calcium 3,5-Dinitrobenzoate', *Acta Crystallographica Section C Crystal Structure Communications*, vol. 52, no. 4, pp. 789-792.

[114]. Isac Paulraj, E & Muthu, S 2013, 'Spectroscopic studies (FTIR, FT-Raman and UV), potential energy surface scan, normal coordinate analysis and NBO analysis of (2R,3R,4R,5S)-1-(2-hydroxyethyl)-2-(hydroxymethyl) piperidine-3,4,5-triol by DFT methods', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 108, pp. 38-49.

[115]. Islam N & Chimni SS, 2016, 'DFT investigation on nonlinear optical (NLO) properties of novel borazine derivatives', *Computational and Theoretical Chemistry*, vol. 1086, no. 2, pp. 58-66.

[116]. Jadhav AG, Rhyman L, Alswaidan IA, Ramasami P & Sekar N 2018, 'Spectroscopic and DFT approach for structure property relationship of red emitting rhodamine analogues: A study of linear and nonlinear optical properties', *Computational and Theoretical Chemistry*, vol. 1131, no. 3, pp. 1-12.

[117]. Jamroz, MH 2013, 'Vibrational energy distribution analysis (VEDA): Scopes and limitations', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 114, pp. 220-230.

[118]. Jamroz, MH, 2004, *Vibrational Energy Distribution Analysis VEDA 4.0 Program*, Warsaw, Poland.

[119]. Jang, S, Jin, SI & Park, CR 2007, 'TDDFT potential energy functions for excited state intramolecular proton transfer of salicylic acid, 3-aminosalicylic acid, 5-aminosalicylic acid, and 5-methoxysalicylic acid', *Bulletin of the Korean Chemical Society*, vol. 28, no. 12, pp. 2343-2353.

[120]. Jayaprakash, A, Arjunan, V & Mohan, S 2011, 'Vibrational spectroscopic, electronic and quantum chemical investigations on 2,3-hexadiene', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 81, no.1, pp. 620-630.

[121]. Jeffrey, GA 1997, *An introduction to hydrogen bonding*, Oxford university press, England.

[122]. Jesson, JP & Thompson, HW 1958, 'Vibrational band intensities of the C≡N group in aliphatic nitriles', *Spectrochimica Acta*, vol. 13, no. 3, pp. 217-222.

[123]. Kaldis, E 1972, 'Kinetic and thermodynamic aspects of high temperature chemical transport and sublimation of EuS', *Journal of Crystal Growth*, vol. 17, pp. 3-18.

[124]. Kalsi, PS 2001, *Spectroscopy of organic compounds*, New age international publisher, New Delhi.

[125]. Kanters, JA & Harder, S 1987, 'Coordination chemistry of alkali and alkaline earth cations: the structure of bis(3,5-dinitrobenzoato)(tetraethyleneglycol)strontium(II) monohydrate', *Acta Crystallographica Section C Crystal Structure Communications*, vol. 43, no. 6, pp. 1042-1045.

[126]. Karnan, M, Balachandran, V & Murugan, M 2012, 'Vibrational spectroscopic (FT-IR and FT-Raman) studies, natural bond orbital analysis and molecular electrostatic potential surface of 3-hydroxy-6-methyl-2-

nitropyridine', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 96, pp. 51-62

[127]. Karthick, T & Tandon, P 2016, 'Computational approaches to find the active binding sites of biological targets against busulfan', *Journal of Molecular Modeling*, vol. 22, pp. 142.

[128]. Karuppasamy, P, Muthu Senthil Pandian, Ramasamy, P & Sunil Verma 2018, 'Crystal growth, structural, optical, thermal, mechanical, laser damage threshold and electrical properties of triphenylphosphine oxide 4-nitrophenol (TP4N) single crystals for nonlinear optical applications', *Optical Materials*, vol. 79, pp. 152-171.

[129]. Katritzky, AR, Lobanov, VS & Karelson, M 1995, 'QSPR: the correlation and quantitative prediction of chemical and physical properties from structure', *Chemical Society Reviews*, vol. 24, no. 4, pp.279- 287.

[130]. Keck, PH & Golay, MJE, 1953, 'Crystallization of Silicon from a Floating Liquid Zone', *Physical Review*, vol. 89, no. 6, pp.1297–1297.

[131]. Keresztury G, Holly S, Besenyi G, Varga J, Wang A & Durig JR 1993, 'Vibrational spectra of monothiocarbamates-II. IR and Raman spectra, vibrational assignment, conformational analysis and *ab initio* calculations of S-methyl-*N,N*-dimethylthiocarbamate', *Spectrochimica Acta Part A: Molecular Spectroscopy*, vol. 49, no. 13-14, pp. 2007–2026.

- [132]. Keresztury, G 2002, Raman Spectroscopy: Theory, in: Keresztury, G, Chalmers, JM & Griffith, PR (Eds.), Hand Book of Vibrational Spectroscopy, vol. 1, John Wiley & Sons Ltd., New York.
- [133]. Keresztury, G 2006, Raman spectroscopy: Theory, John Wiley & Sons, New York
- [134]. Kerkoc, P, Zgonik, M, Sutter, K, Bosshard, Ch & Günter, P 1990, 4-(N,N-Dimethylamino)-3-acetamidonitrobenzene single crystals for nonlinear-optical applications. Journal of the Optical Society of America B , vol. 7, no. 3, pp. 313- 319.
- [135]. Khalid, A & Al-Farhan 1992, 'Crystal structure of triphenylphosphine oxide', Journal of Crystallographic and Spectroscopic Research, vol. 22, no. 6, pp. 687–689.
- [136]. Kitazawa, M, Higuchi, R, Takahashi, M, Wada, T & Sasabe, H 1994, 'Ultraviolet generation at 266 nm in a novel organic nonlinear optical crystal: 1-pyrrolidone-2-carboxylic acid', Applied Physics Letters, vol.64, no.19, pp. 2477-2479.
- [137]. Klein, RA 2006, 'Modified van der Waals atomic radii for hydrogen bonding based on electron density topology', Chemical Physics Letters, vol. 425, no. 1-3, pp. 128-133.
- [138]. Kleinman, DA 1962, 'Nonlinear Dielectric Polarization in Optical Media', Physical Review, vol. 126, no. 6, pp. 1977-1979.

- [139]. Klung, HP & Alexander, LE 1973, X-ray Diffraction Procedure for Polycrystalline and Amorphous Materials, John Wiley.
- [140]. Koenderink, JJ & Van Doorn, AJ 1992, 'Surface shape and curvature scales', Image and Vision Computing, vol. 10, pp. 557.
- [141]. Koenderink, JJ 1990, Solid Shape, MIT Press, Cambridge MA.
- [142]. Kohn, W & Sham, LJ 1965, 'Quantum Density Oscillations in an Inhomogeneous Electron Gas', Physical Review, vol. 137, pp. A1697-A1705.
- [143]. Kolev, T, Zareva, S, Mayer-Figge, H, Spitteller, M, Sheldrick, WS and Koleva, BB, 2009, 'l-Leucinamide hydrogensquarate: spectroscopic and structural elucidation', Amino acids, vol. 37, no. 4, pp. 693-701.
- [144]. Kovacs, A 1999, 'Vibrational analysis of 3-methylpyridine', Journal of Molecular Structure, vol. 482–483, pp. 397-401.
- [145]. Krishnakumar, V, Nagalakshmi, R & Janaki, P 2005, 'Growth and Spectroscopic Characterization of a New Organic Nonlinear Optical Crystal-8-Hydroxyquinoline', Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, vol. 61, no. 6, pp. 1097–1103.
- [146]. Kuckova, L, Jomova, K, Svorcova, A, Valko, M, Segla, P, Moncol, J & Kozisek, J 2015, 'Synthesis, Crystal Structure, Spectroscopic Properties and Potential Biological Activities of Salicylate–Neocuproine Ternary Copper(II) Complexes', Molecules, vol. 20, no.2, pp 2115-2137.
- [147]. Kulkarni, AK 1994, 'Growth of diamond thin films by chemical vapour deposition' Bulletin of Materials Science, vol.17, no.7, pp.1379-1391.

- [148]. Kumar, K, Ramamoorthy, K, Koinkar, PM, Chandramohan, R & Sankaranarayanan, K 2006, 'A novel in situ synthesis and growth of ZnAl₂O₄ thin films', *Journal of Crystal Growth*, vol. 289, vol. 1, pp. 405-407.
- [149]. Kurtz SK & Perry TT 1968, 'A powder technique for the evaluation of nonlinear optical materials', *Journal of Applied Physics*, vol. 39, no.8, pp. 3698–3813.
- [150]. Lahmani, F & Rentien, AZ 1997, 'Effect of Substitution on the Photoinduced Intramolecular Proton Transfer in Salicylic Acid', *The Journal of Physical Chemistry A*, vol. 101, no.35, pp. 6141–6147.
- [151]. Lamas-Saiz, AL, Foces-Foces, C, Elguero, J, Molina, P, Alajarin, M & Vidal, A 1991, 'The X-ray crystal structure of a ternary cocrystallization compound: N,N-dimethyl-o-phenylenediamine–fluoroboric acid–triphenylphosphine oxide', *Journal of Chemical Society, Chemical Communications*, no. 23, pp. 1694–1695.
- [152]. Lambert, JB, Shurvell, HF, Lightner, D & Cooks, RG 1998, 'Organic Structural Spectroscopy', Simon & Schuster/A Viacom Company, New Jersey
- [153]. Lariucci, C, De Almeida Santos, RH & Lechat, JR 1986, 'Structure of the 1:1 adduct formed by diphenylmethanol with triphenylphosphine oxide', *Acta Crystallographica Section C Crystal Structure Communications*, vol. 42, no. 12, pp. 1825-1828.
- [154]. Laudice, RA 1970, *The growth of single crystals*, Prentice Hall, New Jersey.

- [155]. Laudise, RA 1959. 'Kinetics of Hydrothermal Quartz Crystallization¹', *Journal of the American Chemical Society*, vol. 81, no. 3, pp. 562–566.
- [156]. Ledoux, I, Badan, J, Zyss, J, Migus, A, Hulin, D, Etchepare, J, Grillon, G & Antonetti, AJ 1987, 'Generation of high-peak-power tunable infrared femtosecond pulses in an organic crystal: application to time resolution of weak infrared signals', *Journal of the Optical Society of America B*, vol.4, no. 6, pp. 987- 997.
- [157]. Lee, C, Yang, W & Parr, RG 1988, 'Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density', *Physical Review B*, vol. 37, no. 2, pp. 785- 789.
- [158]. Lewars, EG 2016, *Computational chemistry: introduction to the theory and applications of molecular and quantum mechanics*, (3rd Ed.), Springer International Publications, Switzerland.
- [159]. Lin-Vien, D, Clothup, NB, Fately, WG & Grasellim, JG 1991, *The handbook of infrared and Raman characteristics frequencies of organic molecules*, Academic press, New York.
- [160]. Long, DA 1977, *Raman Spectroscopy*, McGraw-Hill International Book Company, New York.
- [161]. Lorenc, J 2012, 'Dimeric structure and hydrogen bonds in 2-N-ethylamino-5-methyl-4-nitro-pyridine studied by XRD, IR and Raman methods and DFT calculations', *Vibrational Spectroscopy*, vol. 61, pp. 112-123.

- [162]. Lorenc, J, Hanuza, J & Janczak, J 2012, 'Structural and vibrational study of 3- or 5-methyl substituted 2-N-ethylamino-4-nitropyridine N-oxides', *Vibrational Spectroscopy*, vol. 59, pp. 59-70.
- [163]. Mahalakshmi, R, Jesuraja, SX and Das, SJ, 2006, 'Growth and characterization of L-phenylalanine', *Crystal Research and Technology: Journal of Experimental and Industrial Crystallography*, vol. 41, no.8, pp. 780-783.
- [164]. Malik M, Wysokiński R, Zierkiewicz W, Helios K & Michalska D 2014, 'Raman and Infrared Spectroscopy, DFT Calculations, and Vibrational Assignment of the Anticancer Agent Picoplatin: Performance of Long-Range Corrected/Hybrid Functionals for a Platinum(II) Complex', *The Journal of Physical Chemistry A*, vol. 118, no. 34, pp. 6922–6934.
- [165]. Mallik, T & Kar, T, 2005, 'Growth and characterization of nonlinear optical L-arginine dihydrate single crystals', *Journal of crystal growth*, vol. 285, no. (1-2), pp.178-182.
- [166]. Manimaran, D, Jesintha John, C, Rastogi, VK & Hubert Joe I 2013, 'Growth and Vibrational Spectral Investigation of Nonlinear Optical Crystal L-Argininum Perchlorate-DFT Study', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 109, no. 4, pp. 173–178.
- [167]. Mantele, W & Deniz, E 2017, 'UV–VIS absorption spectroscopy: Lambert-Beer reloaded', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 173, pp. 968-968.

- [168]. Marechal, Y 2007, 'The H₂O molecule in liquid water', *The Hydrogen Bond and the Water Molecule*, pp. 215-248.
- [169]. Matsuzawa, N, Ata, M & Dixon, DA 1995, 'Density functional theory prediction of the second-order hyperpolarizability of metalloporphines', *The Journal of Physical Chemistry*, vol. 99, no. 19, pp.7698-7706.
- [170]. McKinnon, JJ, Jayatilaka, D & Spackman, MA 2007, 'Towards quantitative analysis of intermolecular interactions with Hirshfeld surfaces', *Chem Commun.*, pp. 3814 – 3816.
- [171]. McKinnon, JJ, Mitchell, AS & Spackman, MA 1998a, 'Hirshfeld Surfaces: A New Tool for Visualising and Exploring Molecular Crystals', *Chem. Eur. J.* vol. 4, pp. 2136-2141.
- [172]. McKinnon, JJ, Mitchell, AS & Spackman, MA 1998b, 'Visualising intermolecular interactions in crystals: naphthalene vs. terephthalic acid', *Chem. Commun.* pp. 2071-2072.
- [173]. McKinnon, JJ, Spackman, MA & Mitchell, AS 2004, 'Novel tools for visualizing and exploring intermolecular interactions in molecular crystals', *Acta Cryst. B*, vol. 60, pp. 627-668.
- [174]. Meyer, R, Kholer, J & Homburg, A 2002, *Explosives*, John Wiley, New York.
- [175]. Miertus, S & Tomasi, J 1982, 'Approximate evaluations of the electrostatic free energy and internal energy changes in solution processes', *Chemical Physics*, vol. 65, pp. 239-245.

- [176]. Miertus, S, Scrocc, E & Tomasi, J 1981, 'Electrostatic interaction of a solute with a continuum. A direct utilization of ab initio molecular potentials for the prevision of solvent effects', *Chemical Physics*, vol. 55, pp. 117-129
- [177]. Miminoshvili, EB, Sobolev, AN, Salvarelidze, TN, Miminoshvili, KE & Kutelia, ER 2003, 'Diaquabis(dimethyl sulfoxide)bis(3,5-dinitrobenzoato)zinc(II) and the synthesis of the Cu, Ni and Co analogs', *Acta Crystallographica Section C Crystal Structure Communications*, vol. 59, no. 4, pp m118-m120.
- [178]. Misoguti, L, Varela, AT, Nunes, FD, Bagnato, VS, Melo, FEA, Mendes Filho, J & Zilio, SC, 1996, 'Optical properties of L-alanine organic crystals', *Optical Materials*, vol. 6, no.3, pp.147-152.
- [179]. Moitra S & Kar T 2010, 'Growth and characterization of L-valine - a nonlinear optical crystal', *Crystal Research and Technology*, vol. 45, no.1, pp 70-74.
- [180]. Mooney, EF 1964, 'The infra-red spectra of chloro- and bromobenzene derivatives—II. Nitrobenzenes', *Spectrochimica Acta*, vol. 20, no.6, pp. 1021-1032.
- [181]. Murugan, GS, Balamurugan, N & Ramasamy, P 2008, 'Growth and characterization of a new metal-organic crystal: Bis-thiourea cobalt chloride (BTCoC)', *Materials Letters*, vol. 62, no. 17-18, pp.3087-3090.
- [182]. Muthu, K, Mahadevan, CK & Meenakshisundaram, SP 2014, 'Enhancement of second harmonic generation efficiency: Growth and

characterization of magnesium (II)-doped tetrakis (thiourea) nickel (II) chloride crystals', *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 1, pp.50-54.

[183]. Nakano, M, Fujita, H, Takahata, M & Yamaguchi, K 2002, 'Theoretical Study on Second Hyperpolarizabilities of Phenylacetylene Dendrimer: Toward an Understanding of Structure–Property Relation in NLO Responses of Fractal Antenna Dendrimers', *Journal of the American Chemical Society*, vol. 124, no. 32, pp. 9648–9655.

[184]. Nalwa, HS & Miyata, S 1997, *Nonlinear optics of organic molecules of polymers*, CRC press, New York.

[185]. Natarajan, S, Shanmugam, G & Martin Britto Dhas, SA 2008, 'Growth and characterization of a new semi organic NLO material: L-tyrosine hydrochloride', *Crystal Research and Technology: Journal of Experimental and Industrial Crystallography*, vol. 43, no. 5, pp. 561-564.

[186]. NathMitra, S & Subramanian, E 1994, 'Observation of a sterically unfavorable side-chain conformation in a leucyl residue: Crystal and molecular structure of L-leucyl-L-leucine · DMSO solvate', *Biopolymers*, vol. 34, no. 9, pp. 1139-1143.

[187]. O'boyle NM, Tenderholt AL & Langner KM 2008, 'cclib: A library for package-independent computational chemistry algorithms', *Journal of Computational Chemistry*, vol. 29, no. 5, pp. 839–845.

- [188]. Olive, PL 1979, 'Inhibition of DNA Synthesis by Nitroheterocycles I. Correlation with Half-Wave Reduction Potential', *British Journal of Cancer*, vol. 40, no. 1, pp. 89–93.
- [189]. Omid, AR & Dadsetani, M 2016, 'Optical Properties of Phenanthrene: A DFT Study for Comparison Between Linear and Nonlinear Regimes', *Solid State Communications*, vol. 234–235, no.1, pp. 1–9.
- [190]. Padmaja, L, Ravikumar, C, Sajan, D, Hubert Joe, I, Jayakumar, VS, Pettit, GR & Faurskov, NO 2009, 'Density Functional Study on the Structural Conformations and Intramolecular Charge Transfer from the Vibrational Spectra of the Anti-Cancer Drug Combretastatin-A β ', *Journal of Raman Spectroscopy*, vol. 40, pp. 419-428.
- [191]. Padmaja, L, Vijayakumar, T, Hubert Joe, I, Reghunadhan Nair, CP & Jayakumar, VS 2006, 'Vibrational spectral studies and the non-linear optical properties of a novel NLO material L-prolinium tartrate', *Journal of Raman Spectroscopy*, vol. 37, no.12, pp. 1427-1441.
- [192]. Pamplin, BR 1975, *Crystal growth*, Pergamon Press, Oxford.
- [193]. Pan, F, Knopfle, G, Bosshard, C, Follonier, S, Spreiter, R, Wong, MS & Gunter, P 1996, 'Electro-optic properties of the organic salt 4-N,N-dimethylamino-4'-N'-methyl-stilbazolium tosylate', *Applied Physical Letters*, vol. 69, no.1, pp. 13-15.

- [194]. Parker, SF, Williams, KPJ, Hendra, PJ & Turner, AJ 1988, 'Fourier Transform Raman Spectroscopy using Bench-Top FT-IR Spectrometer', *Applied Spectroscopy*, vol. 42, pp. 796-800.
- [195]. Patel, KV & Singh, A 2010, 'Synthesis, characterization and chelating properties of 2-methyl benzimidazole-salicylic acid combined molecule', *International Journal of ChemTech Research*, vol. 2, no. 4, pp. 2070–2075.
- [196]. Patil, PS, Bannur, MS, Badigannavar, DB & Dharmaprakash, SM 2014, 'Study on nonlinear optical properties of 2, 4, 5-trimethoxy-4'-bromochalcone single crystal', *Optics & Laser Technology*, vol. 55, pp.37-41.
- [197]. Pawlukojć, A, Sawka-Dobrowolsk, W, Bator, G, Sobczyk, L, Grech, E & Scheibe, JN 2011, 'The structure and vibrational spectra of the 2,5-dimethylpyrazine (2,5-DMP) 1:1 adduct with 2,5-dichloro-3,6-dihydroxy-p-benzoquinone (CLA)', *Chemical Physics*, vol. 380, no. 1-3, pp. 34-39.
- [198]. Periyasamy, BK, Jebas, RS & Thailampillai, B 2007, 'Synthesis and spectral studies of 2-aminopyridinium para-nitrobenzoate: A novel optoelectronic crystal', *Materials Letters*, vol. 61, no. 7, pp.1489-1491.
- [199]. Perkins, WD 1968a, 'Fourier Transform Infrared Spectroscopy, Part 1: Instrumentation', *Journal of Chemical Education*, vol. 63, pp. A5-A10.
- [200]. Perkins, WD 1968b, 'Fourier Transform Infrared Spectroscopy, Part 2: Advantages of FT-IR', *Journal of Chemical Education*, vol. 64, pp. A269-A271.
- [201]. Pfann, WG 1966, *Zone Melting*, John Wiley, New York.
- [202]. PiGta E, Proniewicz E, Kudelski A, Olszewski TK & Boduszek B 2016, 'Vibrational characterization of α -aminophosphinic acid derivatives of

pyridine: DFT, Raman and SERS spectroscopy studies', *Vibrational Spectroscopy*, vol. 83, no. 1, pp. 115-125.

[203]. Piper, WW & Polich, SJ 1961, 'Vapor-Phase Growth of Single Crystals of II-VI Compounds', *Journal of Applied Physics*, vol. 32, no.7, pp.1278-1279.

[204]. Prakash, M, Caroline, ML & Geetha, D 2013, 'Growth, structural, spectral, optical, and thermal studies on amino acid based new NLO single crystal: L-phenylalanine-4-nitrophenol', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 108, pp.32-37.

[205]. Prasad, PN & Williams, DJ 1991, *Introduction to Nonlinear Optical Effects in Organic Molecules and Polymers*, John Wiley & Sons, NewYork.

[206]. Premkumar, S, Jawahar, A, Mathavan, T, Kumara Dhas, M, Sathe, VG & Milton Franklin Benial A 2014, 'DFT Calculation and Vibrational Spectroscopic Studies of 2-(*tert*-Butoxycarbonyl(Boc)-Amino)-5-Bromopyridine', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 129, no. 3, pp. 74-83.

[207]. Rad, AS & Ayub, K 2018, 'Nonlinear optical, IR and orbital properties of Ni doped MgO nanoclusters: A DFT investigation', *Computational and Theoretical Chemistry*, vol. 1138, no. 2, pp. 39-47.

[208]. Ramalingam, S, Periandy, S & Mohan, S 2010, 'Vibrational spectroscopy (FTIR and FTRaman) investigation using ab initio (HF) and DFT (B3LYP and B3PW91) analysis on the structure of 2-amino pyridine',

Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, vol. 77, no. 1, pp. 73-81.

[209]. Raman, CV & Krishnan, KS 1928, 'A New Type of Secondary Radiation', Nature, vol. 121, pp. 501-502.

[210]. Ramesh Kumar, G, Gokul Raj, S, Sankar Mohan, R, Pandi, S & Jayavel, R 2004, 'Growth, structural, optical and thermal studies of non-linear optical l-threonine single crystals', Journal of Crystal Growth, vol. 267, no. (1-2), pp. 213-217.

[211]. Rao, CNR 1975, Ultraviolet and Visible Spectroscopy, Butterworths, London.

[212]. Rathika, A & Raman, RG 2014, 'Investigations on growth and characterisation of 2-hydroxyanilinium 3,5-dinitrobenzoate single crystal', Materials Research Innovations, vol. 19, no. 3, pp. 182-186.

[213]. Ravikumar, C, Hubert Joe, I & Jayakumar, VS 2008, 'Charge transfer interactions and nonlinear optical properties of push-pull chromophore Benzaldehydephenyl hydrazone: A vibrational approach', Chemical Physics Letters, vol. 460, pp. 552-558

[214]. Razzetti, C, Ardoino, M, Zanotti, L, Zha, M and Paorici, C, 2002, 'Solution Growth and Characterisation of L-alanine Single Crystals', Crystal Research and Technology: Journal of Experimental and Industrial Crystallography, vol. 37, no. 5, pp. 456-465.

- [215]. Reed, AE & Weinhold, F 1983, 'Natural bond orbital analysis of near-Hartree-Fock water dimer', *The Journal of Chemical Physics*, vol. 78, pp. 4066 - 4073.
- [216]. Reed, AE & Weinhold, F 1985, 'Natural localized molecular orbitals', *The Journal of Chemical Physics*, vol. 83, no.4, pp.1736-1740.
- [217]. Reed, AE, Curtiss, LA & Weinhold, F 1988, 'Intermolecular interactions from a natural bond orbital, donor-acceptor viewpoint', *Chemical Reviews*, vol.88, no.6, pp. 899-926.
- [218]. Reed, AE, Weinstock, RB & Weinhold, F 1985, 'Natural population analysis', *The Journal of Chemical Physics*, vol. 83, no.2, pp. 735-746.
- [219]. Reynolds, DC 1963, *The Art and Science of Growing Crystals*, Wiley, New York.
- [220]. Roeges, NPG 1994, 'A Guide to Complete Interpretation of Infrared Spectra of Organic Structures', John Wiley & Sons Inc., New York.
- [221]. Roeges, NPG 2004, *A Guide to the Complete Interpretation of Infrared Spectra of Organic Structures*, Wiley, New York
- [222]. Rouessac, F & Rouessac, A 2007, 'Chemical analysis: Modern Instrumentation Methods and Techniques', John Wiley & Sons Ltd.
- [223]. Ruiz Delgado, MC, Hernández, V, Casado, J, Navarrete, JTL, Raimundo, JM, Blanchard, P & Roncali, J 2003, 'Vibrational study of push-pull chromophores for second-order non-linear optics derived from rigidified

thiophene π -conjugating spacers', *Journal of Molecular Structure*, vol. 651-653, pp. 151-158.

[224]. Runge, E & Gross, EKU 1984, 'Density Functional Theory for Time-Dependent Systems', *Physical Review Letters*, vol. 52, pp. 997-1000.

[225]. Sabari Girisun, TC & Dhanuskodi, S 2010, 'Nonlinear optical susceptibilities of diglycinylyl thiourea for frequency conversion and optical limiting applications', *Chemical Physics Letters*, vol. 491, no. 4-6, pp. 248-253

[226]. Şahin ZS, Şenöz H, Tezcan H & Büyükgüngör O 2015, 'Synthesis, spectral analysis, structural elucidation and quantum chemical studies of (*E*)-methyl-4-[(2-phenylhydrazono)methyl]benzoate', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 143, no. 6, pp. 91–100.

[227]. Saravanan, S & Balachandran, V 2014, 'Quantum mechanical study and spectroscopic (FT-IR, FT-Raman, UV–Visible) study, potential energy surface scan, Fukui function analysis and HOMO–LUMO analysis of 3-*tert*-butyl-4-methoxyphenol by DFT methods', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 130, pp. 604–620.

[228]. Schafer, H 1964, *Chemical Transport Reactions*, Academic Press, New York.

[229]. Scott AP & Radom L 1996, 'Harmonic Vibrational Frequencies: An Evaluation of Hartree–Fock, Møller–Plesset, Quadratic Configuration

Interaction, Density Functional Theory, and Semiempirical Scale Factors’, *The Journal of Physical Chemistry* vol. 100, no. 41, pp. 16502–16513.

[230]. Selvakumar, S & Rajesh, AL 2016, ‘Synthesis and characterization of semi-organic nonlinear optical material: Sodium para-nitrophenolate para-nitrophenol dihydrate’, *Optik-International Journal for Light and Electron Optics*, vol. 127, no. 17, pp. 6982-6990.

[231]. Selvakumar, S, Boobalan, MS, Babu, SA, Ramalingam, S & Rajesh AL 2016, ‘Crystal growth and DFT insight on sodium para-nitrophenolate para-nitrophenol dihydrate single crystal for NLO applications’, *Journal of Molecular Structure*, vol. 1125, no. 5, pp. 1-11.

[232]. Seth, SK, Saha, I, Estarellas, C, Frontera, A, Kar, T & Mukhopadhyay, S 2011, ‘Supramolecular Self-Assembly of M-IDA Complexes Involving Lone-Pair $\cdots\pi$ Interactions: Crystal Structures, Hirshfeld Surface Analysis, and DFT Calculations [H₂IDA = iminodiacetic acid, M = Cu(II), Ni(II)]’, *Crystal Growth & Design*, vol. 11, no. 7, pp. 3250–3265.

[233]. Shah, PC 1993, ‘Growth and perfection of large bismuth crystals’, *Indian Journal of Physics*, vol. 67A, pp. 467-469.

[234]. Sheldrick, GM 2007, ‘A short history of Shelx’, *Acta Crystallographica Section A Foundations of Crystallography*, vol. 64, no. 1, pp. 112- 122.

[235]. Sherwood, PMA 1972, *Vibrational spectroscopy of solids*, Cambridge university press, Great Britain.

- [236]. Silverstein, RM & Webster, FX 2003, Spectrometric Identification of Organic Compounds, John Wiley and Sons, New York.
- [237]. Singh, SJ & Pandey, SM 1974, 'Molecular Structure and vibrational analysis of 1-bromo-2-chlorobenzene using ab initio HF and density functional theory (B3LYP) calculations', Indian Journal of Pure Applied Physics, vol. 12, pp. 300-304.
- [238]. Sivakumar, N, Kanagathara, N, Varghese, B, Bhagavannarayana, G, Gunasekaran, S & Anbalagan, G 2014, 'Structure, crystal growth, optical and mechanical studies of poly bis (thiourea) silver (I) nitrate single crystal: A new semi organic NLO material', Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, vol.118, pp.603-613.
- [239]. Skoog, DA & Leary, JJ 1992, Principles of Instrumental Analysis, Saunders College Publishing, Toronto.
- [240]. Smith BC 1999, Infrared Spectral Interpretation: A Systematic Approach, CRC Press, New York.
- [241]. Smith, BC 1996, Infrared Spectral Interpretation, CRC Press, Boca Raton, FL.
- [242]. Smith, G 2013, 'Tetraaquabis(3,5-dinitrobenzoato- κ O1)magnesium tetrahydrate', in Acta Crystallographica Section E Structure Reports Online, vol. 69, no. 4, pp. m215.
- [243]. Smoluch, M, Joshi, H, Gerssen, A, Gooijer, C & van der Zwan, G 2005, 'Fast Excited-State Intramolecular Proton Transfer and Sub nanosecond

Dynamic Stokes Shift of Time-Resolved Fluorescence Spectra of the 5-Methoxysalicylic Acid/Diethyl ether Complex', *The Journal of Physical Chemistry A*, vol. 109, no.4, pp. 535–541.

[244]. Socrates, G 1980, *Infrared Characteristic Group Frequencies*, Wiley, New York.

[245]. Socrates, G 2001, *Infrared and Raman Characteristic Group Frequencies*, Wiley, New York.

[246]. Soman, R, Sujatha, S, De, S, Rojisha, VC, Parameswaran, Varghese, B and Arunkumar, C 2014, 'Intermolecular Interactions in Fluorinated Tetraarylporphyrins: An Experimental and Theoretical Study,' *European Journal of Inorganic Chemistry*, vol. 2014, no. 16, pp. 2653–2662.

[247]. Spackman, MA & Byrom, P G 1997, 'A novel definition of a molecule in a crystal', *Chem. Phys. Lett.*, vol. 267, pp. 215- 220.

[248]. Spackman, MA & Jayatilaka, D 2009, 'Hirshfeld surface analysis', *CrystEngComm.*, vol. 11, pp. 19-32.

[249]. Spackman, MA & McKinnon, JJ 2002, 'Fingerprinting intermolecular interactions in molecular crystals', *CrystEngComm*, vol. 4, pp. 378- 392.

[250]. Steudal, R, in: Schrader B (Eds.) 1995, 'Infrared and Raman spectroscopy, Methods and Applications', VCH Pub., Inc., New York.

[251]. Stockbarger, DC 1936, 'The production of Large single Crystals of Lithium Fluoride', *Review of Scientific Instruments*, vol.7, no.3, pp. 133-136.

- [252]. Subramanian, E 1967, 'The crystal structure of L-leucine hydrobromide', *Acta Crystallographica*, vol. 22, no. 6, pp. 910-917.
- [253]. Sudhahar, S, Krishna Kumar, M, Silambarasan, A, Muralidharan, R, & Mohan Kumar, R 2013, 'Studies on Structural, Spectral, and Optical Properties of Organic Nonlinear Optical Single Crystal: 2-Amino-4,6-dimethylpyrimidinium p-Hydroxybenzoate', *Journal of Materials*, vol. 2013, pp. 1-7.
- [254]. Sun, HQ, Yuan, DR, Wang, XQ, Cheng, XF, Gong, CR, Zhou, M, Xu, HY, Wei, XC, Luan, CN, Pan, DY & Li, ZF 2005, 'A novel metal-organic coordination complex crystal: tri-allylthiourea zinc chloride (ATZC). *Crystal Research and Technology*', *Journal of Experimental and Industrial Crystallography*, vol.40, no. 9, pp. 882-886.
- [255]. Sundaraganesan, N, Meganathan, C, Ananda, B, Joshua, BD & Lapouge, C 2007, 'Vibrational spectra and assignments of 2-amino-5-iodopyridine by ab initio Hartree-Fock and density functional methods', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 67, no. 3-4, pp. 830-836.
- [256]. Sundaraganesan, N, Saleem, H & Mohan, S 2003, 'Vibrational spectra, assignments and normal coordinate analysis of 3-aminobenzyl alcohol', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 59, no. 11, pp.2511-2517.

- [257]. Tahir, MN, Ulku, D, Unaleroglu, C & Movsumov, EM 1996, 'Cerium 3,5-Dinitrobenzoate Dihydrate', Acta Crystallographica Section C Crystal Structure Communications, vol. 52, no. 6, pp. 1449-1451.
- [258]. Tan, XS, Chen, J, Chen, ZN, Zheng, PJ & Tang, WX 1995, 'A novel mixed-valence manganese(II,III) complex of $[Mn_4(sal)_4(H_2O)_4(py)_8]_n [salH]_{2n} \cdot 4npy$ in an infinite chain (salH₂ = salicylic acid; py = pyridine)', Inorganica Chimica Acta, vol. 234, no. 1-2, pp. 27-33.
- [259]. Tanak H 2011, 'Crystal Structure, Spectroscopy, and Quantum Chemical Studies of (*E*)-2-[(2-Chlorophenyl)iminomethyl]-4-trifluoromethoxyphenol', The Journal of Physical Chemistry A, vol. 115, no. 47, pp. 13865–13876.
- [260]. Tanak, H, Marchewka, MK & Drozd, M, 2013, 'Molecular structure and vibrational spectra of Bis (melaminium) terephthalate dihydrate: A DFT computational study', Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, vol. 105, pp.156-164.
- [261]. Tauc, J, Grigorovici, R & Vancu, A 1966, 'Optical Properties and Electronic Structure of Amorphous Germanium', Physics Status Solidi (b), vol. 15, no. 2, pp 627-637.
- [262]. Thakur, M, Xu, J, Bhowmilk, A & Zhou, L 2009, 'Single-pass thin-film electro-optic modulator based on an organic molecular salt', Applied Physical Letters, vol. 74, no.5, pp. 635-637.

- [263]. Tiekink, ERT, Hundal, MS, Sood, G & Kapoor, P & Poonia, NS 1990, 'Crystal and molecular structure of sodium dihydrogen tri(3,5-dinitrobenzoate)', *Zeitschrift für Kristallographie - Crystalline Materials*, vol. 192, no. 1-4, pp. 103-109.
- [264]. Tiwari, AK & Sathyamurthy, N 2006, 'Structure and Stability of Salicylic Acid–Water Complexes and the Effect of Molecular Hydration on the Spectral Properties of Salicylic Acid', *The Journal of Physical Chemistry A*, vol. 110, no. 17, pp. 5960–5964.
- [265]. Tulip, PR & Clark, SJ 2005, 'Structural and electronic properties of L-amino acids', *Physical Review B*, vol. 71, no.19, pp. 1-9.
- [266]. Tutt, L & Boggess, T 1993, 'A review of optical limiting mechanisms and devices using organics, fullerenes, semiconductors and other materials', *Progress in quantum electronics*, vol. 17, no. 4, pp. 299-338.
- [267]. Udea, R & Mullin, JB 1975, *Crystal Growth and Characterization*, Proc. ISSCG-2 spring school North Holland, Amsterdam.
- [268]. Vallee, BL & Auld, DS 1990, 'Zinc coordination, function, and structure of zinc enzymes and other proteins', *Biochemistry*, vol. 29, no. 24, pp. 5647–5659.
- [269]. Varsanyi, G 1969, *Vibrational Spectra of Benzene Derivatives*, Academic Press, New York.
- [270]. Varsanyi, G 1974, *Assignments for Vibrational Spectra of 700 Benzene Derivatives volume 1*, Wiley, New York.

- [271]. Vetrivel, S, Anandan, P, Kanagasabapathy, K, Bhattacharya, S, Gopinath, S & Rajasekaran, R 2013, 'Effect of zinc chloride on the growth and characterization of L-proline cadmium chloride monohydrate semiorganic NLO single crystals', *Spectrochimica Acta Part A: Molecular and Biomolecular*, vol.110, pp. 317-323
- [272]. Wang, LZ, Su, RZ, Qi, S, Gong, WY & Cheng, TM 2011, 'DFT Study of Substituted Effect on Absorption and Emission Spectra of Naphthoquinone Derivatives', *Advanced Materials Research*, vol. 233–235, pp. 1878–1883.
- [273]. Wang, X, Xu, D, Lü, M, Yuan, D, Huang, J, Cheng, X, Xie, T, Zhang, G, Wang, S, Guo, S & Liu, J 2002, 'Growth and characterization of a novel UV nonlinear optical crystal:[MnHg (SCN) 4 (H2O) 2]• 2C4H9NO', *Journal of crystal growth*, vol. 234, no.2-3, pp.469-479.
- [274]. Weinhold F & Landis CR 2001, 'Natural bond orbitals and extensions of localized bonding concepts', *Chemistry Education Research and Practice*, vol.2, no. 2, pp. 91-104.
- [275]. Wemple, SH 1972, 'Electrooptical and Nonlinear Optical Properties of crystals', *Applied Solid State Science*, vol. 3, pp. 263-383.
- [276]. Williams, DE 1988, 'Representation of the molecular electrostatic potential by atomic multipole and bond dipole models', *Journal of Computational Chemistry*, vol. 9, no. 7, pp. 745-763.
- [277]. Wilson, AJC 1970, 'Elements of X-ray Crystallography', Addison Wesley, London.

- [278]. Wolff, SK, Grimwood, DJ, McKinnon, JJ, Turner, MJ, Jayatilaka, D & Spackman, MA 2013, Crystal Explorer 3.1, University of Western Australia, Perth, Australia.
- [279]. Xu, D & Xue, D, 2008, 'Fast growth of KDP', Journal of Crystal Growth, vol. 310, no. 7-9, pp. 2157–2161.
- [280]. Yahagi, T, Fujii, A, Ebata, T & Mikami, N 2001, 'Infrared Spectroscopy of the OH Stretching Vibrations of Jet-Cooled Salicylic Acid and Its Dimer in S₀ and S₁', The Journal of Physical Chemistry A, vol. 105, no. 47, pp. 10673–10680.
- [281]. Yang, G & Ng, SW 2007, 'Polymeric metal-organic octupolar NLO materials: lithium(I) and sodium(I) 3,5-dinitrobenzoates', Crystal Research and Technology, vol. 42, no. 2, pp 201-206.
- [282]. Yang, G, Zhu, HG & Chen, XM 2001, 'Synthesis, crystal structure and e.p.r. spectra of one-dimensional manganese(II) 3,5-dinitrobenzoate dihydrate', Transition Metal Chemistry, vol. 26, no. 4-5, pp. 423-425.
- [283]. Yang, G, Zhu, HG, Zhang, LZ, Cai, ZG & Chen, XM 2000, 'Synthesis, Structure and Second Harmonic Effect of Bis(μ -2,3,5-dinitrobenzoato-O,O')zinc(II) and Tetraaquabis(3,5-dinitrobenzoato-O)cobalt(II) Tetrahydrate', Australian Journal of Chemistry, vol. 53, no. 7, pp. 601-605.
- [284]. Yang, Y, Zhang, W & Gao, X 2006, 'Blue-shifted and red-shifted hydrogen bonds: Theoretical study of the CH₃CHO ··· HNO complexes', International Journal of Quantum Chemistry, vol. 106, no. 5, pp. 1199-1207.

[285]. Yesilkaynak, T, Binzet, G, Emen, FM, Flörke, U, Külcü, N & Arslan, H 2010, 'Theoretical and experimental studies on *N*-(6-methylpyridin-2-yl-carbamothioyl)biphenyl-4-carboxamide', European Journal of Chemistry, vol. 1, no. 1, pp. 1–5.

[286]. Young, W 2004, Computational chemistry: a practical guide for applying techniques to real world problems, John Wiley & Sons, New York.

[287]. Yu, JG & Yan, DZ 2002, 'Synthesis and application of 3,5-dinitrobenzoic acid, Chinese Journal of Applied Chemistry, vol. 19, no. 9, pp. 858-861.

[288]. Zyss, J & Chemla, DS 1987, 'Quadratic Nonlinear Optics and Optimization of the Second-Order Non-linear Optical Response of Molecular Crystals,' Non-linear Optical Properties of Organic Molecules and Crystals, vol.1, pp. 23–191.

[289]. Zyss, J, Nicoud, JF & Coquillay, M 1984, 'Chirality and hydrogen bonding in molecular crystals for phase-matched second-harmonic generation: *N*-(4-nitrophenyl)-(L)-prolinol (NPP)', The Journal of Chemical Physics, vol. 81, no. 9, pp. 4160-4167.