

REFERENCES

1. Abo-Shosha M.H., Ibrahim N.A., Elnagdy E.J. and Gaffer M.A. (2002), 'Preparation and utilization of carboxyl containing cation exchange cellulose', *Polymer plastics Technology and Engineering*, Vol.41, No.5, pp.963-969.
2. Alguacil F.J. and Alonso M. (2005), 'Separation of zinc (II) from cobalt solutions using supported liquid membrane with DP-8R (di(2-ethylhexyl) phosphoric acid as a carrier', *Separation and purification Technology*, Vol.41, No.2, pp.179-184.
3. Alguacil F.J., Alonso M. and Sastre A.M. (2001), 'Modelling of mass transfer in facilitated supported liquid membrane transport of copper (II) using MOC-55 TD in Iberfluid', *J. Membrane Science*, Vol.184, pp.117-122.
4. Alguacil F.J., Alonso M. and Sastre A.M. (2002), 'Copper separation from nitrate/nitric acid media using Acorga M 5640 extractant part II-supported liquid membrane study,' *Chemical Engineering Journal*, Vol.85, pp.265-272.
5. Alguacil F.J., Coedo A.G. and Dorado M.T. (2000), 'Transport of chromium (VI) through a Cyanex 923- xylene flat-sheet supported liquid membrane', *Hydro metallurgy*, Vol.57, pp.51-56.
6. Al-Momani F., Touraud E., Dumas J.R., Roussy J., Thomas O. (2002), 'Biodegradability enhancement of textile dyes and textile wastewater by VUV photolysis', *Journal of Photochemistry and Photobiology A: Chemistry*, Vol.153, No.1-3, pp.191-197.
7. Alvares A.B.C., Diaper C. and Parsons S.A. (2001), 'Partial Oxidation hydrolysed and unhydrolysed textile azo dyes by ozone and the effect on biodegradability', *Vol.79, No.2*, pp.103-108.

8. American Public Health Association (1998), Standard Methods for the examination of water and wastewater, 20th ed., Washington.
9. Anne E. Wilcock (1996), 'Use of electrochemical technology for textile mill effluents, Environmental chemicals of dyes and pigment John Wiley sons', New York, pp.61-73.
10. Antunnes A.M., Ferreerira M.M.C. and Volpe P.L.O. (2002), 'A chemometric study of amino acid transport through liquid membrane using UV-Vis spectroscopy', Chemometrics J, Vol.16, pp.111-116.
11. Aplin R. and Waite T.D. (2000), 'Comparision of three advanced oxidation processes for degradation of textile dyes', Water.Sci & Tech, Vol.42, No.5-6, pp.345-354.
12. Armagan B. (2003), 'Factors affecting the performance of sepiolite and zeolite for the treatment of textile wastewater', Journal of Environmental Engineering and Health-Part A, Toxic/ Hazardous substances and Environmental Engineering, Vol.38, No.5,pp-893-896.
13. Arslan I., Balcioglu A and Tuhkonen T. (2000), 'Advanced treatment of dye house effluents by Fe (II) and Mn (II)-catalysed ozonation and the H₂O₂ /O₃ process', Water. Sci & Tech., Vol.42 No.1-2, pp.13-18.
14. Ata O.N., Bese A.V., Colak S., Donmez B. and Cakici A. (2004), 'Effect of parameters on the transport of zinc ion through supported liquid membrane', Chemical Engineering and processing, Vol.43, pp.895-903.
15. Balanosky E., Fernandez J., Kiwi J. and Lopeg A. (1999), 'Degradation of membrane concentrates of the textile industry by fenton like reactions in iron free solutions at biocompatible pH values', Wat. Sci. Tech., Vol.40, No.4-5, pp.417-424.
16. Balanosky E., Herrera F. and Lopez A. (2000), 'Oxidation degradation of textile WW modelling reactor performance', Water. Res., Vol.34, No.2, pp.582-596.

17. Behnajedy M.A., Modirshahla N. and Shokri M. (2003), 'Photodestruction of acid orange 7 (AO7) in aqueous solutions by UV/H₂O₂: influence of operational parameters', *Journal of Chemosphere*, Vol.16, pp.16-55.
18. Buckley C.A. (1992), 'Membrane technology for the treatment of dye house effluents', *Wat. Sci. Tech.*, Vol.25, No.10, pp.203-209.
19. Cai W., Zhu S. and Piao X. (2001), 'Extraction equilibria of formic and acetic acids from an aqueous solution by phosphate-containing extractants', *J. Chem. Eng. Data*, Vol.46, pp.831-836.
20. Calzado J.A, Palet C. and Valientene M. (2001), 'Facilitated transport and separation of aromatic amino acids through activated composite membranes', *Analytical Chimica Acta*, Vol.431, pp.59-67.
21. Chan R.P. and Li N.N. (1974), 'Separation of phenol from wastewater by the liquid membrane technique', *Journal of Membrane Science*, Vol.9, pp.505-519.
22. Chaudry M.A, Malik T. and Ahmed M. (1992), 'Transport of Titanium (IV) ions across di-2-ethylhexylphosphoric acid-CCl₄ Supported liquid membranes', *Journal of Radio analytical Nuclear Chemistry*, Vol.157, pp.143-158.
23. Chaudry M.A., Ahmed S.N., Iqbal M.Z., Ahmed B. and Karim H.M.A. (1993), 'Transport of ^{99m}Tc across TBP-kerosene oil supported Liquid membranes', *J. Radioanal. Nucl. Chem.*, Vol.172, pp.371-385.
24. Chaudry M.A., Malik M.T. and Ahmed M. (1991), 'Supported liquid membrane extraction of W (VI) ions using tri-n-octylamine as carrier', *J. Radiational Nucl.Chem.*, Vol.150, No.2, p.383.
25. Chaudry M.A., N-Ul-Islam and Ahmed I. (1994), 'Extraction and stripping study of strontium ions across D2EHPA-TBP-kerosene oil based supported liquid membranes', *J. Radioanal. Nucl. Chem.*, Vol.185, pp.369-385.

26. Choy K.K.H., McKay G. and Porter J.F. (1999), 'Sorption of acid dyes from effluents using activated carbon. Resources', Conservation and recycling, Vol.27, pp.57-71.
27. Cichy W. and Szymanowski (2002), 'Recovery of phenol from aqueous streams in hollow fibre modules', Environ. Sci. Technol., Vol.36, pp.2088-2093.
28. Clarke E.A. and Anliker R. (1986), Organic Dyes and Pigments, 'The hand book of Environmental Chemistry', Part A, edited by Hutzinger O., Berlin, Springer-Verlag, Vol.3, pp.181-211.
29. Cliffe W.H. (1958), 'Reactive dyes', Chem. Ind. London, pp.1248-1255.
30. Cuer J.P., Stuckens W. and Texier N. (1974), 'Techniques of solvent extraction applied to the treatment of industrial effluents', in proceedings of the international solvent extraction conference (ISEC 74), Vol. 2, ed. Jefreys G.V., Society of chemical industry, London, pp.1185-1200.
31. Dai X.P., Yang Z.F., Luo R.G. and Sirkar K.K. (2000), 'Lipase facilitated separation of organic acids in a hollow fibre contained liquid membrane module', Journal of Membrane Science, Vol.171, No.2, pp.183-196.
32. Daneshvar N., Salari D. and Khataee A.R. (2003), 'Photocatalytic degradation of azo dye acid 14 in water investigation of the effect of operational parameters', Journal of photochemistry and photo biology A Chemistry, Vol.157, pp.111-116.
33. Daneshvar N.N.N., Ashassi-Sorkhabi H. and Tizpur A. (2003), 'Decolourisation of orange II by electro coagulation method', Separation and Purification Technology, Vol.31, No.2, pp.153-162.
34. Danesi P.R. (1987), 'Separation of metal species by supported liquid membranes: The influence of interfacial properties, chemical composition and water transport on the long long-term stabilities of the membranes', J. Membrane Science, Vol.31, pp.117.

35. Dean J.A. (1969), 'Chemical separation methods', Van Nostrand Reinhold, New York, pp.14-18.
36. Deepti Mishra and Uma Sharma (2000), 'Extraction and bulk liquid membrane transport of some main group metal ions facilitated by tri ethylene glycol mono methyl ether', Separation and Purification Technology, Vol.27, pp.51-57.
37. Di Luccio M., Smith B.D., Kida T., Borges C.P. and Alves T.L.M. (2000), 'Separation of fructose from a mixture of sugars using supported liquid membranes', Journal of Membrane Science, Vol.174, pp.217-224.
38. Dozol J.F., Cases J. and Sastre A.M. (1993 b), 'Influence of membrane solvent of strontium ion transport from reprocessing concentrate solutions through supported liquid membranes', Sep. Sci. Technol., Vol.28, No.11-12, pp.2022.
39. Drapala A. and Wieczorek P. (2002), 'Extraction of short peptides using supported liquid membranes', Desalination, Vol.148, pp.235-239.
40. Drapala A. and Wieczorek P. (2004), 'Facilitated SLM extraction of peptides with D2EHPA as a carrier', Desalination, Vol.163, pp.47-53.
41. Dung N., Luo F., Wu F., Xiao M. and Wu X. (2000), 'Discolouration of aqueous reactive dye solutions in the UV/Fe^o System', Water research Vol.34, No.8, pp.2408-2411.
42. Dzygiel P. and Wieczorek (2000), 'Extraction of glyphosate by a supported liquid membrane technique', Journal of Chromatography A, Vol.889, pp.93-98.
43. Fontes C, Hidalgo M., Salvado V. and Antico E. (2005), ' Selective recovery and preconcentration of mercury with a benzoyl thiourea-solid supported liquid membrane system', Analytical Chimica Acta, Vol.547, No.2, pp.255-261.

44. Ganesh R., Boardman G.D. and Michelsen D. (1994), 'Fate of Azodyes in sludges', *Wat. Res.*, Vol.28, No.6, pp.1367-1376.
45. George T. A. (1984), 'Shreves Chemical process industries', Mc Graw Hill Book Company 5th Edition, Singapore, pp.24-32.
46. Georgiou D., Meldis P., Aivas K. and Gimouhopulos K. (2002), 'Degradation of azo reactive dyes by ultraviolet radiation with presence of hydrogen peroxide, *Dyes and Pigments*.Vol.52, No.2, pp.69-79.
47. Gherrou A., Kerdjoudj H, Molinari R. and Drioli E. (2002), 'Removal of silver and copper ions from acidic thiourea solutions with a supported liquid membrane containing D2EHPA as carrier', *Separation and purification Technology*, Vol.28, pp.235-244.
48. Gonzalez-Munoz, Luque S., Alvarez J.R. and Coca J. (2003), 'Recovery of phenol from aqueous streams in hollow fibre contractors', *Journal of Membrane Science*, Vol.213, pp.181-193.
49. Gregor K.H. (1991), 'Oxidative Decolourisation of textile Wastewater with Advanced Oxidation processes', *Chemical Oxidation-Technologies Publishing Co.*, pp.161-163.
50. Guha A.K., Yun C.H., Basu R. and Sirkar K.K.(1994), 'Heavy metal removal and recovery by contained liquid membrane permeator', *AIChE J.* Vol.40, No.7, pp.1223.
51. Gumi T., Oleinikova M., Palet C., Valiente M. and Munoz M. (2000), 'Facilitated transport of lead (II) and cadmium (II) through novel activated composite membranes containing (di(2-ethylhexyl) phosphoric acid as a carrier', *Analytica Chimica Acta.*, Vol. 408, pp.65-74.
52. Gyves J.D. and Miguel E.R.S. (1999), 'Metal ion separations by supported liquid membranes', *Ind. Eng. Chem. Res.*, Vol.38, pp.2182-2202.

53. Han S., Ferreira C.F. and Livingston A. (2001), 'Membrane aromatic recovery system (MARS) – a new membrane process for the recovery of phenols from wastewaters', *Journal of Membrane Science* Vol.188, No.2, pp.219-233.
54. He D., Ming Ma and Zhenhua Zhao (2000), 'Transport of cadmium ions through a liquid membrane containing amine extractions as carriers', *Journal of Membrane Science*, Vol.169, pp 53-59.
55. Hill C., Dozol J.F., Rouquette H., Eymard S. and Tournois B. (1996), 'Study of the stability of the some supported liquid membranes', *J. Membrane Science*, Vol.114, p.73.
56. Hiss T.G. and Cussler E.L. (1976), 'Diffusion in high viscosity liquids', *AIChE J.*, Vol.19, No.4, pp.698-703.
58. Hodgson, K.M (1994), 'A novel membrane extractor using hollow fibres for separation and enrichment of metal', *Journal of Chemical Engineering World*, Vol.23, pp 23-29.
57. Hong Y.K. and Hong W.H. (2005), 'Removal of acetic acid from aqueous solutions containing succinic acid and acetic acid by tri-*n*-octylamine', *Separation and Purification Technology*, Vol.42, No.2, pp.151-157.
58. Hossain M.M. (2005), 'Reactive extraction of amino acids and dipeptides using an extra-flow hollow-fiber module', *Separation and purification Technology*, Vol.42, No.3, pp.227-236.
59. Hu S.H., Ming D.Y. and Jie D. (2005), 'Treatment of strong acid dye wastewater by solvent extraction', *Separation and purification Technology*, Vol.42, No.2, pp.129-136.
60. Hung C.H., Chiang P.C. Yuan and Chou C.Y. (2001), 'Photocatalytic degradation of azo dye in TiO₂ suspended solution', *Water Science and Technology*, © IWA Publishing 2001, Vol.43, No.2, pp.313-320
61. Ince N.H. (1999), 'Critical effect of hydrogen peroxide in photo chemical dye degradation', *Wat. Res.*, Vol.33, No.4, pp.1080-1084.

62. Industries Commissioner and Director of Industries and Commerce Chennai (2000), India.
63. Ingale M.N. and Mahajani V.V. (1994), 'Recovery of acetic acid and propionic acid from aqueous waste stream', *Sep. Technol*, Vol.4, pp.123-128.
64. Ingale M.N. and Mahajani V.V. (1994), 'Recovery of carboxylic acids C₂-C₆ from aqueous waste stream using tributyl phosphate: effect of presence of inorganic acids and their sodium salts', *Sep. Technol.*, Vol.6, pp.1-5.
65. Islam F. and Biswas R.K. (1979), 'The solvent extraction of chromium (III) with bis (2-ethylhexyl) phosphoric acid in benzene and other solvent', *J. Inorg. Nucl. Chem.*, Vol.4, No.1, pp.229-223.
66. Ismail K. (2002), 'Reactive dye removal in dye/salt mixtures by nanofiltration membranes containing vinyl sulphone dyes effects of feed concentration and cross flow velocity', *Desalination*, Vol.14, No.3, pp.243-253.
67. Jaber A.M.Y., Ali S.A. and Yahaya G.O. (2005), 'Studies on phenol permeation through supported liquid membranes containing functionalized polyorganosiloxanes', *Journal of Membrane Science*, Vol. 250, pp.85-94.
68. Jain R., Sharma N. and Bhargava M. (2003), 'Electro chemical degradation of Rhodamine B dye in textile and paper industries effluent', *Journal of Scientific and Industrial research*, Vol.62, pp.1138-1144.
69. Jiantuan Ge and Jiuhui Qu (2003), 'Degradation of azo dye acid red B on manganese dioxide in the absence and presence of ultra sonic irradiation', *Journal of hazardous materials*, Vol.100, pp.197-207.
70. Joaquim Pedro Silva, Sonia Sousa, Jose Rodriques, Helena Antunes, John J. Porter, Isolina Concalves and Suzana Ferreira – Dias (2004), 'Adsorption of acid orange 7 dye in aqueous solutions by spent brewery grains' *Separation and Purification Technology*, Vol.40, No.3, pp.309-315.

71. Jonnson J.K., Andersson M., Melander C., Norberg J., Thordarson E. and Mathiasson L. (2000), 'Automated liquid membrane extraction for high performance liquid chromatography of ropivacaine metabolites in urine', *Journal of Chromatography*, Vol.870, pp.151-157.
72. Jonnson J.K. and Mathiasson (1999), 'Liquid membrane extraction in analytical sample preparation', *Trends in Analytical Chemistry*, Vol.18, No.5, pp.318-323.
73. Jonnson J.K. and Mathiasson (2000), 'Membrane based techniques for sample enrichment', *Journal of Membrane Science*, Vol.160, pp.229-233.
74. Juang R.S., Lee S.H. and Shiau R.C. (1997), 'Mass-transfer modeling of permeation of lactic acid across amine-mediated supported liquid membranes', *Journal of Membrane Science*, Vol.137, No.1-2, pp.231-239.
75. Kadirvelu K., Karthika C., Vennilamani N. and Pattabi S. (2005), 'Activated carbon from industrial solid waste as an adsorbent for the removal of Rhodamine B from aqueous solution-kinetic and equilibrium studies', *Chemosphere*, Vol.60, No.8, pp.1009-1017.
76. Kannan N. and Meenakshi Sundaram M. (2001), 'Kinetics of methylene blue by adsorption on various carbons- a comparative study', *Dyes and Pigments* Vol.51, pp.25-40.
77. Karcher S., Kornmüller A. and Jekel M. (2002), 'Anion exchange resins for removal of reactive dyes from textile wastewaters', *Water Research*, pp.4717-4724.
78. Karthikeyan J. and Niranjana P. (1992), 'Colour removal from dye effluents by chemical coagulation / Acid and Direct dyes', *Indian J. Environmental Protection*, Vol.12, No.7, pp.497-502.
79. Kehra M.S., Saini H.S., Sharma D.K., Chadha B.S. and Chimni S.S. (2006), 'Bio degradation of azo dye CI acid red 88 by anoxic-Aerobic sequential bioreactor', *Dyes and Pigments*, Vol.70, pp.1-7.

80. Knapp J.S. and Newby P.S. (1995), 'The microbiological decolourisation of an industrial effluent containing a diazo-linked Chromophore', *Wat. Res.*, Vol.29, No.7, pp.1807-1809.
81. Kuntal C. and Serpone N. (1993), 'Photosensitive metal organic system: mechanistic principles and applications', American Chemical Society, Washington D.C.
82. Kurian J. (1999), 'Common effluent treatment plants for pollution control in small scale industrial units', *Journal of Institution of Engineers (India)*, Vol.80, pp.1-4.
83. Lackey L.W. and Mines R.O. (2004), 'Ozone treatment of acid yellow 17 dye', *Proceedings of the 2004 World water and Environmental Resources Congress*.
84. Lamb J.D and Nazarenko A.Y (1997), 'Lead Ion sorption and transport using polymer inclusion membranes containing tri-octyl phosphine oxide', *Journal of membrane Science*, Vol.134, pp.255-259.
85. Le Q.T.H., Ehler D.S., McCleskey T.M., Dye R.C., Pesiri D.R., Jarvinen G.D and Sauer N.N. (2002), 'Ultra-thin gates for the transport of phenol from supported liquid membrane to permanent surface modified membranes', *Journal of Membrane Science*, Vol.205, No.1-2, pp.213-222.
86. Lee C-J. and Yang B-R., (1995), 'Extraction of trivalent europium via a supported liquid membrane containing PC-88A as a mobile carrier', *The Chemical Engineering Journal*, Vol.57, pp.253-260.
87. Lee D.W., Hong W.H. and K.Y. and Hwang K.Y. (2000), 'Removal of an organic dye from water using a predispersed solvent extraction', *Separation Science and Technology*, Vol.35, No.12, pp.1951-1962.
88. Lee J.W., Choi S.P., Thiruvengkatachari R., Shin W.G. and Moon H. (2006), 'Evaluation of the performance of adsorption and coagulation processes for the maximum removal of reactive dyes', *Dyes and Pigments*, Vol.69, No.3, pp.196-203.

89. Leon G. and Guzman M.A. (2004), 'Facilitated transport of cobalt through bulk liquid membranes containing diethylhexyl phosphoric acid', *Desalination*, Vol.162, pp.211-215.
90. Li N.N. and Shrier A.L. (1972), 'Recent development in separation science', Vol.1, CRC Press, Boca Raton, pp.163-174.
91. Li N.N. (1968), Separating hydrocarbons with liquid membrane, Patent U.S. 3,410,794.
92. Lin, Chery-Chu, Long and Richard L. Jr. (1996), 'Phenol removal by ELM: a modified diffusion model, *Chemical Engineering Communication*', Vol.156, pp.45-58.
93. Ma M., Chen B., Luo X., Tan H., He D., Xie Q and Yao S. (2004), 'Study on the transport selectivity and kinetics of aminoacids through di (2-ethyl hexyl) phosphoric acid-kerosene bulk liquid membrane', *Journal of Membrane Science*, Vol.234, No.1-2, pp.101-109.
94. Ma M., He D., Liao S., Zeng Y., Xie Q. and Yao S. (2002), 'Kinetic study of L-isoleucine transport through a liquid membrane containing di-2-ethylhexyl phosphoric acid in kerosene', *Analytica Chimica Acta*, Vol.456, pp.157-165.
95. Mall I.H. and Upadhyay S.N. (1995), 'Removal of basic dyes from wastewater using boiler bottom ash', *Indian J. Environ. Hlth.*, Vol.37, pp.1-10.
96. Marinova M., Kyuchoukov, Albet J., Molinier J. and Malmary G. (2004), 'Separation of tartaric and lactic acids by means of solvent extraction', *Separation and purification Technology*, Vol.37, pp.199-207.
97. Matsumoto M., Otono T. and Kondo K., (2001), 'Synergistic extraction of organic acids with tri-n-octylamine and tri-n-butyl phosphate', *Separation and Purification Technology*, Vol.24, pp.337-343.

98. Matthews J.M. (1947). Application of dye stuffs to textile, paper, leather and other materials 4th edition, p.202.
99. Mc. Guirdy and Michael W. (1991), 'Chemical reduction and oxidation combined with biodegradation for the treatment of textile dye wastewaters', Proc. Ind. Waste Conf., Vol.43, pp.229-234.
100. Mckay G., Ramprasad G. and Pratapa Mowli (1987), 'Desorption and regeneratiopn of dyes colours from low cost materials', Wat. Res., Vol.21, No.3, pp.375-377.
101. Merceles E.C. and Marchese J. (2000), 'Facilitated transport of niobium(V) and tantalum (V) with SLM using TBP as carrier', Journal of Membrane Science, Vol.164, pp.205-206.
102. Minke R. and Rott U. (1998), 'Anaerobic treatment of split flow wastewater and concentrates from the textile processing industry', International symposium on waste management problems in Agro-Industries, Istanbul, Vol.1, pp.83-90.
103. Mittal A.K. and Venkobachar C. (1993), 'Separation and desorption of dyes by sulphonated coal', Journal of Environmental Engineering, ASCE, Vol.119, pp.366-368.
104. Miyako E., Maruyama T., Kamiya N. and Goto M. (2003), 'Transport of organic acids through a supported liquid membrane driven by lipase-catalysed reactions', Journal of Bio Science and Bio Engineering, Vol.96, pp.371-374.
105. Morais L.C., Freitas O.M.,Goncalves E.P., Vascancelos L.T. and Gonzalez Bek C.G. (1999), 'Reacactive dye removal from wastewaters by adsorption on eucaplytus bark-variables that define the process, Wat. Res., Vol.33, No.4, pp.979-988.
106. Morteza Akhond and Javad Tashkhourian (2003), 'Highly selective transport of Ag I on through a liquid membrane containing 2-Mercapto benzothiazole as a carrier', Bull. Korean Chem Soc., Vol.24, pp.489-492.

107. Mriganka M. Ghosh, Franklin E. Woodard, Otis J. Sproul and Peter B. Knowlton (1976), 'Treatability studies and design considerations for textile wastewater', *Journal WPCF*, pp.1976-1985.
108. Muthukumar M., Sargunamani D., Senthilkumar M. and Selvakumar N. (2005), 'Studies on decolourisation, toxicity and the possibility for recycling of acid dye effluents using ozone treatment', *Dyes and Pigments*, Vol.64, pp.39-44.
109. Muthuraman G. and Palanivelu K. (2004), 'Removal and recovery of low salt dye Golden yellow LS by liquid-liquid extraction', *Ind. J. Chem. Tech.*, Vol.11, pp.166-169.
110. Muthuraman G. and Palanivelu K. (2004), 'Selective extraction and separation of textile anionic dyes by tetra butyl ammonium bromide', *Dyes and Pigments*, Vol.64, pp.251-257.
111. Nader-Al-Bastaki (2004), 'Removal of Methyl orange dye and Na₂SO₄ salt from synthetic wastewater using reverse osmosis', *Chemical Engineering and Processing*, Vol.43, No.12, pp.1561-1567.
112. Namasivayam C., Radhika R. and Suba S. (2001), 'Update of dyes by promising locally available agricultural solid waste: Coir pith.' *Water Management*, Vol.21, No.4, pp.381-387.
113. Nandy T. and Kaul S.N. (1998), 'Status of sewage treatment plants in India', *Journal of Indian Association for Environmental Management*, Vol.28, No.2, pp.84-91.
114. Nanoti A., Ganguly S.K, Goswami A.N. and Rawat B.S. (1997), 'Removal of phenol from wastewater using liquid membranes in a microporous hollow-fibre- membrane extractor', *Ind. Eng. Chem. Res.*, Vol.36, pp.4369-4373.
115. Navarro M., Sancedo M., Vera A., Avila R., Guibal E. (2000), 'Study of the sorption of Cr(III) with X AD-2 resin impregnated with cyanex 272', *Solvent Extraction and Ion Exchange*, Vol.18, No.2, pp.319-343.

116. Neppolian B., Sakthivel S., Banumathi Arabindoo, Palanichamy M. and Murugesan V. (2001), 'ZnO- photoassisted degradation of textile dye using solar energy', *Indian Journal of Chemical Technology*, Vol.8, pp.36-40.
117. Ngo M. and Kopunec R. (1992), 'Carrier-mediated transport of rare earth elements through liquid membranes containing organophosphorous agents impregnated on a nucleoporous support in pertraction systems of REEs. *J. Radiational Nucl. Chem.*, Vol.163, pp.145-150.
118. Nisha Priya M. and Palanivelu K. (2005), 'Electrochemical treatment of reactive dye effluent using solar energy', *Coloration Technology*, Vol.121, pp.198-202.
119. Nishii Y., Kinugasa T., Nii S. and Takahashi K., (2002), 'Transport behaviour of protein in bulk liquid membrane using reversed micelles', *Journal of Membrane Science*, Vol.195, pp.11-21.
120. Oguz E., Keskinler B. and Celik Z. (2005), 'Ozonation of aqueous Bomaplex Red CR-L dye in a semi batch reactor', *Dyes and Pigments*, Vol.64, No.2, pp.101-108.
121. Orthman J., Zhu H.Y. and Lu G.O. (2003), 'Use of anion clay hydrotalcite to remove coloured organics from aqueous solutions', *Separation and Purification Technology*, Vol.31, No.1, pp.53-59.
122. Oshima T., Inoue K., Furusaki S. and Goto M. (2003), 'Liquid membrane transport of amino acids by a calix [6] arene carboxylic acid derivative', *Journal of Membrane Science*, Vol.217, pp.87-97.
123. Osman N.A. (2005), 'Modelling of copper ions transport through SLM containing LIX 984', *Hydrometallurgy*, Vol.77, pp 269-277.
124. Osman N.A. (2005), 'Modelling of copper ions transport through SLM containing LIX 984, *hydrometallurgy*, Vol.77, pp 269-277.

125. Ozcan A and Ozcan A S (2005), 'Adsorption of Acid Red 57 from aqueous solutions on to surfactant-modified sepiolite', *Journal of Hazardous Materials*, Vol.125, No.1-3, pp.252-259.
126. Ozcan A.S., Erden B. and Ozcan A. (2005), 'Adsorption of Acid blue 193 from aqueous solutions on to BTMA-bentonite' colloids and surfaces A Physico chemical and Engineering Aspects, Vol.266, No.1-3, pp.73-81.
127. Palanivelu K., Shanthana Lakshmi D. and Ranganathan K.R. (1998), 'Removal and recovery of hexavalent chromium from plating wastewater by liquid membrane process', *Journal of Scientific & Industrial Research*, Vol.57, pp.903-906.
128. Pandey D.B., Cote G. and Bauer D. (1996), 'Extraction of chromium (III) from tanning baths', *Hydrometallurgy*, Vol.40, pp.343-347.
129. Pandit P. and Basu S. (2002), 'Removal of organic dyes from water by liquid- liquid extraction using reverse micelles', *Journal of Colloid and interface science*, Vol.245, pp.208-214.
130. Pandit P. and Basu S. (2004), 'Removal of ionic dyes from water by liquid-liquid extraction using reverse micelles', *Environ. Sci. Tech.*, Vol.38, pp.2435-2442.
131. Pannu J.K., Singh A. and Ward O.P. (2004), 'Vegetable oil as a contaminated soil remediation amendment: application of peanut oil for extraction of polycyclic aromatic hydrocarbons from soil', *Process Biochemistry*, Vol.39, pp.1211-1216.
132. Park S.W., Kim K.W., Sohn I.J. and Kaseger C.F. (2000), 'Facilitated transport of sodium phenolate through supported liquid membrane', *Separation and purification Technology*, Vol.19, pp.43-54.
133. Paulo F.M.M. Correia, Jorge M.R. and Carvalho D. (2003), 'Recovery of phenol from phenolic resin plant effluents by emulsion liquid membranes', *Journal of Membrane Science*, Vol.225, pp.41-49.

134. Peretti S.W., Tompkins C.J., Goodall J.L. and Michaels A.S. (2001), 'Extraction of 4-nitrophenol from 1-octanol into aqueous solution in a hollow fibre liquid contactor', *Journal of Membrane Science*, Vol.195, pp.193-202.
135. Perkins W.S., Judkins J.F. and Perry W.D. (1980), 'Renovation of dye bath water by chlorination and ozonation', *Textile Chemist and Colourist*, Vol.12, No.8, pp.182-187.
136. Perkins W.S., Namboodri C.G and Walsh W.K. (1991), 'Decolourising dyes with ozone and chlorine', *Chemical Oxidation Technologies for the Nineties*, Lancaster Publishing Co., pp.202-205.
137. Pickering P.J. and Chaudhuri (1997), 'Enantioselective extraction of (D)- phenylalanine from racemic (D/L) phenylalanine using chiral emulsion liquid membranes', *Journal of Membrane Science*, Vol.127, pp.115-130.
138. Poots V.J.P, Mckay G. and Healy J.J. (1976), 'The removal of acid dye from effluent using natural adsorbents-I peat', *Water research*, Vol.10, No.12, pp.1061-1066.
139. Poots V.J.P., Mckay G. and Healy J.J. (1976), 'The removal of acid dye from effluent using natural adsorbents-II wood', *Water research*, Vol.10(12), pp.1067-1070.
140. Prakash R. (1996), 'Dyestuffs – Survey on Indian Industry', *The Hindu*, pp.209-219.
141. Purkait M.K., Das Gupta S. and De S. (2004), 'Removal of dye from waste water using miceller-enhanced ultrafiltration and recovery of surfactant', *Separation and Purification Technology*, Vol.37, No.1, pp.81-92.
142. Raghuraman B. and Wiencek J. (1993), 'Extraction with emulsion liquid membrane in a hollow-fibre contractor', *AIChE Journal*, Vol.39 No.II, pp.1885-1889.

143. Rak M., Dygiel P. and Wieczorek P. (2001), 'Supported liquid membrane extraction of aromatic aminophosphonates', *Analytica Chimica Acta*, Vol.433, No.2, pp.227-236.
144. Ramakrishna KR and Viraraghavan T (1997) 'Dye removal using low cost absorbents' Vol.36, Issues 2-3, pp 189-196.
145. Rao V.M. and Hariharan A.V.L.N.S.H. (1992), 'Solvent extraction of Cr (III) from aqueous mineral acid solution by bis (2-Ethylhexyl) phosphoric acid' , *Orient. J. Chem.*, Vol.41, pp.324-329.
146. Rebek J., Askew Jr. B., Nemeth D. and Parris K. (1987), 'Convergent functional groups 4 recognition and transport of amino acids across a liquid membrane', *Jr. Amer. Chem. Soci.*, Vol.109, pp.2432-2434.
147. Reife A. and Freeman H.S. (1996), 'Environmental chemistry of dyes and pigments', New York, John Wiley Publications.
148. Rhlalou T., Ferhat M., Frouji M.A., Langevin D., Metayer M. and Verchere J. F., (2000), 'Facilitated transport of sugars by a resorcinarene through a supported liquid membrane', *Journal of Membrane Science*, Vol.168, pp.63-73.
149. Rios C., Salvado V. and Hidalgo M., (2002), 'Facilitated transport and preconcentration of the herbicide glyphosate and its metabolite AMPA through a solid supported liquid-membrane', *Journal of Membrane Science*, Vol.203, pp.201-208.
150. Ritcey G.M. and Ashbrook A.W. (1984), 'In solvent extraction: principles and applications to process metallurgy: Part I, Elsevier, Amsterdam, pp.117-125.
151. Robinson T., Mc Mullen G., Marchant R. and Nigam P. (2001), 'Remediation of dyes in textile effluent; a critical review on current treatment technologies with a proposed alternative', *Bioresource Technology*, Vol.77, pp.247-255.

152. Roy D., Valsraj K.T. and Kottai S.A., (1992), 'Separation of organic dyes from wastewater by using colloidal gas aphrons', Separation Science and Technology, Vol.27, pp.573-588.
153. Solpan D., Duran S., Saraydin D. and Guven O. (2003), 'Adsorption of methylviolet in aqueous solution by poly hydrogels', Radiation physics and chemistry, Vol.66, No.2, pp.117-127.
154. Suksaroj C, Heran M, Allegre C and Persin F (2005), 'Treatment of textile plant effluent by nanofiltration and or reverse osmosis for water reuse, Desalination, Vol.178, No.1-3, pp.333-341.
155. Sahoo G.C., Ghosh A.C. and Dutta N.N. (1996), 'Facilitated transport of 7- aminocephalosporanic acid in a bulk liquid membrane', Journal of Membrane Science, Vol.112, pp.147-154.
156. Sahoo G.C., Ghosh AC. and Dutta N.N. (1997), 'Recovery of cephalixin from dilute solution in a bulk liquid membrane', Vol.32, No.4, pp.265-272.
157. Sanroman M.A., Pazos M., Ricart M.T. and Cameselle (2004), 'Electrochemical decolourisation of structurally different dyes', Chemosphere, Vol.57, No.3, pp.233-239.
158. Schlosser S. and Sabolova (1999), 'Transport of butyric acid through layered bulk liquid membranes', Chem. Papers, Vol.53, pp.403-411.
159. Schneider G. (1993), 'Trennverhalten von Nanofiltrationsmembrane', Ph.D. Thesis RWTH Aachen, pp.157-190.
160. Senthilnathan S. and Azeez P.A. (1999), 'Water quality of effluents from dyeing and bleaching industry in Tripur, Tamil Nadu, India', J. Industrial Pollution Control, Vol.15, No.1, pp.79-88.
161. Sevimli M.F. and Sarikaya H.Z. (2005), 'Effect of some operational parameters on the decolourisation of textile effluents and dye solution by ozonation', Vol.26, No.92, pp.135-143.

162. Sharon F., Dubron, Gregory D. Boardman and Donald L. Michaelson (1996), 'Chemical pre-treatment and aerobic- anaerobic, degradation of textile dye wastewater, Environmental chemistry of dyes and pigments, Ed, by Abraham Reife and Harold S. Freeman, New York, John Wiley & Sons, pp.85-87.
163. Shaul G.M., Holds Worth T.J. and Dostal K. (1991), 'Fate of water soluble azo dyes in the activated sludge process', *Chemosphere*, Vol.22, No.1-2, pp.107-119.
164. Sheng H.L. and Peng F.C. (1994), 'Treatment of textile wastewater by electro chemical method', *Wat. Res.*, Vol.28, No.2, pp.277-282.
165. Sheng H.L. and Peng F.C. (1996) 'Continuous treatment of textile wastewater by combined coagulation, electrochemical oxidation and activated Sludge', *Wat. Res.*, Vol.30, No.3, pp.587-592.
166. Shrichand and Jain S.K. (1995), 'Recovery of acetic acid from wastewater by solvent extraction', *Indian J. Environ. Hlth.*, Vol.37, No.1, pp.11-18.
167. Shrichand and Jain S.K. (1995), 'Removal and recovery of carboxylic acids from wastewater', *Chemical Engineering World*, Vol.30, No.10, pp.55-61.
168. Szpyrkowicz L., Jeremi Naum Czyk and francesco Zilio Grandi (1995), 'Electrochemical treatment of tannary wastewater using Ti/Pt and Ti/Pt/Ir electrodes', *Wat. Res.*, Vol.29, No.2, pp.517-524.
169. Tanigaki M., Mori Y. and Gu Z.M. (1993), 'Concentration of Cu(II) from leaching solutions of ore by electrosatic pseudo liquid membrane', *International congress on membrane and membrane process, held at Heidelberg, Germany.*
170. Tbeur N., Rhalou T., Hlaibi M., Langevin D., Metayer M and Verchere J.F. (2000), 'Molecular recognition of carbohydrates by a resorcinarene, selective transport of alditols through a supported liquid membrane,' *Carbohydrate Research*, Vol.329, No.2, pp.409-422.
171. Tsai W.T., Cheng Y.M., Lari Cow and Lo C.C. (2005), 'Adsorption of basic dyes in aqueous solution by clay adsorbent from regenerated bleaching earth', *Applied Clay Science*, Vol.29, No.2, pp.149-154.
172. Tunay O., Isik Kabelesi, Gulen Eremektar and Denin Orhan (1996), 'Colour removal from textile wastewater', *Wat. Sci. Tech.*, Vol.34, No.11, pp.9-16.

173. Tunay O., Tameroglu O., Baykal N., Afsarunal F. and Odenmis E. (1990), 'Pretreatment of textile processing wastewaters', *Wat. Sci. Tech.*, Vol.22, No.9, pp.17-24.
174. Ulewicz, M, Walkowiak, Gega J, Pospiech B, (2003), Zinc (II) Selective Removal from other transition metal ions solvent extraction and transport through polymer inclusion membranes with D2EHPA.
175. UNEP (1994), 'The textile Industry and Environment', 1st ed., France, United Nations Environment Programme, Industry and Environment.
176. Uritaga A.M., Alonso A., Ortiz I., Daoud J.A., El-Reefy S.A., Perez de Ortiz S. and Gallego T. (2000), 'Comparison of liquid membrane processes for the removal of cadmium from wet phosphoric acid', *J. Membrane Science*, Vol.164, pp.229-240.
177. Uygur A. (1997), 'An overview of oxidative and Photooxidative decolourisation treatment of textile wastewater, ISDC, Vol.113, pp.211-217.
178. Venkateswaran P. and Palanivelu K. (2005), 'Studies on recovery of hexavalent chromium from plating wastewater by supported liquid membrane using tri-n-butyl phosphate as carrier', *Hydrometallurgy*, Vol.78, No.1-2, pp.107-115.
179. Visser H.C., De Jong F. and Reinhoudt D.N. (1995), 'Kinetics of carrier mediated alkali cation transport through supported liquid membranes: Effect of membrane solvent', Co-transported anion and support, *J. Membrane science* Vol.107, pp.297.
180. Wang M-L. and Hu K-W. (1994), 'Extraction of phenol using sulfuric acid salts of trioctylamine in a supported liquid membrane', *Ind. Eng. Chem. Res*, Vol.33, pp.914-921.
181. Wang Y.H., Wang X.D. and Zhang X.J. (1997), 'Treatment of high concentration phenolic wastewater by liquid membrane with N 503 as mobile carrier', *Journal of Membrane Science*, Vol.135, pp.263-270.
182. Wiczorek P. (1997), 'Factors influencing the transport of tryptophan hydrochloric acid through supported liquid membranes containing macrocyclic carriers', *Journal of Membrane Science*, Vol.127, pp.87-92.

183. Wieczorek P., Jonnson J.A. and Mathission L. (1997), 'Concentration of aminoacids using supported liquid membranes with di-2-ethylhexyl Phosphoric acid as a carrier', *Analytica Chimca Acta.*, Vol.346, pp.191-197.
184. Wieczorek P., Jonnson J.A. and Mathission L. (1997), 'Extraction of dansylated aminoacids using the supported liquid membranes technique', *Analytica Chimca Acta*, Vol.337, No.2, pp.183-189.
185. Wodzki R. and Nowaczyk J. (2002), 'Propionic and acetic acid pertraction through a multimembrane hybrid system containing TOPO or TBP', *Separation and purification Technology*, Vol.26, pp.207-220.
186. Yamini Y., Marzieh Chalooosi and Homeria Ebrahimzadeh. (2002), 'Highly selective and efficient transport of bismuth in bulk liquid membranes containing by annex 301', *Separation and Purification Technology*, Vol.28, pp.43-51.
187. Yahaya G.O, Brisdon B.J. and England R. (2000), 'Facilitated transport of lactic acid and its ethyl ester by supported liquid membranes containing fictionalized polyorganosiloxanes as carriers', *Journal of Membrane Science*, Vol.168, pp.187-201.
188. Yang X.J., Fane A.G (1997), 'Effect of membrane preparation on the lifetime of supported liquid membranes', *Journal of Membrane Science*, Vol.133, pp.269-273.
189. Yang X.J., Fane A.G. and Mac Naughton S. (2001), 'Removal and recovery of heavy metals from wastewaters by supported liquid membranes', *Water Science and Technology*, Vol.43, No.2, pp.341-348.
190. Yang X.J., Fane A.G. and Soldenhoff K. (2003), 'Comparison of liquid membrane processes for metal separations: Permeability', Stability and selectivity, *Ind. Eng. Chem. Res.*, Vol.42, pp.392-403.
191. Yang X.J., Gu Z.M and Fane A.G (1998), 'Multicomponent separations by a combined extraction/electrostatic pseudo-liquid membrane (1): Separation of Al, La, Sm and Y', *Hydrometallurgy*, Vol.49, No.3, pp.275-288.
192. Yang Z.F., Guha A.K and Sirkar, K.K. (1996), 'Simultaneous and synergistic extraction of cationic and anionic heavy metallic species by a mixed solvent extraction system and a novel contained liquid membrane device', *Industrial and Engineering Chemistry Research*, Vol.35, No.11, pp.4214-4220.

193. Yankov D., Molinier J., Albet J., Malmay G. and Kyuchoukov G. (2004), 'Lactic acid extraction from aqueous solutions with tri-*n*-octylamine dissolved in decanol and dodecane', *Bio Chemical Engineering Journal*, Vol.21, No.1, pp.63-71.
194. Young K., Pei-Lin Lee and Wen-Yu Wang (2005), 'Removal of acidic dye tuffs in aqueous solution by nanofiltration', *Journal of Membrane Science*, Vol.250, No.1-2, pp.159-165.
195. Yujuan L., Jianhong Liu, Jie Tang, Bo Wei and Xueli Zhang, (2005), 'The removal of humic acids from water by solvent sublation', *Journal of Colloid and interface Science*, Vol.283, No.1, pp.278-284.
196. Zha F.F., Coster H.G.L. and Fane A.G. (1994), 'A study of stability of supported liquid membranes by impedance spectroscopy', *Journal of Membrane Science*, Vol.93, pp.255-261.
197. Zha F., Fane A.G. and Fell C.J.D. (1995), 'Liquid membrane processes for gallium recovery from alkaline solutions,' *Ind. Eng. Chem. Res.* Vol.34, pp.1799-1803.
198. Zha F.F., Fane A.G. and Fell C.J.D. (1995), 'Instability mechanisms of supported liquid membranes in phenol transport process', *Journal of Membrane Science*, Vol.107, pp.59-74.
199. Zhen L., Minghong Wu, Zheng Jiao, Borong Bao, Senlin Lu (2004), 'Extraction of Phenol from wastewater by *N*-octanoylpyrrolidine', *Journal of Hazardous Materials B*, Vol.114, pp.111-114.