

## LIST OF FIGURES

<b>Fig. No.</b>	<b>Title</b>	<b>Page No.</b>
1.1	Dimensional scale of various materials	2
1.2	Classification of nanomaterials	4
1.3	Schematic illustration for change in density of quantum states with number of atoms in materials	6
1.4	Dimensionality of bulk solid, quantum film, quantum wire and quantum dot	7
1.5	Emission of colors from small size (blue) to large size (red) CdSe quantum dots.	7
1.6	Zinc Blende (Cubic) and Wurtzite (Hexagonal)	14
1.7	Band structure in direct and indirect band gap materials	15
1.8	Radiative and non-radiative transitions observable with photoluminescence	16
2.1	Schematic presentation of top down and bottom-up approach	28
2.2	Bottom up approach for chemical or physical processes	30
2.3	Diagram of co-precipitation technique	32
2.4	X-Ray diffraction and Bragg's law	36
2.5	Diagram of diffractometer	37
2.6	Rigaku miniflex set up	38
2.7	Schematic diagram of FTIR spectrometer	40
2.8	FTIR spectrometer set-up	41
2.9	TEM interaction with sample	42
2.10	(a) TEM instrumentation and (b) FEI TECNAI G <sup>2</sup> (TEM) set-up	43
2.11	Modes of operation of AFM	45
2.12	Brukers Multimode 8 (AFM)	46
2.13	SEM instrumentation	47
2.14	SEM set-up	48
2.15	Schematic model of optical absorption spectrometer	50
2.16	UV-Visible spectrophotometer (Varian Cary- 5000)	51
2.17	Jablonski diagram illustrating the photoluminescence process	52
2.18	(a) Schematic of PL spectrofluorometer (b) Varian/ Perkin Elmer, CARY-Eclipse/ LS-50B	53

3.1	Flow chart for synthesis of Cu doped Cd <sub>1-x</sub> Zn <sub>x</sub> S (0 ≤ x ≤ 1)	58
3.2	XRD pattern of Cu: Cd <sub>1-x</sub> Zn <sub>x</sub> S alloy at different values of mole fraction (x)	60
3.3	(a) Variation of particle size and (b) lattice parameters with Zn (x) composition	61
3.4	W- H plot of Cu: Cd <sub>1-x</sub> Zn <sub>x</sub> S alloy at different values of mole fraction (x)	62
3.5	FTIR spectra of Cu: Cd <sub>1-x</sub> Zn <sub>x</sub> S alloy at different values of mole fraction (x)	64
3.6	TEM micrographs of Cu: Cd <sub>1-x</sub> Zn <sub>x</sub> S at (a) x = 0, (b) x = 0.3 and (c) x = 0.7	65
3.7	Histograms of Cu: Cd <sub>1-x</sub> Zn <sub>x</sub> S at (a) x = 0, (b) x = 0.3 and (c) x = 0.7	65
3.8	EDAX spectrum of Cu doped Cd <sub>0.7</sub> Zn <sub>0.3</sub> S nanomaterials	66
3.9	AFM images (a) 2D and (b) 3 D of Cd <sub>0.1</sub> Zn <sub>0.9</sub> S:Cu nanomaterials	67
3.10	(a) 2 D scanned AFM image (b) Profile extraction and root mean square roughness (bar graph) analysis of Cd <sub>0.1</sub> Zn <sub>0.9</sub> S:Cu nanomaterials	67
3.11	(a) Absorption spectra and (b) band gap energy of the Cu doped Cd <sub>1-x</sub> Zn <sub>x</sub> S (0 ≤ x ≤ 1)	69
3.12	Variation of band gap vs concentration of zinc(x) in Cd <sub>1-x</sub> Zn <sub>x</sub> S:Cu (x<1) nanomaterials	70
3.13	(a) Photoluminescence spectra (b) schematic energy level diagram of Cd <sub>1-x</sub> Zn <sub>x</sub> S:Cu ternary alloy at different values of mole fraction (x)	72
3.14	TGA and DTA curves of (a) CdS:Cu(x=0) and (b) Cd <sub>0.1</sub> Zn <sub>0.9</sub> S:Cu nanomaterials	73-74
4.1	(a) XRD pattern and (b) variation of lattice parameters of Cd <sub>1-x</sub> Zn <sub>x</sub> S: Cu, Mn ternary alloy at different values of mole fraction (x)	83
4.2	W- H plot of Cd <sub>1-x</sub> Zn <sub>x</sub> S:Cu,Mn alloy at different values of mole fraction (x=0, 0.3, 0.7, 0.9)	85
4.3	FTIR spectra of Cd <sub>1-x</sub> Zn <sub>x</sub> S: Cu,Mn ternary alloy at different values of mole fraction	86
4.4	(a) TEM micrographs of different composition of Cd <sub>1-x</sub> Zn <sub>x</sub> S: Cu, Mn ternary alloy and (b) SAED pattern of S6	87

4.5	Histograms of Cd <sub>1-x</sub> Zn <sub>x</sub> S: Cu, Mn ternary alloy at different values of mole fraction (x)	87
4.6	(a) AFM images 2D and (b) 3D of Cd <sub>0.1</sub> Zn <sub>0.9</sub> S:Cu,Mn nanomaterials in 1µm x 1µm range	89
4.7	(a) AFM 2D and (b) three dimensional surface morphology images of Cd <sub>0.1</sub> Zn <sub>0.9</sub> S:Cu,Mn nanomaterials in 2µm x 2µm range	89
4.8	(a) 2 D scanned AFM image (b) Profile extraction and root mean square roughness (bar graph) analysis of Cd <sub>0.1</sub> Zn <sub>0.9</sub> S:Cu,Mn nanomaterials	90
4.9	(a) UV absorption spectra and (b) band gap energy of Cd <sub>1-x</sub> Zn <sub>x</sub> S: Cu, Mn ternary alloy at different values of mole fraction (x)	91
4.10	(a) Photoluminescence spectra (b) schematic energy level diagram of Cd <sub>1-x</sub> Zn <sub>x</sub> S: Cu, Mn ternary alloy at different values of mole fraction (x)	95
4.11	TGA and DTA curves of Cu,Mn doped Cd <sub>0.1</sub> Zn <sub>0.9</sub> S quantum dot	97
5.1	Flow chart for synthesis of different concentration of Cu, Mn dopants	104
5.2(a)	(a)XRD pattern of Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu (0.01,0.03,0.05) nanomaterials	106
5.2(b)	(b)XRD pattern of Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu,Mn (0.01,0.03,0.05M) with Cu(0.01M) nanomaterials	107
5.3	SEM micrograph of nanomaterials sample (a) Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu(0.03M), (b) Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu(0.05M), (c) Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu,Mn(0.03M) and (d) Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu,Mn(0.05M)	110
5.4	EDAX spectra (a) Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu(0.03) (b) Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu(0.05) and (c) Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu,Mn (0.05) nanomaterials	111
5.5	TEM micrographs of (a) C1 (0.01M), (b) C3 (0.05M) (c) M1 (0.01Mn,0.01Cu) and (d) M3 (0.05Mn,0.01Cu) of Cd <sub>0.7</sub> Zn <sub>0.3</sub> S nanomaterials	113
5.6	(a) UV-visible absorption spectra and (b) band gap energy of Cu doped Cd <sub>0.7</sub> Zn <sub>0.3</sub> S at different concentration of Cu	114
5.7	(a)UV-visible absorption spectra and (b) band gap energy of Mn doped Cd <sub>0.7</sub> Zn <sub>0.3</sub> S at different concentration of Mn with fixed Cu (0.01M) concentration	115
5.8	Photoluminescence spectra of sample (a) C2(Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu0.03M) and C3 (Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu0.05M), (b) M2 (Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu(0.01M),Mn0.03M) and M3 (Cd <sub>0.7</sub> Zn <sub>0.3</sub> S:Cu(0.01M),Mn0.05M).	117

<b>6.1</b>	<b>Flow chart for synthesis at different annealing temperature of different samples</b>	<b>125</b>
<b>6.2</b>	<b>XRD pattern of Cd<sub>0.7</sub>Zn<sub>0.3</sub>S at different dopants and temperature</b>	<b>127</b>
<b>6.3</b>	<b>FTIR spectra of Cd<sub>0.7</sub>Zn<sub>0.3</sub>S without dopant, single dopant and codopant at 350°C temperature</b>	<b>130</b>
<b>6.4</b>	<b>TEM micrographs of undoped (a) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S, (b) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S (350°C), single doped (c) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S:Cu (350°C) and codoped (d) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S: Cu, Mn (350°C) ternary alloy</b>	<b>131</b>
<b>6.5</b>	<b>Histograms of undoped (a) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S, (b) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S (350°C), single doped (c) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S:Cu (350°C) and codoped (d) Cd<sub>0.7</sub>Zn<sub>0.3</sub>S: Cu, Mn (350°C) ternary alloy</b>	<b>132</b>
<b>6.6</b>	<b>(a) UV absorption spectra and (b) band gap energy of undoped (T1 as deposited) and doped (T2,T4,T5) of Cd<sub>0.7</sub>Zn<sub>0.3</sub>S nanomaterials ternary alloy at 350°C</b>	<b>133</b>
<b>6.7</b>	<b>The PL spectra of Cd<sub>0.7</sub>Zn<sub>0.3</sub>S:Cu and Cd<sub>0.7</sub>Zn<sub>0.3</sub>S:Cu,Mn annealed at 350°C (inset shows the emission spectra of undoped Cd<sub>0.7</sub>Zn<sub>0.3</sub>S)</b>	<b>135</b>