

## LIST OF FIGURES

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
Figure 1.1	Comparison of Nanomaterials Size	2
Figure 1.2	Schematic representation of (a) 0-dimension (0-D), (b) 1-dimension (1- D), (c) 2- dimension (2-D) and (d) 3-dimension (3-D)	3
Figure 1.3	Examples of size based nanomaterials	4
Figure 1.4	Emission of CdSe quantum dots of various sizes and absorption spectra of gold nanoparticles	5
Figure 1.5	Shifting of electron cloud against lattice	6
Figure 1.6	Accumulation of electrons at tunnel junction	7
Figure 1.7	Magnetic Properties of Nano Structured Materials	8
Figure 1.8	Bottom-up and Top-down approach	9
Figure 1.9	Face Centred Cubic Spinel Crystal Structure	13
Figure 1.10	Normal Spinel Ferrite	13
Figure 1.11	Inverse Spinel Ferrite	14
Figure 1.12	Mixed Spinel Ferrite	14
Figure 2.1	Top-down and Bottom-up approaches	33
Figure 2.2	(a) Ball milling system (b) Ball Milling synthesis	36
Figure 2.3	Laser Pyrolysis Method	37
Figure 2.4	PVD system including (a) Plasma Sputtering, (b) Electron Beam Evaporation, (c) Pulsed Laser Deposition and (d) Vacuum Arc Technique	38
Figure 2.5	(a-c) shows (a) typical Reverse Micelle System, (b) various steps involved in one Micro emulsion process and (c) reaction sequence involved in the two micro emulsion nano particles synthesis	40
Figure 2.6	Typical Coprecipitation Technique	42
Figure 2.7	Schematic representation of Sol-gel method	44
Figure 2.8	Schematic diagram of X-ray scattering	45

Figure 2.9	Set up of scattering experiment utilizing X-ray diffraction.	46
Figure 2.10	A PXRD (Bruker D8 Advance) showing the goniometer and its drives inside the cabinet	47
Figure 2.11	Schematic principle of operation of the XRD machine	48
Figure 2.12	Schematic representation of a $\theta/2\theta$ scan	49
Figure 2.13	Possible Physical Processes following Absorption of Photon	50
Figure 2.14	Schematic diagram of FTIR Spectrophotometer	52
Figure 2.15	Block diagram of an FTIR spectrometer	52
Figure 2.16	Schematic representation of Scanning Electron Microscope	54
Figure 2.17	Schematic representation of Tunneling Electron Microscope	55
Figure 2.18	Figure 2.18: Block diagram of thermal analysis instrument	56
Figure 2.19	Typical arrangements for the components of TGA instrument	57
Figure 2.20	Schematic representation of a VSM	58
Figure 3.1	XRD patterns of as-prepared and thermally treated samples of $\text{CoFe}_2\text{O}_4$ : $\text{SiO}_2$ nanocomposites	71
Figure 3.2	Lattice constant versus annealing temperature.	73
Figure 3.3	Williamson-Hall plot of as-prepared and annealed $\text{CoFe}_2\text{O}_4$ : $\text{SiO}_2$ nanocomposites at different temperatures	74
Figure 3.4	Crystallite size versus calcinations temperatures (Scott equation)	75
Figure 3.5	FTIR spectra of $\text{CoFe}_2\text{O}_4$ : $\text{SiO}_2$ nanocomposites (a) as-prepared (b) $250^\circ\text{C}$ (c) $500^\circ\text{C}$ and (d) $750^\circ\text{C}$	78
Figure 3.6	(a) SEM micrograph of $\text{CoFe}_2\text{O}_4$ : $\text{SiO}_2$ nanocomposites at $250^\circ\text{C}$	79
	(b) SEM micrograph of $\text{CoFe}_2\text{O}_4$ : $\text{SiO}_2$ nanocomposites at $500^\circ\text{C}$	80
	(c) SEM micrograph of $\text{CoFe}_2\text{O}_4$ : $\text{SiO}_2$ nanocomposites at $750^\circ\text{C}$	80

Figure 3.7	(a) TEM micrograph of $\text{CoFe}_2\text{O}_4:\text{SiO}_2$ nanocomposites annealed at $750^\circ\text{C}$	81
	(b) TEM micrograph of $\text{CoFe}_2\text{O}_4:\text{SiO}_2$ nanocomposites annealed at $1000^\circ\text{C}$	82
Figure 3.8	(a) Histogram of $\text{CoFe}_2\text{O}_4:\text{SiO}_2$ nanocomposites annealed at $750^\circ\text{C}$	83
	(b) Histogram of $\text{CoFe}_2\text{O}_4:\text{SiO}_2$ nanocomposites annealed at $1000^\circ\text{C}$	83
Figure 3.9	TGA-DTG curve of $\text{CoFe}_2\text{O}_4:\text{SiO}_2$ nanocomposites	84
Figure 3.10	Hysteresis loop of $\text{CoFe}_2\text{O}_4:\text{SiO}_2$ nanocomposites annealed at different temperatures	86
Figure 4.1	XRD plots for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $0 < x < 0.1$ ) at $1000^\circ\text{C}$	98
Figure 4.2	XRD plots for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $0 < x < 0.1$ ) at $750^\circ\text{C}$	98
Figure 4.3	(a) XRD plots for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites at $x=0.00$	99
	(b) XRD plots for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites at $x=0.025$	100
	(c) XRD plots for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites at $x=0.050$	100
	(d) XRD plots for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites at $x=0.075$	101
	(e) XRD plots for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites at $x=0.1$	101
Figure 4.4	Lattice parameter vs $\text{Gd}^{3+}$ ion concentration	102
Figure 4.5	Particle size vs $\text{Gd}^{3+}$ ion concentration	102
Figure 4.6	Williamson- Hall plot for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites	103
Figure 4.7	FTIR spectra of $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $0 < x < 0.1$ ) at $1000^\circ\text{C}$	104

Figure 4.8	(a) TEM micrograph of $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $x=0$ , temp: 1000 °C)	106
	(b) TEM micrograph of $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $x=0.075$ , temp: 1000 °C)	107
	(c) TEM micrograph of $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $x=0.1$ , temp: 1000 °C)	107
	(d) and (e) TEM micrograph of $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $x=0.075$ , temp: 750°C) and ( $x= 0.1$ , temp: 750°C) respectively	108
Figure 4.9	Histogram representation of TEM micrographs at (a) $x=0.00$ at 1000 °C, (b) $x= 0.075$ at 1000 °C, (c) $x= 0.1$ at 1000 °C and (d) $x= 0.075$ at 750 °C	110
Figure 4.10	TGA-DTG curve for $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites for $x= 0.050$	111
Figure 4.11	TGA- DTG curve of $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites for $x=0.1$	111
Figure 4.12	Hysteresis loop of $\text{CoFe}_{2-x}\text{Gd}_x\text{O}_4:\text{SiO}_2$ nanocomposites	112
Figure 5.1	XRD patterns of $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $0<x<0.1$ ) at 1000 °C	123
Figure 5.2	Lattice constant versus $\text{Nd}^{3+}$ ion concentration	124
Figure 5.3	Williamson – Hall plot for $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ nanocomposites ( $0<x<0.1$ ) at 1000 °C	125
Figure 5.4	$\text{Nd}^{3+}$ ion concentration verses particle size	126
Figure 5.5	FTIR spectra of as-prepared samples at different $\text{Nd}^{3+}$ concentrations	128
Figure 5.6	FTIR spectra of samples at 750 °C for different $\text{Nd}^{3+}$ concentrations	129
Figure 5.7	FTIR spectra of samples at 1000 °C for different $\text{Nd}^{3+}$ concentrations	130
Figure 5.8	TEM micrograph of $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ nanocomposites for $x= 0.025$ at 1000 °C	131
Figure 5.9	TEM micrograph of $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ nanocomposites for $x= 0.050$ at 1000 °C	132

Figure 5.10	TEM micrograph of $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ nanocomposites for $x= 0.075$ at $1000\text{ }^\circ\text{C}$	132
Figure 5.11	TEM micrograph of $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ nanocomposites for $x= 0.1$ at $1000\text{ }^\circ\text{C}$	133
Figure 5.12	TEM micrograph of $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ nanocomposites for $x= 0.00$ at $1000\text{ }^\circ\text{C}$	133
Figure 5.13	TGA-DTG curve $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ of nanocomposites for $x=0.00$	136
Figure 5.14	TGA-DTG curve $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ of nanocomposites for $x=0.075$	137
Figure 5.15	TGA-DTG curve $\text{CoFe}_{2-x}\text{Nd}_x\text{O}_4:\text{SiO}_2$ of nanocomposites for $x=0.1$	137