

## Bibliography

1. Ababacar M, Karl EM, Drissa D, Berit SP. *J. Ethnopharmacol.* 2006;104:132-7.
2. Abraham EP, Chain E, Fletcher CM. *Lancet* 1941; 16: 177–189.
3. Abramowski Z, et al. *Phytochem.* 1989;28(7).
4. Akak CM, Djama CM, Nkengfack AE, *Fitoterapia.* 2010;81:873-7.
5. Alan WJ. Linköping Sweden: Centraltryckeriet, 2010.
6. Alder AL. *The History of Penicillin Production.* NY: Am. Inst. Chem. Engg, 1970.
7. Alice MC. *Pharm. Res.* 1996; 13(8): 1133-1141.
8. Alves EAC, Costa MAC. Batocanone, a new naphthoquinonylnaphthoquinone epoxide. *Tetrahedron Lett.* 1980;21(25):2459.
9. Amar Dev MJ, Rajarajeshwari N, Ganapaty S, Parixit B, Brun R. Antiprotozoal and Anthelmintic Naphthoquinones from Three Unexplored Species of *Diospyros*. *Journal of natural remedies*;2012;12(2)129-34.
10. Anbuselvama C, et al. *Chemico Biological Interactions.* 2007; 168: 229-36.
11. Ande KK, Gowrishankar NL, Chaitanya T, Nagajyothi G, Nagarjuna U, Reddy RB, Ramya M. Evaluation of Wound Healing activity of ethanol extracts of *Diospyros melanoxylon* (Roxb) Leaves. *Intr. J. Pharm. Pharm. Sci.* 2012;4(4):548-551.
12. Andriamasy J, Pelissier Y, Fouraste I. Triterpenes from *Diospyros kaki* L. *Trav Soc Pharm Montpellier.* 1978;38:77; Chemical Abstracts, 1978, 89, 12037t.
13. Anonymous. Global Market. [Internet citation]. [cited on 10th April 2013]; Available from. [http://www.dsir.gov.in/reports/ittp\\_tedo/ism/ISM\\_AS\\_Market.pdf](http://www.dsir.gov.in/reports/ittp_tedo/ism/ISM_AS_Market.pdf)
14. Anonymous. Macropaedia. *The New Encyclopaedia Britannica.* 15th ed. Chicago, USA: The University of Chicago; 1982, p. 173.
15. Anonymous. Micropaedia. *The New Encyclopaedia Britannica.* 15th ed. Chicago, USA: The University of Chicago; 1982, p. 563.

16. Anonymous. *Regional office for the Western Pacific, Research guidelines for evaluating the safety and efficiency of herbal medicines*, Manila: WHO, 1993.
17. Anonymous. *The Plant List- Version 1. Ebenaceae* [Internet]. 2010 [cited on 25th April 2013]. Available from: <http://www.theplantlist.org/browse/A/Ebenaceae/>
18. Anonymous. *The Wealth of India, Raw Materials*. New Delhi, India: CSIR; 1952 , p. 85.
19. Arathi G, Sachdanandan P. *J. Pharm. Pharmacol.* 2003; 55(9): 1283-90.
20. Astudillo L, Rodriguez JAS-HG. *J. Pharm. Pharmacol.* 2001;54:583-8.
21. Aswatha Ram HN, et al. *Pharmacog. Mag.* 2009; 5(18):176-82.
22. Aszalos A. *Antitumour compounds of natural origin*. Boca Raton: CRC press, 1982.
23. Atalkar PS, Baraskar YB, Holey PP, Deopujari JY, Mandavgane SA. Preparation and testing of herbal adamantine glue as described in Brhatsamhita. *Indian J. Trad. Knowledge.* 2006;5(2):259-62.
24. Auamcharoen W, et al. *Biochem. Syst. Ecol.* 2009;37 690–2.
25. Bailey LH. *Manual of Cultivated-Plants*. NY: Mcmillan Publishing Company; 1949. p. 791.
26. Baker DD, Chu M, Oza U, Rajgarhia V. *Nat. Prod. Repo.*, 2007; 24: 1225-1244.
27. Balfour E. *The Timber Trees, Timber and Fancy Woods*. 3 ed. Madras: Higginbotham; 1870, p. 100.
28. Balmain A, et al. *Br J Cancer Suppl*, 1988; 9: 72-5.
29. Baricevic D, et al. *J Ethnopharmacology.* 2001;75:125-32.
30. Bhakuni DS, Satish S, Shukla YN, Tandon JS. *Phytochem.* 1971;10:2829-31.

31. Bhandary SK, Suchetha NK, Bhat VS, Sharmila KP, Bekal MP. Preliminary phytochemical screening of various extracts of *Punica granatum* peel, whole fruit and seeds. 2012; 2(4):34.
32. Bhaumik T, Dey AK, Das PC, Mukhopadhyay AK, Chatterjee A. Triterpenes of *Diospyros peregrina* Gurke: Partial syntheses of olean-9(11),12-dien-3-one and ursan-9(11),12-dien-3-one (marsformosanone). *Indian J Chem.* 1981;20B:664.
33. Bhushan P, Dnyaneshwar W, Pushpagandan P, Narendra B. Ayurveda J. *Evid. Based Compl. Altern. Med.*. 2005;2:465-73.
34. Bird CW, Cheeseman GWH. Other Naturally Occuring Aromatic Compounds. In: Bird CW, Cheeseman GWH, editors. *Aromatic and Heteroaromatic Chemistry*. 1. Bristol, England: Royal Society of Chemistry; 1973, p. 414.
35. Blaza F, Abramowsky Z, Towers GHN, Wiriachitra. *Phytochem.* 1989;28(7):1827-30.
36. Blundell TL, Jhoti H, Abell C. *Nature Reviews Drug Discovery*. 2002; 1(1): 45– 54.
37. Borsub L, et al. *Tetrahedron Lett.* 1976;2:105-8.
38. Bouquet A. Plantes Medicinales du Congo-Brazzaville. *Trav Doc ORSTROM.* 1972;13:112; Chemical Abstracts., 1973,78, 121363.
39. Breitmaier E. Terpenes: flavors, fragrances, pharmaca, pheromones. Verlag: Weinheim: Wiley-VCH; 2006, p. 97.
40. Briand CH. The common persimmon. the history of an underutilized fruit tree (16th-19th century). *Huntai.* 2005;12(1):71-89.
41. Brown AG, Thomson RH. *J. Chem. Soc.* 1965, 4292.
42. Buenz E, et al. *J. Toxicol. Sci.* 2007 32(5):487-93.
43. Burke MD, Berger EM, Schreiber SL. *J. Am. Chem. Soc.* 2004; 126(43): 14095–104.
44. Burnett AR, Thomson RH. Anthraquinones in *Morinda umbellata* L. *Phytochemistry.* 1968; 7(8): 1421–1422.
45. Butler MS. *Natural Products Repository*, 2008; 25: 475-516.

46. Carter FL, Garlo AM, Stanley JB. *J. Agric. Food Chem.* 1978;26(4):869-73.
47. Carter FL, Garlo AM, Stanley JB. *J. Agricul. Food Chemistry.* 1978;26:869-73.
48. Chang T, Huang S, Chang Y, Chang C, Yang H. *J. Agricul. Food Chem.* 2011;59(9):112-9).
49. Chatterjee TK, *Herbal Options*, Eastern Traders, Calcutta. 1997:83
50. Chaudhary G. *Int J Biol Med Res.* 2011; 2(3): 671-678.
51. Chauhan JS et al. *J. Indian Chem. Soc.*. 1978;55:1068-70.
52. Chauhan JS, Kumari G. *Phytochem.* 1980;19:2637-8.
53. Chauhan JS, Saraswati M, Kumari G. *Planta Med.* 1979;35:373-5.
54. Chen CC, Yu HJ, Huang YL. *Zhonghua Yaoxue Zazhi.* 1992;44:229; Chemical Abstracts, 1992, 117, 188243.
55. Chen FC, Reese ET. Proanthocyanidin from Persimmon Fruits. *J. Chin. Chem. Soc.* 1967;14:41; Chemical Abstracts, 1968, 68, 21780y.
56. Chen G, Hauangwei LB, Chunlei-Wang B, Koichi YB, Masanobu MB, et al. *Clin. Chim. Acta.* 2002;326:169-75.
57. Chen GX, et al. *J. Asian Nat. Prod. Res.* 2007;9(4):347-53.
58. Chen HK, Chen KJ, Lin YS, Chen FC. *Taiwan Kexue.* 1991;44:63; Chemical Abstracts, 1992, 116, 191107.
59. Chopra RN, Badhwar RL, Ghosh S. *Poisonous Plants of India.* Calcutta, India: Government of India Press; 1949, p. 632.
60. Chopra RN, Nayar SL, Chopra IC. *Glossary of Indian Medicinal Plants.* New Delhi, India: CSIR; 1956.
61. Choudhary AR. *Labdev Journal of Science and Technology, Part B Life Science.* 1973;10:168-9; Chemical Abstracts, 1974, 80, 12516n.

62. Collins R, Halim A. Characterization of the volatile compounds of *Diospyros blancoi*. *Econ. Bot.* 1976;30(4):313.
63. Connolly JD, Hill RA. *Nat. Prod. Repo.* 2002;19:494.
64. Cooke RG, Dowd H, Webb LJ. Naphthaquinones from *Diospyros hebecarpa*. *Nature.* 1952;169:974.
65. Cooke RG, Dowd H. Colouring matters of Australian plants II. Naphthaquinones from *Diospyros bebecarpa* A Cunn. *Aus J Sci Res.* 1952;5A:760-7.
66. Cordell GA. Phytochemistry and traditional medicine – A revolution in process. *Phytochemistry Letters*, 2011; 4: 391–398.
67. Costa MAC, Alves EAC, Seabra RM, Andradae PB. Naphthaquinones from *Diospyros chamaethamnus*. *Planta Med.* 1998;64:391.
68. Costa MAC, Paul MI, Alves EAC, Vander Vijiver LM. Aliphatic and Triterpenoid compounds of Ebenaceae species. *Revista Portuguesa Farmacia.* 1978;28:171-4.
69. Cragg GM, Newman DJ. *Chemistry and Biology.* 2010: 135-75.
70. Cragg GM, Schepartz SA, Suffness M, Grever MR. *J. Nat. Prod.* 1993; 56(10): 1657-68.
71. Dahanukar N, Raut R, Bhat A. *J. Biogeogr.* 2004; 31(1): 123-136.
72. Dangoggo SM, Hassan LG, Sadiq IS, Manga SB. *Journal of Chemical Engineering.* 2012;1(1):31-7.
73. Daniel AD, Sylvia U, Ute R. *Metabolites* 2012; 2: 303-336.
74. Daniels RJR. *Curr. Sci. India.* 2001; 81(3):240-244.
75. Das S, Bhattacharya S, Biswas M, Kar B, Suresh-Kumar RB, Pramanik G, et al. *Pharmacologyonline.* 2011;3(109-11).
76. Das S, Bhattacharya S, Kar B, Bala A, Pramanik G, et al. *Pharmacologia.* 2012;3(7):196-9.

77. Das S, Bhattacharya S, Suresh-Kumar RBP, G, Haldar PK. *Der Pharmacia Lettre*. 2011;3(3):225-32.
78. Das, Bhattacharya S, Kar B, Bala A, Pramanik G, Haldar PK. Anticonvulsant Activity of *Diospyros cordifolia* Bark Against Experimentally Induced Convulsions in Swiss Albino Mice. *Pharmacologia*. 2012;3(7):169-9.
79. David JN, Gordon MC, Kenneth MS. *J. Nat. Prod.* 2003; 66:1022-1037.
80. David JN, Gordon MC, Kenneth MS. *Nat. Prod. Repo.*. 2000; 17: 215 - 234.
81. deBoer HJ. *African Plants as Anti-pathogen agents: efficacy and clinical evidence*. In: Watson R, Preedy VR, editors. *Botanical Medicine and Clinical Practice*. Oxon, UK: CABI; 2008.
82. Demain AL. Natural Products and Drug Discovery. Part I. In: *Natural Products: Drug Discovery and Therapeutic Medicine*. Totowa, New Jersey: Humana Press Inc. 2005, pp. 3.
83. Desai HK, et al. *Indian J. Chem.* 1970, 8, 851.
84. Dewanjee S, Bose SK, Sahu R, Mandal SC. *Inter. J. Green Pharmacy*. 2008:95-9.
85. Dewanjee S, Maiti A, Kondu M, Mandal SC. *Planta Med.* 2007;73:448.
86. Dinda B, Bhattacharya A, De UC, Arima S, Takayanagi H, et al. Antimicrobial C-glucoside from aerial parts of *Diospyros nigra*. *Chem.Pharm. Bull.* 2006 54(5):679-81.
87. Dominguez XA, et al. *Revista Chemical Abstracts*, 1979, 91, 120372y.
88. Durand R, Zenk MH. *Tetrahedron Lett.* 1971;32:3009-12.
89. Dutta PK, Dutta NL, Chakravarti RN. *Phytochem.* 1972;11(3):1180-1.
90. Dzoyem J, et al. *Phytother. Res.* 2007;21(671-4).
91. Eldridge GR, Vervoort HC, Lee CM, Cremin PA, Williams CT, Hart SM, Goering MG, O'Neil-Johnson M, Zeng L. *Analytical Chemistry*. 2002; 74 (16): 3963–71.

92. Erturk O.. *Turk. J. biol.* 2005;5:51-7.
93. Eshwar KK, Mastan SK, et al. *Pharmacologyonline.* 2008;3:50-6.
94. Esimone C, Nworu C, Onuigbo E, Omeje J, Nsirim K, Ogbu J et al. *Int. J. Green Pharm.* 2009; 3(3):201.
95. Eslami B, Ebrahimzadeh M, Fazelian M, Nabavi S. *Pharmacognosy Magazine.* 2009;5:122-6.
96. Fallas AL, et al. *J. Chem. Society. Perkin Transaction I.* 1968;18:2279-82.
97. Federsel HJ. *Nature Reviews Drug Discovery.* 2003; 2(8):654–64.
98. Feher M, Schmidt JM. *Journal of Chemical Information and Computer Sciences.* 2003; 43(1): 218–27.
99. Ferreira MA, Alves EAC, Sousa AFD. Naphthoquinones of *Diospyros heterotricha*. *Garcia de Orta, Ser Formacogn.* 1972;1(1):29-30; Chemical Abstracts, 1974, 81, 117069t.
100. Ferreira MA, Costa MAC, Alves EAC. Identification of methylnaphthazarin in *Diospyros* species. *Phytochemistry.* 1972;11(7):2352.
101. Finar IL. *Organic Chemistry.* 5th ed. New York: Longman Scientific and Technical; 1975, Vol. (II).p.518.
102. Finney DJ: *Probit Analysis.* Cambridge University Press, Third Edition 1952.
103. Forgacs P, Desconclois JF, Pousset JL, Rabaron A. *Tetrahedron Lett.* 1978:4783.
104. Frank G, Jean-Charles C, Jerome DM, Kurt H. *Phytochem.* 1987;26:2501-3.
105. Frank G, Rodriguez E. *Chemical Abstracts,* 1989, 111, 74815b.
106. Fransworth, NR, Akerele O, Bingel AS. *Bulletin of WHO,* 1985; 63:965-981.
107. Fukai S, et al. *J. Oleo Sci.* 2009;58(4):213-9.

108. Gafner F, et al. Chemical Abstracts, 1989, 111, 74815b.
109. Gafner F, et al. *Phytochem.* 1987;26(9):2501-3.
110. Gafner F, Chapuis JC, Msonthi JD, Hostettmann K. *Phytochem*, 1987;26(9) 2501-3.
111. Ganapaty S, et al. *Biochemical Systematics and Ecology.* 2005;33:313-5.
112. Ganapaty S, et al. *Phytochem.* 2004; 65(9):1265-71.
113. Ganapaty S, et al. *Phytochem.* 2004;65:1265-71.
114. Ganapaty S, et al. *Phytochem.* 2006;67(17): 1950-6.
115. Ganesan A. Current Opinion in Biotechnology, 2004, 15 (6), 584– 590.
116. Gautam M, Purohit R. Preliminary investigations on the anti-bacterial activity of leaves and oil of *Polyalthia longifolia*. *Indian J. Pharm.* 1973;35(4):118-9.
117. Ghosh MN: Fundamentals of Experimental Pharmacology. Scientific Book Agency, Second Edition 1984.
118. Gilani AH, Rehman AU. *J. Ethnopharmacol.* 2005; 100(1-2): 43 – 49.
119. Glish GL, Vachet RW. *Nature Reviews Drug Discovery.* 2003; 2(2): 140–50.
120. Goel S. The art and science of Homeopathic Pharmacy. Herausgeber: IBPP, 2007.
121. Golovina TN, Vasilenko YK. Effect of ursolic acid on the energy and carbohydrate metabolism of muscles. Chemical Abstracts, 1978, 88, 164310u.
122. Gondo M, et al. *Phytochem.* 1999;51(7):879-81.
123. Gordon MC, Paul GG, David JN. *Chemistry Review*, 2009; 109: 3012-3043.
124. Goutam MP, Purohit RM. Antibacterial activity of leaves and seeds of *Diospyros montana*. *Indian J. Pharm.* 1973;35:93.

125. Goutam MP, Purohit RM. Fettsaeure-und Sterolgehalt von *Diospyros montana* ROXB-Samen. *Scifen, Oele, Fette, Wachse*. 1977;103(4):99-101; Chemical Abstracts, 1977, 86, 161111c.
126. Gowda B. Vanaspathi Kosha: Plant Wealth of Sringeri, Karnataka. Kalpatharu Research Academy. 2004, p. 65.
127. Gujar GT. *Fitoterapia* 1990;61(5):387-94.
128. Gunawardene NR, Dulip-Daniels AE, Gunatilleke IAUN, Gunatilleke CVS. *Curr. Sci. India*. 2007; 93(11): 1567-1572.
129. Gunnar S, *Drug of Natural Origin*, 4<sup>th</sup> edition, Sweedish Pharmaceutical Society Press, Sweden, 1999.
130. Gupta MB, et al. *Ind. J. Med. Res.* 1981;73:649.
131. Gupta RK, Dhar MM. Naphthoic acid derivatives from *Diospyros ebenum*. *Phytochemistry*. 1969;8(4):789-90.
132. Gupta RK, Mahadevan V. Constituents from *Diospyros ebenum* fruits. *Indian J. Pharmacol.* 1968;30:93-99.
133. Gupta RK, Mahadevan V. *Indian J. Pharm.* 1967;29:289-91.
134. Gupta RK, Roa PS. *Proc. Indian Sci. Acad. Section A*. 1964;60(1):36-41.
135. Gupta RK, Tiwari RD. *Proc. Nat. Acad. Sci., India Section A*. 1964;34(2):180.
136. Hall DG, Manku S, Wang F. *Journal of Combinatorial Chemistry*. 2001; 3(2): 125–50.
137. Hamizah S, et al. *Asian Pacific J Cancer Prev*, 2012;13: 2533-9.
138. Hamzah AS. *Wonder Molecules from Nature and Library*. Shah Alam: University Publication Centre (UPENA); 2010.
139. Harbone JB, *Pytochemical Methods of Analysis*. London: Chapman and Hall Ltd;1984:1-7.

140. Harborne JB. *Phytochemical Methods*. Jackman H, (Ed), London; 1973:70.
141. Harper SH, et al. *J Chem Soc C*. 1970:626-36
142. Harvey AL. *Drug Discov. Today*, 2008; 13: 894-901.
143. Harvey AL. Natural products as a screening resource. *Curr. Opin. Chem. Biol.* 2007; 11: 480-4.
144. Hasan T, Matyukhina LG, Saltykova IA. Triterpenoids of *Diospyros lotus*. *Kimiya Prirodnikh Soedineii*. 1975;11(1):103; Chemical Abstracts, 1975, 83, 75369.
145. Hazra B, Banerjee A, Roy DK. *IRCS Medical Science*. 1986;14:593; Chemical Abstracts, 1986, 105, 75768b.
146. Hazra B, et al. A preliminary note on the effect of *Diospyros melanoxylon* on ascites carcinoma in mice. *J Indian Chem Soc*. 1981;58:627.
147. Hazra B, et al. *Indian J. Pharmacol*. 2002;34:422-7.
148. Hazra B, et al. *Planta Med*. 1984;51(4):295.
149. Hegnauer R. Ebenaceae. *Chemotaxonomie der Pflanzen*. 4. Basel: Birhauser Verlag; 1996.
150. Herath WHMW, Rajasekar NDS, Sultanbawa MVS, Wannigama GP, Balasubramaniam S. *Phytochem*. 1978;17(5): 1007-9.
151. Heywood VH. *Flowering plants of the world*. New York, USA: Mayflower Books; 1978.
152. Hiern WP. A monograph on Ebenaceae. Cambridge: The Cambridge Philosophical Society; 1819, p. 180.
153. Higa M, et al. *Chem. Pharm. Bull*. 1987;35(10):4366-7.
154. Higa M, et al. *Chem. Pharm. Bull*. 2002;50(5):590-3.
155. Higa M, Ogihara K. *Chem Pharm Bull*. 1998;46:1189- 93.

156. Higa M. A New Binaphthoquinone from *Diospyros maritima* Blume. *Chem. Pharm. Bull.* 1988;36:3234-6.
157. Horvat RJ, Senter SD, Chapman GW, Payne JA. Volatile Compounds from the Mesocarp of Persimmons. *Journal of Food Science.* 1991;56(1):262.
158. Indian Pharmacopeia. Vol-I and Vol-II. Delhi: Controllor of Publication;1996:A277
159. Irvine FR. *Woody plants of Ghana.* Oxford: Oxford Unniversity Press; 1961, p. 576.
160. Jagdeep K, et al. *Am. J. Biomed. Sci.* 2010, 2(1), 79-90.
161. Jain N, et al. *Phytochem.* 1994;35(4):1070-2.
162. Jain S, DeFilipps R. *Medicinal Plants of India.* Michigan: Ref, Publs, Inc; 1991. p. 286.
163. James DM, Sylesh KV, Henri JT. *Phytochem..* 2007; 68(14):2015-22.
164. James DM, Sylesh KV, John TH. *Phytochem.* 2007; 68: 2015–22.
165. Jang I, Jo E, Bal M, Lee H, Jeon G, et al. *J. Med. Plant Res.* 2010;4:155-60.
166. Janzen DH. *Chem. in Evolution and Systematics.* Swain T, editor. London: Butterworths; 1973, p. 529.
167. Jeffreys JAD, et al. *Phytochem.* 1983, 22, 1832.
168. Jeffreys JAD, Zakaria MB. *Tetrahedron Lett.* 1983;24(10):1085-8.
169. Jeon, JH, Kim YK, Lee AG, Lee GH, Lee HS. Insecticidal activities of a *Diospyros kaki* root-isolated constituent and its derivatives against *Nilaparvata lugens* and *Laodelphax striatellus*. *Journal of Asia-Pacific Entomology.* 2011;14(4):449-53.
170. Joerg G. *Nutraceuticals World.* 2008. [Internet citation]. Cited on 12<sup>th</sup> Dec 2013. Available in: [http://www.nutraceuticalsworld.com/issues/2008-07/view\\_features /the-global-herbs-amp-botanicals-market/](http://www.nutraceuticalsworld.com/issues/2008-07/view_features/the-global-herbs-amp-botanicals-market/)
171. Joshi CG, Magar NG. *J. Sci. Indus. Res.* 1952;11B(6):261-3.

172. Kameda K, et al. *J. Nat. Prod.*. 1987;50(4):680-3.
173. Kaneria M, et al. *Indian J Pharmacol.* 2008 40(Suppl 2):S66-S91.
174. Kapil RS, Dhar MM. Chemical constituents of *Diospyros montana* Roxb. Part-I Isolation of Diospyrin, a new binaphthyl derivative. *J. Sci. Ind. Res.* 1961;20:498.
175. Karrer P, Merf R, Kraiss EV, Zubrys A. Pflanzenfarbstoffe XXXIX. Vermischte Beobachtungen über Carotinoide ( $\alpha$ -Carotin, Zeaxanthin, Carotinoide aus Kaki-früchten). *Helvetica Chimica Acta.* 1932;15(1):490-3.
176. Kathiresan K.; Boopathy N.S; Kavitha S. *Nat. Prod Rad.*, 2006, 5, 115-19.
177. Kawase M, et al. *Phytotherapy Research.* 2003;17(5):495-500.
178. Khan H, Saeed M, Gilani AH. *Phytother. Res.* 2011; 25(7): 1024-30.
179. Khan MR, et al. *Fitoterapia.* 1999;70:194-6.
180. Khan MR, et al. *Planta Med.* 1989;55(6):581.
181. Khan MR, Khishimba MA, Locksley LD. Extractives from Ebenaceae: Naphthoquinones and Triterpenoids from *Diospyros zombensis*, *Diospyros consolatae* and *Diospyros squorrosa*. *Fitoterapia.* 1987;58(6):424.
182. Khan MR, Nkunya MHH, Wevers H. Penta cyclic triterpenoids from leaves of some *Diospyros* species. *Pakistan J. Sci. Ind. Res.* 1979;22(6):301.
183. Khan MR, Rwekika E. *Phytochem.* 1988;49(8):2501-3.
184. Khan MR, Rwekika E. *Phytochem.* 1999;50(1):143-6.
185. Khan MR, Rwekika E. Triterpenoids from leaves of four species of the Ebenaceae family. *Fitoterapia.* 1992;63(4):375-6.
186. Khan MR, Timi D. *Fitoterapia.* 1999;70:209-11.
187. Khandelwal KR. *Practical Pharmacognosy Techniques and Experiments*, 13th edition, Nirali Prakashan; Pune, 2005.

188. Khare CP. *Indian Medicinal Plants: An Illustrated Dictionary*. Ed. Verlag-Berlin: Springer; 2007.
189. Kim S, Cho S, Simkhada J, Park S, Lee H, et al. *Oncology Rep.* 2010 23(1):89-95.
190. Kingston DG, David JN. *Curr. Opin. Drug Disc.* 2002; 5: 304-316.
191. Kingston DGI. *J. Nat. Prod.*, 2011; 74: 496-511.
192. Kirtikar KR, Basu BD. *Indian Medicinal Plants*. Blatter E, Cains JF, Mhaskar KS, editors. Allahabad, India: Lalit Mohan Basu; 1933, p. 1498.
193. Kofinas C., Chinou I., Loukis A., Karvalo C., Roussakis C., Mailard M., Hostattmann K., *Planta medica*, 1998, 64, 174-176.
194. Kokata CK, et al. *Textbook of Pharmacognosy*, 7th ed. Pune: Nirali Prakashan; 1976.p.105.
195. Kolewe ME, Gaurav V, Roberts SC. *Mol. Pharm.* 2008; 5: 243-56.
196. Kossoy G, et al. *In Vivo.* 2006; 20: 543-8.
197. Krishna V, Mankani K, Shanthamma C. *Ind. J. Pharm. Sci.* 2005;67:106.
198. Krishnaraju AV, et al. *Int. J. Appl. Sci. ENG* (2005) 3: 125-34.
199. Kuete V, et al. *Intr. J. Antimicrobial Agents.* 2009;34 322-5.
200. Kuhe C, et al. *Phytother. Res.* 1998;12:155-8.
201. Kumar R, Mehtab P, Kumar A, Rizvi W. Screening of fruit of *Diospyros montana* for anti-filarial activity. *Journal of Natural Remedies.* 2009;9(1):56-61.
202. Kumar S, Ahmad H, Sehgal S, Gupta R, Saraf SA. Detection and quantitation of beta-sitosterol in *Diospyros montana* Roxb. By HPTLC. *Int. J. Pharma. Bio. Sci.* 2011; 2(4):P-519-27.
203. Kunte K, Gadgil M. *India, a Lifescape: Butterflies of Peninsular India*. Hyderabad: Universities Press(India) Ltd. 2000, p.233.

204. Kuo YH, Chang CI, Kuo YH, L HS. *J. Chin. Chem. Soc.* 1998;45(1):111-4.
205. Kuo Y-H, et al. *Phytochem.* 1997;46(6):1135-7.
206. Kuo YH, Huang SL, Chang CI. *Phytochem.* 1998;49(8):2505-7.
207. Laatsch H. Dimere Naphthochinone, IV. *Liebigs Ann. Chem.* 1980:1321-47.
208. Lajubutu BA, et al. *Phytother. Res.* 1995;9(5):346-50.
209. Laloo RC, Kharlukhi L, Jeeva S, Mishra BP. *Curr. Sci. India.* 2006;90(2):225-32.
210. Laloo RC. *Curr. Sci. India.* 2006;90(2):225-32.
211. Laszczyk M. *Planta Med.* 2009 75(15):1549-60.
212. Lee C. *J. Microbiol. Biotechnol.* 2008;18:314-21.
213. Lee K, Jung J, Lee M, Jung D, Cho E, et al. *Inflammation.* 2012 35(2):623-32.
214. Lee ML, Schneider G. *Journal of Combinatorial Chemistry.* 2001; 3(3): 284–9.
215. Lewis GE. *S Afr J Sci* 1995, 91:382.
216. Lewis WH, Elvin-Lewis MPF. *Medical Botany: Plants Affecting Man's Health.* NY: Wiley-Interscience; 1977.
217. Ley SV, Baxendale IR. *Nature Reviews Drug Discovery.* 2002; 1(8): 573–86.
218. Li JWH, Vederas JC. *Science.* 2009;325:161–5.
219. Li-Hua L, Zhou YJ, Ding L, Zhang SZ, Sun J, Cao JG. *Intr. J. Med.* 2013:1567.
220. Likhitwitayawuid K, et al. *Planta Medica.* 1999;65:754-6.
221. Lillie TJ, et al. *J. Chem. Society. Perkin Transaction I.* 1976;20:2155-61.
222. Lillie TJ, Musgrave OC, Skoyles D. *J. Chemical Society, Perkin Trans.* 1976;1:2546.

223. Lillie TJ, Musgrave OC. *J. Chem. Soc. Perkin Transaction I.* 1980:1161-4.
224. Lipnick RL, et al, *Fd. Chem. Toxicol* 1995, 33, 223-231.
225. Lombardino JG, Lowe JA. *Nature Reviews Drug Discovery.* 2004; 3(10): 853–62.
226. Looder JW, Mongolsuk S, Robertson A, Whalley WB. Diospyrol, a constituent of *Diospyros mollis*. *J Chem Soc.* 1957:2233-7.
227. Lu RR, Zhang YY. Chemical investigation of *Diospyros siderophylla*. *Acta Chimica Sinica.* 1981;39(7-9)L815-7.
228. Ma CM, et al. *Chinese. Pharm. J.* 2002;37(5):336-8.
229. Macias FA, Galindo JLG, Galindo JCG. Evolution and current status of ecological Phytochemistry. *Phytochem.*, 2007; 68: 2917-36.
230. Macias FA, Galindo JLG, Galindo JCG. Evolution and current status of ecological phytochemistry. *Phytochemistry.* 2007; 68(22-24): 2917-36.
231. Mahdavi shetty, “*Diversity of medicinal plants of Andhra Pradesh,*”1998, 3-10.
232. Maiti BC, et al. *J. Chem. Soc, Perkin Trans.* 1986;1: 675-81.
233. Maiti BC, et al. *J. Chem. Soc. Perkin Trans. I.* 1990 (2):307.
234. Maiti BC, Musgrave OC, Skoyles D. Oxidative coupling of methoxynaphthylenediols. *Tetrahedron.* 2005; 61:6568-74.
235. Maiti BC, Musgrave OC, Skoyles D. Total syntheses of diosindigo B, mamegakinone, biramentaceone, and rotundiquinone. *J Chem Soc Chem Comm.* 1976:244.
236. Mallavadhani UV, et al. *Biochem. Systematics and Ecol.* 1998;26:941-2.
237. Mallavadhani UV, et al. *Biol. Pharm. Bull.* 2004;27(10):1576-9.
238. Mallavadhani UV, Panda AK, Rao YR. Pharmacology and Chemotaxonomy of *Diospyros*. *Phytochemistry.* 1998;49(4):901-51.

239. Mallavadhani UV, Panda AK, Rao YR. Pharmacology and Chemotaxonomy of *Diospyros*. *Phytochemistry*. 1998;49(4):901-51.
240. Mandali D, Parmar S, Patel T, Joshi D and Patel KN. Standardization of Neorise Granules. *Journal of Pharmacy Research*, 2011; 4(10): 3339-41.
241. Mankani KL, Manjunath BK, et al. *J. Nat. Reme.* 2006;6(2).
242. Manoharan S, et al. *Int. J. Res. Pharm. Sci.* 2010; 1(4), 521-9.
243. Marderosian AD, Beutler JA. *The Review of Nat. Prod.*, 2nd ed.; Seattle, WA, USA: Facts and Comparisons, 2003; pp. 13–43.
244. Maridass M. *Ethnobotanical Leaflets*. 2008;12:231-44.
245. Marston A, Msonthi JD, Hostettmann K. *Planta Med.* 1984;50(3):279-80.
246. Martson A, Chapuis JC, Sardat B, Msonthi JD, Hostettmann K. Anthracenic derivatives from *Psorospermum febrifugum* and their *in vitro* cytotoxicities to a human colon carcinoma cell line. *Planta Med.* 1986:207-10.
247. Matsushita Y, et al. *Journal of Wood Science*. 2010;56(5):418-21.
248. Matsuura E, Quan N, Kobayashi K, Matsunami Y, Ide M, et al. Anti-atherogenic effects of persimmon (*Diospyros kaki*) peel in LDLR-deficient mice: plaque reduction, inhibition of OXLDL/ $\beta$ 2GPI autoantigen and thromboxane platelet activation. *Atherosclerosis Supp.* 2011;12(1):13-184.
249. Matsuura S, et al. *Chemical Abstracts*, 1971, 75, 126550w.
250. Matsuura S, Iinuma M. *Yakugaku Zasshi-J. Pharm Soc. Japan* 1977;97(4):452.
251. McLaughlin JL, et al. *Drug Inf J.* 1999;32:513.
252. Meyer BN, et al. *Planta Med.* 1982; 45(1):31-4.
253. Middleton P, et al. *Iranian J Pharma Res.* 2005;2:81–6.
254. Mishra G, Nigam SK, Mitra CR. *Phytochem.* 1972;11:1508-9.

255. Misra G, Nigam SK, Mitra CR. *Phytochem.* 1972;11(4):1508-9.
256. Mohamed SAN, Gandhidasan R, Charles JA. Two 2-naphthoic acids from *Diospyros paniculata*. *Indian J. Chem.* 2006;45B:1544-6.
257. Mohammad RK, Micheal AK, Harry L. *Planta Med.* 1987;53:498.
258. Mohammad RK, Nkunya MHH, Weavers H. Triterpenoids from leaves of *Diospyros* species. *Planta Med.* 1980;38:380-1.
259. Mondal S, Chakroborty G, et al. *Eur. Bull. Drug Res.* 2005;13:25-30.
260. Mondal SK, Mazumdar UK, et al. *Ind. J. Exp. Biol.* 2006;44:39-44.
261. Mongkolsuk S, Sdarwonvivat C. 3-methylnaphthalene-1,8-diol from *Diospyros mollis*. *J. Chem. Soc.* 1957:1533.
262. Moody J, Roberts V. *Nig. J. Nat. Prod. Med.* 2002;6:4-6.
263. Mori-Yasumotoa K, Izumotoa R, Fuchinob H, Ooic T, Agatsumad Y, et al. *Bioorg. Med. Chem.* 2012;20(17):5215-9.
264. Moshi MJ, et al. Anticonvulsant activity of *Diospyros fischeri* stem bark. *Afr J Trad Compliment Alter. Med.* 2007;4(1):94-8.
265. Moshi MJ, Zakaria MB, Mbwambo ZH, Nondo RSO, Masimba PJ, et al. *Afr. J. Trad. Complement Altern. Med.* 2007;4(2):226-30.
266. Mukharjee PK. QC of herbal drug. 1st ed. New Delhi: Business Horizons Pharmaceutical. 2002.
267. Murder MJ. *Magic and Medicine*. NY: Oxford Univ. Press, 1994; pp. 164-170.
268. Musgrave OC, Skoyles D. *J. Chem. Society. Perkin Transaction I.* 1974:1128-31.
269. Nabavi S, Ebrahimzadeha M, Nabavi S, et al. *Pharmacognosy. Magazine.* 2009;5(18):122-6.

270. Nadakarni A. *Indian Materia Medica*. 1st ed. Mumbai: Dhootapapeswar Prakashan Ltd; 1954, pp: 532.
271. Naithani HB, Sahni KC, Bennet SSR. Forest Flora of Goa. Dehra Dun: International Book Distributors. 1997; p. 378.
272. Narayan GKASS, Row LR, Satyanarayana P. Chemical examination of *Diospyros* species. *Curr. Sci. India*. 1978;47: 345.
273. Nema D, Srivastava SK, Srivastav SD. *J. Ind. Chem. Soc.* 1991;68:477.
274. Nematollahi A, et al. *J. Asian Nat.Prod. Res.* 2012;14(1):80-8.
275. NIH: Division of Occupational Health and Safety. “7,12-Dimethylbenzy(a) anthracene Safety Data Sheet”. 2009. <http://www.scorecard.org/chemicalprofiles/summary.tcl?pdf>
276. OECD, “Guidelines for the testing of chemicals/ no. 407, Paris, France, 2008.
277. OECD, Section 4: Health effects test No. 423. Paris, France 2001.
278. Olasehinde G, Ojurogbe O, Fagade O, Singh R, Adesola A. *Malar J.* 2012;11(1):P72.
279. Oluremi BB, Osungunna MO, Ogbole OO. *Pharmacog. J.* 2010;2(11):405-8.
280. Padal SB, et al. *J. Phytology.* 2010;2(8):70-91.
281. Paknikar SK, Fondekar KPP, Kirtany JK, Natori S. *Phytochem.* 1996;41(3):931-3.
282. Panda S, et al. *Int. J. Green Pharm.* 2010;4:42-7.
283. Panghal M, et al. *J. Ethnobiol. Ethnomed.* 2010;6.
284. Paphasarang S, Becehi M, Raynand J. A new diospyrol glycoside from *Diospyros mollis* Griff. *Tetrahedron Lett.* 1984;25(5):523-6.
285. Pardhasaradhi M, et al. *Phytochem.* 1979;18(4):684-5.
286. Pardhasaradhi M, Rao BN. A naphthoquinone carboxylate from fungal infested *Diospyros montana*. *Phytochemistry.* 1990;29(7):2355-6.

287. Pardhasaradhi M, Sidhu GS.  $\beta'$ -Dihydrodiospyrin - the first reduced bisnaphthaquinone. *Tetrahedron Lett.* 1972;13(41):4201-4.
288. Pareek RB, Vidyapati TJ, Bhutani KK. *J. Teaching Res. Chem.* 2008;15:6-11.
289. Parmar J, et al. *Am. J. Biomed. Sci.* 2011, 3(3), 199-209.
290. Parmar SK, et al. Neuropharmacological effects of triterpenoids. *Phytopharmacology.* 2013;4(2):3547-72.
291. Pathak A, Dinesh K, Maurya KR. *Phytochem.* 2004;65(14):2153-8.
292. Patil RS, et al. *World J. Public Health Sciences,* 2012;1(1):8.
293. Pellecchia M, Sem DS, Wuthrich K. *Nature Reviews Drug Discovery.* 2002; 1(3): 211–9.
294. Persoone G, Sorgeloos P, Roels O, Jaspers E. Proceedings of the international symposium on the brine shrimp *Artemia salina*; 1979 Aug 20-23; Texas, USA. Belgium: Universal Press; 1980. The brine shrimp *Artemia*.
295. Petronelli A, et al. *Anticancer Drugs.* 2009; 20(10): 880-92.
296. Phillipson JD. Phytochemistry and pharmacognosy. *Phytochemistry.* 2007; (22-24): 2960-72.
297. Phongboonrod S. *Medicinal Plants of Thailand.* Bangkok: Kasem Banakit; 1979, p. 16.
298. Piggott AM, Karuso P. *Combinatorial Chemistry and High Throughput Screening.* 2004; 7(7):607–30.
299. Prista LN, Prista HR. *Anais Fac Farm Porto.* 1954;14:91.
300. Prista LN. *Anais Fac Farm Porto.* 1954;14:67
301. Prista LN. *Anais Fac Farm Porto.* 1955;15:73.
302. QC methods for medicinal plants material, WHO Geneva, 1998:30.

303. Ragasa C, Puno M, Sengson J, Shen C, Rideout J, et al. Bioactive triterpenes from *Diospyros blancoi*. *Nat. Prod. Res.* 2009;23(13):1252-8.
304. Rageeb M, Usman M, Barhate SD. *Intr. J. Pharm. Chem Sci.* 2012; 1(1): 221-30.
305. Raghu AV. Plant based Drugs: Scopes and Challenges. *Govt. Arts & Science College Research Journal.* 2008; 1(2):71-7.
306. Raghupathy S, Newmaster SG. *J. Ethnobiol. Ethnomed.* 2009;5(10).
307. Rahman MR, Islam MS. Antioxidant, antibacterial and cytotoxic effects of the phytochemicals of whole *Leucas aspera* extract. *Asian Pac J Trop Biomed* 2013; 3(4): 273-279.
308. Raj J, Singh KP (2000). *Acalypha indica*. In: Central Council for Research in Homeopathy. 22(1 & 2): 1-6.
309. Raj KPS, Agrawal YK. Studies on fruits of *Diospyros montana* Roxb. *Polish J. Chem.* 1979;53:735-6.
310. Ralph SS. *Science* 1975; 190:880–881.
311. Ramanujam SN, Dominic R. Median Lethal Concentration (LC50) of Piscicidal Plants and Their Utilization in Aquaculture. *Journal of Applied Aquaculture*, 2012;24(4):326-333.
312. Ranganathan SK, Koshi T, Sitaraman NL. Methyl Anthraquinone (Tectoquinone)—a Synergist for 2,2-bis-(p-chlorophenyl)-I,I,I- trichloroethane (D.D.T.). *Nature.* 1949; 164: 1095-1095.
313. Ranjandeeep K, Jagpreet S, Gagandeeep S, Harpreet K. Anticancer plants: A Review. *J. Nat. Prod. Plants Resour.* 2011;1(4): 131-6.
314. Rashed KN. Antioxidant activity from *Diospyros ebenum* stem extract and Phytochemical profile. *Journal of Applied and Industrial Sciences.* 2013;1(2):70-2.
315. Recio M, et al. *Planta Med.* 1995;61:182-5.

316. Renganthan A, Dass PMV, Suresh KA, Premkumar K. Role of *Syzygium cumini* seed extract in the chemoprevention of *in vivo* genomic damage and oxidative stress. *J. Ethnopharmacol.* 2011; 13(6): 329-33.
317. Reutrakul V, et al. *Planta Med.* 2010 76(4):368-71.
318. Richomme P, Papillon B, Cabalion P, Braneton. Naphthaquinones from *Diospyros samoensis*. *J. Pharmaceutica Acta Helvetiae.* 1991;66:88-9; Chemical Abstracts, 1991, 115, 46037p.).
319. Rios JL, Recio MC, S N, M GR. *Natural Triterpenoids as Anti-inflammatory agents.* Atta-ur-Rehman, editor. Amsterdam, The Netherlands: Elsevier Science B. V; 2000.
320. Rios JL. Effect of triterpenes on the immune system. *Journal of Ethnopharmacology.* 2010; 128(1):1-14.
321. Rishton GM. *Am. J. Cardiol.* 2008;101:43D-9D.
322. Rode MS, Kalaskar MG, Gond NY, Surana SJ. *Bangl. J. Pharmacol.* 2013;8:49-53.
323. Roomi MW, et al. *Med. Oncol.* 2008; 25: 333-40.
324. Rouf R, Uddin SJ, Shilpi JA, et al. *Ars. Pharm.* 2006;47:81-9.
325. Rouhi AM. Rediscovering Natural Products. *Nat.Prod.*,2003;66:1022.
326. Rousseaux CG, Schachter H. *Birth Defects Res. B.* 2003;68:505-10.
327. Rout SP. *Intr. J. Pharm. Pharm. Sci.* 2009; 1(1):1-23.
328. Row LR, et al. *Bull. Nat. Inst. Sci. India.* 1965;28:69; Chemical Abstracts, 1965, 66, 26564.
329. Row LR, Rao CS, Sundar Ramaiah T. *Ind. J. Chem.* 1969;7(3):204.
330. Row LR, Rao CS, Sundar-Ramaiah T. The Chemical Examination of *Diospyros* Species. *Curr. Sci.*. 1966;35:457.
331. Row LR, Rao CS. *Curr. Sci. India.* 1968;37(4):104.

332. Row LR, Rao CS. *Tetrahedron Lett.* 1967;48:4845-52.
333. Sadun EH, Vajrasthira. *J. Parasitol.* 1954;40:49-53.
334. Sahu R, et al. *Nat. Prod. Res.* 2012;26:454-9.
335. Sajeev KK, Sasidharan N. Ethnobotanical observations on the tribals of Chinnar Wildlife Sanctuary. *Ancient Science of Life.* 1997; 14(4): 1 -8.
336. Saklani S, Sati B, Sati H, Mishra AP. *Intr. J. Pharm. Pharm. Sci.* 2012; 4(3):235.
337. Saldanha CJ, Ramesh SR. *Flora of Karnataka. Vol. 1.: Oxford & IBH; 1984, p. 336.*
338. Sankaram AVB, Reddy VVN, Sidhu GS. A pentacyclic quinone diosindigo B from the heartwood of *Diospyros melanoxylon*. *Phytochemistry.* 1981;20(5):1093-6.
339. Sankaram AVB, Reddy VVN. *Phytochem.* 1984;23(9):2039-2.
340. Sankaram AVB, Sidhu GS. Extractives from Bark and Wood of *Diospyros nielanoxylon* Roxb. *Indian J Chem.* 1964;2(11):467-8.
341. Sankaram AVB, Sidhu GS. *Phytochem.* 1971;10:458-9.
342. Sankhari JM. Safety evaluation of *Eugenia jamolana* seed extract. *Asian Pacific Journal of Tropical Medicine.* 2003; 3(12): 982-7.
343. Santhoshkumar H, et al *J. Pharmacol.* 2007;103:354-9.
344. Sasakawa Z. Clinical studies on the depressor effect of “Shibu” against hypertension. *J. Japan Soc. Int. Med.* 1955;43:858-65.
345. Sastry BN. *The Wealth of India, Raw Materials and Industrial Research.* New Delhi, India: CSIR; 1952, p. 76-87.
346. Satyanarana-Kantamreddi VS, Colin WW. *eCAM.* 2008;5(2):187-90.
347. Savithramma N, et al. *J Ethnopharmacol.* 2007 113(1):54-61.

348. Scharf KH, Zenk MH, Onderka DK, Carroll M, Floss HG. Stereochemistry of hydrogen elimination from C-6 of shikimate in naphthoquinone biosynthesis. *J. Chem. Soc D.* 1971 (11):576-7.
349. Schmidt B, Ribnicky DM, Poulev A. *Metabolism.* 2008;57:S3-9.
350. Schon K. CCIX. Studies on Carotenoids. I. The Carotenoids of *Diospyros* fruits. II. The Carotenoids of Arbutud fruits. (*Arbutus Unedo*). *Biochem J.* 1935 29(7):1779-85.
351. Schon K. CCIX. Studies on Carotenoids. I. The Carotenoids of *Diospyros* fruits. II. The Carotenoids of Arbutud fruits. (*Arbutus Unedo*). *Biochem J.* 1935 29(7):1779-85.
352. Sen HG, et al. *Arzneim-Forsch.* 1974;24:2000; *Chemical Abstracts*, 1975, 82, 149297c.
353. Seru G, Pannakal ST, Fotsob S, Laatsch H. *Phytochem.* 2004;65:1265-71.
354. Seru G, Pannakal ST, Karagianis G, Peter GW, Brun R. *Phytochem.* 2006;67:1950-6.
355. Seru G, Pannakal ST, Karagianis G, Peter GW. *Nat. Prod. Res.* 2006;20(9):738-7.
356. Seru G, Steve PT, Fotso S, Laatsch H. *Phytochem.* 2004; 65(9): 1265-7.
357. Seru G, Steve PT, Peter GW, Brun R. *Nat. Prod. Res.* 2006;20(9):738-7.
358. Sethi PD. Identification of drugs in pharmaceutical formulation by Thin Layer Chromatography. 1st ed . CBS Publishers; New Delhi; 1992.
359. Shaik A, Elumalai A, Eshwaraiah MC, Usha. An updated review on Hepatoprotective medicinal plants. *J. Drug Delivery and Therapeutics.* 2012; 2(2): 1-3.
360. Sharma K, Gupta RK. Constituents of *Diospyros ebenum* Stem bark. *Fitoterapia.* 1985;56(6):366-7.
361. Sharma P, Parmar J, Verma P. *Asian Pacific J. Cancer Prevention*, 2009;10: 1089-94.
362. Shin J, Lee H-J, Jung D-B, Jung JH, Lee H-J, et al. *PLoS One.* 2011;6(6).
363. Sidhu GS, et al. *Ind. J. Chem.* 1968;6:681-91.
364. Sidhu GS, Pardhasaradhi M. *Tetrahedron Lett.* 1967;8(14):1313-6.

365. Sidhu GS, Prasad KK. *Indian J Chem.* 1971;9:767.
366. Sidhu GS, Prasad KK. Xylospirin - a novel trinaphthylenequinone from *Diospyros chloroxylon* and comments on PMR spectrum of (-) isodiospyrin leucohexaacetate. *Tetrahedron Lett.* 1970;11(20):1739-42.
367. Sidhu GS, Sankaram AVB. Ein neues Naphthochinon aus dem Kernholz von *Diospyros melanoxylon* Roxb. *Justus Liebigs Annalen der Chemie.* 1966;691(1):172-76.
368. Sidhu GS. *Tetrahedron Lett.* 1967;30:2905-10.
369. Simlot MM. Piscicidal effect of temru *Diospyros cordifolia* Roxb. *Journal Inland Fish.* 1971:57-62.
370. Singh GB, Singh S, Bani S. Oleanolic acid. *Drugs Future.* 1994;19:450.
371. Singh N, et al. *Ind. J. Pharmacol.* 1988;20:102-8.
372. Singh N, Rastogi BK, Gupta BM, K PT, Kohli RP. A study of pharmacological activity of *Diospyros cordifolia*. *J. Res. Ind. Med.* 1971;6:229.
373. Singh N, Srivastava RK, Palit TK, Kohli RP. *J. Res. Ind. Med.* 1973;8:15-9.
374. Singh S, Joshi H, Prasad R. Antifungal potential of root bark of *Diospyros kaki* against some human pathogenic fungi. *Der Pharmacia Sinica.* 2011;2(5):210-6.
375. Singh S, Joshi H. *Diospyros kaki* (Ebenaceae): A Review. *Asian J. Res. Pharm. Sci.* 2011;1(3):55-8.
376. Singh S, Prasad R, Pathania K, Joshi H. Antifungal activity of Plumbagin and Isodiospyrin from *Diospyros kaki* root bark. *Asian J. Plant Sci. Res.* 2012;2(1):1-5.
377. Singh SB, Barrett JF. *Biochem. Pharmacol.* 2006; 71: 1006-15.
378. Sinha BN, Bansal SK, Pattnaik AK. *J. Nat. Rem.* 2009;9(1):99-102.
379. Sinha BN, Bansal SK. *J. Nat. Rem.* 2008;8(1):11-7.
380. Sini KR, Haribabu Y, Sajith MS, K S-S. *J. Chem. Pharm. Res.* 2012;4( 1): 917-21.

381. Srivastava S, Sandhya P. *Curr. Sci. India*. 1985;54(19):998.
382. Srujana ST, Babu KR, Rao BSS. Phytochemical Investigation and Biological Activity of Leaves Extract of Plant *Boswellia Serrata*. *The Pharma Innovation*. 2012; 1(2): 22-46.
383. Stahl E. Thin Layer Chromatography. 2nd ed. Toppan company Ltd., New york:1969.
384. Strum G, Zilliken F. Components of fruit of *Diospyros mollis*. *Plant Med*. 1972;21(3):310.
385. Sudipta D, Pallab KH, Goutam P, Siva PP, Samit B. *Afr. J. Trad. Complement. Altern Med*. 2011;8(1):11-4.
386. Sun H, et al. Structure-activity relationships of oleanane- and ursanetype triterpenoids. *Botanical Studies* 2006;47:339-68.
387. Sun L, et al. *Food Chem. Toxicol*. 2011;49:2689-96.
388. Sundar-Ramaiah T, Ramraj SK, Rao KL, et al. *J. Indian Chem. Soc*. 1976;53:638.
389. Suresh C, Sastry MS. *Ind. J. Pharm. Sci*. 1989;5:258.
390. Sutee D, Rosabelle SS, Jerome M, et al. *Mol. Phylogenetics and Evolution*. 2009;52:602-20.
391. Sutthivaiyakit S, Seeka C, Kritwinyu T, Pisutchareonpong S, Chimnoi N. 19 *Tetrahedron Lett*. 2012;53 1713-6.
392. Takahisa T, et al. Chemical Abstracts, 1988, 108, 48979b.
393. Tandon V, Kappor B, Gupta BM. *Indian J pharmacol*, 2004, 36(2) 99-100.
394. Tangmouo JG, Raimana HR, Lannang AL, Komguem J, Lontsi TA, Lontsi D, Hostettmann K. *Phytochem. Lett*. 2009;2:192-5.
395. Tannock J. Naphthaquinones from *Diospyros* and *Euclea* species. *Phytochemistry*. 1973;12(8):2066-7.

396. Tezuka M, et al. *Phytochem.* 1973;12:175-83.
397. Thanakijcharoenpath W, Theanphong O. Thai. *J. Pharm. Sci.* 2007;31:1-8.
398. The Ayurvedic Pharmacopeia of India. Part-II (formulations). Vol – I. 1<sup>st</sup> edn. New Delhi:Government of India, Min. Health and Family Welfare, Dept. of Ayurveda, Yoga & Naturopathy, Unani, Siddha and Homoeopathy. 2007, p. 141.
399. The Pharmacopoeia of Indian. New Delhi; Government of India, The Manager of Publication; 1982: 947.
400. Theerachayanan T, et al. *J. Nat. Sci.* 2007;6(2):253.
401. Thomas H. *Phytochem.* 2007;68:2831–46.
402. Thomson RH. *Naturally Occurring Quinones*. London: Academic Press; 1971, p. 228.
403. Tiwari KP, et al. *J Ind. Chem Soc.* 1979;56:944.
404. Tjan GT, Dr. Dreyer-van der Glas SM, Dr. Dingjan HA. Colour tests for the identification of alkaloids (and related compounds). *Pharmaceutisch Weekblad.* 1980; 2(1):445-467.
405. Trease and Evans. *Textbook of Pharmacognosy*. 15th ed. Philadelphia, W.B. Saunders; 2002. p.336m.
406. Tripathy G, Pradhan D. *Asian J. Pharm. Clin. Res.* 2013;6:127-30.
407. Trongsakul S, et al. *J. Ethnopharmacol.* 2003;85:221-5.
408. Tyler VE, et al. *Pharmacognosy*. 7th ed. Philadelphia: Lea and Febiger; 1976.p.105.
409. Unhanand M, Ngarmwat W, Sivasomboon C, Chantarachaya C, editors. Study on toxicity of Ma-Klua (Diospyros Mollis, Griff) used as a traditional anthelmintic in Thailand. *Asian Parasite Control/Family Planning Conference; 1982 18-24 Oct, 1981; Bangkok, Thailand: Asian Parasite Control Organization (APCO) Secretariat, Tokyo, Vol. 8th: 229-30.*
410. Upadhyay B, et al. *J Ethnopharmacol.* 2010 129(1):64-86.

411. Uphof JC. *The Dictionary of Economic Plants*. 2nd ed. Verlag von: J. Cramer; 1968, p. 182.
412. Utsunomiya N, et al. *Economic Botany*. 1998;52(4):343-51.
413. Van-der-Vijver LM, Gerritsma KW. Naphthoquinones of *Euclea* and *Diospyros* Species. *Phytochemistry*. 1974;13(1):2322-3.
414. Van-der-Vijver LM, Gerritsma KW. Naphthoquinones of *Euclea* and *Diospyros* Species. *Phytochemistry*. 1974;13(1):2322-3.
415. Van-der-Vyver, LM, Gerritsma KW. Naphthoquinones of *Euclea* and *Diospyros* species. *Phytochemistry*. 1973;12:230-1.
416. Van-der-Vyver, LM, Gerritsma KW. *Phytochem*. 1973;12:230-1.
417. Vijver LM, Gerritsma KW. Naphthoquinones of *Euclea* and *Diospyros* species. *Phytochemistry*. 1974;13(10):2322-3.
418. Villasenor IM, et al. *Nutrition and Cancer*, 2002; 44(1): 66–70.
419. Wagner H, et al. *Plant Drug Analysis*. Birin Heidelberg; Library of Congress Cataloging, New York: 1984.
420. Wan L, Chen XF, Jiang ZH. *Chinese. Pharm. J*. 1998;33(2):80-3.
421. Wang HK. *The Investigation Drugs Journal*. 1998; 1: 92-102.
422. Wang X, et al. *Chemical Biodiversity*. 2011 8(12):2331-40.
423. Wasin R, Agrawal RC. *Acad. J. Cancer Res*. 2010; 3(1): 7-10.
424. Waterman PG, Mbi CN. *Planta Med*. 1979;37:241-6.
425. Waterman PG, Zhong SM, Jeffreys JAD, Zakaria MB. *J Chem Res, Synop*. 1985:2-3; Miniprint, 0101-44 (1985).
426. Wattenberg LW. *J. Natl Cancer Inst*. 1977; 58: 3954-8.

427. Wetwitayaklung P, Charoenteeraboon J, Limmatvapirat C, Phaechamud T. Antioxidant Activities of Some Thai and Exotic Fruits Cultivated in Thailand. *Res. J. Pharm., Biol. Chem. Sci.* 2012;3(1):12-21.
428. Wiart C. *Lead Compounds from Medicinal Plants for the Treatment of Cancer*. London UK: Academic Press; 2013, p. 210.
429. Wiart C. *Medicinal Plants of Asia and the Pacific*. Boca Raton: CRC publication, Taylor & Francis Group; 2006, p. 72-81.
430. Wikipedia. Fauna of India. [Internet citation]. [Cited on 10th April 2013]; Available from [http://en.wikipedia.org/wiki/Fauna\\_of\\_India](http://en.wikipedia.org/wiki/Fauna_of_India).
431. William K. *Organic Spectroscopy* 3rd ed. Macmillan Press Ltd., Hong Kong: 1991m.
432. Wills JC, *A Dictionary of the Flowering Plants and Ferns*, 1973, 8<sup>th</sup> edn. Cambridge University Press, 397.
433. Wills JC. *A Dictionary of the Flowering Plants and Ferns*. 8th ed. London: Cambridge Univ. Press; 1973, pp. 397-8.
434. Wrangham RW, et al. *Intr. J. Primatology*, 1998;19(6):949-70.
435. Wu S, Yang L, Gao Y, Liu X, Liu F. *J. Chromatogr A*, 2007;1180: 99-107.
436. Yadav U, et al. *J. Ethnomed.* 2012;8:16.
437. Yamada Y, et al. *Biocontrol Science*. 1999;4(2):97-100.
438. Yan XZ, Kuo YH, Lee TJ, Shih TS, Chen CH, et al. Cytotoxic components of *Diospyros morrisiana*. *Phytochemistry*. 1989;28(5):1541-3.
439. Yardley V, et al. *Phytother. Res.* 1996;10:559-62.
440. Yeong LT, et al. *Asian Pacific J Cancer Prev*, 14 (4), 2301-5.
441. Yin RJ, Xiao XF, Xu YY, Liu XH, Li CY, Liu CX, Wang DQ. Research information and review on the leaves of *Diospyros kaki* L. II. Pharmacokinetics of major active compounds of *Diospyros kaki* L. *Asian Journal of Pharmacodynamics and Pharmacokinetics*. 2010;10(4):271-85.

442. Yoon MY, Lee EA, Choi AR, Moon SH, Kim Y, Park HR. Protective effect of extracts of calyx of *Diospyros kaki* on EfeCh-induced cytotoxicity in PC12 cells. *J. Med. Plants Res.* 2012;7(10):612-8.
443. Yoshida M, et al. *Eur. J. Org. Chem.* 2000:1313-17.
444. Yoshihira K, et al. *Chem Pharm Bull.* 1971;19(5):851-4.
445. Yoshihira K, et al. *Chem. Pharm. Bull.* 1971;19:2271-7.
446. Yoshihira K, et al. *Tetrahedron Lett.* 1970;11(1):7-10.
447. Yoshihira K, Natori S, Kanchanpee P. The structure of diospyrol, the principle from the fruit of *Diospyros mollis*. *Tetrahedron Lett.* 1967;8(48):4857-60.
448. Zakaria MB, Jeffreys JAD, Waterman PG, et al. *Phytochem.* 1984;23(7):1481-4.
449. Zhang L. *Natural Products and Drug Discovery and Therapeutic Medicine*. Humana Press, New Jersey, page3.
450. Zhong S-M, Waterman PG, Jeffreys JAD. *Phytochem.* 1984;23(5):1067-72.
451. Zhou J, Xie G, Yan X. *Encyclopedia of Traditional Chinese Medicines Vol. 2. Isolated Compounds D-G*. London: Springer; 2011, p. 203.
452. Zhou J, Xie G, Yan X. Volume 6 Indexes. *Encyclopedia of Traditional Chinese Medicines - Molecular Structures, Pharmacological Activities, Natural Sources and Applications*. 2011;6: 1 -730.
453. Zhou YJ, Liu YE, Cao JG, Zeng GY, Shen C *et al. Clin Cancer Res.* 2009;15; 5161.