

## LIST OF TABLES

Sr. No.	Table Title	Page No.
2.1	Traditional Uses of <i>Diospyros</i> species in traditional medicinal system.	16
2.2	Pharmacological activities of <i>Diospyros</i> .	19
2.3	Occurance of Lupane triterpenes in <i>Diospyros</i> species.	24
2.4	Occurrence of Ursane type triterpenoids in <i>Diospyros</i> species.	27
2.5	Occurrence of Oleanane triterpenes in <i>Diospyros</i> species	28
2.6	Taraxeranes and Friedelanes reported in <i>Diospyros species</i>	29
2.7	Distribution of Steroidal compounds in <i>Diospyros</i> plants	30
2.8	Distribution of Naphthoquinones in <i>Diospyros</i> plants	32
2.9	Naphthalene derivatives of <i>Diospyros</i> species	42
2.10	Flavonoid metabolites from <i>Diospyros</i> species	44
2.11	Pharmacological activities of isolates from <i>Diospyros</i> species	45
3.1	Column Chromatography Description	58
3.2	Organoleptic characters of <i>Diospyros</i> species selected for the study	59
3.3	Physicochemical characteristics root of <i>Diospyros</i> species	59
3.4	Physicochemical characteristics Chloroform extract of root of <i>Diospyros species</i>	60
3.5	Qualitative Phytochemical investigation of Chloroform extract of root of <i>Diospyros species</i>	61
3.6	Course of the column elution the chloroform extract of <i>D. oocarpa</i> (roots)	64
3.7	Physical properties of the compounds isolated from root extract of <i>Diospyros oocarpa</i>	65
3.8	<sup>1</sup> H and <sup>13</sup> C NMR assignments (run in CDCl <sub>3</sub> ) of the naphthaldehydes ADDOR-02, 03 and 06 (with the observed HMBC correlations)	80
3.9	<sup>1</sup> H and <sup>13</sup> C NMR spectral data of the naphthoquinones ADDOR-05, 08 and 09 (with the observed HMBC correlations)	90
3.10	Course of the column elution the chloroform extract of <i>D. nigrescens</i> (roots)	97
3.11	Physical properties of the compounds isolated from root extract of <i>Diospyros nigrescens</i> .	98

<b>3.12</b>	<sup>1</sup> H and <sup>13</sup> C NMR spectral data of the naphthoquinones ADDNR-02, 03 and 04 (with the observed HMBC correlations)	<b>112</b>
<b>3.13</b>	Course of the column elution the chloroform extract of <i>D. candolleana</i> (roots)	<b>121</b>
<b>3.14</b>	Physical properties of the compounds isolated from root extract of <i>Diospyros candolleana</i> .	<b>122</b>
<b>3.15</b>	<sup>1</sup> H-NMR spectral assignments of the quinones ADDCR-02, 03, 06 and ADDCR-07, run in CDCl <sub>3</sub>	<b>133</b>
<b>3.16</b>	<sup>1</sup> H NMR spectral data of Betunilic acid methyl ester acetate	<b>138</b>
<b>4.1</b>	Transformation of percentage of mortalities to probit	<b>145</b>
<b>4.2</b>	Experimental Design	<b>150</b>
<b>4.3</b>	Total protein Working Procedure	<b>156</b>
<b>4.4</b>	The yields of extracts after soxhlet extraction	<b>159</b>
<b>4.5</b>	Results of the BSL bioassay of Methanolic extracts of roots of <i>Diospyros oocarpa</i> , <i>Diospyros negrisens</i> and <i>Diospyros condolleana</i>	<b>161</b>
<b>4.6</b>	Results of the BSL bioassay of isolates of the <i>Diospyros</i>	<b>162</b>
<b>4.7</b>	LC <sub>50</sub> values of methanol extracts of root of <i>Diospyros oocarpa</i> , <i>Diospyros negrisens</i> and <i>Diospyros condolleana</i> and their isolates from BSL Assay	<b>163</b>
<b>4.8</b>	Results of <i>In vitro</i> cytotoxic activity of methanol extracts of roots of <i>Diospyros oocarpa</i> , <i>Diospyros negrisens</i> and <i>Diospyros condolleana</i> on DLA cell lines.	<b>169</b>
<b>4.9</b>	Results of <i>In vitro</i> cytotoxic activity of isolates of the <i>Diospyros</i> on DLA cell lines	<b>170</b>
<b>4.10</b>	LC <sub>50</sub> values of methanol extracts of root of <i>Diospyros oocarpa</i> , <i>Diospyros negrisens</i> and <i>Diospyros condolleana</i> and their isolates from DLA Assay	<b>171</b>
<b>4.11</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on mean survival time in mice exposed to DMBA/TPA topical application	<b>181</b>
<b>4.12</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on body weights of animals in mice exposed to DMBA/TPA topical application.	<b>182</b>
<b>4.13</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on liver and spleen weights in mice exposed to DMBA/TPA topical application.	<b>183</b>
<b>4.14</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on tumor burden in mice exposed to DMBA/TPA topical application.	<b>187</b>

<b>4.15</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on tumor yield in mice exposed to DMBA/TPA topical application	<b>188</b>
<b>4.16</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on average latent period in mice exposed to DMBA/TPA topical application.	<b>189</b>
<b>4.17</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on tumor size in mice exposed to DMBA/TPA topical application	<b>190</b>
<b>4.18</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on tumor mass in mice exposed to DMBA/TPA topical application	<b>191</b>
<b>4.19</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on tumor volume per mouse in mice exposed to DMBA/TPA topical application	<b>192</b>
<b>4.20</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on lipid peroxides in plasma in mice exposed to DMBA/TPA topical application	<b>193</b>
<b>4.21</b>	Effect of <i>Diospyros oocarpa</i> , <i>Diospyros nigrescens</i> and <i>Diospyros candolleana</i> root extract on total protein levels in plasma in mice exposed to DMBA/TPA topical application.	<b>194</b>