

REFERENCES

- *Alimukhamedov, S. and L. Shrestsova. 1988. Immunity of cotton to pests. *Kblopok*, **4**: 26.
- *Bondada, B.R., D.M. Oosterhuis, N.P. Tugwell and K.R. Kim. 1995. Physiological and cytological studies of two spotted spider mite, *Tetranychus urticae*, injury in cotton. *Southwest Entomol.*, **20**: 171-180.
- *Duffey, S.S. 1986. Plant glandular trichomes: their potential role in defense against insects. In: *Insects and the Plant Surface*. B. Juniper and R. Southwood (eds.), London, Arnold. pp.151–172.
- *Kielkiewicz, M. and Van de Vrie. 1982. Histological studies on strawberry leaves damaged by two spotted spider mite (*Tetranychus urticae*). Some aspects of plant self defence. In: *Proceedings of the 5th International Symposium on Insect-Plant Relationship*, J.H.Visser and A.K.Minks (eds.), PU-Doc, Wageningen, The Netherlands. pp.389-391
- *Tulisalo, U. 1971. Free and bound amino acids of three host plant species and various fertilizer treatments affecting the fecundity of the two-spotted spider mite, *Tetranychus urticae* Koch (Acarina, Tetranychidae). *Ann. Entomol. Fenn.*, **37**:155–163.
- Abbasipour, H., Taghavi, A., Rategar, F. and Ueckermann, E.A. 2012. Phytoseiid mites (Acari: Mesostigmata) associated with tea gardens in north of Iran. *Archives of Phytopathology and Plant Protection*, **45**(12): 1439–1448.
- Abishek Shukla and Radadia. 2015. Biology of rice leaf mite, *Oligonychus oryzae* Hirst (Acari : Tetranychidae). *J. Exp. Zool. India.*, **18**(2): 695-698.
- Aghajanzadeh, S., D. T. Prasad, and Mallik, B. 2006. BioControl (in press).
- Agnello, A.M. (2002). Petroleum-derived spray oils: chemistry, history, refining and formulation. In: *Spray Oils Beyond 2000*, Beattie, G.A.C., Watson, D.M., Stevens, M.L., Rae, D.J. & Spooner-Hart R.N., pp. 2–18, Univ. of Western Sydney Press, Australia

- Akinlosotu, T.A.1982. Seasonal trend of green spider mite, *Mononychellus tanajoa* population on cassava, *Manihot esculenta* and its relationship with weather factors at moor plantation. *Insect Science & its Application*, **3**: 251-254.
- Akparobi, S. O., A.O. Togun and I.J. Ekanayake. 1998. Assessment Of Cassava Genotypes For Resistance To Cassava Mosaic Disease, Cassava Bacterial Blight And Cassava Green Mite At A Lowland And Mid-Altitude Site In Nigeria. *African Crop Science Journal*, **6**(4) pp. 385-396.
- Al Dabel, F., Mensah, R.K. & Frerot, B. (2008). Effects of nC24 and nC27 petroleum spray oils on oviposition and egg survival of *Ostrinia nubilalis* Hübner (Lepidoptera, Pyralidae) and *Trichogramma brassicae* Bezdenko (Hymenoptera, Trichogrammatidae) adults on maize plants. *International Journal of Pest Management*, **54**, pp. 5–11
- Al Dabel, F., R.K. Mensah and B. Frerot. (2008). Effects of nC24 and nC27 petroleum spray oils on oviposition and egg survival of *Ostrinia nubilalis* Hübner (Lepidoptera, Pyralidae) and *Trichogramma brassicae* Bezdenko (Hymenoptera, Trichogrammatidae) adults on maize plants. *International Journal of Pest Management*, **54**:pp. 5–11
- Alagar, M. 2005. Mechanisms of resistance in rice, *Oryza sativa* (L.) to brown planthopper, *Nilaparvata lugens* (Stal.). (unpublished) Ph.D. Thesis, Department of Agricultural Entomology, Tamil Nadu Agricultural University, Coimbatore. 126p.
- Anh-Thu, D., G. Ervin and G. Felton. 2004. Temporal effects on jasmonate induction of anti-herbivore defense in *Physalis angulata*-Seasonal and Ontogenetic gradients. *Biochem. Sys. Ecol.*, **32**: 117-126.
- Annual Progress Report. 2009. All India Network Project on Agricultural Acarology Ann. Agrl. Acarology, XII Group meeting. Mushobra, India. June. pp. 30-35.
- Archer, T.L. 1987. Techniques for screening maize for resistance to mites. In: Proceedings of the International symposium on methodologies for developing host plant resistance to maize insects. Mihn, J.A., B.R. Wiseman and F.M. Davis (Eds.). CIMMYT, Mexico. pp.178-183.

- Aswin, T. 2015. Biology and management of the rice leaf mite, *Oligonychus oryzae* Hirst (Acari: Tetranychidae). (Unpublished) M.Sc., (Ag.) Thesis. Kerala Agricultural University. College of Horticulture Vellanikkara, Thrissur, Kerala, India. 91p
- Baker, E. W., A. Hoffman and G.W. Wharton. 1958. New mites, mostly economic (Acari: Acar.), *Ent. News*, **28**: 139 – 199
- Baker, E.W. and Wharton, G.W. 1952. *An Introduction to Acarology*. Macmillan and Co. New York. 465 pp.
- Balasubramani, V., P. Muthukrishnan, S. Sadakathulla, M. Subramanian and S. Ramanathan. 2000. Reaction of Short and Medium Duration Rice Varieties Entries to Tetranychid mite, *Oligonychus oryzae*. *Annual Int. Pl. Resist. Insects. Newslett.*, **26**: 42.
- Balasubramanian, R. and K.K. Subbiah. 1981. Effect of nitrogen and potassium on the incidence of pest and diseases in chilli (var. MDU1). *Indian Potash Journal*, **5**(2): 2-7.
- Baldwin I T. 1999. The eco-physiological complexity of plant responses to insect herbivores. *Planta*, **208**: 137–145.
- Balkema-Boomstra, A.G., Zijlstra, S., Verstappen, F.W.A., Inggamer, H., Mercke, P.E., Jongma, M.A. and H.J. Bouwmeester. (2003). Role of cucurbitacin-C in resistance to Spider mite (*Tetranychus urticae*) in Cucumber (*Cucumis sativus* L.) *J. Chem. Ecol.*, **29**(1): 225-235.
- Barbar, Z. 2013. Survey of phytoseiid mites (Acari: Phytoseiidae) in citrus orchards in Lattakia Governorate, Syria. *Acarologia*, **53**(3): 247–261.
- Beattie, G.A.C. & SMITH, D. (1993). Citrus leafminer. Agfact HZ.AE.4, 2nd edition, Sydney: NSW Agriculture and Fisheries, Australia
- Beattie, G.A.C. (1990). Citrus petroleum spray oils. AgFact HZ.AE.5., Sydney: NSW Agriculture and Fisheries, Australia.
- Beattie, G.A.C. (1990). Citrus petroleum spray oils. AgFact HZ.AE.5., Sydney: NSW Agriculture and Fisheries, Australia

- Beattie, G.A.C. and D. SMITH. (1993). Citrus leafminer. Agfact HZ.AE.4, 2nd edition, Sydney: NSW Agriculture and Fisheries, Australia
- Beattie, G.A.C., Lru, M., Watson, D.M., Clift, A.D. & Jiang, L. (1995). Evaluation of petroleum spray oils and polysaccharides for control of *Phyllocnistis citrella* Stainton (Lepidoptera: Gracillaridae). *Journal of Australian Entomological Society*, Vol.34, pp.349–353.
- Beattie, G.A.C., M. Lru, D.M. Watson, A.D. Clift and L. Jiang. (1995). Evaluation of petroleum spray oils and polysaccharides for control of *Phyllocnistis citrella* Stainton (Lepidoptera: Gracillaridae). *Journal of Australian Entomological Society*, **34**: pp. 349–353.
- Bell, A.A. 1986. Physiology of secondary products, In: Cotton Physiology, J.R.Mauney and J.Stewart (eds.), The Cotton Foundation, Memphis, TN. pp.786.
- Bellotti AC.2002. Arthropod pests. In: Hillock RJ, Bellotti AC, Thresh JM (eds) Cassava biology, production and utilization.CAB International Wallingford, Oxon, pp 209–235
- Bellotti, A.C. and B. Arias.2001. Host plant resistance to whiteflies with emphasis on cassava as a case study. *Crop Prot.* **20**: 813–823.
- Bellotti, A.C., C. Hershey and O. Vargas. 1987. Recent advances in resistance to insect and mite pests of cassava, in: Hershey, C.H. (Ed.), Cassava breeding: a multidisciplinary review. CIAT, Cali, Colombia, pp. 117–146.
- Bellotti, A.C., J.C. Herrera, M. Del P. Hernández, B. Arias, J.M. Guerrero and E.L. Melo. 2010. Three major cassava pests in Latin America, Africa and Asia. In the Proceedings of the Eighth Regional Workshop held in Vientiane.
- Bellotti, A.C., L. Smith, S.L. Lapointe. 1999. Recent advances in cassava pest management. *Ann. Rev. Entomol.* **44**, 343–370.
- Bennet, F. D. and M. Yaseen. 1975. Investigation on the cassava mite *Mononychellus tanajoa* (Bondar). Commonwealth Institute of Biological control, Report for April – September. CIBC, Trinidad.
- Berlese, A. 1916, Centuria prima-sesta di Acari nuovi. *Redia*, **12**: 19-66.

- Bernardo, E. N. and N. M. Esguerra. 1981. Seasonal abundance of red spider mite and its predators on selected cassava accessions. *Ann. Trop. Res.* **3**(3):199-205
- Bharathi, M. 1989. Mechanisms and genetics in rice to the brown plant hopper, *Nilaparvata lugens* (stal.) (Homoptera : Delphacidae). (Unpublished) M.Sc. Thesis, Tamil Nadu Agricultural University, Department of Agricultural Entomology, Coimbatore.120p.
- Bharpoda, T.M., D.J. Koshiya and D.M. Korat. 2007. Varietal susceptibility and mechanism of resistance in Aonla, *Emblica officinalis* Gaertn to apical twig Gall maker, *Betousa stylophora* Swinhoe. *Indian. J. Ent.*, **69**(3): 230-233.
- Bhaskar, H., Binisha, K.V. and Sosamma, J. 2013. Influence of weather on the population dynamics of mites infesting vegetable crops of Kerala. *Journal of Insect Science (Ludhiana)*, **26**(Special Issue): 69–74.
- Bhaskaran, E.V., K. Ramaraju and K. Gunasekaran. 2007a. Evaluation of new acaricides against two spotted spider mite, *Tetranychus urticae* Koch on bhendi. *Pestology*, **31**(12): 31-34.
- Bhaskaran, E.V., K. Ramaraju, K. Gunasekaran and S. Douressamy. 2007b. Evaluation of Abamectin (Vertimec 1.8 EC) against two spotted spider mite, *Tetranychus urticae* Koch on Rose. *J. Acarol.*, **17**(1&2): 92-94.
- Bi, J.L., G.W. Felton, I.B. Murphy, P.A. Howles, R.A. Dixon, and C.J. Lamb. 1997. Do plant phenolics confer resistance to specialist and generalist insect herbivores. *J. Agric. Fd. Chem.*, **45**: 4500-4504.
- Binisha, K.V and B. Haseena. 2013. Mite fauna associated with major vegetable crops of Thrissur district, Kerala. *Entomon* **38**(1): 47-52
- Bondar, G., 1938. Notas entomológicas da Bahia. III. – *Revista Entomologia, Rio de Janeiro*, **9**: 441-445.
- Borror, D. J., C. A. Triplehorn and N. F. Johnson. 1989. An introduction to the study of insects. 6th edition. *Bulletin of Entomological Research*. **81**(02): 875 pp.
- Byrne DH, J.M. Guerrero, A.C. Bellotti and V.E. Gracen. (1982) Yield and plant growth responses of Monoychellus mite resistant and sus -ceptible cultivars under protected and infected conditions. *Crop Sci* **22**:486–490

- Byrne, D.H., A.C. Bellotti and J.M. Guerrero. (1983) The cassava mites. *International Journal of Pest Management* **29**: 378–394.
- Campbell, R.J. and R.P. Marini. 1990. Nitrogen fertilization influences the physiology of apple leaves subjected to European red mite feeding. *J. Amer. Soc. Hort. Sci.*, **115**: 89-93.
- Carrillo, D., Frank, J. H., Rodrigues, J. C. V. and Pena, J. E. 2011. A review of natural enemies of the red palm mite *Raoiella indica* (Acari: Tenuipalpidae). *Experimental Applied Acarology*, **57**: 361–372.
- Chandrasekar, K. 2010. Host plant resistance and management of rice whitebacked planthopper, *Sogatella furcifera* (Horvath). (unpublished) M.Sc. Thesis, Department of Agricultural Entomology. Tamil Nadu Agricultural University, Coimbatore.
- Chant, D. A. 1959. Phytoseiid mites (Acarina: Phytoseiidae). *Canadian Entomologist Supplement*, **12**: 166 pp.
- Chelliah, S., S. Kannaiyan, P.Vasudevan and A. Subramanian. 1976. Nitrogen balance and infestation by the mite, *Oligonychus oryzae* (Hirst) in certain rice varieties. *Annamalai Univ. Agric. Res. Annu.*, **6**: 178-180.
- Chinniah, C and M. Mohanasundaram. 2001. New species of acarine fauna (Acarina: Mesostigmata) from shevroy range of Eastern Ghats of Tamil Nadu, India. *Zoos' Print Journal*. **16** (7): 523 – 531.
- Chinniah, C., S. Kuttalam and R.J. Rabindra. 1999. Persistence of residues of chlorpyrifos and lindane in lint and seed of cotton. *Pest Management Econ Zool.*, **7**: 151 – 154.
- Chitra, S., R Vishnupriya, RP Soundararajan and K Ramaraju.2017. Seasonal incidence of leaf mite, *Oligonychus oryzae*Hirst. (Acari: Tetranychidae) in Rice. *Journal of Entomology and Zoology Studies*, **5**(6): 2481-2484
- Constabel, C.P. 1999. A survey of herbivore-inducible defensive proteins and phytochemicals. In: *Induced plant defenses against pathogens and herbivores – chemistry, ecology and agriculture*. A.A. Agarwal, S. Tuzun and E. Bent (eds.) ADS Press, The American Phytopathological Society, St.Paul MN. pp.137-166.

- Constabel, C.P. and C.A. Ryan. 1998. A survey of wound and methyl jasmonated – induced leaf polyphenol oxidase in crop plants. *Phytochemistry*, **44**: 507-511.
- Cross, G.G. 1980. The biochemistry of lignification. *Adv. Bot. Res.*, **8**: 25-63.
- Da Costa. 1973. M. *Resultados experiments obtidos no control de acaros da mandioca, "Mononychellus tanajoa" (Bondar, 1938) de Agriculture*. Brascan Nordeste. Serie Pesquisa.
- Dabrowski, Z.T. 1973. Studies on the relationship of *Tetranychus urticae* Koch and host plants. II. Gustatory effect of some plant extracts. *Bull. Entomol. Pologne*, **43**: 127-138.
- Dabrowski, Z.T. and J.G. Rodriguez. 1972. Studies on resistance of strawberries to mites. III preference and non-preference responses of *Tetranychus urticae* and *Tetranychus turkestanii* to essential oils of foliage. *J. Econ. Entomol.*, **64**: 387-391.
- David, P.M.M., M.K. Varadharajan, M. Muthuswamy and S. Kannaiyan. 2000. In: Fifth National Conference of Applied Zoologists Research Association, Chennai, 213 p.
- Davidson, N.A., Dibble, J.E., Flint, M.L., Marer, P.J. & Guye, A. (1991). *Managing Insects and Mites with Spray Oils*, Publication 3347, University of California, Berkeley, CA. 45p
- Davidson, N.A., J.E. Dibble, M.L. Flint, P.J. Marer and A. Guye. (1991). *Managing Insects and Mites with Spray Oils*, Publication 3347, University of California, Berkeley, CA. :45p
- De Angelis, J.D., A.B. Marin, R.E. Berry and G.W. Krantz. 1983. Effects of spider mite (Acari : Tetranychidae) injury on essential oil metabolism in peppermint. *Environ. Entomol.*, **12**: 522 – 527.
- De Angelis, J.D., A.B. Marin, R.E. Berry and G.W. Krantz. 1983. Effects of spider mite (Acari : Tetranychidae) injury on essential oil metabolism in peppermint. *Environ. Entomol.*, **12**: 522 – 527.
- De Angelis, J.D., K.C. Larson, R.E. Berry and G.W. Krantz. 1982. Effects of spider mite injury transpiration and leaf water status in peppermint. *Environ. Entomol.*, **11**: 975-978.

- Dejan, M., P. Pantelija and M. Slobodan,(2011). Acaricides- Biological profiles, Effects and uses in Modern Crop Protection, Pesticides - Formulations, Effects, Fate.
- Demite, P.R., McMurtry, J.A. and de Moraes, G.J. 2014. Phytoseiidae database: a website for taxonomic and distributional information on phytoseiid mites (Acari). *Zootaxa*, **3795** (5): 571–577.
- Devi, K. D., R. Varatharajan and C. Nabakumar,2008. Field efficacy of neem azal against red spider mite of tea. *Annals of Plant Protection Sciences*. **16** (1): 214-215
- Dhaliwal, G.S., J. Vikas and A. K. Dhawan. 2010. Insect pest problems and crop losses: Changing trends. *Indian J. Ecol.* **37** (1): 1-7
- Dickerson, J.P., S.F. Pascholati, A.E. Hagerman, L.G. Butler and R.L. Nicholson. 1984. Phenyl alanine ammonia lyase and hydroxy-cimamate CoA ligase in maize mesocotyls inoculated with *Helminthosporium maydis* or *Helminthosporium carbonum*. *Physiol. Plant Pathol.*, **25** : 111-123.
- Duchovskiene, L., Rasa Karkleliene, Elena Surviliene and Roma Starkute. 2008. The Effect of biopesticide NeemAzal-T/S on the *Tetranychus urticae* Koch. in carrot seed plants under greenhouse conditions. SCIENTIFIC WORKS OF THE LITHUANIAN INSTITUTE OF HORTICULTURE AND LITHUANIAN UNIVERSITY OF AGRICULTURE. SODININKYSTE IR DARŽININKYSTE. 2008. **27**(4): 177-182
- Duffey, S. S. and G. W. Felton. 1991. Enzymatic nutritive defenses of the tomato plants against insects. In : Naturally occurring pest bioregulators. ACS symposium.A. Hedin (ed.). American Chemical Society, Washington, DC. pp.167-197
- Duffey, S. S. and M. B. Isman. 1981. Inhibition of insect larval growth by phenolics in glandular trichomes of tomato leaves. *Experientia*, **37**: 574–576
- Dutta, K. 1980. Studies on the incidence of *Oligonychus oryzae* (Hirst) on some rice varieties and its control. M.Sc. Thesis, Bidan Chandra Krishi Viswavidyalaya, Kalyani. West Bengal.
- Dutta, K. 1980. Studies on the incidence of *Oligonychus oryzae* Hirst on some rice varieties and its control. M. Sc. Thesis, B.C.K.V.

- Dybas, R.A. 1989. Abamectin use in crop protection. In: Ivermectin and abamectin. W.C. Campbell, (ed.). Springer Verlag, New York. pp.287-310.
- Edison, S. 2002. Proceeding of the seventh regional workshop, Bangkok, Thailand 264-270pp
- Edison, S. 2006. Plant protection problems in cassava in India. Central Tuber Crops Research Institute, Sreekariyam, Thiruvananthapuram 695 017, Kerala, India. *Technical Bulletin Series: 46*: 264-270
- Ehara, S. 1967. Phytoseiid mites from Hakkaido (Acari: Mesostigmata). *Journal of Faculty of Science Hakkaido University*, **16**(4): 212–233.
- Ehara, S. 2002. Phytoseiid mites (Acari: Phytoseiidae) from Sumatra with description of a new species. *Acta Arachnologica*, **51**(2): 125–133.
- Eliaderani, F.K., Nemati, A. and Kocheili, F. 2013. Some mesostigmatic mites from Iran with their world distribution. *Journal of Crop Protection*, **2**(2): 127–138.
- Emmanuel, N., S. Suresh and P. Ashok. 2002. Biochemical basis of resistance in rice hybrids and conventional varieties against white backed plant hopper, *Sogatella furcifera*. *Ann. Pl. Prot. Sci.*, **10**: 212-215.
- English-Loeb, G., M.J. Stout and S.S. Duffey. 1997. Drought stress in tomatoes: changes in plant chemistry and potential non-linear consequences for insect herbivore. *Oikos*, **79**: 456-468.
- Everdeen, D.S., S. Kiefer, J.J. Willard, E.P. Muldoon, P.M. Dey, X.B. Li and D.T.A. Lamport. 1988. Enzymatic cross linkage of monomeric extension precursors *in vitro*. *Plant Physiol.*, **87**: 616-621.
- Fan, Q. H. and Zhang, Z. Q. 2005. *Raphignathoidea (Acari: Prostigmata)*. Fauna of New Zealand, **52**: 400 pp.
- Faraji, F. and Bakker, F. 2008. A modified method for clearing, staining and mounting plant-inhabiting mites. *European Journal of Entomology*, **105**: 793–795.
- Farias, A. R.N., A. C. Zem., J.C. Gomez, M.C.M. Macedo and C.H.W. Flechtmann. 1979. Adubacao mineral e populacao de *Mononychellus tanajoa* em mandioca. *Pesquisa Agropecuaria Brasileira*, **14**(4): 311-313.

- Felton, G.N., C.B. Summers and A.J. Mueller. 1994a. Oxidative responses in soybean foliage to herbivory by bean leaf beetle and three-cornered alfalfa leaf hopper. *J. Chem. Ecol.*, **20**: 639-650.
- Felton, G.N., C.B. Summers and A.J. Mueller. 1994a. Oxidative responses in soybean foliage to herbivory by bean leaf beetle and three-cornered alfalfa leaf hopper. *J. Chem. Ecol.*, **20**: 639-650.
- Felton, G.N., J.L. Bi, C.B. Summers, A.J. Mueller and S.S. Duffey. 1994b. Potential role of lipoxygenases in defense against insect herbivory. *J. Chem. Ecol.*, **20**: 651-666.
- Felton, G.N., J.L. Bi, C.B. Summers, A.J. Mueller and S.S. Duffey. 1994b. Potential role of lipoxygenases in defense against insect herbivory. *J. Chem. Ecol.*, **20**: 651-666.
- Fernandez, D.E., E.H. Beers, J.F. Brunner, M.D. Doerr and J. E. Dunley. (2005). Effects of Seasonal Mineral Oil Applications on the Pest and Natural Enemy Complexes of Apple. *Journal of Economic Entomology*, **98**: pp. 1630-1640
- Ferragut, F. and M.A. Pena-Estevez. 2007. Phytoseiid Mites of the Canary Islands (Acari: Phytoseiidae). II. Tenerife and La Gomera Islands. *Graellsia*, **63**(2): 349–358.
- Fisher, F. E., J. T. Griffiths and W. L. Thompson. 1949. *Phytopathology* **39**:510-512.
- Fry, S.C. 1986. Cross-linking of matrix polymers in the growing cell walls of angiosperms. *Annu. Rev. Plant Physiol.*, **37**: 165-186.
- Furtado, I.P., de Moraes, G.J., Kreiter, S., Flachtmann, C.H.W., Tixier, M.S. and M. Knapp. 2014. Plant Inhabiting Phytoseiid Predators of Midwestern
- Ganguli, J., Ganguli, R.N. and D.J. Pophaply. 2010. Broad mites emerging as a serious pest of *Jatropha curcas*. *Abst. National symposium on emerging Trends in Pest Management Strategies under Changing Climatic Scenario*, Madhya Pradesh, India, p. 5.
- Gaspar, T., L. Panel, T. Thrpe and H. Grepping. 1982. Peroxidases: A Survey of Their Biochemical and Physiological Roles in Higher Plants. Geneva: University of Geneva Press: 1–20.

- Gerson, U. 2014. Pest Control by Mites (Acari): Present and Future. *Acarologia*, **54**(4): 371–394.
- Gerson, U., R. Kenneth, and Muttah, T.I. 1979. *Hirsutella thompsonii*, a fungal pathogen of mites. II. Host-pathogen interactions. *Ann. Appl. Biol.* **91**: 29-40.
- Ghosh, D and S. K. Senapati. 2001. Evaluation of brinjal varieties commonly grown in Terai region of West Bengal against pest complex. *Crop Res.*, **21** (2): 157 – 163.
- Ghosh, S. and S. K. Gupta. 2003. A report on mites occurring on medicinal plants in West Bengal. *Records of the Zoological Survey of India*, **101**: 287–298.
- Gomez, K.A and A.A. Gomez. 1984. Statistical procedures for agricultural research. John Wiley and sons, Inc. London, UK (2nd edtn): 13-175.
- Gregory, P., D.A. Ave, P.Y. Bouthyette and W.M. Tingey. 1986. Insect-Defensive chemistry of potato glandular trichomes. *Proc. Natl. Acad. Sci. USA.*, **86**: 98173 – 98183.
- Grinberg, M., R. Perl-Treves, E. Palevsky, I. Shomer and V. Soroker. 2005. Interaction between cucumber plants and the broad mite, *Polyphagotarsonemus latus* from damage to defense gene expression. *Entomologia Experimentalis Et Applicata.*, **115**:135–144.
- Guerra, J.D., J.T. Cothren and J.R. Phillips. 1990. Influence of selected phenolic compounds on development of Bollworm (Lepidoptera: Noctuidae) larvae. *J. Econ. Entomol.*, **83**(5): 2115-2118.
- Gupta, S. K. 2012. In: *Handbook, Injurious and Beneficial Mites Infesting Agrihorticultural Crops in India and Their Management*. Nature Books India, New Delhi. pp. 362.
- Gupta, S. K., M. S. Dhooria and A.S. Sindhu. 1974. Effect of food and temperature on the development, longevity and fecundity of sugarcane red spider mite, *Oligonychus indicus* (Hirst.). *Acarologia*. **16**: 436 - 440.
- Gupta, S.K. 1985. *Handbook plant mites of India*, Zoological Survey of India Calcutta. 524pp.

- Gupta, S.K. 1985. Handbook Plant Mites of India. (ed.) Director, Zoological Survey of India, Calcutta, 520 pp.
- Gupta, S.K. 2002, A Monograph on Plant Inhabiting Predatory Mites of India, Part I: Order: Prostigmata, Astigmata and Cryptostigmata. Zoological Survey of India, Kolkata, **19**(2): 1–183.
- Gupta, S.K. 2005. *Insects and mites infesting medicinal plants in India*. Ramakrishna Mission Ashrama, Kolkata.
- Gupta, S.K. and K. Karmakar. 2011. Diversity of mites (Acari) on medicinal and aromatic plants in India. *Zoosymposia*, **6**: 56–61.
- Gupta, S.K., A. Mukherjee, I. Roy and G. Saha. (2005) Insects and mites injurious to medicinal plants in India and their suggested management. In: Gupta, S.K. & Mitra, B.R. (eds) *Medicinal plants research and utilization: an overview*. R.K.M.A, Narendrapur, pp. 245–251.
- Gutierrez, A. P., J. S. Yaninek, B. Wermelinger, H. R. Herren and C. K. Ellis. 1988. Analysis of biological control of cassava pests in Africa:III. Cassava green mite, *Mononychellus tananjoa*. *J.Appl. Ecol.* **25**:941-950
- Haghghadam, M.Z. and M. Arbabi. 2012. Studies of mites fauna and their natural enemies on the ornamental plants in greenhouses of Guilan and West Mazandaran province. *International Journal of Agriculture and Crop Sciences*, **4**(11): 674–679.
- Hahlbrock, K. and D. Scheel. 1989. Physiology and molecular biology of phenyl propanoid metabolism. *Ann. Rev. Plant Physiol. and Plant Mole. Biol.*, **40**: 347-369.
- Hammerschmidt, R., E.M. Nuckles and J. Kuc. 1982. Association of enhanced peroxidase activity with induced systemic resistance of cucumber to *Colletotrichum lagenarium*. *Physiol. Plant Pathol.*, **20**: 73-82.
- Haneef, S. and M.A. Sadanandan. 2013. Survey of predatory mites (Acari: Phytoseiidae) associated with economically important plants of north Kerala. *Biological Forum –An International Journal*, **5**(2): 119–122.
- Hanna, M. A., M. A. Zaher and S. M. Ibrahim. 1982. Some probable causes of host preference in six species of phytophagous mites. *Z. Angew. Entomol.*, **93**:329–333.

- Hawksworth. D. L., P. M. Kirk, B. C. Sutton and D.N. Pegler. (1995) Ainsworth & Bisby's Dictionary of the Fungi. 8th ed. CAB International, Wallingford.
- Hazan, A., U. Gerson and A.S. Tahori. 1974. Spider mite webbing. I. The production of webbing under various environmental conditions. *Acarologia*, **16**: 68-84.
- Hedge, J.E. and B.T. Hofreiter. 1962. In: Carbohydrate chemistry. Whistler R.L. and J.N. Be Miller (eds.). Academic Press, New York. Vol. 17.
- Hegde, M. G., H.G. Nayak and P.S. Hugar. 2008. Biology of leaf mite, *Oligonychus oryzae* (Hirst) on paddy. *Annals of Plant Protection Sciences*. **16** (1): 81 - 82.
- Henneberry, T.J. 1963. Effect of host plant condition and fertilization of two-spotted spider mite fecundity. *J. Econ.Entomol.*, **56**: 503-505.
- Herrel, R.F., P.A. Finiot and J.L. Cuq. 1982. Protein polyphenol reactions. 1. Nutritional and metabolic consequences of the reaction between oxidized caffeic acid and the lysine residues of casein. *Br. J. Nutr.*, **47**: 191-211.
- Herren HR. and P. Neuenschwander .1991. Biological control of cassava pests in Africa. *Annu. Rev. Entomol.*, **36**:257-283
- Hildebrand, D.F., J.G. Rodriguez, G.C. Brown, K.T. Luu and C.S. Volden. 1986. Peroxidative responses of leaves in two soybean genotypes injured by two spotted spider mites (Acari : Tetranychidae). *J. Econ. Entomol.*, **79**: 1459-1465.
- Hildebrand, D.F., J.G. Rodriguez, G.C. Brown, K.T. Luu and C.S. Volden. 1986. Peroxidative responses of leaves in two soybean genotypes injured by two spotted spider mites (Acari : Tetranychidae). *J. Econ. Entomol.*, **79**: 1459-1465.
- Hildebrand, D.F., J.R. Rodriguez, C.S. Legg, G.C. Brown and G. Bookjans. 1989. The effects of wounding and mite infestation on soybean leaf lipoxygenase levels. *Z. Naturforschung C*, **44**: 655-659.
- Hildebrand, D.F., J.R. Rodriguez, C.S. Legg, G.C. Brown and G. Bookjans. 1989. The effects of wounding and mite infestation on soybean leaf lipoxygenase levels. *Z. Naturforschung C*, **44**: 655-659.

- Hoffland, E., M. Dicke, W.V. Tintelen, H. Dijkman and M.L. van Beusichem. 2000. Nitrogen availability and defense of tomato against two-spotted spider mite. *J. Chem. Ecol.*, **26**(12): 2697-2711
- Hosamani, A. 2007. Management of chilli murda complex in irrigated ecosystem. (unpublished). Ph.D. Thesis. University of Agricultural Sciences, Dharwad. 276p.
- Hoy, M.A. and F.E. Cave. 1985. Laboratory evaluation of avermectin as a selective acaricide for use with *Metaseiulus occidentalis* (Nesbitt) (Acarina: Phytoseiidae). *Exp. Appl. Acarol.*, **1**: 139-152.
- Iatrou, G., C.M. Cook, G. Stamou and T. Lanaras. 1995. Chlorophyll fluorescence and leaf chlorophyll content of bean leaves injured by spider mites (Acari: Tetranychidae). *Exp. Appl. Acarol.*, **19**: 581-591.
- Inove, M., S. Sezaki, T. Sorin and T. Soquira. 1985. Change of phenylalanine ammonia lyase in strawberry leaves infested with the Two Spotted spider mite, *Tetranychus urticae* Koch (Acari : Tetranychidae). *Appl. Entomol. Zool.*, **20**: 348-349.
- Isman, M. B. and S. S. Duffey. 1982 a. Phenolic compounds in foliage of commercial tomato cultivars as growth inhibitors to the fruitworm, *Heliothis zea*. *J. Amer. Soc. Hort. Sci.*, **107**: 167-170
- Isman, M. B. and S. S. Duffey. 1982 b. Toxicity of tomato phenolic compounds to the fruitworm, *Heliothis zea*. *Entomol. Exp. Appl.*, **31**: 370-376
- Jabeen, N., N. Ahmed, M.Y. Ghani and P.A. Sofi. 2009. Role of phenolic compounds in resistance to chilli wilt. *Communications in Biometry and Crop science*, **4**(2): 52-61.
- Jager, H.J. and H.R. Mayer. 1977. Effect of water stress on growth and proline metabolism of *Phaseolus vulgaris* L. Kidney beans. *Oecologia*, **30**: 83-96.
- Jeppson, L.R. 1965. Principles of chemical control of phytophagous mites. *Advances in Acarology*, **2** : 31 - 51.
- Jeyarani, S., E.V. Bhaskaran, P. Pretheep Kumar, J. Kavitha and K. Ramaraju. 2007. Evaluation of Propargite 57 EC (Indofil) against chilli yellow mite *Polyphagotarsonemus latus* (Banks). *J. Acarol.*, **17**(1&2): 87-89.

- Jhansi Lakshmi, V., N.V. Krishnaiah, I.C. Pasalu and G. Katti. 2008. Bio-ecology and management of rice mites - A Review. *Agric. Rev.*, **29** (1): 31 – 39.
- Johann, L., Horn, T.B., Carvalho, G.S. and N.J. Ferla. 2014. Diversity of mites (Acari) in vineyards agro-ecosystems in two viticultural regions of Rio Grande Do Sul State, Brazil. *Acarologia*, **54**(2): 137–154.
- Johnson, D.R. and W.V. Campbell. 1982. Variation in the foliage nutrients of several peanut lines and their association with damage received by the two spotted spider mite *Tetranychus urticae*. *J. Georgia Ent. Soc.*, **17**: 66-72.
- Joshi, S., Menon, P. and V.V. Ramamurthy. 2011. A new eriophyoid, *Aceria madhucae* N. sp. (Acari: Eriophyidae) from India. *Acarologia*, **51**(3): 295–301.
- Kabíček, J. 2010. Scarceness of phytoseiid species co-occurrence (Acari: Phytoseiidae) on leaflets of *Juglans regia*. *Plant Protection Science*, **46**: 79–82.
- Kade, N., Gueye-Ndiaye, A., Duverney, C. and G.J. de Moraes. 2011. Phytoseiid mites (acari: Mesostigmata) from Senegal. *Acrologia*, **51**(1): 133–138.
- Kaimal, S. G. and N. Ramani. 2007. Biological studies of *Tetranychus neocaledonicus* (Andre)(Acari: Tetranychidae) infesting *Moringa oleifera* Lam - Bulletin of Pure & Applied Sciences-Zoology.
- Kamakshi, N., S. Srinivasan and T. Muralikrishnan. 2008. Influence of biochemical constituents on Incidence of Pod Borer complex in selected field bean genotypes. *Ann. Pl. Prot. Sci.*, **16**(2): 302-305.
- Kamruzzaman, A.S.M., M. Z. Alam and M. R. U. Miah. 2013. Effect of yellow mite *Polyphagotarsonemus latus* (Banks) density on hosts (*Corchorus olitorius* L.) Phenology and assessment of yield loss under net house condition. *Afr. J. Agric. Res.*, **8**(4): 380-385.
- Kandibane, M., V. Srimohanapriya and L. Natarajan. 2009. Biology and seasonal abundance of rice leaf mite, *Oligonychus oryzae*. *Madras Agricultural Journal*. **96** (7-12): 404 - 407.
- Kandibane, M., V. Srimohanapriya and L. Natarajan. 2009. Biology and seasonal abundance of rice leaf mite, *Oligonychus oryzae*. *Madras Agricultural Journal*. **96** (7-12): 404 - 407.

- Kanika Tehri and Rachna Gulati. 2014. Field efficacy of some biorationals against the two spotted spider mite *Tetranychus urticae* Koch (Acari: Tetranychidae) *Journal of Applied and Natural Science.*, **6** (1): 62-67
- Karmakar , K. and Soma Dey. 2004. Relative susceptibility of banana cultivars to spider mite, *Oligonychus oryzae* (Hirst) (Acari : Tetranychidae). Proceedings of National Seminar on “Banana Industry – Present Scenario and Future Strategies”, 11th to 13 June, 2004, BCKV, Kalyani, West Bengal.
- Karmakar, K. and S.K. Gupta. 2011. Predatory mite fauna associated with agrihorticultural crops and weeds from the Gangetic Plains of West Bengal, India. In: Moraes, G.J. de and Proctor, H. (eds) Acarology XIII: Proceedings of International Congress. *Zoosymposia*, **6**: 62–67.
- Karmakar, K. and Soma Dey. 2006. Studies on seasonal incidence of phytophagous mites species on selected germplasms of banana in West Bengal. *Indian J. Crop Science.*, **1**(1-2): 138-139.
- Karmakar, S., Gupta, S.K. and D.K. Bhattacharya. 2015. Mites Infesting floricultural and leafy ornamental plants in West Bengal (India). *Global Journal for Research Analysis*, **4**(2): 191–192.
- Karuppuchamy, P., R. Veluswamy, R. Rajendran and P.C. Sunderbabu. 1987. Rice mite, *Oligonychus oryzae* Hirst incidences on IR lines. *Intern. Rice Res. Newsl.* **12**(2): 20.
- Kashyap, R. K., J. P. Bhanot and Kalloo. 1988. Correlation and path analysis of leaf biochemical constituents for *Myzus persicae* (Sulz.) multiplication of potato genotypes. *J. Insect Sci.*, **1**(1): 53-60
- Kavitha, J., E.V. Bhaskaran, K. Gunasekaran and K. Ramaraju. 2007. Evaluation of new Acaricides against two spotted spider mite, *Tetranychus urticae* Koch on Bhendi. *J. Acarol.*, **17** (1 & 2): 77-78.
- Kavitha, J., E.V. Bhaskaran, K. Gunasekaran and K. Ramaraju. 2007a. Evaluation of new acaricides against Two spotted spider mite, *Tetranychus urticae* Koch on bhendi. *J. Acarol.*, **17**(1 & 2): 77-78.

- Kavitha, S. 2008. Studies on the Mechanisms of Induced Resistance in rice to the Brown Plant Hopper, *Nilaparvata lugens* (Stal.) (Homoptera: Delphacidae). M.Sc.(Ag.) Thesis, Tamil Nadu Agricultural University. 112p
- Kawano, T. 2003. Roles of the reactive oxygen species – generating peroxidase reactions in plant defense and growth induction. *Plant Cell. Rep.*, **21**: 829-837.
- Kazmierski, A. 1998. A review of the genus *Proctotydaeus* Berlese (Actinedida: Tydeidae: Pronematinae). *Acarologia*, **39**(1): 33–47.
- Khajuria, D.R. 2009. Predatory complex of phytophagous mites and their role in integrated pest management in apple orchard. *Journal of Biopesticides*, **2**(2): 141–144.
- Khan, B. S., Afzal, M. and M. H Bashir. 2010. A new predatory mite species of the genus *Eustigmaeus* (Stigmaeidae: Acari) from Punjab, Pakistan. *Egypt Academic Journal of Biological Sciences*, **3**(2): 149–153.
- Kielkiewicz, M., Ewa Puchalska and Barbara Czajkowska. 2005. Changes in biochemical composition of needles of ornamental dwarf spruce (*Picea glauca* 'Conica') induced by spruce spider mite (*Oligonychus ununguis* Jacobi, Acari: Tetranychidae) feeding. *Acta physiologiae plantarum.*, **27**(4): 463-471
- Kolodziej, A., D. Kroszczynska and J. Postkuta . 1979. Comparative studies on carbon di-oxide exchange rates of strawberry and chrysanthemum plants infested with *Tetranychus urticae* Koch. Proc. 4th int. Congr. Acarol. Saalfelden, pp. 209-214.
- Kowsika, S and K. Ramaraju. 2014. Phytophagous Mite Diversity of *Tetranychus* spp. and *Oligonychus* spp. (Acari: Tetranychidae) Found on Different Host Plants in Coimbatore District and Surrounding Regions. *Trends in Biosciences*, **7**(24): 4113-4117
- Kramer, P. 1877. Grundziige zur Systematik der Milben. - Arch. Naturgesch. **43** : 215-247.
- Kreiter, S., Mailloux, J., Tixier, M.S., Bellec, F. L., Douin, M., Guichou, S. and J. Etienne. 2013. New phytoseiid mites of the French West Indies, with a description of a new species, and new record (Acari: Mesostigmata). *Acarologia*, **53**(3): 285–303.

- Kumar, K. Santosh and L. Nadarajan.2007. Studies on biology of *Aulacophora foveicollis* on pumpkin. *Ann. Pl. Protec. Sci.* **15** : 489-491.
- Kumar, S. and R.N. Singh. 2000. Record of predatory mite fauna associated with vegetable crops in India. *Shashpa*, **7**(1): 11–16.
- Kumaran, N., S. Douressamay and K. Ramaraju. 2007. Bioefficacy of Botanicals to two spotted spidermite, *Tetranychus urticae* Koch. (Acari: Tetranychidae) infesting okra (*Abelmoschus esculentus* L.). *Pestology*, **31**(9): 43-49.
- Kumaraswami, T. 1977. Studies on the interrelationships between certain okra varieties and the red spider mite, *Tetranychus cinnabarinus* (Boisduval). (Unpublished) Ph.D. Thesis, Tamil Nadu Agricultural University, Coimbatore. 119 p.
- Kumaraswami, T. 1977. Studies on the interrelationships between certain okra varieties and the red spider mite, *Tetranychus cinnabarinus* (Boisduval). (Unpublished) Ph.D. Thesis, Tamil Nadu Agricultural University, Coimbatore. 119 p.
- Lahiri, S., S. Poddar, G.K. Saha and S. K. Gupta.2004. Diversity of phytophagous and predatory mites occurring on medicinal plants in Kolkata. *Proceedings of the Zoological Society - Calcutta*, **57**: 47–52.
- Laing, J.E. 1969. Life history and life table of *Tetranychus urticae* Koch. *Acarologia*, **9**: 32-42.
- Lakkundi, N.H. 1973. Faunastic study of the phytophagous mites on fruit and vegetable crops around Bangalore. M.Sc.(Ag.) thesis, University of Agricultural Sciences, Bangalore, 105+xiv pp.
- Lal Taneja, S. and A.S. Dhindwal. 1982. Boll worm incidence as affected by sowing date, nitrogen application and plant population in upland cotton. *Indian J. Pl. Prot.*, **10**: 1-6.
- Lane, H.C. and M.F. Schuster. 1981. Condensed tannins of cotton leaves. *Phytochemistry*, **20**: 425-427.
- Larew, H.G and J. C. Locke. (1990). Repellency and toxicity of a horticultural oil against whiteflies on chrysanthemum. *Hortscience*, **25**: pp. 1406–1407

- Larew, H.G. & Locke, J.C. (1990). Repellency and toxicity of a horticultural oil against whiteflies on chrysanthemum. *Hortscience*, Vol.25, pp. 1406–1407
- Larson, K.C. and R.E. Berry. 1984. Influence of pepper mint phenolics and menoterpene on Two Spotted spider mite (Acari : Tetranychidae). *Environ. Entomol.*, **13** : 282 – 285.
- Lasota, J.A. and R.A. Dybas. 1991. Avermectins: A novel class of compounds: Implications for use in arthropod pest control. *Annu. Rev. Entomol.*, **36**: 91-117.
- Latha, T. K. S and P. L. Kumar, S. Doraiswamy and F. Waliyar. (2007) *Biodiversity of mite vector of Pigeonpea sterility mosaic virus in Tamil Nadu, India*. *Indian Journal of Plant Protection*, **35** (1). pp. 138-139.
- Le Roux, E.J. 1959. Effects of various levels of calcium, magnesium and sulphur in nutrient solution on fecundity of the two-spotted spider mite, *Tetranychus telarius* L. (Acarina : Tetranychidae) reared on cucumber. *Can. J. Plant Sci.*, **39**: 92-97.
- Leite, G.L.D., O.M. Picanc, J.C. Zanuncio and F. Marquini. 2003. Factors affecting mite herbivory on eggplants in Brazil. *Exp. Appl. Acarol.*, **31**: 243-252.
- Leuschner, K. 1975. Major pests of cassava in Africa and preliminary guidelines for screening of resistance, Proc. Interdiscipl. Workshop. IITA. Ibadan. Nigeria: 55- 56.
- Leuschner, K. 1976. Major pests of cassava in Africa and preliminary guidelines for screening of resistance. pp.55 – 56. In the International exchange and testing of cassava germplasm in Africa. Proc.1975. Ed. E.R.Tery and R. MacIntyre.
- Liang, G. & Liu, T-X. (2002). Repellency of a Kaolin particle film, surround, and a mineral oil, sunspray oil, to silverleaf whitefly (Homoptera: Aleyrodidae) on melon in the laboratory. *Journal of Economic Entomology*, Vol.95, pp. 317–324
- Lokesh, B.R. and B.S. Nandihalli. 2009. Management of coconut perianth mite, *Aceria guerrerenis* (Keifer) through nutrition. *Karnataka J. Agric. Sci.*, **22**(3): 603-605.

- Lowry, O. H., N. T. R. Brough, L. A. Fair and R. J. Randall. 1951. Protein measurement with folin phenol reagent. *J. Biol. Chem.*, **193**: 265-275.
- Luczynski, A., M.B. Isman and D.A. Raworth. 1990. Strawberry foliar phenolics and their relationship to development of Two Spotted spider mite. *J. Econ. Entomol.*, **83(2)**: 557-563.
- Magdalene Kharbanger, Sudhanya Ray Hajong and Sudipta Choudhury. 2015. Total phenol content in thrips infested rice leaves of Khasi Hills. *Entomol. Appl. Sci. Lett.*, **2(1)**: 42-46.
- Mahjoori, M., Hajizadeh, J. and M.R.A. Mozhdehi. 2015. A checklist and a key for the phytoseiid and blattisociid mites (Acari: Phytoseioidea) associated with olive orchards in Guilan province Iran. *Entomofauna*, **36(8)**: 97–108.
- Maia, I.G. and A.C. Busoli. 1992. Efeito de doses e fontes de nitrogênio sobre a fecundidade de *Tetranychus urticae* (Koch, 1836) em algodoeiro cv. IAC 20 (*Gossypium hirsutum* L.). *An. Soc. Entomol. Brazil*, **21**: 347–356.
- Mailloux, J., Bellec, F. le, Kreiter, S., Tixier, M.S. and Dubois, P. 2010. Influence of ground cover management on diversity and density of phytoseiid mites (Acari: Phytoseiidae) in Guadeloupean citrus orchards. *Experimental and Applied Acarology*, **52(3)**: 275–290.
- Malik, P. and M.B. Singh. 1980. Extaction and estimation of total phenols. In: Plant enzymology and histo-enzymology. Kalyani Publishers, New Delhi, 286p.
- Mansour, M.H., N.M. Zohdy, S.E. El-Gengaihi and A.E. Amer. 1997. The relationship between tannin concentration in some cotton varieties and susceptibility to piercing and sucking insects. *J. Appl. Ent.*, **121**: 321-325.
- Maragal, S. M. 1977. Influence of temperature and humidity on the development of *Oligonychus indicus* (Hirst.) (Acari :tetranychidae) and effect of selected acaricides on the mite and its predator *Stethorus pauperculus* Weise M.Sc thesis, University of Agricultural Sciences., Bangalore.
- Mariamamma Ninan and Kavitha Kirubavathy. 1998. Studies on the spiraling whitefly *Aleurodieus disperses* Russel (Homoptera : Aleyrodidae) on guava in Coimbatore. *Res. High, IADU*, **8**: 144-147.

- Markham, R. H., I. A. D. Robertson and R. A. Kirkby. 1987. Cassava green mite in East Africa: A regional approach to research and control. *International Journal of Tropical Insect Science*, **8**(4-5-6):909 - 914
- Markkula, M., K. Roukka, and K. Trittanen. 1969. Reproduction of *Myzus persicae* (Sulz.) and *Tetranychus telarius* (L) on different Chrysanthemum cultivars. *Ann. Agric. Fenn.* **8**: 175-183.
- Mathur, S., Putatunda, B.N. and R.B. Mathur. 1994. Mites associated with some vegetable crops in Hisar, Haryana, India. *Journal of Ecobiology*, **6**(1): 53–60.
- Mattson, W. J. 1980. Herbivory in relation to plant nitrogen content. *Ann. Rev. Ecol. Syst.*, **11**:119–161.
- Mayer, A.M., E. Harel and R.B. Shaul. 1965. Assay of catechol oxidase, a critical comparison of methods. *Phytochem.*, **5**: 783-789.
- McMurtry, J.A., G.J. de Moraes, and N.F. Sourassou. 2013. Revision of the lifestyles of phytoseiid mites (Acari: Phytoseiidae) and implications for 142 biological control strategies. *Systematic and Applied Acarology*, **18**(4): 297–320.
- Mellors, N.K. and S.E. Propts. 1983. Effects of fertilizers level, fertility balance, and Soil Moisture on the Interaction of Two-spotted mites (Acarina: Tetranychidae) with Radish plants. *Environ. Entomol.*, **12**: 1239-1244.
- Mensah, R.K., Frerot, B. & Al Dabel, F. (2005a). Effect of petroleum spray oils on oviposition behaviour and larval survival of *Helicoverpa armigera* and *Ostrinia nubilalis*. *International Journal of Pest Management*, **51**, pp. 111–119
- Mensah, R.K., Liang, W. & Singleton, A. (2001). Petroleum spray oils: key component of sustainable IPM in cotton. *Proceedings 32nd Scientific Conference of Australian Entomological Society*, pp. 23–28 Sydney, Australia, September 2001,
- Mensah, R.K., Liang, W. & Singleton, A. (2002). Improving the efficacy of nuclear polyhedrosis virus (NPV) and *Bacillus thuringiensis* (Bt) against *Helicoverpa spp.* on cotton with Petroleum spray oil. *Proceedings of the 11th Australian Cotton Conference*, pp. 279–288 Brisbane, Australia, 13 -15 August 2002

- Mensah, R.K., Liang, W., Gibbs, D., Coates, R. & Johnson, D. (2005b). Evaluation of nC27 petroleum spray oil for activity against *Helicoverpa spp.* on commercial cotton fields in Australia. *International Journal of Pest Management*, Vol.51, pp. 63–70
- Misra, B.C. and P.Israel. 1968. Studies on the bionomics of the paddy mite, *Oligonychus oryzae* Hirst. (Acarina: Tetranychidae). *Oryza* **5**: 32-37.
- Mitchell, R. 1973. Growth and population dynamics of a spider mite (*Tetranychus urticae* Koch, (Acarina: Tetranychidae). *Ecology.*, **54**: 1349-1355.
- Mohammed Yaqoob, D., I. Illahi, P. Agarwal, V. Mittal and G.K. Ramogowda. 2011. Impact of mite infestation on mulberry leaf and silkworm, *Bombyx mori*. *Indian J. Ent.*, **73** (4): 378-381.
- Mohanasundaram, M. (1984). Some Tarsonemid mites from Tamil Nadu, India (Acari: Tarsonemidae), *Oriental Insects*, **18**:1, 79-85.
- Mollema, C. and R. A Cole 1996. Low aromatic amino acid concentrations in leaf proteins determine resistance to *Frankliniella occidentalis* in four vegetable crops. *Entomol. Exp. Appl.*, **78**(3): 325-333.
- Molo, R., W. Aool, S. Adumo and D.L. Mutisya. Integrating cassava varieties and *Typhlodramulus aripo* to sustain biological control of cassava green mite. *African Crop Science Journal*, **24**(1): 117 – 126pp
- Moore, D., M.S. Ridout and L. Alexander. 1991. Nutrition of coconuts in St. Lucia and relationship of attack by coconut mite *Eriophyes guerreronis* Keifer. *Trop. Agric.*, **68**: 41-44.
- Moore, S. and W.H. Stein. 1948. *Methods in Enzymol.* (eds.) Colowick, S.P. and N.D. Kalpan. Academic press, New York.468p.
- Moraes, G. J. de, Lopes, P. C. and L. C. P. Fernando. 2004. Phytoseiid mites (Acari: Phytoseiidae) of coconut growing areas in Sri Lanka, with description of three new species. *Journal of Acarological society*, **13**(2): 141–160.
- Mukherjee, A.B., P.K. Sarkar, A.K. Somchoudhury and M. Roy. 1989. Relative incidence of *Oligonychus oryzae* on nine varieties of paddy and its control. 2:53-57. In: G.P. Channa Basavanna G.P. and C.A. Viraktamath (Eds.), *Progress in Acarology*, Acarological society of India, Bangalore.

- Mukherjee, I.N. and J.Singh. 1993. Records of phytophagous and predatory mites associated with fruit plants in Uttar Pradesh. *Journal of Insect Science*, **6**(1): 134–136.
- Muma, M.H. 1967. New Phytoseiidae (Acarina: Mesostigmata) from Southern Asia. *The Florida Entomologist*, **50**(4): 268–280.
- Murugan, S. 2003. Role of induced resistance in the management of major insect pests of tomato (*Lycopersicon esculentum* Mill.) and okra (*Abelmoschus esculentus* L.) Monech). (Unpublished) Ph.D. Thesis, Tamil Nadu Agricultural University, Coimbatore.365p
- Nachappa, P., D.C. Margolies, J.R. Nechols, A.E. Whitfield and D. Rotenberg. 2013. Tomato Spotted Wilt Virus benefits a non-vector arthropod, *Tetranychus urticae*, by modulating different plant responses in tomato. *PLoS ONE* **8**:e75909.
- Nagarajan, K.R. 1957. A short note on *Paratetranychus oryzae* Hirst., the paddy mite. *Madras Agric. J.* **44**: 480.
- Nageswari, K. 2005. Breeding for Yellow Vein Mosaic virus resistance in bhendi (*Abelmoschus esculentus* (L.) Moench). Unpublished Ph.D. Thesis. Tamil Nadu Agricultural University, Coimbatore.384p
- Najar-Rodríguez, A.J., G.H. Walter and R. K. Mensah. 2007. The efficacy of a petroleum spray oil against *Aphis gossypii* Glover on cotton. Part 1: Mortality rates and sources of variation. *Pest Management Science*, **63**: pp. 586–595
- Najar-Rodríguez, A.J., Walter, G.H. & Mensah, R.K. (2007). The efficacy of a petroleum spray oil against *Aphis gossypii* Glover on cotton. Part 1: Mortality rates and sources of variation. *Pest Management Science*, Vol.63, pp. 586–595
- Nangia, N., P.S. Jagadish and B.K. Nageschandra. 1999. Biochemical changes in different varieties of mulberry infested by *Eotetranychus suginamensis*. *J. Acarol.*, **15**: 29-31.
- Nayak, H.G., K. Rajashekarappa, R. Channakeshava, Mahabaleshwar Hegde and P.S. Hugar. 2007a. Incidence of paddy leaf mite, *Oligonychus oryzae* (Hirst)

- (Acari: Tetranychidae) on paddy in Tungabhadra project area of Karnataka. *J. Acarol.*, **16**(1&2): 57-59.
- Nayak, H.G., K. Rajashekharappa, R. Channakeshava, Mahabaleshwar Hegde and P.S. Hugar. 2007b. Life history of paddy leaf mite, *Oligonychus oryzae* (Hirst) (Acari: Tetranychidae) on paddy. *J. Acarol.*, **16**(1&2): 60-61.
- Nayak, H.G., P.S. Hugar and Mahabaleshwar Hegde. 2008. Biology of Leaf Mite, *Oligonychus oryzae* (Hirst.) on Paddy. *Ann. Pl. Protec. Sci.* **16**(1): 81-82.
- Negm, M.W., Alatawi, F.J. and Y.N. Aldryhim. 2012. Incidence of predatory phytoseiid mites in Saudi Arabia: new records and a key to the Saudi Arabian species (Acari: Mesostigmata: Gamasina). *Systematic and Applied Acarology*, **17**(3): 261–268.
- Nesbitt, H. H. J. 1951. A taxonomic study of the Phytoseiinae (Family Lealapidiae) predaceous upon Tetranychidae of economic importance. *Zoologische Verhandelingen*, **12**: 1-64.
- Nugroha, I. and Ibrahim, 2004, Laboratory bioassay of some entomopathogenic fungi against broad mite (*Polyphagotasonemus latus* Banks). *Int. J. Agric. Biol.*, **2** : 223-225.
- Nukenine EN, A.T. Hassan and A.G.O. Dixon. 2000. Influence of variety on the within-plant distribution of cassava green spider mite (Acari: Tetranychidae), and leaf anatomical characteristics and chemical components in relation to varietal resistance. *Int J Pest Manag.*, **46**:177–186.
- Nukenine, E.N., A. T. Hassan, A.G.O. Dixon and C.N. Fokunang. 2002. Population dynamics of cassava green mite, *Mononychellus tanajoa* (Bondar) (Acari: Tetranychidae) as influenced by varietal resistance. *Pakistan Journal of Biological Sciences*, **5**:177-183.
- Nyiira, Z. M. 1972. *Report of investigation of cassava mite, Mononychellus tanajoa (Bondar)*. Kawanda Research Station, Kampala, Uganda. (Cyclostyled.)
- Nyiira, Z. M. 1973. Bioecological studies on the cassava mite, *Mononychellus tanajoa* (Bondar). (Acarina: Tetranychidae). *Paper presented at the Third International Symposium on tropical root crops, 1973, Ibadan, Nigeria.*

- Nyiira, Z. M. 1976. Advances in research on the economic significance of the green cassava mite (*Mononychellus tanajoa*) in Uganda, pp.27—29. In *The international exchange and testing of cassava germplasm in Africa. Proceedings. 1975*. Ed. E. R. Terry and R. MacIntyre. International Development Research Centre, Ottawa.
- Nyiira, Z. M. 1977. Population dynamics of the green mite and its predator *Oligota*. pp. 193—197. In *Proceedings of the Fourth Symposium of the Society for Tropical Root Crops, 1976*. Ed. J. Cock, R. MacIntyre and M. Graham. International Development Research Centre, Ottawa.
- Nyiira, Z. M. 1978. *Mononychellus tanajoa* (Bondar): Biology, ecology and economic importance, pp. 155—159. In
- Oberbacher, M.F. and H.M. Vines. 1963. *Nature*, **197**: 1203.
- Osakabe, M. 1963. A note on the effect of the fertilizers on the population density of the tea red spider mite *Tetranychus kanzawai* Kishida on the tea plant. *Study of Tea*, **28**: 11-14.
- Osakabe, M. 1967. Biological studies on the tea red spider mite, *Tetranychus kanzawai* Kishida, in tea plantations. *Bull. Tea Res. Sta. Min. Agr. For.*, **4**: 35 – 156.
- Palanisamy, S. 1971. Studies on the two spotted spider mite, *Tetranychus telarius* Linnaeus (Acarina: Tetranychidae) on okra (*Abelmoschus esculentus* Moench.) (Unpublished) M.Sc. (Ag.) dissertation, Univ. of Madras, India. 78p.
- Palanisamy, S. 1984. Ecology and host resistance of carmine spider mite, *Tetranychus cinnabarinus* (Boisduval) in brinjal. (Unpublished) Ph.D., Thesis, Tamil Nadu Agricultural University, Coimbatore. 148. p.
- Palanisamy, S. 1984. Ecology and host resistance of carmine spider mite, *Tetranychus cinnabarinus* (Boisduval) in brinjal. (Unpublished) Ph.D., Thesis, Tamil Nadu Agricultural University, Coimbatore. 148. p.
- Palanisamy, S. 1991. Resistance to red spider mite in bhendi and brinjal. In: Host plant resistance to insect pests and its application in insect pest management. June 6-25. Tamil Nadu G.D.Naidu Agricultural University, Coimbatore pp. 151-157.

- Palanisamy, S. 1991. Resistance to red spider mite in bhendi and brinjal. In: Host plant resistance to insect pests and its application in insect pest management. June 6-25. Tamil Nadu G.D.Naidu Agricultural University, Coimbatore pp. 151-157.
- Palaniswamy S. and T.R. Subramaniam 1977. A note on the ovicidal action of certain commonly used acaricides. *Sci. Cult.*, **43**: 351–352.
- Park, C., S.S. Kim, C.H. Park and S.S. Kim. 1996. Relative toxicity of fenpyroximate to the predatory mite, *Amblyseius womersleyi* (Acarina:Phytoseiidae) and the two spotted spider mite, *Tetranychus urticae* (Acarina:Tetranychidae). *Korean J. Appl. Entomol.*, **35**(3): 266-272.
- Park, Y.L. and J.H. Lee. 2002. Leaf cell and tissue damage of cucumber caused by two spotted spider mite (Acari :Tetranychidae). *J. Econ. Entomol.*, **95**: 952-957.
- Park, Y.L. and J.H. Lee. 2005. Impact of two spotted spider mite (Acari: Tetranychidae) on growth and productivity of Glass house cucumbers. *J. Econ. Entomol.*, **98** (2) : 457 – 463.
- Pena, J. E., L. S. Osborne and R. E. Duncan.1996. Potential of fungi as biocontrol agents of polyphagotarsonemus latus (Acari: Tarsonemidae). *Entomophaga* **41**: 27
- Peng, S., R.C. Laza and K.G. Cassman. 1995. Chlorophyll meter estimates leaf area based Nitrogen concentration rice. *Commun. Soil Sci. Pl. Anal.*, **29**: 927-935.
- Perring, T.M., T.L. Archer, J.W. Johnson and J.M. Phillips. 1982. Evaluation of several grain sorghum characteristics for resistance to the Banks Grass mite. *J. Econ. Entomol.*, **75**: 257-260.
- Piao, C. S., Y. S. Zhou, L. C. Liu and Y. C. Zheng. 1999. Determination of the toxicity of several acaricides to susceptible populations of *Tetranychus urticae*. *Plant Prot.*, **25** (5): 20-22.
- Porath, A. and E. Swirski. 1965. A survey of phytoseiid mites (Acarina: Phytoseiidae) on citrus, with description of one new species. *Israel Journal of Agricultural Resources*, **15**(2): 87–100.

- Prakash, A., J. Rao, and D.C. Asthana. 1988. Screening rice varieties with different growth durations for spider mite *Oligonychus oryzae* infestation. *Intern. Rice Res. Newsl.*, 3:3.
- Prakash, G. 2012. Mite fauna (Acari) associated with selected species of plants in Devarayanadurga area of Tumkur district. M.Sc. (Ag.) thesis, University of Agricultural Sciences, Bangalore, 162pp.
- Prasad, R. 2006. Occurrence and pest status of phytophagous mites infesting common vegetables. *Indian Journal of Entomology*, **68**(3): 235–239.
- Prasanna, K.P. and P. Kumar. 2008. Survey of Tetranychid mites and their natural enemies on brinjal in northern Karnataka. *Karnataka Journal of Agricultural Sciences*, **21**(3): 448–449.
- Pritchard, A.E. and E.W. Baker. 1955. A revision of the spider mite family Tetranychidae. *Mem Pacific Coast Ent. Soc.*, 2: 1-472.
- Proceedings, Cassava Protection Workshop, Cali, 1977.* Ed. T. Brekelbaum, A. Bellotti and J. C. Lozano. *Centro Internacional de Agricultura Tropical, Cali*
- Puchalska, E. 2006. The influence of *Oligonychus ununguis* Jacobi (Acari: Tetranychidae) on photosynthetic activity and needle damage of *Picea glauca* Conica'. *Biol. Lett.*, **43**(2): 353-360.
- Punithavalli, M., N. M. Muthukrishnan and M. Balaji Rajkumar. 2013. Defensive responses of rice genotypes for resistance against rice leaf folder, *Cnaphalocrocis medinalis*. *Rice Sci.*, **20**(5): 363–370.
- Radhakrishnan, V. and K. Ramaraju. 2009. Development Durations, Colonization and Insecticide Efficacy of Leaf Mite, *Oligonychus oryzae* Hirst on Rice. *Trop. Agric. Res.*, **21**(1): 30 – 38.
- Radja Commare, R., R. Nandakumar, A. Andan, S. Suresh, M. Bharathi, T. Raguchander and R. Samiyappan. 2002. *Pseudomonas fluorescens* based bio formulation for the management of sheath blight disease and leaf folder insect in rice. *Crop Protection*, **21**: 671-77.
- Rahman, K. A and A.N. Sapra. 1940. Biology of *Paratetranychus indicus* (Hirst.), a pest of sugarcane in Punjab. *Indian Journal of Entomology*. **11**: 210 - 212.

- Rai, P.S., G.P. Channa Basavanna and B.K. Nageshchandra. 1977. *Oligonychus oryzae* Hirst (Acarina: Tetranychidae) as pest of rice in Karnataka and its control. *Acar. Newsl.* **4**: 3.
- Rajaram, V. and R. Ramamurthy. 2001. Effect of irrigation, nitrogen and potassium on mite incidence and yield of chilli. *Ann. Plant Prot. Sci.*, **9**: 127-128.
- Ramaraju, K. 2005. Biodiversity of mites associated with insects in Western Ghats. List of Executive Summaries of Completed Projects under RE-Division. pp. 19 – 73
- Ramaraju, K., M.K. Varadarajan, E.V. Bhaskaran, J. Kavitha and P. Pratheep Kumar. 2007. Integrated management of Eriophyid mite, *Aceria guerreronis* (Keifer) on coconut in Tamil Nadu, India. *Cord.*, **23**(2): 58-66.
- Ramaraju, K., M.K. Varadarajan and S. Palaniswamy. 2003. Role of organic and inorganic manures in the management of coconut eriophyid mite. In: Proceedings of the National Symposium on Frontier Areas of Entomological Research, 5-7, November 2003, IARI, New Delhi, 275-276.
- Ramsy, A.H. 1985. The biology of the two spotted spider mite *Tetranychus urticae* as affected by resistant *Solanaceous* plants. *Agric. Ecosyst. Environ.*, **13**: 325-328.
- Rao, V.P., B. Datta and G. Ramaseshaiah. 1970. *Tea B. Indian Sci. Publ. ser.*, **5**:
- Ray, I., and G.K. Saha. 2010. Two new predatory mites (Acari; Bdelledae, Phytoseiidae) allocated from Asia pacific Int. **13**: 121-126.
- Ray, I., S.K. Gupta and G.K. Saha. 2007. Species composition and interaction of mites of selected medicinal plants.
- Ray, I., S.K. Gupta and G.K. Saha. 2008. New reports of predatory mites (Acari; Prostigmata, Mesostigmata) from medicinal plants of Darjeeling district, West Bengal, India with description of new species. *Entoman.* **33** (2): 119-128.
- Rock, G.C. 1972. Optimal proportions of dietary amino acids. In: Insect and Mite Nutrition, Rodriguez, J.G. (ed.) North-Holl and publ. Co., Amsterdam. pp. 183-187.
- Rodriguez, J.G. 1951. Mineral nutrition of the two-spotted spider mite, *Tetranychus bimacultus* Harvey. *Ann. Ent. Soc. Am.*, **44**: 511-526.

- Rodriguez, J.G. 1954. Radiophosphorous in metabolic studies in the two spotted spider mite, *Tetranychus utricae*. *J. Econ. Entomol.*, **47**: 514-517.
- Rodriguez, J.G. 1958. The comparative NPK nutrition of *Panonychus ulmi* and *Tetranychus telarius* L. on apple trees. *J. Econ. Entomol.*, **51**: 369-373.
- Rodriguez, J.G., G.E. Chaplin, L.P. Stoltz and A.M. Lasheen. 1970. Studies on the resistance of strawberries to mites. I. Effects of plant nitrogen. *J. Econ. Entomol.*, **63**: 1855-1858.
- Roy, I., S.K. Gupta and G.K. Saha. 2006. Two new species of Prostigmatid mites infesting medicinal plants in West Bengal, India. *Entomon.* **31** (4).307-313
- Saeidi, Z. and B. Mallik, 2006. *In vitro* screening of 60 *Lycopersicon* accessions / cultivars for resistance to Two Spotted spider mite. *Journal of Biological sciences*, **6**(5): 847 – 853.
- Saeidi, Z., B. Mallik and R.S. Kulkarni. 2007. Inheritance of glandular trichomes and two-spotted spider mite resistance in cross *Lycopersicon esculentum* "Nandi" and *L. pennelli* "LA 2963". *Euphytica*, **154**: 231-238.
- Sahraoui, H., Tixier, S.M., Grissa, K.L. and S. Kreiter. 2014. Diversity and abundance of Phytoseiidae (Acari: Mesostigmata) in three crop management strategies of citrus orchards in Tunisia. *Acarologia*, **54**(2): 155–169.
- Sakunwarin, S, A. Chandrapatya and Gerald T. Baker. 2003. Biology and life table of cassava mite, *Tetranychus truncatus* Ehara (Acari: Tetranychidae). *Systematic and applied acarology*, (8): pp 13 – 24
- Samsone, I., U. Andersone and G. Levinsh. 2012. Variable effect of arthropod-induced galls on photochemistry of photosynthesis, oxidative enzyme activity and ethylene production in tree leaf tissues. *Environ. Exp. Biol.*, 10:15-26.
- Sances, F.V., N.C. Toscano, E.R. Oatman, L.F. Lapre, M.W. Johnson and V. Voth. 1982. Reduction in plant processes by *Tetranychus urticae* (Acari: Tetranychidae) feeding on strawberry. *Environ. Entomol.*, **11**: 733-737.
- Sangeetha G. Kaimal and N. Ramani. 2011. Studies on Feeding Characteristics of *Oligonychus biharensis* (Hirst) (Acari: Tetranychidae) infesting Cassava. *Biological Forum.*, **3**(2): 9-13.

- Sanjib Ghoshal and Snehasis Barman. 2012. Population Dynamics and feeding potentiality of *Tenuipalpus pernicious* (Chaudhri, Akbar and Rasool) on Guava (*Psidium guajava*). *Int. J. LifeSc. Bt & Pharm. Res.*, **1**(2).
- Sanjib Ghoshal, S. Barman and M. Saha. 2011a. Seasonal abundance and feeding efficiency of the false spidermite *Tenuipalpus pernicious* on guava *Psidium guava*. *Acarina*, **19**(2): 265-269.
- Sanjib Ghoshal, S., Barman and M. Saha. 2011b. Biochemical changes of some important organic, mineral and inorganic compounds in the leaves of mango (*Mangifera Indica*) due to the infestation of *Oligonychus mangiferus*. *J. Environ. Sci.*, **5** (2): 59-63.
- Sanjib Ghoshal. 2013. Population dynamics and Biochemical fluctuations in relation to the infestation of *Tetranychus Neocaledonichus* Andre on the leaves of Tulsi (*Ocimum Sanctum*). *Int. J. LifeSc. Bt & Pharm. Res.*, **2**:3
- Sankar Rao, S. 2011. Biology and management of leaf mite, *Oligonychus oryzae* (Hirst.) in rice. (Unpublished) M.Sc., (Ag.) Thesis. Acharya N.G. Ranga Agricultural University, Hyderabad.104p
- Santiago, R., R.A. Malvar, M.D. Baamonde, P. Revilla and X.C. Souto. 2005. Free phenols in Maize pith and their relationship with resistance to *Sesamia nenagrioides* (Lepidoptera: Noctuidae) attack. *J. Econ. Entomol.*, **98**(4): 1349-1356.
- Savory, T. 1964. Arachnida. Academic Press, London, 291p.
- Saxena R C. 1986. Biochemical bases of resistance in rice varieties. *In: Natural Resistance of Plants to Pests: Role of Allelochemicals.* (eds) Green, M.B and Hedin, P.A. Washington: American Chemical Society: 142–159.
- Schmid, P.S. and W. Feucht. 1980. Tissue specific oxidation lowering of polyphenols by peroxidase in cherry shoots. *Gartenbau wissenschaft*, **45**: 68-73.
- Schuster, M.F. and A.D. Kent. 1978. Mechanisms of spider mite resistance in cotton. Proceedings of Beltwide cotton production Research Conferences, January 9-11, 1978, Dallas, Texas. pp. 85-86.
- Sederatian, A., Y. Fathipour and S. Moharramipour. 2009. Evaluation of resistance in 14 soybean genotypes to *Tetranychus urticae* (Acari: Tetranychidae). *J. Pest. Sci.*, **82**: 163 – 170.

- Sekh, K., N. Nair, V. Bag and A. K. Somchoudhury. 2007. Bioefficacy of spiromesifen – 240 SC (Oberon) against red spider mite of brinjal and effect on its natural enemies. *Pestology*, **31** (1): 25 - 28
- Sen, S. and S. Mukherji. 2009. Season-controlled changes in biochemical constituents and oxidase enzyme activities in tomato (*Lycopersicon esculentum* Mill.). *Journal of Environmental Biology.*, **30**(4): 479-483.
- Sharma, H.C. and V.F. Lopez. 1990. Mechanisms of resistance in sorghum to head bug, *Colocoris angustatus*. *Entomol. Exp. Appl.*, **57**: 285-294.
- Sheeba Joyce Roseleen, S. 2010. Host plant resistance against two spotted spider mite, *Tetranychus urticae* Koch on okra. (unpublished) Ph. D Thesis. Department of Agricultural Entomology. Tamil Nadu Agricultural University. Coimbatore -03. pp. 202.
- Singh, J. and M. Raghuraman. 2011. Emerging scenario of important mite pests in north India. *Zoosymposia*, **6**: 170–179.
- Singh, R. 1988. Bases of resistance in okra (*Abelmoschus esculentus*) to *Amrasca biguttula biguttula*. *Indian J. Agric. Sci.*, **58**(1): 15-19
- Singh, R. and R. A. Agarwal. 1988. Role of chemical components of resistant and susceptible genotypes of cotton and okra in ovipositional preference of cotton leafhopper. *Proc. Indian Acad. Sci. (Anim. Sci.)*, **97**(6): 545-550
- Singh, R., J.S. Hundal and N. Chawla. 2003. Evaluation of chilli (*Capsicum annum*) genotypes for quality components. *Indian J. Agri. Sci.*, **73**(1): 51-53.
- Smiley, R. L. 1992. The predatory mites family Cunaxidae (Acari) of the world with a new classification. Indira Publishing House, Michigan. 356 pp.
- Spence, K.O., V.T. Bicocca and J.A. Rosenheim. 2007. Friend or Foe?: A plant's Induced Response to an Omnivore. *Environ. Entomol.*, **36**(3): 623-630.
- Spence, K.O., V.T. Bicocca and J.A. Rosenheim. 2007. Friend or foe? Plant's induced response to an omnivore. *Environ. Entomol.* **36**(3):623-630.
- Srimohanapriya, V., M. Kandibane and L. Natarajan. 2009. Bioefficacy of Insecticides against rice leaf mite, *Oligonychus oryzae* Hirst. *Madras Agric. J.*, **97**(1-3): 81-83.

- Sternlichta, M., S. Regeva and S. Goldenberg. 1975. Effect of chemical element deficiencies in nutrient solutions on the reproduction of *Aceria sheldoni* (Ewing) (Acarina, Eriophyidae). *Bulletin of Entomological Research*, **65**:433-442.
- Stoltz, L.P., C.E.Chaplin, A.M. Lasheen and J.G.Rodriguez. 1970. Mineral nutrition of strawberry plants in relation to mite injury. *J. Amer. Soc. Hort. Sci.*, **95**: 601 – 603.
- Storms, J.J.H. 1969. Observations on the relationship between mineral nutrition of apple rootstocks in gravel culture and the reproductive rate of *Tetranychus urticae* (Acarina : Tetranychidae). *Entomol. Exp. Appl.*, **12**: 297-311.
- Stout, M. J. and S. S. Duffey. 1996. Characterization of induced resistance in tomato plants. *Entomol. Exp. Appl.*, **79**: 273–283
- Sudoj, V. 1997. Tea pests with special reference to mites: Research achievements and future thrusts. *Tea*, **18**:156-65.
- Sumangala, K. and M.A .Haq. 2000. Injurious effects of *Tetranychus ludeni* (Acari: Tetranychidae) on *Eichhornia crassipes*. *Indian Journal of Environment & Ecoplanning.*, **3**(1): 121- 126.
- Swamiappan, M. 1986. Mites attack in IR-56 in Malland, Tamil Nadu. *International Rice Research News Letter*. **11**(4): 38.
- Swirski, E. and Y. Golan. 1967. Some phytoseiid mites (Acarina) from Luzon Island (Philippines). *Israel Journal of Agricultural Resources*, **17**(4): 225–227.
- Taneja, A.D., J.C. Sharma, D.P. Singh, A.P. Sharma and M.S. Kairon. 1988. Biochemical changes in *Gossypium hirsutum* cotton in relation to attack by jassid (*Empoasca* spp) *J. Indian. Soc. for Cotton Improvt.*, **13**: 33-36.
- Thakur, M. and C.L. Dinabandhoo. 2005. Predatory mites associated with phytophagous mites of temperate and sub-tropical fruit trees in Himachal Pradesh. *Journal of Biological Control*, **19**(1): 81–84.
- Thakur, M., C.L. Dinabandhoo and U. Chauhan. 2010. Host range, distribution, morphometrics of predatory mites associated with phytophagous mites of fruit crops in Himachal Pradesh, India. Sabelis, M.W. and Bruin, J. (eds), *Trends in Acarology: Proceedings of the 12th International Congress of Acarology*, 431–433.

- Thilagam.P and S.M Jalaludin.2018. Evaluation of rice varieties and land races against paddy leaf mite (*Oligonychus Oryzae*) In North Western Zone of Tamil Nadu. *Journal of Pharmacognosy and Phytochemistry*; SP1: 62-67
- Tixier, M.S., I. Lopes, G. Blanc, J.L..Dedieu, and S. Krieter. 2014. Phytoseiid mites diversity (Acari: Mesostigmata) and assessment of their spatial distribution in French apple orchards. *Acarologia*, **54**(1): 97–111.
- Uthamasamy, S., S. Jayaraj, and T.R. Subramaniam. 1971. Studies on the varietal resistance of bhendi, *Abelmoschus esculentus* (L) Monech. to the leafhopper *Amrasca devastans* (Dist.) (Homoptera : Jassidae). *South Indian Hort.*, **19**: 53-59.
- Vacante, V. 2010. Review of the phytophagous mites collected on citrus in the world. *Acarologia*, **50**(2): 221–241.
- Vachhani, N.C. and S.K. Patel. 2013. Studies on mites from Junagadh district, Gujarat. *Life Sciences Leaflets*, **2**(2): 45–47.
- Van Brussel, E. W. 1975 De. Surinaamse Landbouw. **23**(3): 119-121.
- van de Vrie, M., J.A. McMurtry and C.B. Huffaker. 1972. Ecology of tetranychid mites and their natural enemies: A review. III. Biology, ecology and pest status and host-plant relations of tetranychids. *Hilgardia*, **41**: 343 – 432.
- Van den Boom, C.E.M., T.A. Van Beek and M. Dicke. 2003. Differences among plant species in acceptance by the Spider mite *Tetranychus urticae* Koch. *J. Appl. Ent.*, **127**: 177-183.
- Van Seemere, L.F., J.A.A. Dedonder, H.D. Pooter and J.Pe. 1975. Plant protein and phenolics. In: The Chemistry and biochemistry of plant proteins, J.B. Harborne and C.F.Van Sumere (eds.). Academic Press, New York. pp. 211-256
- Vanitha, K. 2008. Assessing level of resistance and mapping genetic loci associated with resistance to brown planthopper, *Nilaparvata lugens* (Stal.) involving recombinant inbred lines of Basmati 370/ASD16 in rice (*Oryza sativa* L.). Ph.D. Thesis. Department of Agricultural Entomology, Tamil Nadu Agricultural University, Coimbatore-3.

- Vásquez, C., Mondragón, A., Dávila, M. and Aponte, O. 2009. Phytophagous mites (Tetranychoida: Tetranychidae, Tenuipalpidae) from natural vegetations in Lara, Venezuela. *Biota Neotropica*, **9**(4): 55–58.
- Velazhahan, R. and P. Vidhyasekaran. 1994. Role of phenolic compounds, peroxidase and polyphenol oxidase in resistance of groundnut to rust. *Acta Phytopathology and Entomology Hungary*, **29**: 23-29.
- Veluswamy, R., D. Alice and M. Subramaniam. 1987. Reaction of rice varieties to the mite *Oligonychus oryzae*. *International Rice Research News Letter*, **7** (1): 11.
- Vimala, R. and M. Suriachandraselvan. 2009. Induced resistance in bhendi against powdery mildew by foliar application of salicylic acid. *Journal of Biopesticides*, **2**(1): 111-114.
- Vinothkumar, S. 2009. Studies on the population dynamics and integrated management of two spotted spider mite, *Tetranychus urticae* Koch. on brinjal *Solanum melongena* L. (Unpublished) M.Sc., (Ag.) Thesis. Tamil Nadu Agricultural University, Madurai.126p
- Watson, M., M. M. El-Beheiry and M. W. Guirguis. 1985. Laboratory and field studies on the effect of sequential application of pesticides on susceptibility and on some biological aspects of mite *Tetranychus cinnabarinus* (Boisd.). *Acarologia*. **26** (1): 17 – 23.
- Watson, T.F. 1964. Influence of host-plant condition on population increase of *Tetranychus telarius* (Linnaeus) (Acarina: Tetranychidae). *Hilgardia*, **35**: 273-322.
- Weissling, T.J., Lewis, T.M., McDonough, L.M. & Horton, D.R. (1997). Reduction in pear psylla (Homoptera : Psyllidae) oviposition and feeding by foliar application of various materials. *Canadian Entomologist*, **129**, pp. 637–643
- Wekesa, V. W., Maniania, N. K., Markus Knapp and Boga, H. I., 2005, Effects of *B. bassiana*, *M. anisopliae* on mortality of fecundity and egg fertility of *Tetranychus coansi*. *J. Appl. Entomol.*, **130**(3): 155.
- Wilkins, R. T., J. M. Spoerke and N. E. Stamp. 1996. Differential responses of growth and two soluble phenolics of tomato to resource availability. *Ecology*, **77**: 247–258.

- Wilson, L. J. 1994. Plant quality effect on life-history parameters of the twospotted spider mite (Acari: Tetranychidae) on cotton. *J. Econ. Entomol.*, **87**: 1665-1673.
- Wins-Purdy, A.H., Whitehouse, C., Judd, G.J.R. & Evenden, M.L. (2009). Effect of horticultural oil on oviposition behaviour and egg survival in the obliquebanded leafroller (Lepidoptera: Tortricidae). *Canadian Entomologist*, **141**, 86-94
- Yadav Babu, R.K. and M. Manjunatha. 2007. Seasonal incidence of mite population in arecanut. *Karnataka Journal of Agricultural Sciences*, **20**(2): 401-402.
- Yadav Myakala. 2014. Host plant resistance in chilli against yellow mite, *Polyphagotarsonemus latus* (Banks). (unpublished) M.Sc. Thesis. Department of Agricultural Entomology. Tamil Nadu Agricultural University. Coimbatore-03.
- Yaninek, J.S., H. R. Herren and A. P. Gutierrez. 1989a. Dynamics of *Mononychellus tanajoa* (Acari: Tetranychidae) in Africa: Seasonal factors affecting phenology and abundance. *Environmental entomology*, **18**(4): 633-640
- Yaninek, J.S., H. R. Herren and A. P. Gutierrez. 1989a. Dynamics of *Mononychellus tanajoa* (Acari: Tetranychidae) in Africa: Experimental evidence of the effects of temperature and host plant on population growth rates. *Environmental entomology*, **18**(4): 625-632
- Yoshida, S., D.A. Farno, J.H. Cak and K.A. Gomez. 1971. Laboratory manual for physiological studies of rice. *Int. Rice Res. Newsl.*, 70p.
- Zacarias, S.M. and G.J. de Moraes. 2002. Mite diversity (Arthropoda: Acari) on euphorbiaceous plants in three localities in the state of São Paulo, Brazil. *Biota Neotropica*, **2**: 01-12.
- Zeity, M. 2011. Fauna of mites associated with selected plants around Bangalore. M.Sc. (Ag.) thesis, University of Agricultural Sciences, Bangalore, 139pp. Zhang, Z.Q. 2003. *Mites of Greenhouses: Identification, Biology and Control*. CABI Publishing, 244pp.
- Zhang, J. and M.B. Kirkham. 1994. Drought-stress induced changes in activities of superoxide dismutase, catalase and peroxidase in wheat species. *Plant Cell Physiol.*, **35**: 758-791.

Zhi-Qiang Zhang and J.P. Sanderson. 1990. Relative toxicity of abamectin to the predatory mite *Phytoseiulus persimilis* (Acari: Phytoseiidae) and two spotted spider mite (Acari:Tetranychidae). *J. Econ. Entomol.*, 83(5): 1783-1790.

Zwick, R.W. & Westigard, P.H. 1978. Prebloom petroleum oil applications for delaying pear psylla (Homoptera: Psyllidae) oviposition, *Canadian Entomologist*, **110**: pp. 225–236

* Originals not seen