

REFERENCES

CHAPTER 1

- [1] Nanotechnology 2005, 'Enabling technologies for Australian innovative industries', [Online] Available from: [http:// www. Innovation. gov. au/ Science/ PMSEIC/ Documents/ Nanotechnology.pdf](http://www.Innovation.gov.au/Science/PMSEIC/Documents/Nanotechnology.pdf).
- [2] Jeremy, J & Ramsden 2005, 'What is Nanotechnology', Collegium Basilea, [Online] Available from: <http://pages.unibas.ch/colbas/ntp/N03RA05.pdf>.
- [3] Connexions, 'The Early History of Nanotechnology', [Online] Available from: <http://cnx.org/content/m14504/latest/>.
- [4] Cattien, S 'Sprachenpreis Nanotechnology', [Online] Available from: <http://projekt.beuth-hochschule.de/fileadmin/projekt/sprachen/sprachenpreis/erfolgreichebeitraege2007/3.Preis07-Nanotechnology-SarkisCattien.pdf>
- [5] Roco, M.C 2005, 'International Perspective on Government Nanotechnology Funding in 2005'. *Journal of Nanoparticle Research*, vol. 7, no. 6, pp. 707-712.
- [6] Remskar, M, Mrzel, A, Skraba, Z, Jesih, A, Ceh, M, Demsar, J, Stadelmann, P, Levy, F & Mihailovic, D 2001, 'Self-assembly of subnanometer-diameter single-wall MoS₂ nanotubes', *Science*, vol. 292, no.5516, pp.479-481.
- [7] Lin, J, Lim, J.M, Youn, D.H, Kawashima, K, Kim, J.H, Liu, Y, Guo, H, Henkelman, G, Heller, A & Mullins, C.B 2017, 'Self-Assembled Cu–Sn–S Nanotubes with High (De) Lithiation Performance', *ACS Nano*, vol. 11, no. 10, pp. 10347-10356.

- [8] Tenne, R, Homyonfer, M & Feldman, Y 1998, 'Nanoparticles of Layered Compounds with Hollow Cage Structures (Inorganic Fullerene-Like Structures)', *Chemistry of Materials*, vol. 10, no. 11, pp. 3225- 3238.
- [9] Pan, Z.W, Dai, Z.R, Ma, C & Wang, Z.L 2002, 'Molten Gallium as a Catalyst for the Large-Scale Growth of Highly Aligned Silica Nanowires', *Journal of the American Chemical Society*, vol. 124, no. 8, pp. 1817-1822.
- [10] Manjunatha, K.N & Paul, S 2017, 'In-situ catalyst mediated growth and self-doped silicon nanowires for use in nanowire solar cells', *Vacuum*, vol. 139, pp. 178-184.
- [11] Manna, L, Scher, E.C & Alivisatos A.P 2000, 'Synthesis of Soluble and Processable Rod-, Arrow-, Teardrop-, and Tetrapod-Shaped CdSe Nanocrystals', *Journal of the American Chemical Society*, vol. 122, no. 51, pp. 12700-12706.
- [12] Wang, Z.L, Dai, Z.R, Gao, R.P, Bai, Z.G & Gole, J.L 2000 'Side-by-side silicon carbide–silica biaxial nanowires: Synthesis, structure, and mechanical properties', *Applied Physics Letters*. vol. 77, no. 21, pp. 3349-3351.
- [13] Shi, W, Peng, H, Wang, N, Li, C.P, Xu, L, Lee, C.S, Kalish, R & Lee, S.T 2001, 'Free-standing single crystal silicon nanoribbons', *Journal of the American Chemical Society*, vol. 123, no. 44, pp. 11095-11096.
- [14] Tao, Y, Wu, X, Wang, W & Wang, J 2015, 'Flexible photodetector from ultraviolet to near infrared based on a SnS₂ nanosheet microsphere film', *Journal of Materials Chemistry C*, vol. 3, no. 6, pp. 1347-1353.
- [15] Poole, C.P & Owens, F.J 2003, 'Introduction to Nanotechnology', John Wiley & Sons, Inc., Hoboken, New Jersey.

- [16] Khanna, A.S 2008, 'Nanotechnology in High Performance Paint Coatings', vol. 21, no. 2, pp. 25-32, [Online] Available: <http://ajes.in/PDFs/08-2/2.%20Nanotechnology-A%20boon.pdf>.
- [17] Dabin, Y, Debao, W, Weichao, Y & Yitai, Q 2004, 'Synthesis of ITO nanowires and nanorods with corundum structure by a co-precipitation-anneal method', *Materials Letters*, vol. 58, no. 1-2, pp. 84-87.
- [18] Krishnakumar, T, Jayaprakash, R, Pinna Nicola, Singh, V.N, Mehta, B.R & Phani A.R 2009, 'Microwave-assisted synthesis and characterization of flower shaped zinc oxide nanostructures', *Materials Letters*, vol. 63, no. 2, pp. 242-245.
- [19] Fraigi, L.B, Lamas, D.G & Walsoe de Reça N.E 2001, 'Comparison between two combustion routes for the synthesis of nanocrystalline SnO₂ powders', *Materials Letters*, vol. 47 no. 4-5, pp. 262-266.
- [20] Korosi, L, Papp, S, Meynen, V, Cool, P, Vansant, E.F & Dekany 2005, 'Preparation and characterization of SnO₂ nanoparticles of enhanced thermal stability: The effect of phosphoric acid treatment on SnO₂.nH₂O', *Colloids and surfaces: A: physicochemical and engineering aspects*, vol. 268, pp. 147-154.
- [21] Han, Z, Guo, N, Li, F, Zhang, W, Zhao, H & Qian, Y 2001, 'Solvothermal preparation and morphological evolution of stannous oxide powders', *Materials Letters*, vol. 48, no. 2, pp. 99-103.
- [22] Sakai, G, Baik, N.S, Miura, N & Yamazoe, N 2001, 'Gas sensing properties of tin oxide thin films fabricated from hydrothermally treated nanoparticles:

- Dependence of CO and H₂ response on film thickness', *Sensors & Actuators: B. Chemical*, vol. 77, no. 1-2, pp. 116-121.
- [23] Luo, H.X, Ji, Z.Y & Wei, W.S 2004, 'Sonochemical and microwave-assisted synthesis of linked single-crystalline ZnO rods', *Materials Chemistry and Physics*, vol. 88, pp. 421-426.
- [24] Cukrov, L.M, Mc Cormick, P.G, Galatsis, K & Wlodarski, W 2007, 'Gas sensing properties of nanosized tin oxide synthesised by mechanochemical processing', *Sensors & Actuators: B. Chemical*, vol. 77, pp. 491-495.
- [25] Serena A Corr 2012, *Metal oxide nanoparticles, Nanoscience: Nanostructures through Chemistry*, vol. 1, pp. 180-207.
- [26] Rodriguez, J.A & Garcia, M.F (Eds.) 2007, *Synthesis, Properties and Applications of Oxide Nanoparticles*. Wiley Publishers, New Jersey.
- [27] Wyckoff, R.W.G 1964, *Crystal Structures*, 2nd ed, John Wiley & Sons Inc, New York.
- [28] Rodriguez, J.A, Liu, G, Jirsak, T, Hrbek, J, Chang, Z, Dvorak, J & Maiti, A. 2002, 'Activation of gold on titania: adsorption and reaction of SO(2) on Au/TiO(2)(110)', *Journal of the American Chemical Society*, vol. 124, no. 18, pp. 5242-5250.
- [29] Ayyub, P, Palkar, V.R, Chattopadhyay, S & Multani, M 1995, 'Effect of crystal size reduction on lattice symmetry and cooperative properties', *Physical Review B*, vol. 51, no. 9, 6135-6138.
- [30] Schoiswohl, J, Kresse, G, Surnev, S, Sock, M, Ramsey, M.G & Netzer, F.P. 2004, 'Planar Vanadium Oxide Clusters: Two-Dimensional Evaporation and Diffusion on Rh(111)', *Physical Review Letters*, vol. 92, pp. 206103.

- [31] Samsonov, V.M, Sdobnyakov, N.Yu & Bazulev, A.N. 2003, 'On thermodynamic stability conditions for nanosized particles', *Surface Science*, vol. 532–535, pp. 526-530.
- [32] Cammarata, R.C & Sieradki, K 1989, 'Effects of surface stress on the elastic moduli of thin films and superlattices', *Physical Review Letters*, vol. 62, no. 17, pp. 2005.
- [33] Marcos Fernandez-Garcia & José A. Rodriguez 2007, *Metal Oxide Nanoparticles Nanomaterials: Inorganic and Bioinorganic Perspectives*, 79479.
- [34] Yoffre, A.D 1993, 'Low-dimensional systems: quantum size effects and electronic properties of semiconductor microcrystallites (zero-dimensional systems) and some quasi-two-dimensional systems', *Advances in Physics*, vol. 42, no. 2, pp. 173-262.
- [35] Rodriguez, J.A & Maiti, A 2000, 'Adsorption and Decomposition of H₂S on MgO(100), NiMgO(100), and ZnO(0001) Surfaces: A First-Principles Density Functional Study', *Journal Physical Chemistry B*, vol. 104, no. 15, pp. 3630-3638.
- [36] McHale, J.M, Auroux, A, Perrota, A.J & Navrotsky, A 1997, 'Surface Energies and Thermodynamic Phase Stability in Nanocrystalline Aluminas', *Science*, vol. 277, no. 5327, pp. 788-791.
- [37] Iwakoshi 2008, 'Application of Metal Nanoparticles to Paint Colorants', *Techno-cosmos*, vol. 21, pp. 32-38.

- [38] Liz-Marzan, L.M 2006, 'Tailoring Surface Plasmons through the Morphology and Assembly of Metal Nanoparticles', *Langmuir*, vol. 22, no. 1, pp. 32-41.
- [39] Lue, J.T. 2007, *Physical Properties of Nanomaterials*, *Encyclopedia of Nanoscience and Nanotechnology*, vol. 5, pp. 1-46.
- [40] Koshihara, S, Oiwa, A, Hirasawa, M, Katsumoto, S, Iye, Y, Urano, C, Takagi, H & Munekata, H 1997, 'Ferromagnetic Order Induced by Photogenerated Carriers in Magnetic III-V Semiconductor Heterostructures of (In,Mn)As/GaSb', *Physical Review Letters*, vol. 78, no. 24, pp. 4617.
- [41] Ohno, H, Chiba, D, Matsukura, F, Omiya, T, Abe, E, Dietl, T, Ohno, Y & Ohtani, K 2000, 'Electric-field control of ferromagnetism', *Nature*, vol. 408, no. 6815, pp. 944-946.
- [42] Fang, L.M, Zu, X.T, Li, Z.J, Zhu, S, Liu, C.M, Wang, L.M & Gao, F 2008, 'Microstructure and luminescence properties of Co-doped SnO₂ nanoparticles synthesized by hydrothermal method', *Journal of Materials Science: Materials in Electronics*, vol. 19, no. 8-9, pp. 868-874.
- [43] Wu, X, Zou, B, Xu, J, Yu, B, Tang, G, Zhang, G & Chen, W 1997, 'Structural characterization and optical properties of nanometer-sized SnO₂ capped by stearic acid', *Nanostructured Materials*, vol. 8, no. 2, pp. 179-189.
- [44] Dieguez, A, Rodriguez, A.R, Morante, J.R, Weimar, U, Berberich, M.S, Gopel, W 1996, 'Morphological analysis of nanocrystalline SnO₂ for gas sensor applications', *Sensors and Actuators B: Chemical*, vol. 31, no. 1-2, pp. 1-8.

- [45] Johnson, J.C, Yan, H, Yang, P & Saykally, R.J 2003, 'Optical Cavity Effects in ZnO Nanowire Lasers and Waveguides', *The Journal of Physical Chemistry B*, vol. 107, no. 34, pp. 8816-8828.
- [46] Fan, Z, Lu, J.G 2005, 'Gate-Refreshable Nanowire Chemical Sensors', *Applied Physics Letters*, vol. 86 no. 12, pp. 123510.
- [47] Ng, M. H. T, Han, J, Yamada, T, Nguyen, P, Chen, Y.P & Meyyappan, M 2004, 'Single Crystal Nanowire Vertical Surround-Gate Field-Effect Transistor', *Nano Letters*, vol. 4, no. 7, pp. 1247-1252.
- [48] He, H, Wu, T.H, Hsin, C.L, Li, K.M, Chen, L.J, Chueh, Y.L, Chou, L.J & Wang, Z.L 2006, 'Beaklike SnO₂ nanorods with strong photoluminescent and field-emission properties', *Small*, vol. 2, no. 1, pp. 116-120.
- [49] Mathur, S, Barth, S, Shen, H, Pyun, JC & Werner, US 'Size-dependent photoconductance in SnO₂ nanowires', *Small*, vol. 1, no. 7, pp. 713-717.
- [50] Skariah, B, Naduvath, J & Thomas, B 2016, 'Effect of long term ageing under humid environment on the LPG sensing properties and the surface composition of Mg-doped SnO₂ thin films', *Ceramics International*, vol. 42, no. 6, pp. 7490-7498.
- [51] Peng, Z, Shi, Z & Liu, M 2000, 'Mesoporous Sn-TiO₂ composite electrodes for lithium batteries', *Chemical Communications*, no. 21, pp. 2125-2126.
- [52] Ferrere, S, Zaban, A & Gregg, B.A 1997, 'Dye Sensitization of Nanocrystalline Tin Oxide by Perylene Derivatives', *Journal of Physical Chemistry B*, vol. 101, no. 23, pp. 4490-4493.

- [53] Seal, S & Shukla, S 2002, 'Nanocrystalline SnO gas sensors in view of surface reactions and modifications', *The Journal of the Minerals, Metals & Materials Society*, vol. 54, no. 9, pp. 35-38.
- [54] De Monredon, S, Cellot, A, Ribot, F, Sanchez, C, Armelao, L, Gueneau L & Delattre, L 2002, 'Synthesis and characterization of crystalline tin oxide nanoparticles', *Journal of Materials Chemistry*, vol. 12, no. 8, pp. 2396–2400.
- [55] Sergent, N, Gelin, P, Camby, L.P, Praliaud, H & Thomas, G 2002, 'Preparation and characterisation of high surface area stannic oxides: structural, textural and semiconducting properties', *Sensors and Actuators B: Chemical*, vol. 84, no. 2-3, pp. 176-188.
- [56] Emons, T.T, Li, J & Nazar, L.F 2002, 'Synthesis and characterization of mesoporous indium tin oxide possessing an electronically conductive framework', *Journal of the American Chemical Society*, vol. 124, no. 29, pp. 8516-8517.
- [57] Gu, F, Wang, S.F, Lu, M.K, Qi, Y.X, Zhou, G.J, Xu, D & Yuan, D.R 2004, 'Luminescent characteristics of Eu^{3+} in SnO_2 nanoparticles', *Optical Materials*, vol. 25, no. 1, pp. 59-64.
- [58] Qi, L, Ma, J, Cheng, H & Zhao, Z 1998, 'Synthesis and characterization of mesostructured tin oxide with crystalline walls', *Langmuir*, vol. 14, pp. 2579-2581.
- [59] Grosse, P, Schmitte, F.J, Frank, G & Kostlin, H 1982, 'Preparation and growth of SnO_2 thin films and their optical and electrical properties', *Thin Solid Films*, vol. 90, no. 3, pp. 309-315.

- [60] Lee, S. W, Kim Y. W & Chen, H 2001, 'Electrical properties of Ta-doped SnO₂ thin films prepared by the metal–organic chemical-vapor deposition method', *Applied Physics Letters*, vol. 78, pp. 350-352.
- [61] Mason, M.G, Hung, L.S, Tang, C.W, Lee, S.T, Wong K.W & Wang, M 1999, 'Characterization of treated indium–tin–oxide surfaces used in electroluminescent devices', *Journal of Applied Physics*, vol. 86, pp. 1688-1692.
- [62] Sekizawa, K, Widjaja, H, Maeda, S, Ozawa, Y & Eguchi, K 2000, 'Low temperature oxidation of methane over Pd/SnO₂ catalyst', *Applied Catalysis A: General*, vol. 200, no.1-2, pp. 211-217.
- [63] Patil, G.E, Kajale, D.D, Chavan, D.N, Pawar, N.K, Ahire, P.T, Shinde, S.D, Gaikwad V.B & Jain, G. H 2011, 'Synthesis, characterization and gas sensing performance of SnO₂ thin films prepared by spray pyrolysis', *Bulletin of Materials Science*, vol. 34, no. 1, pp. 1-9.
- [64] Aoul, A.T, Saidani, F, Rochefort, D & Mohamedi, M 2011, 'Pulsed Laser Synthesis of SnO₂-Pt Nano-Thin Films onto Carbon Nanotubes and their Electrocatalytic Activity Towards Ethanol Oxidation', *International Journal of Electrochemical Science*, vol. 6, pp. 6385-6397.
- [65] Zhang, Y, Kolmakov, A, Chretien, S, Metiu, H & Moskovits, M 2004, 'Control of Catalytic Reactions at the Surface of a Metal Oxide Nanowire by Manipulating Electron Density Inside it', *Nano Letters*, vol. 4, no. 3, pp. 403-407.
- [66] Nakao, S, Yamada, N, Hitosugi, T, Hirose, Y, Shimada, T & Hasegawa, T 2011, 'Fabrication of transparent conductive W-doped SnO₂ thin films on

- glass substrates using anatase TiO₂ seed layers', *Physica status solidi c*, vol. 8, no. 2, pp. 543-545.
- [67] Batzill, M & Diebold, U 2005, 'The surface and materials science of tin oxide', *Progress in Surface Science*, vol. 79, pp. 47-154.
- [68] Kumar, V, Sen, S, Muthe, K.P, Gaur, N.K, Gupta S.K & Yakhmi, J.V 2009, 'Copper doped SnO₂ nanowires as highly sensitive H₂S gas sensor', *Sensors and Actuators B: Chemical*, vol. 138, no. 2, pp. 587-590.
- [69] Dieguez, A, Romano-Rodríguez, A, Vila, A & Morante, J.R 2001, 'The complete Raman spectrum of nanometric SnO₂ particles', *Journal Applied Physics*, vol. 90, no. 3, pp. 1550-1557.
- [70] Samson, S & Fonstad, C.G 1973, 'Defect structure and electronic donor levels in stannic oxide crystals', *Journal of Applied Physics*, vol. 44, pp. 4618.
- [71] Popescu, D.A, Herrmann, J.M, Ensuque, A & Bozon-Verduraz, F 2001, 'Nanosized tin dioxide: Spectroscopic (UV-VIS, NIR, EPR) and electrical conductivity studies', *Physical Chemistry Chemical Physics*, vol. 3, no. 12, pp. 2522-2530.
- [72] Blaser, G, Ruhl, Th, Diehl, C, Ulrich, M & Kohl, D 1999, 'Nanostructured semiconductor gas sensors to overcome sensitivity limitations due to percolation effects', *Physica A* vol. 266, no. 1, pp. 218-223.
- [73] Dietl, T, Ohno, H, Matsukura, F, Cibert, J & Ferrand, D 2000, 'Zener model description of ferromagnetism in zinc-blende magnetic semiconductors', *Science*, vol. 287 no. 5455, pp. 1019-1022.

- [74] Sato, K, Dederics, P.H & Katayama-Yoshida, H 2003, 'Curie temperatures of III-V diluted magnetic semiconductors calculated from first principles', *Europhysics Letters*, vol. 61, no. 3, pp. 403.
- [75] Bland, T, Lee, K & Steinmuller, K 2008, 'The spintronics challenge', *Physics World*, vol. 21, pp. 24-28.
- [76] Awschalom, D.D & Flatte, M.E 2007, 'Challenges for semiconductor spintronics', *Nature Physics*, vol.3, pp.153-159.
- [77] Sharma, A, Kumar, S, Kumar, R, Varshney, M, & Verma, K.D 2009, 'Magnetic properties of Fe and Ni doped SnO₂ nanoparticles', *Optoelectronics and Advanced Materials-Rapid Communications*, vol. 3, pp. 1285.
- [78] Nakano, Y, Morikawa, T, Ohwaki, T, & Taga, Y 2006, 'Band-gap narrowing of TiO₂ films induced by N doping', *Physica B*, vol. 376, pp. 823-826.
- [79] Li, Y.R, Liang, Z, Zhang, Y, Zhu, J, Jiang, S.W & Wei, X.H 2005, 'Growth modes transition induced by strain relaxation in epitaxial MgO thin films on SrTiO₃ (001) substrates', *Thin Solid Films*, vol. 483, no. 1-2, pp. 245-250.
- [80] Srinivas, K, Vithal, M, Sreedhar, B, Raja, M.M & Reddy, P.V 2009, 'Structural, Optical, and Magnetic Properties of Nanocrystalline Co Doped SnO₂ Based Diluted Magnetic Semiconductors', *Journal of Physical Chemistry C*, vol. 113, pp. 3543-3552.
- [81] Ahmad, T & Khatoon, S 2015, 'Structural, characterization and properties of nanocrystalline Sn_{1-x}Co_xO₂ based dilute magnetic semiconductors', *Journal of Materials Research*, vol. 30, pp. 1611-1618.

- [82] Sambasivam, S, Choi, B.C & Lin, J.G 2011, 'Intrinsic magnetism in Fe doped SnO₂ nanoparticles', Journal of Solid State Chemistry, vol. 184, pp. 199-203.
- [83] Ahmed, S.A & Mohamed, S.H 2012, 'Room temperature ferromagnetism behaviour of Sn_{1-x}Mn_xO₂ powders', Journal of Magnetism and Magnetic Materials, vol. 324, no. 5, pp. 812-817.
- [84] Kushwaha, A, Tyagi, H & Aslam, M 2013, 'Role of defect states in magnetic and electrical properties of ZnO nanowires', AIP Advances, vol. 3, pp. 042110.
- [85] Motaung, D.E, Mhlongo, G.H, Nkosi, S.S, Malgas, G.F, Mwakikunga, E. Coetsee, B.W, Swart, H.C, Abdallah, H.M.I, Moyo, T. & Ray, S.S 2014, 'Shape-Selective Dependence of Room Temperature Ferromagnetism Induced by Hierarchical ZnO Nanostructures', ACS Applied Materials & Interfaces, vol. 6, no. 12, pp. 8981-8995.
- [86] Fitzgerald, C.B, Venkatesan, M, Dorneles, L.S, Gunning, R, Stamenov, P, Coey, J.M.D, Stampe, P.A, Kennedy, R, Moreira, E.C, Sias, U.S 2006, 'Magnetism in dilute magnetic oxide thin films based on SnO₂', Physical Review B, vol. 74, pp. 115307.
- [87] Punnoose, A, Hays, J, Gopal, V & Shutthanandan, V 2004, 'Room temperature ferromagnetism in chemically synthesized Sn_{1-x}Co_xO₂ powders', Applied Physics Letters, vol. 85, no. 9, pp. 1559.
- [88] Ogale, S.B, Choudhary, R.J, Buban, J.P, Lofland, S.E, Shinde, S.R, Kale, S.N, Kulkarni, V.N, Higgins, J, Lanci, C, Simpson, J.R, Browning, N.D, Das, S, Sarma, S, Drew, H.D, Greene, R.L & Venkatesan, T 2003, 'High

temperature ferromagnetism with a giant magnetic moment in transparent Co-doped SnO_{2-δ},’ *Physical Review Letters*, vol. 91, pp. 077205.

- [89] Willardson, P.K & Beer, A.C 1988, ‘Semimetals and Semiconductors’, Academic Press, New York.
- [90] Furdyna, JK & Kossut, J 1988, ‘Diluted Magnetic Semiconductors, Semiconductors and Semimetals’, Academic Press, New York.
- [91] Elhouichet, H, Othman, L, Moadhen, A, Queslati, M & Roger, J.A. 2003, ‘Enhanced Photoluminescence of Tb³⁺ and Eu³⁺ induced by energy transfer from SnO₂ and Si nanocrystallites’, *Materials Science and Engineering: B*, vol. 105, no. 1-3, pp. 8-11.
- [92] Parthibavarman, M, Hariharan, V, Sekar, C & Singh, V.N 2010, ‘Effect of copper on structural, optical and electrochemical properties of SnO₂ nanoparticles’, *Journal of Optoelectronics and Advanced Materials*, vol. 12, no. 9, pp. 1894-1898.
- [93] Hieu, N.V, Kim, H.R, Ju, B.K & Lee, J.H 2008, ‘Enhanced Performance of SnO₂ nanowires ethanol sensor by functionalizing with La₂O₃’, *Sensors and Actuators B: Chemical*, vol. 133, no. 1, pp. 228-234.
- [94] Sharma, A, Pratap Singh, A.P, Thakur, P, Brookes, N.B, Kumar, S, Lee, C.G, Choudhary, R.J, Verma, K.D & Ravi Kumar 2010, ‘Structural, electronic and magnetic properties of Co doped SnO₂ nanoparticles’, *Journal of Applied Physics*, vol. 107, pp. 093918.
- [95] Zhu, H, Yang, D, Yu, G, Zhang, H & Yao, K 2006, ‘A simple hydrothermal route for synthesizing SnO₂ quantum dots’, *Nanotechnology*, vol. 17, pp. 2386-2389.

- [96] Du, F, Guo, Z & Li, G 2005, 'Hydrothermal synthesis of SnO₂ hollow microspheres', *Materials Letters*, vol. 59, no. 19-20, pp. 2563-2565.
- [97] Liu, Y, Yang, F & Yang, X 2008, 'Size controlled synthesis and characterization of quantum-size SnO₂ nanocrystallites by a solvothermal route', *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, vol. 312, no. 2-3, pp. 219-225.
- [98] Fraigi, L, Lamas, D.G & Reca, N.E.W 1999, 'Novel method to prepare nanocrystalline SnO₂ powders by a gel-combustion process', *Nanostructured Materials*, vol. 11, pp. 311-318.
- [99] Manorama, S.V, Reddy, C.V.G & Rao, V.J 1999, 'Tin dioxide nanoparticles prepared by sol-gel method for an improved hydrogen sulfide sensor', *Nanostructured Materials*, vol. 11, no. 5, pp. 643-649.
- [100] Pires, F.I, Joanni, E, Savu, R, Zaghete, M.A, Longo, E & Varela, J.A 2008, 'Microwave-assisted hydrothermal synthesis of nanocrystalline SnO powders', *Materials Letters*, vol. 62, no. 2, pp. 239-242.
- [101] Krishnakumar, T, Pinna, N, Kumari, K.P, Perumal, K & JayaPrakash, R 2008, 'Microwave-assisted synthesis and characterization of tin oxide nanoparticles', *Materials Letters*, vol. 62, no. 19, pp. 3437-3440.
- [102] Gorley, P.M, Khomyak, V.V, Bilichuk, S.V, Orletsky, I.G, Hovley, P.P & Gerchko, V.O 2005, 'SnO₂ films: Formation, Electrical and Optical properties', *Materials Science and Engineering: B*, vol. 118, no. 1-3, pp.160-163.

- [103] Yoo, K.S, Park S.H, & Korg, J.H 2005, 'Nano-grained thin film Indium tin oxide gas sensors for H₂ detection', *Sensors and Actuators B: Chemical*, vol.108, no. 1-2, pp. 159-164.
- [104] Yang, H.T and Cheung, J.T 1982, 'Pulsed Laser Evaporated SnO₂ films', *Journal of Crystal Growth*, vol.56, no. 2, pp. 429-432.
- [105] Fang, H, Miller, T.M, Robert, H, Magruder M & Weller, R.A 2002, 'The effect of strain on resistivity of Indium Tin Oxide film prepared by pulsed Laser deposition', *Journal of Applied Physics*, vol. 91, pp. 6194-6196.
- [106] Serin, T, Serin, N, Karadeniz, K, Sari, H, Tugluouglu, T & Pakma, O 2006, 'Electrical, structural and optical properties of SnO₂ thin films prepared by spray pyrolysis', *Journal of Non-Crystalline solids*, vol. 352, no. 3, pp. 209-215.
- [107] Oshima M & Oshino, K 2010, 'Electron Scattering Mechanism of FTO Films Grown by Spary Pyrolysis Method', *Journal of Electronic Materials*, vol. 39, no. 6, pp. 819-822.
- [108] Zhang, L, Jiang, Y, Ding, Y, Povey, M & York, D 2007, 'Investigation into the antibacterial behavior of suspensions of ZnO nanoparticles (ZnO nanofluids)', *Journal of Nanoparticle Research*, vol. 9, no. 3, pp. 479-489.
- [109] Hajipour, M.J, Fromm, K.M, Ashkarran, A.A, Aberasturi, D.J.D, Larramendi, I.R.D, Rojo, T, Serpooshan, V, Parak, W.J & Mahmoodi, M 2012, 'Antibacterial properties of nanoparticles'. *Trends in Biotechnology*, vol. 30, no. 10, pp. 499-511.
- [110] Yamamoto, O 2001, 'Influence of particle size on the antibacterial activity of zinc oxide', *International Journal of Inorganic Materials*, vol. 3, no. 7, pp. 643-646.

- [111] Li, Q.L, Mahendra, S, Lyon, D.Y, Brunet, L, Liga, M.V, Li, D & Alvarez, P.J 2008, 'Antimicrobial nanomaterials for water disinfection and microbial control: potential applications and implications', *Water Research*, vol. 42, no. 18, (2008) pp. 4591-4602.
- [112] Karunakaran, C, Radha, S.S & Gomathisankar, P 2013, 'Photocatalytic and bactericidal activities of hydrothermally and sonochemically prepared Fe₂O₃-SnO₂ nanoparticles', *Materials Science in Semiconductor Processing*, vol. 16, no. 3, pp. 818-824.
- [113] Chandran, D, Lakshmi S. Nair, Balachandran, S, Babu, K,R & Deepa, M 2015, 'Structural, optical, photocatalytic, and antimicrobial activities of cobalt-doped tin oxide nanoparticles', *Journal of Sol-Gel Science and Technology*, vol. 76, no. 3, pp. 582-591.

CHAPTER 2

- [1] Krishnakumar, T, Pinna, N, Kumari, K.P, Perumal, K & Jaya Prakash, R 2008, 'Microwave-assisted synthesis and characterization of tin oxide nanoparticles', *Materials Letters*, vol. 62, no. 19, pp. 3437-3440.
- [2] Zhang, G & Liu, M 1999, 'Preparation of nanostructured tin oxide using a sol-gel process based on tin tetrachloride and ethylene glycol', *Journal of Materials Science*, vol. 34, no. 13, pp. 3213-3219.
- [3] Noreka, M, Domanskaa, M.M, Wojciech, Stepniowski, J, Bombalskac I.A.A & Budnerc B 2013, 'Multi-band emission in a wide wavelength range from tin oxide/Aunanocomposites grown on porous anodic alumina substrate (AAO)', *Applied Surface Science*, vol. 287, pp. 143-149.

- [4] Zulfiqar, Khan, R, Yuan, Y, Iqbal, Z, Yang, J, Wang, W, Ye, Z & Lu, J 2017, 'Variation of structural, optical, dielectric and magnetic properties of SnO₂ nanoparticles', *Journal of Materials Science: Materials in Electronics*, vol. 28, no. 17, pp. 13250-13252.
- [5] El-Shazly M.A. Duraia, Mansorov, Z.A & Tokmolden, S 2009, 'Synthesis, characterization and photoluminescence of tin oxide nanoribbons and nanowires', *Physica B: Condensed Matter*, vol. 404, no. 21, pp. 3952-3956.
- [6] Ahmed, A.S, Muhamed, S.M, Singla, M.L, Tabassum, S, Naqvi, A.H & Azam, A 2011, 'Band gap narrowing and fluorescence properties of nickel doped SnO₂ nanoparticles'. *Journal of Luminescence*, vol. 131, no. 1, pp. 1-6.
- [7] Liu, C.M, Fang, L.M, Zu, X.T & Zhou, W.L 2007, 'The influence of nickel dopant on the microstructure and optical properties of SnO₂ nano-powders'. *Chinese Physics*, vol. 16, no. 1, pp. 95-99.
- [8] Kuppan, M, Kaleemulla, S, Madhusudhana Rao, N, Sai Krishna, N, Rigana Begam, M & Shobana, M 2014, 'Structural and Magnetic Properties of Ni Doped SnO₂', *Advances in Condensed Matter Physics*, vol. 2014, 284237, pp. 1-5.
- [9] Aliahmad, M & Dehbashi, M 2013, 'Ni-Doped SnO Nanoparticles synthesized by Chemical Co-Precipitation Method', *Iranica Journal of Energy & Environment*, vol. 4, no. 1, pp. 49-52.
- [10] Chen, H, Ding, L.Y, Sun, W, Jiang, Q.Q, Hu, J.C & Li, J.L 2015, 'Synthesis and characterization of Ni-doped SnO₂ microspheres with enhanced visible-

- light photocatalytic activity', RSC Advances, vol. 5, no. 69, pp. 56401-56409.
- [11] Yogamalar, R, Mahendran, V, Srinivasan, R, Beitollahi, A, Kumar, R.P, Bose, A.C & Vinu, A 2010, 'Gas-sensing properties of needle-shaped Ni-doped SnO₂ nanocrystals prepared by a simple sol-gel chemical precipitation method', Chemistry - An Asian Journal, vol. 5, no. 11, pp. 2379-2385.
- [12] Pascariu, P, Airinei, A, Grigoras, M, Fifere, N, Sacarescu, L, Lupu, N & Stoleriu, L 2016, 'Structural, optical and magnetic properties of Ni-doped SnO₂ nanoparticles', Journal of Alloys and Compounds, vol. 668, pp. 65-72.
- [13] Ahmad, T, Khatoon, S & Coolahan, K 2016, 'Structural, optical, and magnetic properties of nickel-doped tin dioxide nanoparticles synthesized by solvothermal method', Journal of the American Ceramic Society, vol. 99, no. 4, pp. 1207-1211.
- [14] Aragon, F.H, Coaquira, J.A.H, Hidalgo, P, Brito, S.L.M, Gouvea, D & Castro, R.H.R 2010, 'Experimental study of the structural, microscopy and magnetic properties of Ni doped SnO₂ nanoparticles', Journal of Non-Crystalline Solids, vol. 356, no. 52-54, pp. 2960-2964.
- [15] Fan, J. P, Zhang, J, Solsona, P, Surinach, S, Baro, M.D, Sort J, & Pellicer, E 2016, 'Nanocasting synthesis of mesoporous SnO₂ with a tunable ferromagnetic response through Ni loading'. RSC Advances, vol. 6, no. 106, pp. 104799-104807.
- [16] Sato, K, Furukawa, Y & Nakajima, K (Eds.) 2001, 'Crystal growth and characterization of magnetic semiconductors, in: Advances in Crystal Growth Research', Elsevier, Amsterdam, vol. 303.

- [17] Parkin, S.S.P, Hayshi, M & Thomas, L 2008, 'Magnetic domain-wall racetrack memory', *Science*, vol. 320, no. 5873, pp. 190-194.
- [18] Aragon, F.H, Lelovsky, L.V, Martins, J.B.L, Coaquira, J.A.H, Cohen, R, Nagamine, L.C.C.M & Morais, P.C 2017, 'The effect of oxygen vacancies on the hyperfine properties of metal-doped SnO₂', *Journal of Physics D: Applied Physics*, vol. 50, no. 11.
- [19] Anandan, K & Rajendran, V 2015, 'Influence of dopant concentrations (Mn = 1, 2 and 3 mol %) on the structural, magnetic and optical properties and photocatalytic activities of SnO₂ nanoparticles synthesized via the simple precipitation process', *Superlattices and Microstructures*, vol. 85, pp. 185-197.
- [20] Xiao, Y, Ge, S, Xi, L, Zuo, Y, Zhou, X, Zhang, L, Wang, G, Han, X & Wen, Z 2009, 'Structure, optical, and magnetic properties of rutile Sn_{1-x}Mn_xO₂ thin films', *Applied Surface Science*, vol. 255, no. 18, pp. 7981-7984.
- [21] Saravanakumar, S, Pattammal, M, Israel, S, Sheeba, R.A.J.R & Saravanan, R, 2012, 'The analysis on the rearrangement of charge density distribution in response to magnetic behaviour in Mn doped SnO₂ nanoparticles', *Physica B*, vol. 407, no. 3, pp. 302-310.
- [22] Fitzgerald, C.B, Venkatesan, M, Douvalis, A.P, Huber, S, Coey, J.M.D & Bakas, T 2004, 'SnO₂ doped with Mn, Fe or Co: Room temperature dilute magnetic Semiconductors', *Journal of Applied Physics*, vol. 95, no. 11, pp. 7390.
- [23] Agrahari, V, Tripathi, A.K, Mathpal, M.C, Pandey, A.C, Mishra, S.K, Shukla, R.K & Agarwal, A 2015, 'Effect of Mn doping on structural, optical

- and magnetic properties of SnO₂ nanoparticles', *Journal of Materials Science: Materials in Electronics*, vol. 26, no. 12, pp. 9571-9582.
- [24] Sephra, P.J, Baraneedharan, P, Siva, C, Sivakumar, M & Nehru, K 2016, 'Microwave assisted synthesis of Sn_(1-x)Co_xO₂ nanoparticles: effect of impurity phase formation on structural, optical and electrochemical properties', *Journal of Materials Science: Materials in Electronics*, vol. 27, no. 11, pp. 11401-11409.
- [25] Srinivas, K, Vithal, M, Sreedhar, B, Raja, M.M & Reddy, P.V 2009, 'Structural, Optical, and Magnetic Properties of Nanocrystalline Co Doped SnO₂ Based Diluted Magnetic Semiconductors', *Journal of Physical Chemistry C*, vol. 113, pp. 3543-3552.
- [26] Bouaine, A, Brihi, N, Schmerber, G, Ulhaq-Bouillet, C, Colis, S & Dinia, A 2007, 'Structural, Optical, and Magnetic Properties of Co-doped SnO₂ Powders synthesized by the Coprecipitation Technique', *Journal of Physical Chemistry C*, vol. 111, no. 7, pp. 2924-2928.
- [27] Sakthiraj, K, Karthikeyan, B & Balachandrakumar, K 2015, 'Structural, Optical and Magnetic properties of Copper (Cu) doped Tin oxide (SnO₂) nanocrystal', *International Journal of ChemTech Research*, vol.7, no. 3, pp. 1481-1487.
- [28] Johari, A, Srivastav, S, Sharma, M & Bhatnagar, M.C 2014, 'Synthesis and room-temperature ferromagnetism of pure and Cu-doped SnO₂ nanowires grown by thermal evaporation', *Journal of Magnetism and Magnetic Materials*, vol. 362, pp 1-6.

- [29] Nilavazhagan, S, Muthukumaran, S & Ashokkumar, M 2015, 'Microstructural and band gap exploration on Ni-doped SnO₂ nanoparticles co-doped with Cu', Journal of materials science: materials in electronics, vol. 26, no. 6, pp. 3989-3996.
- [30] Punnoose, A & Hays, J 2005, 'Possible metamagnetic origin of ferromagnetism in transition-metal-doped SnO₂', Journal of Applied Physics, vol. 97, no. 10, 10D321.
- [31] Punnoose, A, Hays, J, Gopal, V & Shutthanandan, V 2004, 'Room temperature ferromagnetism in chemically synthesized Sn_{1-x}Co_xO₂ powders', Applied Physics Letters, vol. 85, no. 9, pp. 1559.
- [32] Hays, J, Punnoose, A, Baldner, R, Engelhard, M .H, Peloquin, J & Reddy, K.M 2005, 'Relationship between the structural and magnetic properties of Co-doped SnO₂ nanoparticles', Physical Review B, vol. 72, pp. 075203.
- [33] Kimura, H, Fukumura, T, Kawasaki, M, Inaba, K, Hasegawa, T & Koinuma H 2002, 'Rutile-type oxide-diluted magnetic semiconductor: Mn-doped SnO₂', Applied Physics Letters, vol. 80, no.1, pp 94.
- [34] Melghit, K & Bouziane, K 2006, 'One step aqueous solution preparation of nanosize iron-doped tin oxide from SnO₂·xH₂O gel', Materials Science and Engineering B, vol. 128, no. 1-3, pp. 58-62.
- [35] Vidhu, V.K & Philip, D 2015, 'Biogenic synthesis of SnO₂ nanoparticles: Evaluation of antibacterial and antioxidant activities', Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, vol. 134, pp. 372-379.

- [36] Yu, W, Xie, H, Chen, L & Li, Y 2009, 'Investigation of thermal conductivity and viscosity of ethylene glycol based ZnO nanofluid', *Thermochimica Acta*, vol. 491, no. 1-2, pp. 92-96.
- [37] Mariano, A, Pastoriza-Gallego, M.J, Lugo, L, Camacho, A, Sr. Canzonieri & Pineiro, M.M 2013, 'Thermal conductivity, rheological behavior and density of non-Newtonian ethylene glycol-based SnO₂ nanofluids', *Fluid Phase Equilibria*, vol. 337, pp. 119-124.
- [38] Manjula, N & Selvan, G 2017, 'Magnetic and antibacterial properties of Zr-doped SnO₂ nanopowders', *Journal of Materials Science: Materials in Electronics*, vol. 28, no. 20, pp. 15056-15064.
- [39] Gu, F, Wang, S.F, Lu, M.K, Zhou, G.J, Xu, D & Yuan, D.R 2004, 'Photoluminescence Properties of SnO₂ nanoparticles synthesized by Sol-Gel Method', *The Journal of Physical Chemistry B*, vol. 108, no. 24, pp. 8119-8123.
- [40] Zhang, C. & Lin, J. 2012, 'Defect-related luminescent materials: synthesis, emission properties and applications'. *Chemical Society Reviews*, vol. 41, no. 23, pp. 7938-7961.
- [41] Fang, L.M, Zu, X.T, Li, Z.J, Zhu, S, Liu, C.M, Wang, L.M & Gao, F 2008, 'Microstructure and luminescence properties of Co-doped SnO₂ nanoparticles synthesized by hydrothermal method', *Journal of Materials Science: Materials in Electronics*, vol. 19, no. 8-9, pp. 868-874.
- [42] Tecedor, M.G, Maestre, D, Cremades, A & Piqueras, J 2016, 'Influence of Cr Doping on the Morphology and Luminescence of SnO₂ Nanostructures'. *Journal of Physical Chemistry C*, vol. 120, no. 38, pp. 22028-22034.

- [43] Kim, H.W, Na, H.G, Yang, J.C, Ahn, J, Yoon, C.S, Ham, H, Shim, K.B, Choi, C, Kang, I, Yang, J. H & Lee, C 2011, 'Annealing-induced enhancement of ferromagnetism in SnO₂-core/Cu-shell coaxial nanowires', *Metals and Materials International*, vol. 17, no. 4, pp. 641-647.
- [44] Ohno, H, Shen, A, Matsukura, F, Oiwa, A, Endo, A, Katsumoto, S & Iye, Y 1996, (Ga,Mn)As : A new diluted magnetic semiconductor based on GaAs, *Applied Physics Letters*, vol. 69, no. 3, pp. 363.
- [45] Kasuya, T & Yanase, A 1968, 'Anomalous Transport Phenomena in Eu-Chalcogenide Alloys', *Reviews of Modern Physics*, vol. 40, pp. 684-695.
- [46] Stapele, R.P.V 1982, 'Ferromagnetic materials', *Handbook of Magnetic Materials*, North-Holland Publishers Co., Amsterdam, vol. 3.
- [47] Sato, K, Medvedkin, G.A, Ishibashi, T, Mitani, S, Okabayashi, K, Fujimori, A, Kamatani, T & Akai, H 2003, 'Novel Mn-doped chalcopyrites', *Journal of Physics and Chemistry of Solids*, vol. 64, no. 9-10, pp. 1461-1468.
- [48] Sawicki, M, Dietl, T, Kossut, J, Igalson, J, Wojtowicz, T & Plesiewicz, W 1986, 'Influence of s-d exchange interaction on the conductivity of Cd_{1-x}Mn_xSe:In in the weakly localized regime', *Physical Review Letters*, vol. 56, pp. 508.
- [49] Stankiewicz, J, Von Molnar, G, Giriat, S. W 1986, 'Magnetotransport near the metal-insulator transition in Cd_{0.6}Mn_{0.4}Se', *Physical Review B*, vol. 33, pp. 3573.
- [50] Anderson, J.R, Johnson, W.B, Stone, D.R & Furdyna, J.K 1987, 'Large negative magnetoresistance of Cd_{0.9}Mn_{0.1}Se', *Journal of Physics and Chemistry of Solids*, vol. 48, no. 5, pp. 481-487.

- [51] Sawicki, M, Wojtowicz, T, Dietl, T, Jarobzyriski, J, Plesiewicz, W & Igalston, J 1986, in: Proc. 1Xth International Conference on the Physics of Semiconductors, Stockholm.
- [52] Castellani, C, Di Castro, C, Lee, P.A & Ma, M 1984, 'Interaction-driven metal-insulator transitions in disordered fermion systems', *Physical Review B*, vol. 30, pp. 527.
- [53] Wojtowicz, T, Sawicki, M, Jaroszynski, J, Dietl, T & Plesiewicz, W 1989 'Conductivity in a spin-polarized band near the metal-insulator critical point', *Physica B*, vol. 155, no. 1-3, pp. 357-361.
- [54] Zener, C 1951, 'Interaction between the d-shells in the Transition Metals', *Physical Review*, vol. 81, pp. 440.
- [55] Ohno, H, Chiba, D, Matsukura, F, Omiya, T, Abe, E, Dietl, T, Ohno, Y & Ohtani, K 2000, 'Electric-field control of ferromagnetism', *Nature*, vol. 408, no. 6815, pp. 944-946.
- [56] Mac Donald, H, Schiffer, P & Samarth, N 2005, 'Ferromagnetic semiconductors: moving beyond (Ga,Mn)As', *Nature Materials*, vol. 4, pp. 195-202.
- [57] Liu, C, Yun, F & Morkoc, H 2005, 'Ferromagnetism of ZnO and GaN: A Review', *Journal of Materials Science: Materials in Electronics*, vol. 16, 555.
- [58] Ratner, M.A. & Ratner, D 2003, *Nanotechnology: A gentle introduction to the next big idea*, Prentice Hall Professional, New Jersey.
- [59] Ahmad, N, Khan, S & Ansari M.M.N 2018, 'Microstructural, optical and electrical transport properties of Cd-doped SnO₂ nanoparticles', *Materials Research Express*, vol. 5, no. 3, pp. 035045.

- [60] Mathews, S, Ramesh, R, Venkatesan, T & Benedetto, J 1997, 'Ferroelectric Field Effect Transistor Based on Epitaxial Perovskite Heterostructures', *Science*, vol. 276, no. 5310, pp. 238-240.
- [61] Dietl, T 2010, 'A ten-year perspective on dilute magnetic semiconductors and oxides', *Nature Materials*, vol. 9, pp. 965–974.
- [62] Fabio Pulizzi 2010, 'A model ferromagnetic semiconductor-Interview with N Samarth', *Nature Materials*, vol. 9, pp. 955-956.
- [63] Ohno, H 2010, 'A window on the future of spintronics', *Nature Materials*, vol. 9, pp. 952-954.
- [64] Chetri, P & Choudhury, A 2015, 'Investigation of structural and magnetic properties of nanoscale Cu doped SnO₂: An experimental and density functional study', *Journal of Alloys and Compounds*, vol. 627, pp. 261-267.
- [65] Aragon, F.H, Coaquira, J.A.H, Nagamine, L.C.C.M. Cohen, R, Da Silva, S.W & Morais, P.C 2015, 'Thermal-annealing effects on the structural and magnetic properties of 10% Fe-doped SnO₂ nanoparticles synthesized by a polymer precursor method', *Journal of Magnetism and Magnetic Materials*, vol. 375, pp. 74-79.

CHAPTER 3

- [1] Yadav, T.P, Yadav, R.M & Singh, D.P 2012, 'Mechanical Milling: a Top Down Approach for the Synthesis of Nanomaterials and Nanocomposites', *Nanoscience and Nanotechnology*, vol. 2, no. 3, pp. 22-48.
- [2] Kulkarni & Sulabha, K 2015, *Nanotechnology: Principles and Practices*, Springer International Publishing, Switzerland.

- [3] Becker, M.F, Brock, J.R, Hong Cai, Henneke, D.E, Keto, J.W, Jaemyoung Lee, Nichols, W.T & Glicksman, H.D 1998, 'Metal nanoparticles generated by laser ablation', *Nanostructured Materials*, vol.10, no. 5, pp. 853-863.
- [4] Iwasaki, M, Hara, M & Ito, S 1998, 'Facile synthesis of nanocrystalline anatase particles from titanyl sulphate', *Journal of Materials Science Letters*, vol. 17, no. 20, pp. 1769-1771.
- [5] Bach, U, Lupo, D, Comte, P, Moster, J.E, Weissortel, F & Salbeck, J 1998, 'Solid-state dye-sensitized mesoporous TiO₂ solar cells with high photon-to-electron conversion efficiencies', *Nature*, vol. 395, no. 6702, pp. 583-585.
- [6] Sivakumar, S, Krishna Pillai, P, Mukundan, P & Warriar, K 2002, 'Sol-gel synthesis of nanosized anatase from titanyl sulphate', *Materials Letters*, vol. 57, no. 2, pp. 330-335.
- [7] Matijevic, E, Budnik, M & Meites, L 1977, 'Preparation and mechanism of formation of titanium dioxide hydrosols of narrow size distribution', *Journal of Colloid and Interface Science*, vol. 61, no. 2, pp. 302-311.
- [8] Watson, S.S, Beydoun, D, Scott, J.A & Amal, R 2003, 'The effect of preparation method on the photoactivity of crystalline titanium dioxide particles', *Chemical Engineering Journal*, vol. 95, no. 1-3, pp. 213-220.
- [9] Haga, Y, An, H & Yosomiya, R 1997, 'Photoconductive properties of TiO₂ films prepared by the sol-gel method and its application', *Journal of Materials Science*, vol. 32, no. 12, pp 3183-3188.
- [10] Yung, K.J.Y & Park, SB 1999, 'Anatase-phase titania: preparation by embedding silica and photocatalytic activity for the decomposition of

- trichloroethylene', *Journal of Photochemistry and Photobiology A: Chemistry*, vol. 127, no. 1-3, pp. 117-122.
- [11] Carp, O, Huisman, C.L & Reller, A 2004, 'Photoinduced reactivity of titanium dioxide', *Progress in Solid State Chemistry*, vol. 32, pp. 33-177.
- [12] Chen, X & Mao, S.S 2007, 'Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications and Applications', *Chemical Reviews*, vol. 107, no. 7, pp. 2891-2959.
- [13] Yang, J, Mei, S & Ferreira, J. M. F 2001, 'Hydrothermal synthesis of TiO₂ nanopowders from tetraalkylammonium hydroxide peptized sols', *Materials Science and Engineering: C*, vol. 15, no. 1-2, pp. 183-185.
- [14] Burda, C, Chen, X, Narayanan, R & El-Sayed, M. A 2005, 'Chemistry and Properties of Nanocrystals of Different Shapes', *Chemical Reviews*, vol. 105, no. 4, pp. 1025-1102.
- [15] Cao, G 2004, 'Nanostructures and Nanomaterials: Synthesis, Properties and Applications', Imperial College Press, London.
- [16] Mark T. Swihart 2003, 'Vapor-phase synthesis of nanoparticles', *Current Opinion in Colloid and Interface Science*, vol. 8, pp. 127-133.
- [17] Messing, G, Zhang, S & Jayanthi, V 1993, 'Ceramic Powder Synthesis by Spray Pyrolysis', *Journal of the American Ceramic Society*, vol. 76, no. 11, pp. 2707-2726.
- [18] Yury Gogotsi 2006, *Nanomaterials Handbook*, Taylor & Francis Group, England.

- [19] Yin, S, Fujishiro, Y, Wu, J, Aki, M & Sato, T 2003, 'Synthesis and photocatalytic properties of fibrous titania by solvothermal reactions', *Journal of Materials Processing Technology*, vol. 137, no. 1, pp. 45-48.
- [20] Kim, C.S, Moon, B.K, Park, J.H & Son, S.M 2003, 'Synthesis of nanocrystalline TiO₂ in toluene by a solvothermal route', *Journal of Crystal Growth*, vol. 254, no. 3-4, pp. 405-410.
- [21] Kappe, C.O, Dallinger, D & Murphree, S.S 2009, 'Practical Microwave Synthesis for Organic Chemists: Strategies Instruments and Protocols', Wiley-VCH, Weinheim, Germany.
- [22] Rina Das, Mehta, D & Harsh Bhardawaj 2012, 'An Overview on Microwave Mediated Synthesis, *International Journal of Research and Development in Pharmacy and Life Science*', vol. 1, no. 2, pp. 32-39.
- [23] Wang, Y & Lee, J.Y 2005, 'Microwave-assisted synthesis of SnO₂-graphite nanocomposites for Li-ion battery applications', *Journal of Power Sources*, vol. 144, no. 1, pp. 220-225.
- [24] Singh, A.K & Nakate, U.T 2013, 'Microwave synthesis, characterization and photocatalytic properties of SnO₂ nanoparticles', *Advances in Nanoparticles*, vol. 2, no. 66, pp. 66-70.
- [25] Singh, S. Gupta, D, Jain, V & Sharma, A.K 2015, 'Microwave Processing of Materials and Applications in Manufacturing Industries: A Review', *Materials and Manufacturing Processes*, vol. 30, no. 1, pp. 1-29.
- [26] Bauer, A.W, Kirby, W.M.M, Sherris, J.C & Truck M 1966, 'Antibiotic susceptibility is testing by standardized single disk method', *American Journal of Clinical Pathology*, vol. 45, pp. 493-496.

- [27] Bunaciua, A.A, Udristioiub, E,G & Hassan, Y 2015, 'Aboul-Eneinc X - RAY DIFFRACTION: Instrumentation and Applications', *Critical Reviews in Analytical Chemistry*, vol. 45, no. 4, pp. 289-299.
- [28] Connolly, J.R 2007, 'Introduction to X-Ray Powder Diffraction', Springer.
- [29] Ma, H, Shieh, K.J & Qiao, T.X 2006, 'Study of Transmission Electron Microscopy (TEM) and Scanning Electron Microscopy (SEM)', *Nature and Science*, vol. 4, no. 3, pp. 14-22.
- [30] David B.W & Barry, C.C 1996, 'Transmission Electron Microscopy: A Textbook for Materials Science', Springer US, pp. 3-17.
- [31] Ubic, R 2012, MSE 421/521 'Introduction to Electron Microscopy'.
- [32] Goldstein, J, Newbury, D, Joy, D, Lyman, C, Echlin, P, Lifshin, E, Sawyer, L & Michael, J 2003, 'Scanning Electron Microscopy and X-Ray Microanalysis', Kluwer Academic/Plenum 2003, 'Scanning Electron Microscopy and X-Ray Microanalysis', Kluwer Academic/Plenum Publishers, New York.
- [33] Sibilina, J.P 1998, 'A Guide to Materials Characterization and Chemical Analysis', Wiley/VCH Publishers, New York.
- [34] Schroder, D.K 1990, 'Semiconductor material and device characterization', John Wiley & Sons, New York.
- [35] Bamfield, P & Hutchings, M.G 2010, 'Chromic Phenomena Technological Applications of Colour Chemistry', 2nd edn. The Royal Society of Chemistry, Cambridge.
- [36] Buschow, K.H.J & De Boer, F.R 2003, 'Physics of Magnetism and Magnetic Materials', Kluwer Academic/Plenum Publisher, New York.

CHAPTER 4

- [1] Cullity 1956, 'Elements of X-ray Diffraction', Addison-Wesley Publishing Co, Boston.
- [2] Muthukumar, S & Gopalakrishnan, R 2012, 'Structural, FTIR and photoluminescence studies of Cu doped ZnO nanopowders by co-precipitation method', *Optical Materials*, vol. 34, no. 11, pp. 1946-1953.
- [3] Zou, G. L, Liu, R, Chen, W. X & Xu, Z. D 2007, 'Preparation and characterization of lamellar-like Mg(OH)₂ nanostructures via natural oxidation of Mg metal in formamide/water mixture', *Materials Research Bulletin*, vol. 42, no. 6, pp. 1153-1158.
- [4] Zhang, J & Gao, L 2004, 'Synthesis and characterization of nanocrystalline tin oxide by sol-gel method', *Journal of Solid State Chemistry*, vol. 177, no. 4-5, pp. 1425-1430.
- [5] Jagriti Pal & Pratima Chauhan 2009, 'Structural and optical characterization of tin dioxide nanoparticles prepared by a surfactant mediated method', *Materials Characterization*, vol. 60, no. 12, pp. 1512-1516.
- [6] Gnanam, S & Rajendran, V 2010, 'Luminescence Properties of EG-Assisted SnO₂ nanoparticles by Sol-Gel Process', *Digest Journal of Nanomaterials and Biostructures*, vol. 5, no. 3, pp. 699-704.
- [7] Gnanam, S & Rajendran, V 2010, 'Anionic, cationic and non-ionic surfactants-assisted hydrothermal synthesis of tin oxide nanoparticles and their photoluminescence property', *Digest Journal of Nanomaterials and Biostructures*, vol. 5, no. 2, pp. 623-628.

- [8] Mills, G, Li, Z. G & Meisel, D 1988, 'Photochemistry and spectroscopy of colloidal arsenic sesquisulfide', *Journal of Physical Chemistry*, vol. 92, no. 3, pp. 822-828.
- [9] Mohagheghi, M.M.B, Shahtahmasebia, N, Alinejada, M.R, Youssefic, A & Saremid, M.S 2008, 'The effect of the post-annealing temperature on the nano-structure and energy band gap of SnO₂ semiconducting oxide nanoparticles synthesized by polymerizing-complexing sol-gel method', *Physica B*, vol. 403, no. 13-16, pp. 2431-2437.
- [10] Cai, D, Su, Y, Chen, Y.Q, Jiang, J, He, Z.Y & Chen, L 2005, 'Synthesis and photoluminescence properties of novel SnO₂ asterisk-like nanostructures', *Materials Letters*, vol. 59, no. 16, pp. 1984-1988.
- [11] Gu, F, Wang, S.F, Lv, M.K, Qi, Y.X, Zhou, G.J, Xu, D & Yuan, D.R 2003, 'Luminescent properties of Mn²⁺-doped SnO₂ nanoparticles', *Inorganic Chemistry Communication*, vol. 6, no. 7, pp. 882-885.
- [12] Hu, J.Q, Ma, X.L, Shang, N.G, Xie, Z.Y, Wong, N.B & Lee, C.S 2002, 'Large-scale rapid oxidation synthesis of SnO₂ nanoribbons', *Journal of Physical Chemistry B* vol. 106, pp. 3823-3826.
- [13] Hu, J.Q, Bando, Y, Liu, Q.L & Golberg, D 2003, 'Laser ablation growth and optical properties of wide and long single-crystal SnO₂ nanoribbons', *Advanced Functional Materials*, vol. 13, no. 6, pp. 493-496.
- [14] Calestani, D, Lazzarini, L, Salviati, G & Zha, M 2005, 'Morphological, structural and optical study of quasi-1D SnO₂ nanowires and nanobelts', *Crystal Research Technology*, vol. 40, no. 10-11, pp. 937-941.

- [15] Fagila, G, Baratto, C, Sberveglieri, G, Zha, M & Zappettini, A 2005, 'Adsorption effects of NO₂ at ppm level on visible photoluminescence response of SnO₂ nanobelts', Applied Physics Letters, vol. 86, 011923.
- [16] Maestre, D, Cremades, A & Piqueras, J 2005, 'Growth and luminescence properties of micro and nanotubes in sintered tin oxide', Journal of Applied Physics, vol. 97, 044316.
- [17] Sundaresan, A, Bhargavi, R, Rangarajan, N, Siddesh, U & Rao, C.N.R 2006, 'Ferromagnetism as a universal feature of nanoparticles of the otherwise nonmagnetic oxides', Physical Review B, vol. 74, no. 16, 161306.
- [18] Wei, X, Skomski, R, Balamurugan, B, Sun, Z.G, Ducharme, S & Sellmyer, D.J 2009, 'Magnetism of TiO and TiO₂ nanoclusters', Journal of Applied Physics, vol. 105, 07C517.
- [19] Podila, R, Queen, W, Nath, A, Arantes, J.T, Schoenhalz, A.L, Fazzio, A, Dalpian, G.M, He, J, Hwu, S.J, Skove, M.J & Rao, A.M 2010, 'Origin of FM Ordering in Pristine Micro and Nanostructured ZnO', Nano Letters, vol. 10, no. 4, pp. 1383-1386.
- [20] Coey, J.M.D, Venkatesan, M & Fitzgerald, C.B 2005, 'Donor impurity band exchange in dilute ferromagnetic oxides', Nature Materials, vol. 4, no. 2, pp. 173-179.
- [21] Kamble, V.B, Bhat, S.V & Umarji, A.M 2013, 'Investigating thermal stability of structural defects and its effect on d⁰ ferromagnetism in undoped SnO₂'. Journal of Applied Physics, vol. 113, pp. 244307.

- [22] Yuan, C.Z, Quan, C.Z, Kun, P.R & Jie, W.S 2013, 'Vacancy-induced ferromagnetism in SnO₂ nanocrystals: a positron annihilation study', Chinese Physics Letters, vol. 30, no. 2, pp. 1-4.
- [23] Mehraj, S, Ansari, M.S & Alimuddin 2015, 'Rutile type SnO₂ thin films annealed at different temperature: structural, dielectric, impedance and ferromagnetic properties', Thin Solid Films, vol. 589, pp. 57-65.

CHAPTER 5

- [1] Patterson, A.L 1939, 'The Scherrer Formula for X-Ray Particle Size Determination', Physical Review, Online Arch. (Prola) vol. 56, no. 10, pp. 978-982.
- [2] Ahmed, A.S, Muhamed, S.M, Singla, M.L, Tabassum, S, Naqvi, A.H & Azam, A 2011, 'Band gap narrowing and fluorescence properties of nickel doped SnO₂ nanoparticles'. Journal of Luminescence, vol. 131, no. 1, pp. 1-6.
- [3] Azam, A, Ahmed, A.S, Ansari, M.S, Shafeeq, M.M & Naqvi, A.H 2010, 'Study of electrical properties of nickel doped SnO₂ ceramic nanoparticles', Journal of Alloys and Compounds, vol. 506, no. 1, pp. 237-242.
- [4] Yang, H, Jin, W & Wang, L 2003, 'Synthesis and characterization of V₂O₅-doped SnO₂ nanocrystallites for oxygen-sensing properties', Materials Letters, vol. 57, no. 22-23, pp. 3686-3689.
- [5] Hirano, M, Ota, K & Iwata, H 2004, 'Direct Formation of Anatase (TiO₂)/Silica (SiO₂) Composite Nanoparticles with High Phase Stability of 1300°C from Acidic Solution by Hydrolysis under Hydrothermal Condition', Chemistry of Materials, vol. 16, no. 19, pp. 3725-3732.

- [6] Fu, X, Zhang, H, Niu, S & Xin, Q 2005, 'Synthesis and luminescent properties of SnO₂: Eu nanopowder via polyacrylamide gel method', *Journal of Solid State Chemistry*, vol. 178, no. 3, pp. 603-607.
- [7] Dhinakar, K.G, Selvalakshmi, T, Meenakshi Sundar, S, Chandra Bose, A 2016, 'Structural, optical and impedance properties of SnO₂ nanoparticles', *Journal of Materials Science: Materials in Electronics*, vol. 27, no. 6, pp. 5818-5824.
- [8] Gnanam, S & Rajendran, V 2010, 'Luminescence Properties of EG-Assisted SnO₂ nanoparticles by Sol-Gel Process', *Digest Journal of Nanomaterials and Biostructures*, vol. 5, no. 3, pp. 699-704.
- [9] Pascariu, P, Airinei, A, Grigoras, M, Fifere, N, Sacarescu, L, Lupu, N & Stoleriu, L 2016, 'Structural, optical and magnetic properties of Ni-doped SnO₂ nanoparticles', *Journal of Alloys and Compounds*, vol. 668, pp. 65-72.
- [10] Chauhan, S, Kumar, M, Chhoker, S, Katyay, S.C & Awana, V.P.S 2013, 'Structural, vibrational, optical and magnetic properties of sol-gel derived Nd doped ZnO nanoparticles', *Journal of Materials Science : Materials in Electronics*, vol. 24, no. 12, pp. 5102-5110.
- [11] Sarmah, S & Kumar, A 2010, 'Optical properties of SnO₂ nanoparticles', *Indian Journal of Physics*, vol. 84, no. 9, pp. 1211-1221.
- [12] Silambarasan, M, Saravanan, S, Ohtani, N & Soga, T 2014, 'Structural and optical studies of pure and Ni-doped ZnO nanoparticles synthesized by simple solution combustion method', *Japanese Journal of Applied Physics*, vol. 53, no. 5S1, pp. 05FB16.

- [13] Gu, F, Wang, SF, Lu, MK, Zhou, GJ, Xu, D & Yuan, DR 2004, 'Photoluminescence Properties of SnO₂ nanoparticles synthesized by Sol-Gel Method', *The Journal of Physical Chemistry B*, vol. 108, no. 24, pp. 8119-8123.
- [14] Aragon, F.H, Coaquira, J.A.H, Hidalgo, P, Brito, S.L.M, Gouvea, D & Castro, R.H.R 2010, 'Structural and magnetic properties of pure and nickel doped SnO₂ nanoparticles', *Journal of Physics: Condensed Matter*, vol. 22, no. 49, 496003.
- [15] Sundaresan, A, Bhargavi, R, Rangarajan, N, Siddesh, U & Rao, C.N.R 2006, 'Ferromagnetism as a universal feature of nanoparticles of the otherwise nonmagnetic oxides', *Physical Review B*, vol. 74, no. 16, 161306.
- [16] Kuppan, M, Kaleemulla, S, Rao, N.M, Krishna, N.S, Begam, M.R & Shobana, M 2014, 'Structural and Magnetic Properties of Ni Doped SnO₂', *Advances in Condensed Matter Physics*, vol. 2014, 284237, pp. 1-5.
- [17] Liu, X.X, Lin, F.T, Sun, L.L, Cheng, W.J, Ma, X.M & Shi, W.Z 2006, 'Doping concentration dependence of room-temperature ferromagnetism for Ni-doped ZnO thin films prepared by pulsed-laser deposition', *Applied Physics Letters*, vol. 88, no. 6, pp. 062508.

CHAPTER 6

- [1] Patterson, A.L 1939, 'The Scherrer Formula for X-Ray Particle Size Determination', *Physical Review*, Online Arch. (Prola) vol. 56, no. 10, pp. 978-982.

- [2] Ameer Azam, A, Arham, S, Ahmed, M, Chaman & Naqvi, A. H 2010, 'Investigation of electrical properties of Mn doped tin oxide nanoparticles using impedance spectroscopy', *Journal of Applied Physics*, vol. 108, no. 9, pp. 094329.
- [3] Muthukumaran, S & Gopalakrishnan, R 2012, 'Structural, FTIR and photoluminescence studies of Cu doped ZnO nanopowders by co-precipitation method', *Optical Materials*, vol. 34, no. 11, pp. 1946-1953.
- [4] Tian, Z.M, Yuan, S.L, He, J.H, Li, P, Zhang, S.Q, Wang, C.H, Wang, Y.Q, Yin, S.Y & Liu, L 2008, 'Structure and magnetic properties in Mn doped SnO₂ nanoparticles synthesized by chemical co-precipitation method', *Journal of Alloys and Compounds* vol. 466, no. 1-2, pp. 26-30.
- [5] Dhinakar, K.G, Selvalakshmi, T, Meenakshi Sundar, S, Chandra Bose, A 2016, 'Structural, optical and impedance properties of SnO₂ nanoparticles', *Journal of Materials Science: Materials in Electronics*, vol. 27, no. 6, pp. 5818-5824.
- [6] Gnanam, S & Rajendran, V 2010, 'Luminescence Properties of EG-Assisted SnO₂ nanoparticles by Sol-Gel Process', *Digest Journal of Nanomaterials and Biostructures*, vol. 5, no. 3, pp. 699-704.
- [7] Pascariu, P, Airinei, A, Grigoras, M, Fifere, N, Sacarescu, L, Lupu, N & Stoleriu, L 2016, 'Structural, optical and magnetic properties of Ni-doped SnO₂ nanoparticles', *Journal of Alloys and Compounds*, vol. 668, pp. 65-72.
- [8] Ahmed, A.S, Muhamed, S.M, Singla, M.L, Tabassum, S, Naqvi, A.H & Azam, A 2011, 'Band gap narrowing and fluorescence properties of nickel doped SnO₂ nanoparticles'. *Journal of Luminescence*, vol. 131, no. 1, pp. 1-6.

- [9] Azam, A, Arham, S, Ahmed, Sami, S, Habib, A.H & Naqvi 2012, 'Effect of Mn doping on the structural and optical properties of SnO₂ nanoparticles', *Journal of Alloys and Compounds*, vol. 523, pp. 83-87.
- [10] Weller, H 1993, 'Quantized Semiconductor Particles: A novel state of matter for materials science', *Advanced Materials*, vol. 5, no. 2, pp. 88-95.
- [11] Takagahara, T & Takeda, K 1992, 'Theory of the quantum confinement effect on excitons in quantum dots of indirect-gap materials', *Physical Review B*, vol. 46, no. 23, pp. 15578.
- [12] Zhi, C, Bando, Y, Tang, C & Golberg, D 2006, 'SnO₂ Nanoparticle-Functionalized Boron Nitride Nanotubes', *Journal of Physical Chemistry B*, vol. 110, no. 17, pp. 8548-8550.
- [13] Fang, L.M, Zu, X.T, Li, Z.J, Zhu, S, Liu, C.M, Wang, L.M & Gao, F 2008, 'Microstructure and luminescence properties of Co-doped SnO₂ nanoparticles synthesized by hydrothermal method', *Journal of Materials Science: Materials in Electronics*, vol. 19, no. 8-9, pp. 868-874.
- [14] Sarmah, S & Kumar, A 2010, 'Optical properties of SnO₂ nanoparticles', *Indian Journal of Physics*, vol. 84, no. 9, pp. 1211-1221.
- [15] Anandan, K & Rajendran, V 2015, 'Influence of dopant concentrations (Mn = 1, 2 and 3 mol %) on the structural, magnetic and optical properties and photocatalytic activities of SnO₂ nanoparticles synthesized via the simple precipitation process', *Superlattices and Microstructures*, vol. 85, pp. 185-197.
- [16] Gu, F, Wang, S.F, Lu, M.K, Zhou, G.J, Xu, D & Yuan, D.R 2004, 'Photoluminescence Properties of SnO₂ nanoparticles synthesized by

- Sol–Gel Method’, *The Journal of Physical Chemistry B*, vol. 108, no. 24, pp. 8119–8123.
- [17] Coey, J.M.D 1971, ‘Noncollinear Spin Arrangement in Ultrafine Ferrimagnetic Crystallites’, *Physical Review Letters*, vol. 27, no. 17, pp. 1140-1142.
- [18] Saravanakumara, M, Agilan, S, Muthukumarasamy, N, Rukkumani, V, Marusamy, A & Ranjitha, A 2015, ‘Effect of Mn Doping on the Structural, Optical and Magnetic Properties of SnO₂ Nanoparticles’, *Acta Physica Polonica A*, vol. 127, no. 6, pp. 1656-1660.
- [19] Espinosa, A, Sanchez, N, Marcos, J.S, de Andres, A & Munoz, M.C 2011, ‘Origin of the magnetism in undoped and Mn-Doped SnO₂ Thin Films: Sn vs Oxygen Vacancies’, *Journal of Physical Chemistry C*, vol. 115, no. 49, pp. 24054-24060.
- [20] Rahman, G, Suárez, V.M.G, Hong, S.C 2008, ‘Vacancy-induced magnetism in SnO₂: A density functional study’, *Physical Review B*, vol. 78, no. 18, pp. 184404.
- [21] Chacko, S, Bushiri, M.J & Vaidyan, V.K 2006, ‘Photoluminescence studies of spray pyrolytically grown nanostructured tin oxide semiconductor thin films on glass substrates’, *Journal Physics D: Applied Physics*, vol. 39, no. 21, pp. 4540-4543.
- [22] Khan, G.G, Ghosh, S & Mandal, K 2012, ‘Origin of room temperature d⁰ ferromagnetism and characteristic photoluminescence in pristine SnO₂ nanowires: A correlation’, *Journal of Solid State Chemistry*, vol. 186, pp. 278-282.

- [23] Das, J, Mishra, D.K, Sahu, D.R & Roul, B.K 2011, 'Influence of Ni doping on magnetic behavior of Mn doped ZnO', *Materials Letters*, vol. 65, no. 4, pp. 598-601.
- [24] Nasir, Z, Shakir, M, Wahab, R, Shoeb, M, Alam, P, Kahan, R.H & Mobin, M 2017, 'Co-precipitation synthesis and characterization of Co doped SnO₂ NPs, HSA interaction via various spectroscopic techniques and their antimicrobial and photocatalytic activities', *International Journal of Biological Macromolecules*, vol. 94, Part A, pp. 554-565.
- [25] Kubacka, A, Diez, M.S, Rojo, D, Bargiela, R, Ciordia, S, Zapico, I, Albar, J.P, Barbas, C, Martins dos Santos, V.A.P, García M.F & Ferrerb, M 2014, 'Understanding the antimicrobial mechanism of TiO₂-based nanocomposite films in a pathogenic bacterium', *Scientific Reports*, vol. 4, pp. 4134.
- [26] Fakhri, A, Behrouz, S & Pourmand, M 2015, 'Synthesis, photocatalytic and antimicrobial properties of SnO₂, SnS₂ and SnO₂/SnS₂ nanostructure', *Journal of Photochemistry and Photobiology B*, vol. 149, pp. 45-50.
- [27] Jeong, Y, Lim, D.W & Choi, J 2014, 'Assessment of size-dependent antimicrobial and cytotoxic properties of silver nanoparticles', *Advances in Materials Science and Engineering*, vol. 2014, pp. 763807.
- [28] Premanathan, M, Karthikeyan, K, Jeyasubramanian, K & Manivannan, G 2011, 'Selective toxicity of ZnO nanoparticles toward Gram-positive bacteria and cancer cells by apoptosis through lipid peroxidation', *Nanomedicine: Nanotechnology, Biology and Medicine*, vol. 7, no. 2, pp. 184-192.

- [29] Xu, M, Fujita, D & Kajiwara S 2010, 'Contribution of physicochemical characteristics of nano-oxides to cytotoxicity', *Biomaterials*, vol. 31, pp. 8022-8031.
- [30] Brayner, R 2008, 'The toxicological impact of nanoparticles', *Nano Today*, vol. 3, no. 1-2, pp. 48-55.

CHAPTER 7

- [1] Patterson, A.L 1939, 'The Scherrer Formula for X-Ray Particle Size Determination', *Physical Review*, Online Arch. (Prola), vol. 56, no. 10, pp. 978-982.
- [2] Singhal, S, Kaur, J, Namgyal, T & Sharma, R 2012, 'Cu-Doped ZnO Nanoparticles: Synthesis, Structural and Electrical Properties', *Physica B*, vol. 407, pp. 1223-1226.
- [3] Bouaine, A, Brihi, N, Schmerber, G, Ulhaq-Bouillet, C, Colis, S & Dinia, A 2007, 'Structural, Optical, and Magnetic Properties of Co-doped SnO₂ Powders synthesized by the co-precipitation Technique', *Journal of Physical Chemistry C*, vol. 111, no. 7, pp. 2924-2928.
- [4] Sharma, A, Pratap Singh, A.P, Thakur, P, Brookes, N.B, Kumar, S, Lee, C.G, Choudhary, R.J, Verma, K.D & Ravi Kumar 2010, 'Structural, electronic and magnetic properties of Co doped SnO₂ nanoparticles', *Journal of Applied Physics*, vol. 107, pp. 093918.
- [5] Muthukumar, S & Gopalakrishnan, R 2012, 'Structural, FTIR and photoluminescence studies of Cu doped ZnO nanopowders by co-precipitation method', *Optical Materials*, vol. 34, no. 11, pp. 1946-1953.

- [6] Tan, L, Wang, L & Wang, Y 2011, 'Hydrothermal Synthesis of SnO₂ Nanostructures with different morphologies and their optical properties', *Journal of Nanomaterials*, vol. 2011, pp. 1-10, 529874.
- [7] Mani, R, Vivekanandan, K & Vallalperuman, K 2017, 'Synthesis of pure and cobalt (Co) doped SnO₂ nanoparticles and its structural, optical and photocatalytic properties', *Journal of Materials Science: Materials in Electronics*, vol. 28, no. 5, pp. 4396-4402.
- [8] Saravanakumar, M, Jeevitha, N & Prabakaran, K 2016, 'Structural and Luminence Characteristics of Nanocrystalline SnO₂ doped with Co²⁺', *Journal of Ovonic Research*, vol. 12, no. 4, pp. 209-214.
- [9] Prakash, T, Neri, G, Bonavita, A, Anjith Kumar, E, Gnanamoorthi, K 2015, 'Structural, morphological and optical properties of Bi-doped ZnO nanoparticles synthesized by a microwave irradiation method', *Journal of Materials Science: Materials in Electronics*, vol. 26, no. 7, pp. 4913-4921.
- [10] Parthibavarman, M, Renganathan, B & Sastikumar, D 2013, 'Development of high sensitivity ethanol gas sensor based on Co-doped SnO₂ nanoparticles by microwave irradiation technique', *Current Applied Physics*, vol. 13, no. 7, pp. 1537-1544.
- [11] Fang, L.M, Zu, X.T, Li, Z.J, Zhu, S, Liu, C.M, Zhou, W.L & Wang, L.M 2008, 'Synthesis and characteristics of Fe³⁺-doped SnO₂ nanoparticles via sol-gel-calcination or sol-gel-hydrothermal route', *Journal of Alloys and Compounds*, vol. 454, no. 1-2, pp. 261-267

- [12] Sathyaseelan, B, Senthilnathan, K, Alagesan, T, Jayavel, R & Sivakumar, K 2010, 'A study on structural and optical properties of Mn and Co-doped SnO₂ nanocrystallites', *Materials Chemistry and Physics*, vol. 124, no. 2-3, pp. 1046-1050.
- [13] Sarmah, S & Kumar, A 2010, 'Optical properties of SnO₂ nanoparticles', *Indian Journal of Physics*. vol. 84, no. 9, pp. 1211-1221.
- [14] Anandan, K & Rajendran, V 2015, 'Influence of dopant concentrations (Mn = 1, 2 and 3 mol %) on the structural, magnetic and optical properties and photocatalytic activities of SnO₂ nanoparticles synthesized via the simple precipitation process', *Superlattices and Microstructures*, vol. 85, pp. 185-197.
- [15] Gu, F, Wang, S.F, Lu, M.K, Zhou, G.J, Xu, D & Yuan, D.R 2004, 'Photoluminescence Properties of SnO₂ nanoparticles synthesized by Sol-Gel Method', *The Journal of Physical Chemistry B*, vol. 108, no. 24, pp. 8119-8123.
- [16] Fang, L.M, Zu, X.T, Li, Z.J, Zhu, S, Liu, C.M, Wang, L.M & Gao, F 2008, 'Microstructure and luminescence properties of Co-doped SnO₂ nanoparticles synthesized by hydrothermal method', *Journal of Materials Science: Materials in Electronics*, vol. 19, no. 8-9, pp. 868-874.
- [17] Wang, HX, Yan, Y, Mohammed, YS, Du, XB, Li, K & Jin, HM 2009, 'The role of Co impurities and oxygen vacancies in the ferromagnetism of Co-doped SnO₂: GGA and GGA+U studies', *Journal of Magnetism and Magnetic Materials*, vol. 321, no. 19, pp. 3114-3119.

- [18] Coey, J.M.D, Venkatesan, M & Fitzgerald, C.B 2005, 'Donor impurity band exchange in dilute ferromagnetic oxides', *Nature Materials*, vol. 4, no. 2, pp. 173-179.
- [19] Yu, CF, Lin, TJ, Sun, SJ & Chou, H 2007, 'Origin of ferromagnetism in nitrogen embedded ZnO: N thin films', *Journal of Physics D: Applied Physics*, vol. 40, pp. 6497.
- [20] Askarran, A.A, Ghavami, M, Agharverdi, H, Stroeve, P & Mahmoudi, M 2012, 'Bacterial effects and protein corona evaluations: crucial ignored factors in the prediction of bio-efficacy of various forms of silver nanoparticles', *Chemical Research in Toxicology*, vol. 25, pp. 1231-1242.
- [21] Sawai, J, Shoji, S, Igarashi, H, Hashimoto, A, Kokugan, T, Shimizu, M & Kojima, H 1998, 'Hydrogen peroxide as an antibacterial factor in zinc oxide powder slurry', *Journal of Fermentation and Bioengineering*, vol. 86, no. 5, pp. 521-522.
- [22] Talebian, N, Amininezhad, S.M & Doudi, M 2013, 'Controllable synthesis of ZnO nanoparticles and their morphology-dependent antibacterial and optical properties', *Journal of Photochemistry and Photobiology B*, vol. 120, pp. 66-73.
- [23] Stankovic, A, Dimitrijevic, S & Uskokovic, D 2013, 'Influence of size scale and Morphology on antibacterial properties of ZnO powders hydrothermally synthesized using different surface stabilizing agents', *Colloids and Surfaces B: Biointerfaces*, vol. 102, pp. 21-28.
- [24] Li, Y, Zhang, W, Niu, J & Chen, Y 2012, 'Mechanism of photogenerated reactive oxygen species and correlation with the antibacterial properties of

- engineered metal-oxide nanoparticles', ACS Nano, vol. 6, no. 6, pp. 5164-5173.
- [25] Suyana, P, Kumar, S.N, Kumar, B.S.D, Nair, B.N, Pillai, S.C, Mohamed, A.P, Warriar, K.G.K & Hareesh, U.S 2014, 'Antifungal properties of nanosized ZnS particles synthesised by sonochemical precipitation', RSC Advances, vol. 4, no. 17, pp. 8439-8445.
- [26] Subbiahdoss, G, Sharifi, S, Grijpma, D.W, Laurent, S, Van der Mei, H.C, Mahmoudi, M & Busscher, H.J 2012, 'Magnetic targeting of surface-modified superparamagnetic iron oxide nanoparticles yields antibacterial efficacy against biofilms of gentamicin-resistant staphylococci', Acta Biomaterialia, vol. 8, no. 6, pp. 2047-2055.

CHAPTER 8

- [1] Patterson, A.L 1939, 'The Scherrer Formula for X-Ray Particle Size Determination', Physical Review, Online Arch. (Prola) vol. 56, no. 10, pp. 978-982.
- [2] Kim, M.S, Yang, J.B, Medvedeva, J, Yelon, W.B, Parris, P.E & James, W.J 2008, 'Electronic structure of $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Cu}_x\text{O}_3$ ($0.0 \leq x \leq 0.30$)', Journal of Physics: Condensed Matter, vol. 20, no. 25, pp. 255228-255234.
- [3] Zhang, K.C, Liu, Y, Li, Y.F & Zhu, Y 2013, 'Origin of ferromagnetism in Cu-doped SnO_2 : A first-principles study', Journal of Applied Physics, vol. 113, no. 5, pp. 053713.
- [4] Kim, M.S, Yang, J.B, Cai, Q, Zhou, X.D, James, W.J, Yelon, W.B, Parris, P.E, Buddhikot, D & Malik, S.K 2005, 'The effect of Cu-doping on the

- magnetic and transport properties of $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ ', *Journal of Applied Physics*, vol. 97, no. 10, pp. 10H714.
- [5] Nilavazhagan, S, Muthukumaran, S & Ashokkumar, M 2014, 'Structural, optical and morphological properties of La, Cu co-doped SnO_2 nanocrystals by co-precipitation method', *Optical Materials*, vol. 37, pp. 425-432.
- [6] Nakamoto, K 1997, 'Infrared and Raman Spectra of Inorganic and Coordination Compounds', Parts - A and B, John Wiley & Sons, New York.
- [7] Krishnakumar, T, Pinna, N, Kumari, K.P, Perumal, K & Jaya Prakash, R 2008, 'Microwave-assisted synthesis and characterization of tin oxide nanoparticles', *Materials Letters*, vol. 62, no. 19, pp. 3437-3440.
- [8] Tan, L, Wang, L & Wang, Y 2011, 'Hydrothermal Synthesis of SnO_2 Nanostructures with different morphologies and their optical properties', *Journal of Nanomaterials*, vol. 2011, pp. 1-10, 529874.
- [9] Jen L.Y & Jiunn, W.C 1997, 'The properties of antimony-doped tin oxide thin films from the sol-gel process', *Surface and Coatings Technology*, vol. 88, no. 1-3, pp. 239-247.
- [10] Bouaine, A, Brihi, N, Schmerber, G, Ulhaq-Bouillet, C, Colis, S & Dinia, A 2007, 'Structural, Optical, and Magnetic Properties of Co-doped SnO_2 Powders synthesized by the Coprecipitation Technique', *Journal of Physical Chemistry C*, vol. 111, no. 7, pp. 2924-2928.
- [11] Das, S, Kar, S & Chaudhuri, S 2006, 'Optical properties of SnO_2 nanoparticles and nanorods synthesized by solvothermal process', *Journal of Applied Physics*, vol. 99, no. 11, pp. 114303.

- [12] Chetri, P, Saikia, B & Choudhury, A 2013, 'Structural and optical properties of Cu doped SnO₂ nanoparticles: An experimental and density functional study', *Journal of Applied Physics*, vol. 113, no. 23, pp. 233514.
- [13] Hong, N.H, Sakai, J, Huong, N.T, Poirot, N & Ruyter, A 2005, 'Role of defects in tuning ferromagnetism in diluted magnetic oxide thin films', *Physical Review B*, vol. 72, no. 4, pp. 045336.
- [14] Coey, J.M.D, Wongsaprom, K, Alaria, J & Venkatesan, M 2008, 'Charge-transfer ferro-magnetism in oxide nanoparticles', *Journal of Physics D: Applied Physics*, vol. 41, pp. 134012.
- [15] Coey, J.M.D, Venkatesan, M & Fitzgerald, C.B 2005, 'Donor impurity band exchange in dilute ferromagnetic oxides', *Nature Materials*, vol. 4, no. 2, pp. 173-179.
- [16] Lin, W, Zhang, Y.F, Li, Y, Ding, K.N, Li, J.Q & Xu, Y.J 2006, 'Structural characterizations and electronic properties of Ti-doped SnO₂ (110) surface: A first-principles study', *Journal of Chemical Physics* vol. 124, no. 5, pp. 054704.
- [17] Sakthiraj, K, Karthikeyan, B & Balachandrakumar, K 2015, 'Structural, Optical and Magnetic properties of Copper (Cu) doped Tin oxide (SnO₂) nanocrystal', *International Journal of ChemTech Research*, vol.7, no. 3, pp. 1481-1487.