

## LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
1.1	Properties of SnO <sub>2</sub>	18
4.1	Particle size, lattice parameter and cell volume of SnO <sub>2</sub> at different sintering temperatures	89
4.2	Microstrain and bond length of SnO <sub>2</sub> nanoparticles at different sintering temperatures	89
4.3	Interplanar distance of SnO <sub>2</sub> nanoparticles annealed at 500°C	94
4.4	Magnetic properties of SnO <sub>2</sub> nanoparticles annealed at 500°C	99
5.1	Particle size, lattice parameter and cell volume of Sn <sub>1-x</sub> Ni <sub>x</sub> O <sub>2</sub> annealed at 500°C	102
5.2	Microstrain and bond length of pure and Ni - doped SnO <sub>2</sub> nanoparticles	103
5.3	Compositional elements present in Sn <sub>1-x</sub> Ni <sub>x</sub> O <sub>2</sub> nanoparticles from EDAX spectra	109
5.4	Interplanar distance of SnO <sub>2</sub> nanoparticles and Sn <sub>0.98</sub> Ni <sub>0.02</sub> O <sub>2</sub> nanoparticles annealed at 500°C	111
5.5	Band gap energy of Sn <sub>1-x</sub> Ni <sub>x</sub> O <sub>2</sub> nanoparticles annealed at 500°C	113
5.6	Magnetic properties of Sn <sub>1-x</sub> Ni <sub>x</sub> O <sub>2</sub> nanoparticles (x = 0.01 to x = 0.04) annealed at 500°C.	117

TABLE NO.	TITLE	PAGE NO.
6.1	Particle size, lattice parameter and cell volume of $\text{Sn}_{1-x}\text{Mn}_x\text{O}_2$ annealed at $500^\circ\text{C}$	121
6.2	Microstrain and bond length of pure and Mn - doped $\text{SnO}_2$ nanoparticles	123
6.3	Elemental composition for $\text{Sn}_{0.99}\text{Mn}_{0.01}\text{O}_2$ nanoparticles through EDAX	126
6.4	Interplanar distance of $\text{SnO}_2$ nanoparticles and $\text{Sn}_{0.98}\text{Mn}_{0.02}\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$	127
6.5	Band gap energy of $\text{Sn}_{1-x}\text{Mn}_x\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$	133
6.6	Magnetic properties of $\text{Sn}_{1-x}\text{Mn}_x\text{O}_2$ nanoparticles ( $x = 0.01$ to $x = 0.04$ ) annealed at $500^\circ\text{C}$	137
6.7	Antibacterial activity of Mn-doped $\text{SnO}_2$ nanoparticles at different concentrations 6.25, 12.5, 25, 50 and 100 $\mu\text{g/mL}$	139
7.1	Particle size, lattice parameter and cell volume of $\text{Sn}_{1-x}\text{Co}_x\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$	144
7.2	Microstrain and bond length of pure and Co - doped $\text{SnO}_2$ nanoparticles	147
7.3	Interplanar distance of $\text{SnO}_2$ nanoparticles and $\text{Sn}_{0.98}\text{Co}_{0.02}\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$	154
7.4	Band gap energy of $\text{Sn}_{1-x}\text{Co}_x\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$ .	156

<b>TABLE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
7.5	Magnetic properties of $\text{Sn}_{1-x}\text{Co}_x\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$	162
7.6	Antibacterial activity of pure and Co-doped $\text{SnO}_2$ nanoparticles at different concentrations (50, 100 $\mu\text{g/mL}$ )	165
8.1	Particle size, lattice parameter and cell volume of $\text{Sn}_{1-x}\text{Cu}_x\text{O}_2$ annealed at $500^\circ\text{C}$	169
8.2	Microstrain and bond length of pure and Cu - doped $\text{SnO}_2$ nanoparticles	171
8.3	Quantitative analysis of the compositional elements present in $\text{Sn}_{1-x}\text{Cu}_x\text{O}_2$ nanoparticles using EDAX spectra	174
8.4	Interplanar distance of $\text{SnO}_2$ nanoparticles and $\text{Sn}_{0.98}\text{Cu}_{0.02}\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$	176
8.5	Band gap energy of $\text{Sn}_{1-x}\text{Cu}_x\text{O}_2$ nanoparticles annealed at $500^\circ\text{C}$	178
8.6	Magnetic properties of $\text{Sn}_{1-x}\text{Cu}_x\text{O}_2$ nanoparticles ( $x = 0.01$ to $x = 0.04$ ) annealed at $500^\circ\text{C}$	183

**LIST OF FIGURES**

<b>FIGURE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
1.1	(a) 0-D [nanoparticles] (b) 1-D [nanotubes,wires and rods] (c) 2-D [nanofilms, nanocoatings] (d) 3-D [Bulk nanomaterials]	3
1.2	Different generations of nanostructures	4
1.3	Schematic diagram of rutile type tetragonal structure and powder form of SnO <sub>2</sub> nanoparticle	17
3.1	Schematic diagram of top-down and bottom-up approaches of synthesis	43
3.2	(a) A schematic diagram (sectional) of a ball mill vessel (b) A rock tumbler Ball mills (c) High energy Attritor ball mill	46
3.3	(a) Sequence of material evaporation by laser beam interaction with a target material. (b) Laser deposition schematic apparatus	47
3.4	Schematic representation of sol-gel synthesis method	48
3.5	Process in Hydrothermal method	49
3.6	Schematic diagram of catalytic CVD	52
3.7	Schematic representation of Spray Pyrolysis Technique	53

<b>FIGURE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
3.8	Schematic diagram of molecular beam epitaxy	54
3.9	Flow chart showing the synthesis of TM doped SnO <sub>2</sub> nanoparticles	60
3.10	a) X ray diffractometer b) Bragg's reflection	64
3.11	a) TEM Instrument b) Schematic diagram of TEM	66
3.12	SEM Instrument with EDAX	69
3.13	Schematic diagram of scanning electron microscope	70
3.14	(A) A diagrammatic representation of the raster scanning (B) the intensity plot for the scanned area	70
3.15	EDAX system	72
3.16	a) FTIR Spectrophotometer b) FTIR System	74
3.17	a) UV-Vis Spetrophotometer Instrument b) Schematic diagram of UV-Vis Spectrophotometer	77
3.18	Schematic diagram for measuring fluorescence showing the placement of the wavelength selectors for excitation and emission	79
3.19	Experimental set up of Spectrofluorometer	80
3.20	Experimental set up of Lakeshore VSM 7410	81

<b>FIGURE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
3.21	Schematic of sample holder and VSM mechanism	82
3.22	Block diagram of VSM	83
4.1	XRD pattern of SnO <sub>2</sub> sample before annealed	86
4.2	XRD patterns of SnO <sub>2</sub> samples	87
4.3	Relation between crystallite size and strain of SnO <sub>2</sub> at different sintering temperature	88
4.4	Relation between cell volume and bond length of SnO <sub>2</sub> at different sintering temperature.	88
4.5	FT-IR spectrum of SnO <sub>2</sub> nanoparticles annealed at 500°C and 600°C	90
4.6	(a) and (b) SEM images of SnO <sub>2</sub> nanoparticles sintered at 500°C	91
4.7	EDAX measurement of SnO <sub>2</sub> nanoparticles sintered at 500°C	92
4.8	(a) SAED Pattern (b) and (c) TEM images of SnO <sub>2</sub> nanoparticles synthesized by microwave assisted solvothermal method	93
4.9	(a) Transmittance spectrum (b) UV-VIS absorption spectrum of SnO <sub>2</sub> nanoparticles annealed at 500°C	95

FIGURE NO.	TITLE	PAGE NO.
4.10	Tauc plot for SnO <sub>2</sub> nanoparticles annealed at 500°C	96
4.11	PL emission spectrum of sample annealed at 500°C	97
4.12	M-H plot of SnO <sub>2</sub> powder sample annealed at 500°C	99
5.1	XRD spectra of pure and nickel doped SnO <sub>2</sub> nanoparticles	102
5.2	Relations between (a) crystallite size and strain with Ni concentration and (b) cell volume and bond length versus concentration of Ni.	104
5.3	FT-IR spectra of (S) SnO <sub>2</sub> and (S1) Sn <sub>0.98</sub> Ni <sub>0.02</sub> O <sub>2</sub>	105
5.4	SEM images of (a) SnO <sub>2</sub> ; (b) Sn <sub>0.99</sub> Ni <sub>0.01</sub> O <sub>2</sub> ; (c) Sn <sub>0.96</sub> Ni <sub>0.04</sub> O <sub>2</sub>	106
5.5	EDAX spectra of (a) SnO <sub>2</sub> ; (b) Sn <sub>0.99</sub> Ni <sub>0.01</sub> O <sub>2</sub> ; (c) Sn <sub>0.96</sub> Ni <sub>0.04</sub> O <sub>2</sub>	108
5.6	TEM images of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Ni <sub>0.02</sub> O <sub>2</sub> nanoparticles	110
5.7	SAED pattern of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Ni <sub>0.02</sub> O <sub>2</sub> nanoparticles	111

FIGURE NO.	TITLE	PAGE NO.
5.8	Absorbance spectra of nickel doped SnO <sub>2</sub> nanoparticles	112
5.9	Tauc plots of (a) SnO <sub>2</sub> ; (b) Sn <sub>0.99</sub> Ni <sub>0.01</sub> O <sub>2</sub> ; (c) Sn <sub>0.98</sub> Ni <sub>0.02</sub> O <sub>2</sub> ; (d) Sn <sub>0.97</sub> Ni <sub>0.03</sub> O <sub>2</sub> ; (e) Sn <sub>0.96</sub> Ni <sub>0.04</sub> O <sub>2</sub>	114
5.10	Photoluminescence spectra of nickel doped SnO <sub>2</sub> nanoparticles	115
5.11	M-H plots of Ni doped SnO <sub>2</sub> powder samples at different Ni dopant concentrations	117
6.1	XRD spectra of pure and manganese doped SnO <sub>2</sub> nanoparticles	121
6.2	Relations between (a) crystallite size and strain with Mn concentration and (b) cell volume and bond length versus concentration of Mn	122
6.3	FT-IR spectra of SnO <sub>2</sub> (S) and Sn <sub>0.98</sub> Mn <sub>0.02</sub> O <sub>2</sub> (S1)	124
6.4	SEM images of (a) SnO <sub>2</sub> (b) Sn <sub>0.99</sub> Mn <sub>0.01</sub> O <sub>2</sub>	125
6.5	EDAX spectra of (a) SnO <sub>2</sub> ; (b) Sn <sub>0.99</sub> Mn <sub>0.01</sub> O <sub>2</sub>	126
6.6	TEM micrograph of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Mn <sub>0.02</sub> O <sub>2</sub> nanoparticles	128
6.7	SAED pattern of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Mn <sub>0.02</sub> O <sub>2</sub> nanoparticles	129



FIGURE NO.	TITLE	PAGE NO.
6.8	Absorbance spectra of Mn doped SnO <sub>2</sub> nanoparticles	130
6.9	Tauc plot of the samples (Sn <sub>1-x</sub> Mn <sub>x</sub> O <sub>2</sub> )	132
6.10	PL spectra of Mn doped SnO <sub>2</sub> samples	134
6.11	M-H plots of Mn doped SnO <sub>2</sub> powder samples at different Mn dopant concentrations	137
6.12	Antibacterial activities of the SnO <sub>2</sub> :Mn nanopowders against a) <i>B.subtilis</i> b) <i>E. coli</i> c) <i>P.aeruginosa</i> and d) variation of ZOI of the SnO <sub>2</sub> :Mn nanopowders as a function of different concentrations	140
7.1	XRD spectra of pure and cobalt doped SnO <sub>2</sub> nanoparticles	143
7.2	(101) peak shifting towards lower 2θ value	143
7.3	Relations between (a) crystallite size and strain with Co concentration and (b) cell volume and bond length versus concentration of Co	146
7.4	FT-IR spectra of SnO <sub>2</sub> (S) and Sn <sub>0.98</sub> Co <sub>0.02</sub> O <sub>2</sub> (S1)	148
7.5	SEM images of (a) SnO <sub>2</sub> ; (b) Sn <sub>0.99</sub> Co <sub>0.01</sub> O <sub>2</sub> ; (c) Sn <sub>0.96</sub> Co <sub>0.04</sub> O <sub>2</sub>	150
7.6	EDAX spectra of (a) SnO <sub>2</sub> ; (b) Sn <sub>0.99</sub> Co <sub>0.01</sub> O <sub>2</sub> ; (c) Sn <sub>0.96</sub> Co <sub>0.04</sub> O <sub>2</sub>	151

FIGURE NO.	TITLE	PAGE NO.
7.7	TEM micrograph of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Co <sub>0.02</sub> O <sub>2</sub> nanoparticles	152
7.8	SAED pattern of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Co <sub>0.02</sub> O <sub>2</sub> nanoparticles	153
7.9	Absorbance spectra of Co doped SnO <sub>2</sub> nanoparticles	155
7.10	Tauc plots of (a) SnO <sub>2</sub> ; (b) Sn <sub>0.99</sub> Co <sub>0.01</sub> O <sub>2</sub> ; (c) Sn <sub>0.98</sub> Co <sub>0.02</sub> O <sub>2</sub> ; (d) Sn <sub>0.97</sub> Co <sub>0.03</sub> O <sub>2</sub> ; (e) Sn <sub>0.96</sub> Co <sub>0.04</sub> O <sub>2</sub>	157
7.11	PL spectra of Co doped SnO <sub>2</sub> nanoparticles	159
7.12	M-H plots of Co doped SnO <sub>2</sub> powder samples at different Co dopant concentrations	162
7.13	Antibacterial activity of sample SnO <sub>2</sub> against (a) <i>Pseudomonas aeruginosa</i> and Sn <sub>0.96</sub> Co <sub>0.04</sub> O <sub>2</sub> against (b) <i>E.Coli</i> and (c) <i>Pseudomonas</i> <i>aeruginosa</i>	164
8.1	XRD spectra of pure and copper doped SnO <sub>2</sub> nanoparticles	169
8.2	Relation between crystallite size and strain with Cu concentration	170
8.3	Relation between cell volume and bond length versus concentration of Cu	170

FIGURE NO.	TITLE	PAGE NO.
8.4	FT-IR spectra of SnO <sub>2</sub> (S) and Sn <sub>0.98</sub> Cu <sub>0.02</sub> O <sub>2</sub> (S1)	172
8.5	SEM images of (a) Sn <sub>0.99</sub> Cu <sub>0.01</sub> O <sub>2</sub> ; (b) Sn <sub>0.96</sub> Cu <sub>0.04</sub> O <sub>2</sub>	173
8.6	EDAX spectra of (a) Sn <sub>0.99</sub> Cu <sub>0.01</sub> O <sub>2</sub> ; (b) Sn <sub>0.96</sub> Cu <sub>0.04</sub> O <sub>2</sub>	173
8.7	TEM images of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Cu <sub>0.02</sub> O <sub>2</sub> nanoparticles	175
8.8	SAED pattern of (a) SnO <sub>2</sub> and (b) Sn <sub>0.98</sub> Cu <sub>0.02</sub> O <sub>2</sub> nanoparticles	175
8.9	Absorbance spectra of Cu doped SnO <sub>2</sub> nanoparticles	177
8.10	Tauc plots of (a) Sn <sub>0.99</sub> Cu <sub>0.01</sub> O <sub>2</sub> ; (b) Sn <sub>0.98</sub> Cu <sub>0.02</sub> O <sub>2</sub> ; (c) Sn <sub>0.97</sub> Cu <sub>0.03</sub> O <sub>2</sub> ; (d) Sn <sub>0.96</sub> Cu <sub>0.04</sub> O <sub>2</sub>	179
8.11	PL spectra of Cu doped SnO <sub>2</sub> nanoparticles	181
8.12	M-H plots of Cu doped SnO <sub>2</sub> powder samples at different Cu dopant concentrations	183