

LIST OF TABLES

| TABLE NO | TITLE | PAGE NO |
|-------------|---|---------|
| 3.1 | Values of FWHM and particle size for as-prepared PANI nanoparticles | 64 |
| 3.2 | Values of FWHM and particle size for as -prepared MnO ₂ nanoparticles | 66 |
| 3.3 | Values of FWHM and particle size for as -prepared PANI/MnO ₂ (10 wt%) nanocomposites | 68 |
| 3.4 | Values of FWHM and particle size for as -prepared PANI/MnO ₂ (20 wt%) nanocomposites | 69 |
| 3.5 | Values of FWHM and particle size for as -prepared PANI/MnO ₂ (50 wt%) nanocomposites | 70 |
| 3.6 | Functional group analysis using FT-IR for PANI nanoparticles | 91 |
| 3.7 | Functional group analysis using FT-IR for MnO ₂ nanoparticless | 92 |
| 3.8 | Functional group analysis using FT-IR for PANI/ MnO ₂ (1wt%) nanocomposite | 93 |
| 3.9 | Functional group analysis using FT-IR for PANI/ MnO ₂ (2wt%) nanocomposite | 94 |
| 3.10 | Functional group analysis using FT-IR for PANI/ MnO ₂ (5wt%) nanocomposite | 95 |
| 3.11 | Functional group analysis using FT-IR for PANI/ MnO ₂ (10wt%) nanocomposite | 96 |
| 3.12 | Functional group analysis using FT-IR for PANI/ MnO ₂ (20wt%) nanocomposite | 97 |
| 3.13 | Functional group analysis using FT-IR for PANI/ MnO ₂ (50wt%) nanocomposite | 98 |
| 4.1 | Values of FWHM and particle size for as -prepared TiO ₂ nanoparticles | 164 |
| 4.2 | Values of FWHM and particle size for as -prepared PANI/TiO ₂ (1 wt%) nanocomposites | 165 |
| 4.3 | Values of FWHM and particle size for as -prepared PANI/TiO ₂ (10 wt%) nanocomposites | 167 |
| 4.4 | Values of FWHM and particle size for as -prepared | 169 |

| | | |
|------|--|-----|
| | PANI/TiO ₂ (50 wt%) nanocomposites | |
| 4.5 | Functional group analysis using FT-IR for TiO ₂ nanoparticles | 195 |
| 4.6 | Functional group analysis using FT-IR for PANI/ TiO ₂ (1wt%) nanocomposite | 196 |
| 4.7 | Functional group analysis using FT-IR for PANI/ TiO ₂ (2wt%) nanocomposite | 197 |
| 4.8 | Functional group analysis using FT-IR for PANI/ TiO ₂ (5wt%) nanocomposite | 198 |
| 4.9 | Functional group analysis using FT-IR for PANI/ TiO ₂ (10wt%) nanocomposite | 199 |
| 4.10 | Functional group analysis using FT-IR for PANI/ TiO ₂ (20wt%) nanocomposite | 200 |
| 4.11 | Functional group analysis using FT-IR for PANI/ TiO ₂ (50wt%) nanocomposite | 201 |

LIST OF FIGURES

| FIGURE NO | TITLE | PAGE NO |
|-----------|--|---------|
| 1.1 | Volume fraction of grain interior and boundary regions as a function of gran size. | 10 |
| 1.2 | Breakage mechanisms; (a) attrition, (b) abrasion, (c) fragmentation, (d) chipping. | 20 |
| 1.3 | Breakage at the micro and macro level | 20 |
| 1.4 | Bragg's Law of reflection | 33 |
| 1.5 | Powder X-ray Diffractometer | 35 |
| 1.6 | Schematic diagram of SEM | 36 |
| 1.7 | Dielectric Spectrum | 37 |
| 1.8 | Picture showing the working of TEM | 38 |
| 1.9 | Working of UV-Visible spectrometer | 40 |
| 2.1 | The Tetragonal structure of Manganese Dioxide | 55 |
| 3.1 | XRD pattern for as-prepared PANI nanoparticles | 65 |
| 3.2 | XRD pattern for as-prepared MnO ₂ nanoparticles | 65 |
| 3.3 | XRD pattern for as-prepared PANI/ MnO ₂ (1wt%) nanocomposite | 66 |
| 3.4 | XRD pattern for as-prepared PANI/ MnO ₂ (2wt%) nanocomposite | 67 |
| 3.5 | XRD pattern for as-prepared PANI/ MnO ₂ (5 wt%) nanocomposite | 67 |
| 3.6 | XRD pattern for as-prepared PANI/ MnO ₂ (10wt%) nanocomposite | 68 |
| 3.7 | XRD pattern for as-prepared PANI/ MnO ₂ (20wt%) nanocomposite | 69 |
| 3.8 | XRD pattern for as-prepared PANI/ MnO ₂ (50wt%) nanocomposite | 70 |
| 3.9 | SEM image of PANI nanoparticles | 74 |
| 3.10 | SEM image of PANI nanoparticles | 74 |
| 3.11 | SEM image of PANI nanoparticles | 75 |
| 3.12 | SEM image of MnO ₂ nanoparticles | 75 |
| 3.13 | SEM image of MnO ₂ nanoparticles | 75 |
| 3.14 | SEM image of MnO ₂ nanoparticles | 76 |

| | | |
|------|--|----|
| 3.15 | SEM image of PANI/MnO ₂ (5wt%) nanocomposite | 77 |
| 3.16 | SEM image of PANI/MnO ₂ (5wt%) nanocomposite | 77 |
| 3.17 | SEM image of PANI/Mn ₃ O ₄ (5wt%) nanocomposite | 77 |
| 3.18 | SEM image of PANI/MnO ₂ (10wt%) nanocomposite | 78 |
| 3.19 | HRTEM images of MnO ₂ (10wt%) nanocomposites | 78 |
| 3.20 | SAED pattern of MnO ₂ (10wt%) nanocomposites | 78 |
| 3.21 | HRTEM images of MnO ₂ nanoparticles | 80 |
| 3.22 | SAED pattern for one agglomerated of MnO ₂ nanoparticles | 81 |
| 3.23 | HRTEM images of MnO ₂ nanoparticles | 81 |
| 3.24 | HRTEM images of MnO ₂ nanoparticles | 81 |
| 3.25 | HRTEM images of MnO ₂ nanoparticles | 82 |
| 3.26 | HRTEM images of MnO ₂ nanoparticles | 82 |
| 3.27 | HRTEM images of MnO ₂ nanoparticles | 82 |
| 3.28 | HRTEM images of MnO ₂ nanoparticles | 83 |
| 3.29 | HRTEM images of MnO ₂ nanoparticles | 83 |
| 3.30 | HRTEM images of MnO ₂ nanoparticles | 83 |
| 3.31 | HRTEM images of PANI/MnO ₂ (5wt%) nanocomposite | 84 |
| 3.32 | HRTEM images of PANI/MnO ₂ (5wt%) nanocomposite | 84 |
| 3.33 | HRTEM images of PANI/MnO ₂ (5wt%) nanocomposite | 84 |
| 3.34 | HRTEM images of PANI/MnO ₂ (5wt%) nanocomposite | 85 |
| 3.35 | SAED pattern for one agglomerated of PANI/MnO ₂ (5wt%) nanocomposite | 85 |
| 3.36 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 85 |
| 3.37 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 86 |
| 3.38 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 86 |
| 3.39 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 86 |

| | | |
|------|---|-----|
| 3.40 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 87 |
| 3.41 | HRTEM images of PANI/MnO ₂ nanocomposite | 87 |
| 3.42 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 87 |
| 3.43 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 88 |
| 3.44 | HRTEM images of PANI/MnO ₂ (10wt%) nanocomposite | 88 |
| 3.45 | SAED pattern for one agglomerated of PANI/MnO ₂ (10wt%) nanocomposite | 88 |
| 3.46 | FT-IR spectrum of PANI nanoparticles | 91 |
| 3.47 | FT-IR spectrum of MnO ₂ nanoparticles | 92 |
| 3.48 | FT-IR spectrum of PANI/ MnO ₂ (1 wt%) nanocomposite | 93 |
| 3.49 | FT-IR spectrum of PANI/ MnO ₂ (2 wt%) nanocomposite | 94 |
| 3.50 | FT-IR spectrum of PANI/ MnO ₂ (5 wt%) nanocomposite | 95 |
| 3.51 | FT-IR spectrum of PANI/ MnO ₂ (10 wt%) nanocomposite | 96 |
| 3.52 | FT-IR spectrum of PANI/ MnO ₂ (20 wt%) nanocomposite | 97 |
| 3.53 | FT-IR spectrum of PANI/ MnO ₂ (50 wt%) nanocomposite | 98 |
| 3.54 | UV-Vis absorption spectrum of PANI nanoparticles | 102 |
| 3.55 | UV-Vis absorption spectrum of MnO ₂ nanoparticles | 102 |
| 3.56 | UV-Vis absorption spectrum of PANI/ MnO ₂ (1 wt%) nanocomposite | 103 |
| 3.57 | UV-Vis absorption spectrum of PANI/ MnO ₂ (2 wt%) nanocomposite | 103 |
| 3.58 | UV-Vis absorption spectrum of PANI/ MnO ₂ (5 wt%) nanocomposite | 104 |
| 3.59 | UV-Vis absorption spectrum of PANI/ MnO ₂ (10 wt%) nanocomposite | 104 |
| 3.60 | UV-Vis absorption spectrum of PANI/ MnO ₂ (20 wt%) nanocomposite | 105 |

| | | |
|------|---|-----|
| 3.61 | UV-Vis absorption spectrum of PANI/ MnO ₂ (50 wt%) nanocomposite | 105 |
| 3.62 | TG/DTA thermograms for as-prepared PANI nanoparticles | 109 |
| 3.63 | TG/DTA thermograms for as-prepared MnO ₂ nanoparticles | 109 |
| 3.64 | TG/DTA thermograms for as-prepared PANI/ MnO ₂ nanocomposite | 110 |
| 3.65 | Cole-Cole plot of PANI nanoparticles at 298 K | 112 |
| 3.66 | Cole-Cole plot of PANI nanoparticles at 323 K | 112 |
| 3.67 | Cole-Cole plot of PANI nanoparticles at 348 K | 113 |
| 3.68 | Cole-Cole plot of PANI nanoparticles at 373 K | 113 |
| 3.69 | Cole-Cole plot of PANI nanoparticles at 398 K | 113 |
| 3.70 | Cole-Cole plot of PANI nanoparticles at 423 K | 114 |
| 3.71 | Cole-Cole plot of MnO ₂ nanoparticles at 298 K | 114 |
| 3.72 | Cole-Cole plot of MnO ₂ nanoparticles at 323 K | 114 |
| 3.73 | Cole-Cole plot of MnO ₂ nanoparticles at 348 K | 115 |
| 3.74 | Cole-Cole plot of MnO ₂ nanoparticles at 373 K | 115 |
| 3.75 | Cole-Cole plot of MnO ₂ nanoparticles at 398 K | 115 |
| 3.76 | Cole-Cole plot of MnO ₂ nanoparticles at 423 K | 116 |
| 3.77 | Cole-Cole plot of PANI/ MnO ₂ (1wt%) nanocomposites at 298 K | 116 |
| 3.78 | Cole-Cole plot of PANI/ MnO ₂ (1wt%) nanocomposites at 323 K | 116 |
| 3.79 | Cole-Cole plot of PANI/ MnO ₂ (1wt%) nanocomposites at 348 K | 117 |
| 3.80 | Cole-Cole plot of PANI/ MnO ₂ (1wt%) nanocomposites at 373 K | 117 |
| 3.81 | Cole-Cole plot of PANI/ MnO ₂ (1wt%) nanocomposites at 398 K | 117 |
| 3.82 | Cole-Cole plot of PANI/ MnO ₂ (1wt%) nanocomposites at 423 K | 118 |
| 3.83 | Cole-Cole plot of PANI/ MnO ₂ (2wt%) nanocomposites at 298 K | 118 |
| 3.84 | Cole-Cole plot of PANI/ MnO ₂ (2wt%) nanocomposites at 323 K | 118 |

| | | |
|-------|---|-----|
| 3.85 | Cole-Cole plot of PANI/ MnO ₂ (2wt%) nanocomposites at 348 K | 119 |
| 3.86 | Cole-Cole plot of PANI/ MnO ₂ (2wt%) nanocomposites at 373 K | 119 |
| 3.87 | Cole-Cole plot of PANI/ MnO ₂ (2wt%) nanocomposites at 398 K | 119 |
| 3.88 | Cole-Cole plot of PANI/ MnO ₂ (2wt%) nanocomposites at 423 K | 120 |
| 3.89 | Cole-Cole plot of PANI/ MnO ₂ (5wt%) nanocomposites at 298 K | 120 |
| 3.90 | Cole-Cole plot of PANI/ MnO ₂ (5wt%) nanocomposites at 323 K | 120 |
| 3.91 | Cole-Cole plot of PANI/ MnO ₂ (5wt%) nanocomposites at 348 K | 121 |
| 3.92 | Cole-Cole plot of PANI/ MnO ₂ (5wt%) nanocomposites at 373 K | 121 |
| 3.93 | Cole-Cole plot of PANI/ MnO ₂ (5wt%) nanocomposites at 398 K | 121 |
| 3.94 | Cole-Cole plot of PANI/ MnO ₂ (5wt%) nanocomposites at 423 K | 122 |
| 3.95 | Cole-Cole plot of PANI/ MnO ₂ (10wt%) nanocomposites at 298 K | 122 |
| 3.96 | Cole-Cole plot of PANI/ MnO ₂ (10wt%) nanocomposites at 323 K | 122 |
| 3.97 | Cole-Cole plot of PANI/ MnO ₂ (10wt%) nanocomposites at 348 K | 123 |
| 3.98 | Cole-Cole plot of PANI/ MnO ₂ (10wt%) nanocomposites at 373 K | 123 |
| 3.99 | Cole-Cole plot of PANI/ MnO ₂ (10wt%) nanocomposites at 398 K | 123 |
| 3.100 | Cole-Cole plot of PANI/ MnO ₂ (10wt%) nanocomposites at 423 K | 124 |
| 3.101 | Cole-Cole plot of PANI/ MnO ₂ (50wt%) nanocomposites at 298 K | 124 |
| 3.102 | Cole-Cole plot of PANI/ MnO ₂ (50wt%) nanocomposites at 323 K | 124 |

| | | |
|-------|---|-----|
| 3.103 | Cole-Cole plot of PANI/ MnO ₂ (50wt%) nanocomposites at 348 K | 125 |
| 3.104 | Cole-Cole plot of PANI/ MnO ₂ (50wt%) nanocomposites at 373 K | 125 |
| 3.105 | Cole-Cole plot of PANI/ MnO ₂ (50wt%) nanocomposites at 398 K | 125 |
| 3.106 | Cole-Cole plot of PANI/ MnO ₂ (50wt%) nanocomposites at 423 K | 126 |
| 3.107 | log ω vs AC conductivity of PANI nanoparticles for different temperatures | 131 |
| 3.108 | log ω vs AC conductivity of MnO ₂ nanoparticles for different temperatures | 131 |
| 3.109 | log ω vs AC conductivity of PANI/ MnO ₂ (1wt%) nanocomposites for different temperatures | 132 |
| 3.110 | log ω vs AC conductivity of PANI/ MnO ₂ (2wt%) nanocomposites for different temperatures | 132 |
| 3.111 | log ω vs AC conductivity of PANI/ MnO ₂ (5wt%) nanocomposites for different temperatures | 133 |
| 3.112 | log ω vs AC conductivity of PANI/ MnO ₂ (10wt%) nanocomposites for different temperatures | 133 |
| 3.113 | log ω vs AC conductivity of PANI/ MnO ₂ (50wt%) nanocomposites for different temperatures | 134 |
| 3.114 | Arrhenius plot of the electrical conductivity for PANI nanoparticles | 134 |
| 3.115 | Arrhenius plot of the electrical conductivity for MnO ₂ nanoparticles | 135 |
| 3.116 | Arrhenius plot of the electrical conductivity for PANI/MnO ₂ (1wt%) nanocomposite | 135 |
| 3.117 | Arrhenius plot of the electrical conductivity for PANI/MnO ₂ (2wt%) nanocomposite | 136 |
| 3.118 | Arrhenius plot of the electrical conductivity for PANI/MnO ₂ (5wt%) nanocomposite | 136 |
| 3.119 | Arrhenius plot of the electrical conductivity for PANI/MnO ₂ (10wt%) nanocomposite | 137 |
| 3.120 | Arrhenius plot of the electrical conductivity for PANI/MnO ₂ (50wt%) nanocomposite | 137 |

| | | |
|-------|--|-----|
| 3.121 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI nanoparticles | 140 |
| 3.122 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI nanoparticles | 140 |
| 3.123 | Real part of permittivity as a function of $\log \omega$ at various temperatures for MnO_2 nanoparticles | 141 |
| 3.124 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for MnO_2 nanoparticles | 141 |
| 3.125 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (1wt%) nanoparticles | 142 |
| 3.126 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (1wt%) nanoparticles | 142 |
| 3.127 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (2wt%) nanoparticles | 143 |
| 3.128 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (2wt%) nanoparticles | 143 |
| 3.129 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (5wt%) nanoparticles | 144 |
| 3.130 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (5wt%) nanoparticles | 144 |
| 3.131 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (10wt%) nanoparticles | 145 |
| 3.132 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (10wt%) nanoparticles | 145 |
| 3.133 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (50wt%) nanoparticles | 146 |
| 3.134 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (50wt%) nanoparticles | 146 |

| | | |
|-------|--|-----|
| 3.135 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI nanoparticles. | 148 |
| 3.136 | Imaginary part of electrical modulus as a function of $\log \omega$ at various temperatures for PANI nanoparticles. | 148 |
| 3.137 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for MnO_2 nanoparticles. | 149 |
| 3.138 | Imaginary part of electrical modulus as a function of $\log \omega$ at various temperatures for MnO_2 nanoparticles. | 149 |
| 3.139 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (1wt%) nanocomposite | 150 |
| 3.140 | Imaginary part of electrical modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (1wt%) nanocomposite | 150 |
| 3.141 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (2wt%) nanocomposite | 151 |
| 3.142 | Imaginary part of electrical modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (2wt%) nanocomposite | 151 |
| 3.143 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (5wt%) nanocomposite | 152 |
| 3.144 | Imaginary part of electrical modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (5wt%) nanocomposite | 152 |
| 3.145 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (10wt%) nanocomposite | 153 |
| 3.146 | Imaginary part of electrical modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (10wt%) nanocomposite | 153 |
| 3.147 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/ MnO_2 (50wt%) nanocomposite | 154 |

| | | |
|-------|---|-----|
| 3.148 | Imaginary part of electrical modulus as a function of $\log \omega$ at various temperatures for PANI/MnO ₂ (50wt%) nanocomposite | 154 |
| 4.1 | XRD pattern for as-prepared TiO ₂ nanoparticles | 164 |
| 4.2 | XRD pattern for as-prepared PANI/ TiO ₂ (1wt%) nanocomposite | 165 |
| 4.3 | XRD pattern for as-prepared PANI/ TiO ₂ (2 wt%) nanocomposite | 166 |
| 4.4 | XRD pattern for as-prepared PANI/ TiO ₂ (5wt%) nanocomposite | 166 |
| 4.5 | XRD pattern for as-prepared PANI/ TiO ₂ (10wt%) nanocomposite | 167 |
| 4.6 | XRD pattern for as-prepared PANI/ TiO ₂ (20wt%) nanocomposite | 168 |
| 4.7 | XRD pattern for as-prepared PANI/ TiO ₂ (50wt%) nanocomposite | 168 |
| 4.8 | SEM image of TiO ₂ nanoparticles | 170 |
| 4.9 | SEM image of TiO ₂ nanoparticles | 171 |
| 4.10 | SEM image of TiO ₂ nanoparticles | 171 |
| 4.11 | SEM image of PANI/TiO ₂ (5wt%) nanocomposite | 172 |
| 4.12 | SEM image of PANI/TiO ₂ (5wt%) nanocomposite | 172 |
| 4.13 | SEM image of PANI/TiO ₂ (5wt%) nanocomposite | 173 |
| 4.14 | SEM image of PANI/TiO ₂ (20wt%) nanocomposite | 173 |
| 4.15 | SEM image of PANI/TiO ₂ (20wt%) nanocomposite | 174 |
| 4.16 | SEM image of PANI/TiO ₂ (20wt%) nanocomposite | 174 |
| 4.17 | HRTEM image of TiO ₂ nanoparticles | 177 |
| 4.18 | SAED pattern of TiO ₂ nanoparticles | 178 |
| 4.19 | HRTEM image of TiO ₂ nanoparticles | 178 |
| 4.20 | SAED pattern of TiO ₂ nanoparticles | 179 |
| 4.21 | HRTEM image of TiO ₂ nanoparticles | 179 |
| 4.22 | HRTEM image of TiO ₂ nanoparticles | 180 |
| 4.23 | HRTEM image of TiO ₂ nanoparticles | 180 |
| 4.24 | HRTEM image of TiO ₂ nanoparticles | 181 |
| 4.25 | HRTEM image of TiO ₂ nanoparticles | 181 |
| 4.26 | HRTEM image of TiO ₂ nanoparticles | 182 |

| | | |
|------|--|-----|
| 4.27 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 182 |
| 4.28 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 183 |
| 4.29 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 183 |
| 4.30 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 184 |
| 4.31 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 184 |
| 4.32 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 185 |
| 4.33 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 185 |
| 4.34 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 186 |
| 4.35 | HRTEM image of PANI/TiO ₂ (5wt%) nanocomposites | 186 |
| 4.36 | SAED pattern of PANI/TiO ₂ (5wt%) nanocomposites | 187 |
| 4.37 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 187 |
| 4.38 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 188 |
| 4.39 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 188 |
| 4.40 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 189 |
| 4.41 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 189 |
| 4.42 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 190 |
| 4.43 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 190 |
| 4.44 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 191 |
| 4.45 | HRTEM image of PANI/TiO ₂ (20wt%) nanocomposites | 191 |

| | | |
|------|--|-----|
| 4.46 | SAED pattern of PANI/TiO ₂ (20wt%) nanocomposites | 192 |
| 4.47 | FT-IR spectrum of TiO ₂ nanoparticles | 195 |
| 4.48 | FT-IR spectrum of PANI/ TiO ₂ (1 wt%) nanocomposite | 196 |
| 4.49 | FT-IR spectrum of PANI/ TiO ₂ (2 wt%) nanocomposite | 197 |
| 4.50 | FT-IR spectrum of PANI/ TiO ₂ (5 wt%) nanocomposite | 198 |
| 4.51 | FT-IR spectrum of PANI/ TiO ₂ (10 wt%) nanocomposite | 199 |
| 4.52 | FT-IR spectrum of PANI/ TiO ₂ (20 wt%) nanocomposite | 200 |
| 4.53 | FT-IR spectrum of PANI/ TiO ₂ (50 wt%) nanocomposite | 201 |
| 4.54 | UV-Vis absorption spectrum of TiO ₂ nanoparticles | 203 |
| 4.55 | UV-Vis absorption spectrum of PANI/ TiO ₂ (1 wt%) nanocomposite | 204 |
| 4.56 | UV-Vis absorption spectrum of PANI/ TiO ₂ (2 wt%) nanocomposite | 204 |
| 4.57 | UV-Vis absorption spectrum of PANI/ TiO ₂ (5 wt%) nanocomposite | 205 |
| 4.58 | UV-Vis absorption spectrum of PANI/ TiO ₂ (10 wt%) nanocomposite | 205 |
| 4.59 | UV-Vis absorption spectrum of PANI/ TiO ₂ (20 wt%) nanocomposite | 206 |
| 4.60 | UV-Vis absorption spectrum of PANI/ TiO ₂ (50 wt%) nanocomposite | 206 |
| 4.61 | Cole-Cole plot of TiO ₂ nanoparticles at 303 K | 208 |
| 4.62 | Cole-Cole plot of TiO ₂ nanoparticles at 323 K | 208 |
| 4.63 | Cole-Cole plot of TiO ₂ nanoparticles at 383 K | 209 |
| 4.64 | Cole-Cole plot of PANI/ TiO ₂ (1wt%) nanocomposites at 363 K | 209 |
| 4.65 | Cole-Cole plot of PANI/ TiO ₂ (2wt%) nanocomposites at 323 K | 210 |
| 4.66 | Cole-Cole plot of PANI/ TiO ₂ (2wt%) nanocomposites at 343 K | 210 |

| | | |
|------|--|-----|
| 4.67 | Cole-Cole plot of PANI/ TiO ₂ (2wt%) nanocomposites at 383 K | 211 |
| 4.68 | Cole-Cole plot of PANI/ TiO ₂ (10wt%) nanocomposites at 343 K | 211 |
| 4.69 | Cole-Cole plot of PANI/ TiO ₂ (10wt%) nanocomposites at 363 K | 212 |
| 4.70 | Cole-Cole plot of PANI/ TiO ₂ (10wt%) nanocomposites at 383 K | 212 |
| 4.71 | log ω vs AC conductivity of TiO ₂ nanoparticles for different temperatures | 217 |
| 4.72 | log ω vs AC conductivity of PANI/ TiO ₂ (1wt%) nanocomposites for different temperatures | 217 |
| 4.73 | log ω vs AC conductivity of PANI/ TiO ₂ (2wt%) nanocomposites for different temperatures | 218 |
| 4.74 | log ω vs AC conductivity of PANI/ TiO ₂ (5wt%) nanocomposites for different temperatures | 218 |
| 4.75 | log ω vs AC conductivity of PANI/ TiO ₂ (10wt%) nanocomposites for different temperatures | 219 |
| 4.76 | log ω vs AC conductivity of PANI/ TiO ₂ (20wt%) nanocomposites for different temperatures | 219 |
| 4.77 | log ω vs AC conductivity of PANI/ TiO ₂ (5wt%) nanocomposites for different temperatures | 220 |
| 4.78 | Arrhenius plot of the electrical conductivity for TiO ₂ nanoparticles | 220 |
| 4.79 | Arrhenius plot of the electrical conductivity for PANI/TiO ₂ (1wt%) nanocomposites | 221 |
| 4.80 | Arrhenius plot of the electrical conductivity for PANI/TiO ₂ (2wt%) nanocomposites | 221 |
| 4.81 | Arrhenius plot of the electrical conductivity for PANI/TiO ₂ (5wt%) nanocomposites | 222 |
| 4.82 | Arrhenius plot of the electrical conductivity for PANI/TiO ₂ (10wt%) nanocomposites | 222 |
| 4.83 | Arrhenius plot of the electrical conductivity for PANI/TiO ₂ (20wt%) nanocomposites | 223 |
| 4.84 | Arrhenius plot of the electrical conductivity for PANI/TiO ₂ (50wt%) nanocomposites | 223 |

| | | |
|------|---|-----|
| 4.85 | Real part of permittivity as a function of $\log \omega$ at various temperatures for TiO ₂ nanoparticles | 226 |
| 4.86 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for TiO ₂ nanoparticles. | 226 |
| 4.87 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (1wt%) nanocomposites | 227 |
| 4.88 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (1wt%) nanocomposites. | 227 |
| 4.89 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (2wt%) nanocomposites | 228 |
| 2.90 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (2wt%) nanocomposites. | 228 |
| 4.91 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (5wt%) nanocomposites | 229 |
| 4.92 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (5wt%) nanocomposites. | 229 |
| 4.93 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (10wt%) nanocomposites | 230 |
| 4.94 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (10wt%) nanocomposites. | 230 |
| 4.95 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (20wt%) nanocomposites | 231 |
| 4.96 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (20wt%) nanocomposites. | 231 |
| 4.97 | Real part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (50wt%) nanocomposites | 232 |

| | | |
|-------|---|-----|
| 4.98 | Imaginary part of permittivity as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (50wt%) nanocomposites. | 232 |
| 4.99 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for TiO ₂ nanoparticles | 234 |
| 4.100 | Imaginary part of electric modulus as a function of $\log \omega$ at various temperatures for TiO ₂ nanoparticles. | 234 |
| 4.101 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (1wt%) nanocomposites | 235 |
| 4.102 | Imaginary part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (1wt%) nanocomposites. | 235 |
| 4.103 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (2wt%) nanocomposites | 236 |
| 4.104 | Imaginary part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (2wt%) nanocomposites. | 236 |
| 4.105 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (5wt%) nanocomposites | 237 |
| 4.106 | Imaginary part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (5wt%) nanocomposites. | 237 |
| 4.107 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (10wt%) nanocomposites | 238 |
| 4.108 | Imaginary part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (10wt%) nanocomposites. | 238 |
| 4.109 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (20wt%) nanocomposites | 239 |
| 4.110 | Imaginary part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (20wt%) nanocomposites. | 239 |
| 4.111 | Real part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (50wt%) | 240 |

| | | |
|-------|---|-----|
| | nanocomposites | |
| 4.112 | Imaginary part of electric modulus as a function of $\log \omega$ at various temperatures for PANI/TiO ₂ (50wt%) nanocomposites. | 240 |