

## LIST OF TABLES

Table no.	Description	Page No
1.1	Physical properties of common HPLC solvents	10
1.2	Buffers used in HPLC	11
1.3	Select a right detector based on specification	15
1.4	Data elements required for validation (ICH)	16
2.1	Optimized chromatographic conditions	47
2.2	System suitability parameters of the proposed HPLC method	48
2.3	Linearity studies for aloglitptin and pioglitazone	51
2.4	Precision and accuracy data of the proposed HPLC method	54
2.5	Recovery data of the proposed HPLC method	55
2.6	Robustness data of the proposed HPLC method	57
2.7	Results of degradation studies	58
2.8	Summary of proposed and reported RP-HPLC methods	62
2.9	Summary of the proposed method	63
3.1	Optimized chromatographic conditions	85
3.2	Results of system suitability of the proposed method	87
3.3	Linearity studies for metformin and benfotiamine	90
3.4	Precision and accuracy data of the proposed method	92
3.5	Results of recovery studies of the proposed method for metformin	93
3.6	Results of recovery studies of the proposed method for benfotiamine	93
3.7	Robustness data of the proposed HPLC method for metformin	95
3.8	Robustness data of the proposed HPLC method for benfotiamine	95
3.9	Summary of proposed and reported RP-HPLC methods	98
3.10	Summary of the proposed method	99
4.1	Optimized chromatographic conditions	121
4.2	System suitability parameters	122

<b>Table no.</b>	<b>Description</b>	<b>Page No</b>
4.3	Linearity data for dapagliflozin and metformin	125
4.4	Precision and accuracy	128
4.5	Recovery data for dapagliflozin	129
4.6	Recovery data for metformin	129
4.7	Robustness data for dapagliflozin and metformin	131
4.8	Summary of degradation studies of dapagliflozin and metformin	132
4.9	Comparison of the proposed method and other methods in the literature applied to assay of dapagliflozin and metformin	137
4.10	Summary of the proposed method	138
5.1	Optimized chromatographic conditions	163
5.2	System suitability parameters	164
5.3	Linearity studies for quinapril and hydrochlorothiazide	165
5.4	Stress testing results of hydrochlorothiazide and quinapril	174
5.5	Values determined for the parameter precision and accuracy of quinapril and hydrochlorothiazide working standard	175
5.6	Values of recovery test for quinapril	176
5.7	Values of recovery test for hydrochlorothiazide	176
5.8	Robustness study of quinapril and hydrochlorothiazide	178
5.9	Performance of reported and proposed high performance liquid chromatographic methods	182-183
5.10	Summary of the proposed method	184
6.1	Optimized chromatographic conditions	207
6.2	System suitability studies	208
6.3	Linearity studies for aspirin and pravastatin	208
6.4	Precision and accuracy of the method	214
6.5	Recovery of aspirin and pravastatin	215
6.6	Robustness of the method	217
6.7	Forced degradation studies	218

<b>Table no.</b>	<b>Description</b>	<b>Page No</b>
6.8	Comparison of the proposed method with reported HPLC method	223
6.9	Summary of the proposed method	224