

REFERENCES

- Aarti S. and Mohile R.B. (2003). Effect of mineral oil, sunflower oil and coconut oil on prevention of hair damage. *J. Cosmet. Sci.* Vol. 54, pp.175-192.
- Achal (2002). Cashew: Nutrition and medicinal value. Colorado state University, pp. 159-165.
- Aderiyi B.I., David O.M. and Atere V.A., (2015). Administration of Cashew extracts in the treatment of some infections and diseases. *Advancement in Medicinal Plant Research*, Vol. 3(3), pp. 75-86.
- Aertgeerts K., Skene R., Yano J., Sang BC., Zou H., Snell G., Jennings A., Iwamoto K., Habuka N., Hirokawa A., Ishikawa T., Tanaka T., Miki H., Ohta Y. and Sogabe S. (2011). Structural analysis of the mechanism of inhibition and allosteric activation of the kinase domain of HER2 protein. *J Biol Chem.* Vol: 286(21): pp.18756-65.
- Ahmad I. and Beg A.Z. (2001). Antimicrobial and phytochemical studies on 45 Indian medicinal plants against multi-drug resistant human pathogens. *J. Ethnopharmacol.* Vol. 74: pp. 113-123.
- Ajileye O.O., Obuotor E.M., Akinkunmi E.O. and Aderogba M.A., (2015). Isolation and characterization of antioxidant and antimicrobial compounds from *Anacardium occidentale* L. (Anacardiaceae) leaf extract. *J King Saud Univ Sci*, Vol. 27: pp. 244-252.
- Agero A.L. and Verallo-Rowell V.M. (2004). A randomized double-blind controlled trial comparing extra virgin coconut oil with mineral oil as a moisturizer for mild to moderate xerosis, *Dermatitis*, Vol.15, pp. 109-116.
- Akash P.D., Vishal D.J. and Arun B. (2009). Antimicrobial Screening of Different Extract of *Anacardium occidentale* Linn.leaves. *Int. J. Chem.Technol. Res.* Vol. 1(4), pp. 856-858.
- Akinpelu D.A., (2001). Antimicrobial activity of *Anacardium occidentale* bark. *Fitoterapia.* Vol. 72, pp.286–287
- Akinpelu D.A., Alayande K.A., Aiyegoro O.A., Akinpelu O.F.and Okoh A.I., (2015). Probable mechanisms of biocidal action of *Cocos nucifera* Husk extract and fractions on bacteria isolates. *BMC Complement Altern Med.* Vol: 14, pp. 15:116.
- Akinwale T.O., (2000). Cashew apple juice: Its use in fortifying the nutritional quality of some tropical fruits. *Eur. Food Res. Technol.* Vol: 211, pp. 205-207.
- Akinyele T.A., Okoh O.O., Akinpelu D.A. and Okoh A.I., (2011). *In-vitro* antibacterial properties of crude aqueous and n-hexane extracts of the husk of *Cocos nucifera*. *Molecules.* Vol:16(3):2135-45.

- Akoh C.C., Chang G., Lee G., and Shaw J. (2007), Enzymatic approach to biodiesel production. *J. Agric. Food Chem.*, Vol: 55, 8995-9005.
- Al Adhroey A.H., Nor Z.M., Al Mekhdafi H.M. *et al*, (2007). Evaluation of the use of *Cocos nucifera* as Antimalarial remedy in Malaysian Folk Medicine. *J.Ethnopharmacol*, Vol:134, pp. 988-991.
- Albanese J. and Corpuz P., (2017). Philippine Biofuels Situation and Outlook, USDA Foreign Agricultural Service, Global Agricultural Information Network, GAIN Report No. RP- 1713.
- Alberts B., Johnson Alexander, Lewis Julian, Raff Martin, Roberts Keith and Walter Peter, (2002), Molecular biology of the cell. 4th edn., New York: Garland Science, *Annals of Botany*, Vol: 91(3): 401.
- Alenezi R., Baig M., Wang J., R. Santos and G. A. Leeke (2010). Continuous Flow Hydrolysis of Sunflower Oil for Biodiesel, Energy Sources, Part A: Recovery, Utilization, and Environmental Effects, Vol: 32(5), pp. 460-468.
- Alexander B.D. and Perfect J.R., (1997). Antifungal resistance trends towards the year 2000. Implications for therapy and new approaches. *Drugs*. 54:657-678.

- Al-Huqail, Asma A., Elgally G.A. and Ibrahim M.M., (2015). Identification of bioactive phytochemical from two *Punica* species using GC-MS and estimation of antioxidant activity of seed extracts. *Saudi journal of Biological Sciences*. <http://dx.doi.org/10.1016/j.sjbs.2015.11.009>.
- Alireza B., Gholamreza Zahedi, Sohrab Zendejboudi and Ahmad Jamili, (2014). Estimation of the effect of biomass moisture content on the direct combustion of sugarcane bagasse in boilers, *International Journal of Sustainable Energy*, Vol. 33(2), pp. 349-356.
- Alvarenga T.A., de Oliveira P.F., de Souza J.M., Tavares D.C., Andrade E. Silva M.L., Cunha W.R., Groppo M., Januário A.H., Magalhães L.G. and Pauletti P.M.. (2016). Schistosomicidal Activity of Alkyl-phenols from the Cashew *Anacardium occidentale* against *Schistosoma mansoni* Adult Worms. *J Agric Food Chem*. Vol: 64(46), pp. 8821-8827.
- Alviano D.S., Rodrigues K.F., Leitão S.G., Rodrigues M.L., Matheus M.E., Fernandes P.D., Antonioli A.R. and Alviano C.S., (2004). Antinociceptive and free radical scavenging activities of *Cocos nucifera* L. (Palmae) husk fiber aqueous extract. *J. of Ethnopharmacol*. Vol: 92(2-3); pp. 269-73.
- Alviano D.S., Antonioli, Alviano C.S., Farias L.M., (2008). *In vitro* antioxidant potential of medicinal plant extracts and their activities against oral bacteria based on Brazilian folk medicine. *Arch Oral Biol*. Vol. 53, pp.545–552.
- Ames, Shigenaga and Hagen (1993). Oxidants, antioxidants, and the degenerative diseases of aging. *Proc. Natl. Acad. Sci*. Vol. 90, pp.7915-7922.
- Anand G.M., Ravinathan R., Basaviah and Veena Shetty A., (2015). *In vitro* antimicrobial and cytotoxic effects of *Anacardium occidentale* and *Mangifera indica* in oral care . *J Pharm Bioallied Sci*. Vol: 7(1), pp. 69–74.
- Andarwulan N., Kurniasih D., Apriady R.A., Rahmat H., Roto A.V., Bolling B.W., (2012). Polyphenols, carotenoids, and ascorbic acid in under utilized medicinal vegetables. *J. Funct Food*, Vol. 4, pp. 339- 347.
- Andrade T.J.A.S., Araujo B.Q., A. M. G. L. Citó *et al.*, (2011). “Antioxidant properties and chemical composition of technical cashew nut shell liquid (tCNSL),” *Food Chemistry*, Vol. 126(3), pp. 1044–1048.
- Andrew N.F., Binbing Y. and Mitchell H.G., (2011). Benefit/ risk assessment for breast cancer chemoprevention with raloxifene or tamoxifen for women age 50 years or older.

J Clin Oncol, 29, 2327-33.

- Anil Kumar, Nitin Kumar, Prashant Baredar and Ashish Shukla, (2015). A review on biomass energy resources, potential, conversion and policy in India, *Renewable and Sustainable Energy Reviews*, Vol: 45, pp. 530- 539.
- Antczak S., Kubiak A. and Bielecki S., (2009). Enzymatic biodiesel synthesis key factors affecting efficiency of the process. *Renew. Energy*, 34: 1185-1194.
- Arivalagan M., Rakesh Bhardwaj, Sugatha Padmanabhan, Poonam Suneja, K.B.Hebbar and Santosh R.Kanade, (2018). Biochemical and nutritional characterization of coconut (*Cocos nucifera* L.) haustorium, *Food Chemistry*, Vol. 238, pp. 153-159.
- Arkemese M.O., Oyeyiola G.P. and Aliyu M.B., (2011). Antibacterial activity of *Anacardium occidentale* on some Enterotoxin producing bacteria. *Int. J. of Biology* Vol: 3, pp. 92-99.
- Arteel (2003); Oxidants and antioxidants in alcoholinduced liver disease. *Gastroenterol.* Vol: 124, pp.778-790.
- Aro E.M., (2016). "From first generation biofuels to advanced solar biofuels". *Ambio*. 45 Suppl 1: S 24–31.
- Arul V. and Thangavel K.P., (2011); Antioxidant and Antimicrobial Activity Using Different Extracts of *Anacardium occidentale* L. *International Journal of Applied Biology And Pharmaceutical Technology*, Vol: 2, pp. 436-443
- Arya R., Babu V., Ilyas M. and Nassim K.T., (1989). Phytochemical examination of the leaves of *Anacardium occidentale*. *J Indian Chem Soc*, Vol: 66 pp.67-68.
- Asadullah M., Rahman M.A., Ali M.M., Rahman M.S., Motin M.A., Sultan M.B. and Alam M.R., (2007). Production of bio-oil from fixed bed pyrolysis of bagasse. *Fuel* Vol: 86, pp.2514–2520.
- Assuncao R.B. and Mercadante A.Z., (2003). Carotenoids and ascorbic acid from cashew apple (*Anacardium occidentale* L.): variety and geographic effects. *Food Chemistry*. Vol: 81, pp. 495-502.
- ASTM D613-18, (2018). Standard Test Method for Cetane Number of Diesel Fuel Oil, ASTM International, West Conshohocken, PA, www.astm.org.
- Ayshah Ali N.A.H., Mohd Shukri M.A. and Razali M., (2016). Antimicrobial potency of essential oil from cashew (*Anacardium occidentale* Linn.) clones, *J. Trop. Agric. and Food. Sci.* Vol: 44(1), pp. 73 - 80.

- Bailey, Phillip S., and Bailey Christina A., (2000). Fats and Fatty acids, *Organic Chemistry*, 6th edition. Upper Saddle River, NJ: Prentice-Hall.
- Bailey D. and Brown D., (2001). High-throughput chemistry and structure-based design: survival of the smartest. *Drug Discov Today*. Vol: 6(2), pp. 57–59.
- Ball W.D., John W.Hill and Rhonda J.Scott, (2018). Introduction to lipids. (v. 1.0), The Basics of General Organic and Biological Chemistry.
- Bamghoye A.I., and Hansen A.C., (2008). Prediction of cetane number of biodiesel fuel from the fatty acid methyl ester [FAME] composition. *Int. Agro. Physics*. Vol: 22 pp. 21-29.
- Barcelos G.R., Shimabukuro F., Mori M.P., Maciel M.A. and Colus IM. (2007 a). Evaluation of mutagenicity and antimutagenicity of cashew stem bark methanolic extract *In vitro*. *J Ethnopharmacol*. Vol: 114, pp. 268–273.
- Barcelos G.R., Shimabukuro F., Maciel M.A. and Colus I.M., (2007 b). Genotoxicity and antigenotoxicity of cashew (*Anacardium occidentale* L.) in V79 cells. *Toxicol*. Vol: 21, pp. 1468–1475.
- Barsamian A., (2009). Methods to Determine Diesel Cetane Number, Carmagen Engineering, Inc. – Industry Leading Engineering Consulting and Training, 4 West Main Street, Rockaway, NJ 07866 • 973-627-4455 • www.carmagen.com.
- Benson J.R. and Jatoi I., (2012). The global breast cancer burden. *Future Oncol*. Vol: 8(6), pp.697-702.
- Berg and Jeremy (1996). Fatty Acid and Lipid Chemistry. Biochemistry, 6th Edition, Gunstone Frank. Glasgow: Blackie Academic & Professional, pp. 1-34.
- Bhagya D., Prema L. and Rajamohan T., (2010), Beneficial Effects of Tender Coconut Water on Blood Pressure and Lipid Levels in Experimental Hypertension. *J Cell Tissue Res.*,Vol:10 (1), pp. 2139 – 44.
- Bhandary M.J., Chandrasekar K.R., and Kaveriappa K.M., (1995). Medical Ethnobotany of the Siddis of Uttara Kannada district, Karnataka, India, *J. of Ethnopharmacology*, Vol: 47, pp. 149-158.
- Bhatnagar A., Vilar V.J., Botelho and Boaventura R.A., (2010). Coconut-based biosorbents for water treatment—A review of the recent literature. *Adv. Colloid Interface Sci*. Vol: 160 pp.1–15.
- Bhuiyan M.A.R., Hoque M.Z. and Hossain S.J., (2009). Free Radical Scavenging Activities of *Zizyphus mauritiana*. *World J. of Agri.Sci.*, Vol. 5(3) pp. 318 – 322.

- Bidlack W.R., Omaye S.T., Meskin M.S., and Topham D.K.W., (2000). *Phytochemicals as Bioactive Agents.*, CRC press, Boca Raton, FL.
- Bolsover S.R., Jeremy S. Hyams, Elizabeth A., Shephard, Hugh A., White, Claudia G., Wiedemann, (2004). *Cell Biology: A Short Course. II Edition*, John Wiley & Sons. pp. 42.
- Bolton, Trush, Penning, Dryhurst, Monks, (2000). Role of quinones in toxicology. *Chem. Res. Toxicol* 13:135-160.
- Boocock D.G.B., Konar S.K., Mao V. and Sidi H., (1996). Fast one-phase oil-rich processes for the preparation of vegetable oil FAME. *Biomass. Bioenerg.* Vol:11, pp. 43–50.
- Breuer B., Stuhlfauth T. and Fock H.P., (1987). "Separation of Fatty Acids or Methyl Esters Including Positional and Geometric Isomers by Alumina Argentation Thin-Layer Chromatography". *Journal of Chromatographic Science.* Vol: 25 (7), pp. 302– 306.
- Brooijmans N. and Kuntz I.D., (2003). Molecular recognition and docking algorithms. *Annu. Rev Biophys Biomol Struct.* Vol:32, pp.335–373.
- Budijanto S., Hasbullah R., Prabawati S., Setyadjit, Sukarno and Zuraida I. (2008). Identification and safety test on liquid smoke made from coconut shell for food product. *Indonesian Journal of Agricultural Postharvest Research* Vol:5 (1), pp. 32-40.
- Bukau B., Weissman J. and Horwich A.,(2006). Molecular chaperones and protein quality control. *Cell.* Vol:125(3), pp.443–451.
- Calderwood S.K., and Ciocca D.R., (2008). Heat shock proteins: stress proteins with Janus-like properties in cancer. *Int J Hyperthermia.* Vol: 24(1), pp. 31–39.
- Carvalho N.S., Silva M.M., Silva R.O., Nicolau L.A., Sousa F.B., Damasceno S.R., Silva D.A., Barbosa A.L., Leite J.R. and Medeiros J.V., (2015). Gastroprotective properties of cashew gum, a complex heteropolysaccharide of *Anacardium occidentale*, in naproxen-induced gastrointestinal damage in rats. *Drug Dev Res.* Vol: 76(3), pp.143-151.
- Carey A. N., Poulouse S.M. and Shukitt-Hale B., (2012). The beneficial effects of tree nuts on the aging brain. *Nutr. Aging* Vol:1, pp.55–67.
- Charles S.Ugochukwu, Arukwe Uchen I. and Onuchan Ifeanyi, (2013). Preliminary phytochemical screening of different solvent extracts of stem bark and roots of *Dennetia tripetala* G.Baker. *Asian J.plant Sci.Res.* Vol: 3 (3), pp. 10-13.
- Chaves M.H., Cito A.M.G.L., Lopes J.A.D., Costa D.A., Oliveira C.A.A.,Costa A.F. and Brito Jr., (2010). Total Phenolics, Antioxidant Activity and Chemical Constituents from

- Extracts of *Anacardium occidentale* L., An anacardiaceae. *Revista Brasileira De Farmacognosia*, Vol: 20, pp.106-112.
- Cheriyian S. and Abraham E.T., (2010). Enzymatic bioremediation of cashew nut shell liquid contamination, *J Hazard Mater*. Vol: 15;176(1-3), pp.1097-1100.
- Ciemny M., Kurcinski M., Kamel K., Kolinski A., Alam N., Schueler-Furman O. and Kmiecik S., (2018). "Protein-peptide docking: opportunities and challenges". *Drug Discovery Today*. Vol: 23(8), pp.1530-1537.
- Clifford C.B., (2018). Terminology for Vegetable Oils and Animal Fats, Alternative Fuel from Biomass Sources, Pennstate College of Earth and Mineral Sciences.
- Clívia D., Pinho da Costa Castro, Jose de Assis Fonseca Faria and Tiago Bassani Hellmeister Dantas, (2012). Testing the Use of Coconut Fiber as a Cushioning Material for Transport Packaging. *Materials Sciences and Applications, Scientific Research*. Vol : 3(3), pp. 1-6.
- Comstock S.S., Robotham J.M., Tawde P., Kshirsagar H., Sathe S.K., Roux K.H. and Teuber S.S., (2008). Immunoglobulin E-reactive proteins in cashew (*Anacardium occidentale*) apple juice concentrate. *J Agric Food Chem*. Vol: 56(14), pp. 5977-5982.
- Coussens L., Yang-Feng T.L., Liao Y.C., Ellson Chen, Alane Gray, John McGrath, Peter H. Seeburg, Towia A. Libermann, Joseph Schlessinger, Uta Francke, Arthur Levinson, Axel Ullrich *et al.* (1985). Tyrosine kinase receptor with extensive homology to EGF receptor shares chromosomal location with neu oncogene. *Science*. Vol: 230(4730), pp.1132–1139.
- Cowan M.M., (1999). Plant products as antimicrobial agents. *Clin Microbiol Rev*. Vol: 12, pp.564–82.
- Cragg G.M. and Newman D.J., (2005). Plants as a source of anticancer agents. *J Ethnopharmacol* Vol:100, pp.72-79.
- Cross J.B., Thompson D.C., Rai B.K., Baber J.C., Fan K.Y., Hu Y. and Humblet C.,(2009). Comparison of several molecular docking programs: pose prediction and virtual screening accuracy. *J Chem Inf Model*. Vol : 49(6), pp.1455–1474.
- Deb Mandal, M. and Mandal S., (2011). Coconut (*Cocos nucifera* L.: Arecaceae): In health promotion and disease prevention. *Asian Pac. J. Trop. Med*. Vol: 4, pp. 241–247.
- De Costa C., 1978. Tratado das Drogas Medicinas das indias Orientis, 1964 Edn. Junta de investigacoes do ultramar. Lisbon. p.356.

- De Lima S G., Feitosa C M., Cito A M G L., et al., (2008). Effects of immature Cashew nut shell liquid (*Anacardium occidentale*) against oxidative damage in *Saccharomyces cerevisiae* and inhibition of acetyl choline sterease activity. *Journal of Genetics and Molecular Research*, Vol:7 (3), pp. 806-818.
- Demirbas, A (2009). “Effects of temperature and size on bio-char yield from pyrolysis of agricultural residues”, *J. Anal. Appl. Pyrolysis* Vol: 72, pp. 243-248.
- De Nederlandse Landbouwexport report, (January, 19 2018). Importance of oils and fats for the Dutch economy increased Import value € 9.4 billion and export value more than € 8 billion, Tiger General.
- Denny B. and Wansbrough H.,(1995). The design and development of Anticancer drugs, XII, *Biotech. J. Cancer Drugs*, pp.1-12.
- Desbois A.P., (2012). Potential Applications of Antimicrobial Fatty Acids in Medicine, Agriculture and Other Industries, *Recent Patents on Anti-Infective Drug Discovery*, Vol. 7, pp. 111-122.
- Dickson R.B. and Stancel G.M., (2000). Estrogen receptor-mediated processes in normal and cancer cells. *J Natl Cancer Inst Monogr*. Vol. (27):135-45.
- Dorathy Selva Jeba Pritha S. and Karpagam S., (2017, a). Evaluation of phytochemical content of Coconut Shell Oil, *National Journal of Advanced Research*, Vol. 3(2), pp. 1- 2.
- Dorathy Selva Jeba Pritha and Karpagam S., (2017. b). Phytochemical content and Antimicrobial activity of Cashew Nut Shell Oil. *IOSR Journal of Pharmacy and Biological Sciences*. Vol.12(4), pp. 61-64.
- Dorathy Selva Jeba Pritha S. and Karpagam S., (2018, c). *Invitro* anticancer activity of Coconut Shell oil on Breast Cancer cellline, *Int. J. of Development Research*, Vol: 8 (3), pp. 19458- 19460.

- Dorathy Selva Jeba Pritha S. and Karpagam S., (2018, d). GC-MS and HPTLC Fingerprints of various Secondary Metabolites in the Ethanolic Extract of Coconut Shell oil. *Int. journal of Pharmacognosy and Phytochemical Research*, Vol: 10(2), pp. 63-67.
- Dorathy Selva Jeba Pritha S. and Karpagam S., (2018, e). Analysis of bioactive components in ethanolic extract of Cashew Nut Shell Oil using HPTLC and GC-MS Techniques, *Int. Journal of Current Biotechnology*, Vol: 6(2), pp. 1-5.
- Dua K., Sheshala R., Ying Ling T., Hui Ling S., Adinarayana Gorajana A. and Gorajana A., (2013). Anti-inflammatory, antibacterial and analgesic potential of *Cocos nucifera* Linn.: A review. *Anti-Inflamm. Antiallergy Agents, Med. Chem.* Vol: 12, pp. 158–164.
- Efavi Rindomah Kanbogtah J.K., V. Apalangya, E.Nyantson, E.K. Tiburu, D.Dodoo-Arhin, B. Onwona - Agyeman and A Yaya (2018); The effect of NaOH Catalyst concentration and extraction time on the yield and properties of *Citrullus vulgaris* seed oil as a potential biodiesel feed stock- south African J. of Chemical Engineering Vol.25: 98-102.
- Efferth T., (2011). Natural products as inhibitors of epidermal growth factor receptor. In: Forum on immunopathological diseases and therapeutics, pp 281–301.
- Effiong G.S., Ebong P.E., Eyong E.U., Uwah A.J. and Ekong U.E., (2010). Amelioration of chloramphenicol induced toxicity in rats by coconut water. *J Appl Sc Res*, Vol.6 (4), pp. 331-335.
- Eloff J.N., (1998). “A sensitive and quick microplate method to determine the minimal inhibitory concentration of plant extracts for bacteria,” *Planta Medica*, vol :64(8), pp. 711–713.
- Esimone CO., Okonta J.M. and Ezugwu C.O., (2001). Blood sugar lowering effect of *Anacardium occidentale* leaf extract in experimental rabbit model *Journal of Natural Remedies*. Vol. : 1/1, pp. 60 – 63.
- Estruch R., Ros E., Covas M.I., Corella D., Arós F., Gómez-Gracia E., *et al.* (2013). Primary prevention of cardiovascular disease with a Mediterranean diet. *N. Engl. J. Med.* Vol: 368, pp. 1279–1290.

- Esquenazi D., Marcia D.Wigg, Monica M.F.S.Miranda, Hugo M. Rodrigues, Joao B.F.Tostes, Sonia Rozental, Antonio J.R. da Silva and Celuta S.Alviano, (2012). Antimicrobial and antiviral activities of polyphenolics from *Cocos nucifera* Linn. (Palmae) husk fiber extract Research in Microbiology Elsevier journal Vol.153, (10) ; 647-652.
- Ewing M. and Msangi S., (2009). Biofuels production in developing countries: assessing trade offs in welfare and food security. *Environmental Science & Policy*, Vol : 12(4), pp. 520-528.
- Fabian C.J. and Kimler B.F., (2001). Chemoprevention for high-risk women: tamoxifen and beyond. *Breast J*, Vol: 7, pp. 311-320.
- Fadeyi O.E., Olatunji G.A. and Ogundele V.A., (2015). Isolation and Characterization of the Chemical Constituents of *Anacardium occidentale* Cracked Bark. *Nat. Prod. Chem Res.*, Vol: 3, pp. 192.
- Fagernas L., (1995). "Chemical and physical characterization of biomass-based pyrolysis oils." Literature Review, Technical Research Centre of Finland, Espoo, VTT Research Note 1706.
- Fernandez M.A., Bes-Rastrollo M., Beunza J. J., Barrio-Lopez M. T., de la Fuente-Arrillaga C. and Moreno-Galarraga L., (2013). Nut consumption and incidence of metabolic syndrome after 6-year follow-up: the SUN (Seguimiento Universidad de Navarra., University of Navarra Follow-up) cohort. *Public Health Nutr.* Vol: 16, pp. 2064–2072.
- Filho M.R.R., Rodrigues I.A., Alviano D.S., Santos A.L., Soares R.M., Alviano C.S., Lopes A.H. and Rosa Mdo S., (2004). Leishmanicidal activity of polyphenolic-rich extract from husk fiber of *Cocos nucifera* Linn. (Palmae). *Res Microbiol.* Vol: 155(3), pp. 136-143.
- Firestone D., (2013). Physical and Chemical Characteristics of Oils, Fats, and Waxes, 3rd Edition, ISBN 978-0-9830791-9-4. 304 pages.
- Fjerbaek L., Christensen K.V. and Norddahl B., (2009). A review of the current state of biodiesel production using enzymatic transesterification. *Biotechnol. Bioeng.*, Vol:102, pp. 1298-1315.
- Food and Agriculture Organization of the United Nations (FAO), 2009. <http://faostat.fao.org>.
- Friesner R.A., Banks J.L., Murphy R.B., Halgren T.A., Klicic J.J., Mainz D.T., Repasky M.P., Knoll E.H., Shelley M., Perry J.K., Shaw D.E., Francis P. and Shenkin P.S., (2004), Glide: a new approach for rapid, accurate docking and scoring. 1 Method and assessment of docking accuracy. *J Med Chem.* Vol: 47(7), pp. 1739–1749.

- Gabos Z., Sinha R., Hanson J., *et al.* (2006). Prognostic significance of human epidermal growth factor receptor positivity for the development of brain metastasis after newly diagnosed breast cancer. *J Clin Oncol.* Vol. 24(36), pp. 5658–5663.
- Gandhi T., Mayank Patel, Bharat kumar Dholakiya, (2012).“ Studies on effect of various solvents on extraction of Cashew nut shell liquid and isolation of major phenolic constituents from extracted CNSL”, *J.Nat.Prod. Plant Resour*, Vol.2 (1), pp. 135-142.
- Garza B.A.A., Gonzalez G.M.G., Aranda R.S., Torres N.W. and Galindo V.M.R., (2007). Screening of antifungal activity of plants from the northeast of Mexico. *J. Ethnopharmacol.* Vol: 114, pp. 468–471.
- Gerhard K., (2005). Dependence of biodiesel fuel properties on the structure of fatty acid alkyl esters, *Fuel Processing Technology* Vol. 86, pp.1059–1070.
- Gerold J., Josue A. Murillo-Velasquez, Irina Skrjabin, Recep Gok and Peter Winterhalter, (2012). Anacardic Acid Profiling in Cashew Nuts by Direct Coupling of Preparative High-Speed Countercurrent Chromatography and Mass Spectrometry (*prepHSCCC-ESI/APCI-MS/MS*). *ACS Symposium Series*, Vol: 1098, Chapter (11), pp. 145–165.
- Godghate A., Rajaram Sawant and Ashok Sutar, (2012). Phytochemical analysis of ethnolic extract of roots of *Carissa carandus* Linn.rasayan. *J. Chem*, Vol: 5 (4), pp. 456-459.
- Gohlke H., and Klebe G., (2002). Approaches to the description and prediction of the binding affinity of small-molecule ligands to macromolecular receptors. *Angew Chem Int Ed Engl.* Vol: 41(15), pp. 2644–2676.
- Goldemberg J., (2000). World Energy Assessment Preface, United Nations Development Programme, New York, USA.
- Gomez-Caravoca A.M. and Veradov Caboni M.F., (2010). Chromatographic techniques for the determination of alkyl phenols, tocopherols and other minor polar compounds in raw and roasted cold pressed Cashewnut oils. *J.Chromatogr* Vol: 19, 1217 (47), 7411-7417.
- Gonçalves J.L.S., Lopes R.C., Oliveira D.B., Costa S.S., Miranda M.M.F.S., Romanos M.T.V., Santos N.S.O. and Wigg M.D.,(2005). *In vitro* anti-rotavirus activity of some medicinal plants used in Brazil against diarrhoea. *J Ethnopharmacol*, Vol. 99, 403-407.
- Goodford P.J., (1985). A computational procedure for determining energetically favorable binding sites on biologically important macromolecules. *J Med Chem.* Vol. 28(7), pp. 849–857.

- Gravalos I., Kateris D., Xyradakis P., Gialamas T., Loutridis S., Augousti A., Georgiades A. and Tsiropoulos Z., (2010). A Study on Calorific Energy Values of Biomass Residue Pellets for Heating Purposes. Proceedings of the 43rd FORMEC Conference on Forest Engineering: Meeting the Needs of the Society and the Environment, Padova.
- Gunasekaran K., Annadurai R. and P. Kumar., (2012). Long Term Study on Compressive and Bond Strength of Coconut Shell Aggregate Concrete. *Construction and Building Materials*. Vol: 28(1), pp. 208-215.
- Gunstone F.D., (2000), Vegetable oils in Food Technology: Composition, Properties and Uses, Chemistry and Technology of Oils and Fats, Blackwell Publishing, Corporate Blvd., N.W. Boca Raton, FL 33431, USA.
- Guidi, Galimberti, Lonati, Novembrino, Bamonti, Tiriticco, Fenoglio, Venturelli, Baron and Bresolin (2006). Oxidative imbalance in patients with mild cognitive impairment and Alzheimer's disease. *Neurobiol. Aging* Vol: 27, pp. 262-269.
- Jeremy H., Matos Stelvia, Silvestre Bruno, Martin and Michael (2011). "Managing Technological and Social Uncertainties of Innovation: The Evolution of Brazilian Energy and Agriculture". *Technological Forecasting and Social Change*. Vol: 78 (7), pp. 1147–1157.
- Halliwell, (1994). Free radicals, antioxidants and human disease: Curiosity, cause or consequence? *Lancet* Vol: 344, pp. 721-724.
- Halperin I., Ma B., Wolfson H., Nussinov R., (2002). Principles of docking: An overview of search algorithms and a guide to scoring functions. *Proteins*. Vol: 47(4), pp. 409–443.
- Harbourne J.B., (1973). Phytochemical methods: Chapman and Hall Ltd., London; 49-188.
- Harries H.C., Kusolwa P.M., Millanzi K.J. and Masawe P.A.L., (1998). A cashew breeding programme for Tanzania. Proc. Int. cashew and coconut conference: trees for life – the key to development, Dar Es Salam, Tanzani, pp. 128-123.
- Hayashi S, Eguchi H, Tanimoto K *et al* (2003). The expression and function of estrogen receptor alpha and beta in human breast cancer and its clinical application. *Endocr Relat cancer*, Vol. 10, pp.193-202.
- Herouart D., Sangwan R.S., Fliniaux M.A. and Sangwan- Norreel B.S., (1988). Variations in the Leaf Alkaloid Content of Androgenic Diploid plants of *Datura innoxia*. *Planta Med* Vol: 54, pp. 14-17.

- Himejima M. and Kubo I., (1991). "Cashew oil may conquer cavities". *J. Agric. Food Chem.* Vol: 39(2), pp. 418-421.
- Himejima M. and Kubo I., (2015). Antibacterial agents from the cashew *Anacardium occidentale* (Anacardiaceae) nut shell oil, *International Research Journal of Biological Sciences*, Vol. 4(11), pp. 16-20.
- Holley R.A. and Patel D., (2005). Improvement in shelf-life and safety of perishable foods by plant essential oils and smoke antimicrobials. *Food Microbiology Reviews* Vol: 22, pp. 273–292.
- Hooper *et al.*, (2015). "Reduction in saturated fat intake for cardiovascular disease", *Cochrane Database Syst Rev.* 10;(6):CD011737.
- Hostettman K., (1998). Strategy of the biological and chemical evaluation of plant extracts. *IUPAC*. Vol: 70, pp. 21–22.
<http://pyrx.sourceforge.net>.
- Hynes N.E. and Stern D.F., (1994). The biology of erbB-2/neu/HER-2 and its role in cancer. *Biochem Biophys Acta*. Vol. 1198(2–3), pp. 165–184.
- Hyun, Hernandez, Mattson and de Cabo, (2006). The plasma membrane redox system in aging. *Aging Res. Rev.* Vol: 5, pp. 209-220.
- Ikeda R., Tanaka H., Uyama H. and Kobayashi S., (2002). Synthesis and curing behaviors of a crosslinkable polymer from cashew nut shell liquid. *Polymer*, Vol: 43, pp. 3475-3481.
- Intahphuak S., Khonsung P. and Panthong A., (2010). Anti-inflammatory, analgesic, and antipyretic activities of virgin coconut oil. *Pharm Biol.* Vol: 48(2), pp. 151-157.
- Iqbal J., Banzeer Ahsan Abbasi, Tariq Mahmood, Sobia Kanwal, Barkat Ali, Sayed Afzal Shah and Ali Talha Khalil (2017). Plant-derived anticancer agents: A green anticancer approach, *Asian Pacific Journal of Tropical Biomedicine*. Vol: 7 (12), pp. 1129-1150.
- IS 1448-Part 25(1976): Indian Standard Methods of test for petroleum and its products, Part 25 determination of Kinematic and Dynamic Viscosity (I Edition) NDC 665 - 6/7: 532-13.
- IS 1448-32 (1992): Indian Standard Methods of test for petroleum and its products, Part 32: Density and relative density (Second Edition) UDC 665 – 61-7 : 531-176 @ Bis 1992- Bureau of Indian Standards, Manak Bhavan, , Bahadur Shah Zafar Marg, New Delhi.
- IS 1448- 20: Methods of test for petroleum and its products, Part 20: Determination of Flash Point by Abel Apparatus, II Edition, Bureau of Indian Standards, Manak Bhavan, Bahadur Shah Zafar Marg, New Delhi, 110002.

- IS 1448 Part 6&7: Indian Standard Methods of test for petroleum and its products, Part 86: Determination of total bare number by potentiometric perchloric acid titration method. UDC 665-6/7:543- 257-1, Bureau of Indian Standards, Manak Bhavan, Bahadur Shah Zafar Marg, New Delhi, 110002.
- Isaacs C.E. and Thormar H., (1991). The Role of Milk-Derived Antimicrobial Lipids as Antiviral and Antibacterial Agents: In: E nig, M.G. (Ed.), Health and Nutritional Benefits from Coconut oil. An important Functional Food for the 21st Century. Proceedings, The AVOC Lauric Oils Symposium.
- Jaber R., Shirazi M.M.A., Toufaily J., Hamieh A.T., Nouredin A., Ghanavati H., Ghaffari A., Zenouzi, A. Karout, Ismail A.F. and Tabatabaei M., (2015). Biodiesel wash-water reuse using microfiltration: toward zero-discharge strategy for cleaner and economized biodiesel production, *Biofuel Research Journal* Article 3, Vol: 2(1), pp. 148-151
- Jainu and Devi S., (2005). *In vitro* and *in vivo* evaluation of free radical scavenging potential of *Cissus quadrangularis*. *Afr. J. Biomed. Res.* Vol: 8, pp. 95-99.
- Jaiswal Y.S., Tatke P.A., Satish Y., Gabhe S.Y. and Vaidya A., (2010). Antioxidant activity of various extracts of leaves of *Anacardium Occidentale* (cashew). *Res J Pharm Biol Chem. Sci*, 2010; 1: 112-119.
- Janaína M. Santos, Nathalia M. Cury, Jose A. Yunes, Jorge A. López, Maria L. and Hernández-Macedo (2018). Effect of *Anacardium occidentale* leaf extract on human acute lymphoblastic leukaemia cell lines, *Natural Product Research* . Vol: 30(2), 223-227.
- Jennifer Trox, Vellingiri Vadivel, Walter Vetter, Wolfgang Stuetz, Veronika Scherbaum, Ute Gola, Donatus Nohr and Hans Konrad Biesalski (2010). Bioactive Compounds in Cashew Nut (*Anacardium occidentale* L.) Kernels: Effect of Different Shelling Methods, *J. Agric. Food Chem.*, Vol. 58 (9), pp. 5341–5346.
- Jeremy W. Mattson, Changyou Sun, and Won W. Koo, (2004). Analysis of the World Oil Crops Market, *Agribusiness & Applied Economics Report No. 529*, pp. 1-32.
- Jian-Ming Lü, Peter H Lin, Qizhi Yao, and Changyi Chen, (2010); Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems, *J Cell Mol Med.* Vol. 14(4), pp. 840–860.
- Joardder M.U.H., Mohammed Rofiqul Islam and Mohd. Rafiqul Alam Beg, (2011); Pyrolysis of Coconut shell for Bio oil, Proceedings of the International conference on Mechanical Engineering, Dhaka, Bangladesh.

- John M.J. and Thomas S., (2008). Biofibres and Biocomposites. *Carbohydrate Polymers*, Vol.71, pp. 343-364.
- Jorgensen W.L., (2004). The many roles of computation in drug discovery. *Science*. Vol: 303 (5665), pp. 1813–1818.
- Jose M., Maria B Cyriac, Vidya Pai, Ipe Varghese and Manjula Shantaram, (2014). Antimicrobial properties of *Cocos nucifera* (coconut) husk: An extrapolation to oral health, *Journal of Natural Science, Biology and Medicine*, Vol 5, Issue 2. pp. 359-364.
- Joseph Y.N., Philip, José Da Cruz Francisco, Estera S. Dey, Joseph Buchweishaija, Lupituko L. Mkayula and Lei Ye., (2008). Isolation of Anacardic Acid from Natural Cashew Nut Shell Liquid (CNSL) Using Supercritical Carbon Dioxide *J. Agric. Food Chem.*, Vol: 56 (20), pp. 9350–9354.
- JoVE Science Education Database, (2018). *General Chemistry*. Determining the Density of a Solid and Liquid. JoVE, Cambridge, MA.
- Jung Wu, (2014). The Lipid Lowdown: Saturated, Unsaturated, and Trans Fats in Society Politics and Culture.
- Kallioniemi A., Kallioniemi O.P., Sudar D., *et al.* (1992). Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors. *Science*. Vol. 258(5083), pp. 818–821.
- Kaori F., Kaede Takahashi, Mirai Kusaka, Kaichi Ishimoto, Kanako Minami, Shiho Otagaki, Nobuyuki Fukushima, Kanya Honoki and Toshifumi Tsujiuchi (2008). Induction of GPR40 positively regulates cell motile and growth activities in breast cancer MCF-7 cells, *Journal of Receptors and Signal Transduction*, Vol: 38 (4), pp. 311-315.
- Karaj S. and Müller J., (2010). Determination of Physical, Mechanical and Chemical Properties of Seeds and Kernels of *Jatropha curcas* L. *Industrial Crops and Products*, Vol. 32, pp. 129 - 138.
- Kawaii S., Eriko Katase, Yasuhiko Tomono and kazunori Ogawa, (1999). Antiproliferative Activity of Flavonoids on Several Cancer Cell Lines, *Bioscience Biotechnology and Biochemistry*, Vol: 63(5), pp. 896-899. .
- Kearsley S.K., Underwood D.J., Sheridan R.P. and Miller M.D., (1994). "Flexibases: a way to enhance the use of molecular docking methods". *Journal of Computer-Aided Molecular Design* Vol:5, pp. 565-582.

- Kendall C.W., Esfahani A., Josse A.R., Augustin L.S., Vidgen E. and Jenkins D. J., (2011). The glycemc effect of nut-enriched meals in healthy and diabetic subjects. *Nutr. Metab. Cardiovasc. Dis.* Vol. 21(Suppl 1), S34–S39.
- Kendry P.M., (2002). Energy Production from biomass (part 1): Overview of biomass, *Bioresource Technology*, Vol : 83, pp. 37–46.
- Khanam Z., Wen C.S. and UI-Haq B.I., (2013). Phytochemical screening of different solvent extracts of stem bark and roots of *Dennetia tripetala* G.Bakar. *Asian J. Plant Sci.Res.* Vol: 3(3), pp. 10-13.
- Kim J., Marshal M.R. and Wei C., (1995). Antibacterial activity of some essential oil components against five food borne pathogens. *J. Agric. Food Chem.* Vol. 4, pp. 2839–2845.
- Kim M.I., Doh H.J.,Choi M.K., Chung S.J., Shim K.K., Kim D.D., Kim J.S., Yong C.S. and Choi H.G., (2008). Skin permeation enhancement of diclofenac by fatty acids, *Drug Delivery*, Vol: 15, pp. 373-379.
- Kinnula and Crapo (2004). Superoxide dismutases in malignant cells and human tumors. *Free Rad. Biol. Med.* Vol 36, pp. 718-744.
- Kiss R., Sandor M. and Szalai F.A., (2012). A public web service for drug. *Drug Discov.* Vol: 4(1) pp. 17.
- Kitchen D.B., Decornez H., Furr J.R. and Bajorath J., (2004). Docking and scoring in virtual screening for drug discovery: methods and applications. *Nat Rev Drug Discov.* Vol: 3(11) pp. 935–949.
- Klapper L.N., Kirschbaum M.H., Sela M., Yarden Y., Klein G. and Woude V., (2000). Advances in Cancer Research. New York: Academic Press; Biochemical and clinical implications of the ErbB/HER signaling network of growth factor receptors; pp. 25–79.
- Klaus S. and Kurt S., (2005). "Soaps". Ullmann's Encyclopedia of Industrial Chemistry. Ullmann's Encyclopedia of Industrial Chemistry. Weinheim: Wiley-VCH.
- Knothe G., Matheaus A.C. and Ryan T.W., (2003). Cetane numbers of branched and straight-chain fatty esters determined in an ignition quality tester. *Fuel.* 82, 971–975.
- Knowles and Moncada (1994). Nitric oxide synthases in mammals. *Biochemistry Journal* Vol. 298, pp. 249-258.

- Kogel I. and Zech W., (1985). The phenolic acid content of cashew leaves *Anacardium occidentale* L. and of the associated humus layer, *Senegal. Geoderma*, Vol: 35, pp. 119-125.
- Kokate C.K., Purohit A.P. And Gokhale S.B., (2006). Chapter V- Experimental pharmacognostic evaluation in “ the Text Book of Pharmacognosy”; pp.67.
- Konan N.A. and Bacchi E.M., (2007). Antiulcerogenic effect and acute toxicity of hydro-ethanolic extract from the cashew (*Anacardium occidentale* L.) leaves. *Journal of Ethnopharmacol*, Vol: 112, pp. 237-242.
- Kong C., Neoh H.M. and Nathan S., (2016). Targeting *Staphylococcus aureus* toxins: a potential form of anti-virulence therapy *Toxins* (Basel), 8.
- Kongkachuichai R., Charoensiri R., Yakoh K., Kringkasemsee A. and Insung P., (2015). Nutrients value and antioxidant content of indigenous vegetables from Southern Thailand. *Food Chem*, Vol: 173, pp. 838-846.
- Koschek P.R., Alviano D.S., Alviano C.S. and Gattas C.R., (2007). The husk fiber of *Cocos nucifera* L. (Palmae) is a source of anti-neoplastic activity. *Braz J Med Biol Res*, Vol. 40, pp- 1339-1343.
- Kraus and Richard S., (2011). Petroleum Refining Process, Part XII. Chemical Industries, Oil and Natural Gas 78, *Encyclopaedia of occupational health and safety*.
- Kubo I., Muroi H. and Himejima M., (1993). "Structure - Antibacterial activity relationships of anacardic acids". *Journal of Agricultural food Chemicals*. Vol. 41, pp. 1016–1019.
- Kubo I., Masuoka N., Ha T.J. and Tsujimoto K., (2006). Antioxidant activity of anacardic acids. *Food Chemistry*. Vol: 99(3), pp. 555–562.
- Kuete V., Nguemaving J.R., Beng V.P., Azebaze A.G.B., Etoa F.X., Meyer M., Bodo B. and Nkengfack A.E., (2007). Antimicrobial activity of the methanolic extracts and compounds from *vismia laurentii* De Wild (Guttiferae) . *J. Ethnopharmacol*. Vol: 109, pp. 372–379.
- Kulkarni M.G., Ajay K Dalai and Narendra N Bakhshi, (2006). Utilization of green seed canola oil for biodiesel production, *Chemical Technology and Biotechnology*, Vol. 81(12), pp. 1886-1893.
- Kumar A. and Roy S.K., (1972). Some medicinal ferns Neterhat hills (Bihar) . *J. Sci. Res*. Vol. 23, pp. 139–142.

- Kumar S.R., Venkatehwar C., Samuel G. and Gangadar S., (2013). Phytochemical screening of some compounds from plant, leaf extracts of *Holoptelea integrifolia* (Planch) and *Celestrus emarginata* (Grah.) used by Gondu tribes at Adilabad District, Andhra Pradesh, India. *International Journal of Engineering Science Invention*, Vol: 2 (2), pp. 65-70.
- Kvenvolden and Keith A. (2006). "Organic geochemistry – A retrospective of its first 70 years". *Organic Geochemistry*. 37: 1. doi:10.1016/j.orggeochem.2005.09.001
- Latif A., Amer H.M., Homad M.E., Alarifi S.A. and Almajhdi F.N., (2014). Medicinal plants from Saudi Arabia and Indonesia: *In vitro* cytotoxicity evaluation on Vero and Hep-2 cells. *J. Med. Plants Res.*, Vol: 8, pp. 1065-1073.
- Lautenschlager, (2003). Essential fatty acids — cosmetic from inside and outside, *Beauty Forum*, pp.54-56.
- Lay Harn Gam (2012); Breast cancer and protein Biomarkers. *World J.Exp Med*. 20; (2)5; 86-91
- Lee H. Hamilton, David A. Metzner and Joseph B. Gildenhorn, (2007). The Global Dynamics of Biofuels Potential Supply and Demand for ethanol and Biodiesel in the Coming Decade, Brazil institute Special report, issue no. 3 pp. 1-7
- Leighton W.K.,(2014); Biofuels, energy security, the environment and human health: Research roundup, Politics and the Life Sciences..
- Leray C., (2017). Chronological history of lipid center. *Cyberlipid Center*. pp. 11-13.
- Liao Q.H., Gao Q.Z., Wei J. and Chou K.C., (2011). Docking and molecular dynamics study on the inhibitory activity of novel inhibitors on epidermal growth factor receptor (EGFR). *Med Chem*. Vol. 7(1), pp.24-31.
- Locher C.P., Burch M.T., Mower H.F., Berestecky J., Davis H., Van Pole B., Lasure A., Vanden Bergh D.A. and Vietinck A.J., (1995). Anti-microbial activity and anticomplement activity of

extracts obtained from selected Hawaiian medicinal plants. *J. Ethnopharmacol.* Vol: 49, pp. 23–32.

Lomonaco D., Santiago G.M.P., Ferreira Y.S., Arriaga A.M.C., Mazzetto S.E., Mele G., *et al.* (2009). Study of technical CNSL and its main components as new greenlarvicides. *Green Chemistry*, Vol:11, pp. 31–33.

Lowor S.T and Agyente- Badu C.K., (2009). Mineral and proximate composition of cashew apple (*Anacardium occidentale* L.): Juice from Northern Savannah, Forest and Coastal Savannah Regions in Ghana. *Am. J. Food Technol.* Vol: 4, pp. 154-161.

Madhumanti Mondal, Shrayanti Goswami, Ashmita Ghosh, Gunapati Oinam O.N., Tiwari, Papita Das K., Gayen M.K., Mandal and Halder G.N., (2017). Production of biodiesel from microalgae through biological carbon capture: a review, *3 Biotech.* Vol: 7(2), pp.99.

Maia J.G.S., Andrade E.H.A. and Zoghbi M.G.B., (2000). Volatile constituents of the leaves, fruits and flowers of cashew (*Anacardium occidentale* L.). *J Food Compos Anal*, Vol: 13, pp. 227-232.

Manasa M., Yashoda Kambar, Sachidananda Swamy H.C., Vivek M.N., Ravi Kumar T.N. and Prashith Kekuda T.R., (2013). Antibacterial efficacy of *Pimenta dioica* (Linn.) Merrill and *Anacardium occidentale* L. against drug resistant urinary tract pathogens. *J App Pharm Sci.*, Vol:3 (12), pp. 72-74.

Manivannan A., Bhardwaj R., Padmanabhan S., Suneja P., Hebbar K.B. and Kanade S.R., (2018). Biochemical and nutritional characterization of coconut (*Cocos nucifera* L.) haustorium, *Food Chem.* Vol: 1 (238), pp.153-159.

Marcionilia F.P., Denis D.L., Leonardo R.M., Adilson B., Sandra T.S. and Leticia V.C.L., (2009). Ecotoxicological analysis of cashew nut industry effluents, specifically two of its major phenolic components, cardol and cardanol. *Pan American Journal of Aquatic Sciences*, Vol :4 (3), pp. 363-368.

Marcucci M.C., Ferreres F., Viguera C., Bankova V.S., Castro S.L. and Dantas A.P., (2001). Phenolic compounds from Brazilian propolis with pharmacological activities. *Journal of Ethnopharmacol.* Vol: 74, pp. 105–112.

Marisa Coelho, Teresa Oliveira and Ruben Fernandes, (2013). Biochemistry of adipose tissue: an endocrine organ, *Arch Med Sci.* Vol. 20; 9(2), pp. 191–200.

McConkey B.J., Sobolev V. and Edelman M., (2002). The performance of current methods in ligand-protein docking. *Current Science.* Vol: 83, pp. 845–855.

- Meng X.Y., Hong-Xing Zhang, Mihaly Mezei, and Meng Cui, (2011). Molecular Docking: A powerful approach for structure-based drug discovery, *Curr Comput Aided Drug Des.* Vol: 7(2) pp. 146–157.
- Menon A.R.R., Pillai C.K.S. and Mathew A.G., (1985). Cashew nut shell liquid- its polymeric and other industrial products, *J. of Science in Industrial Research*, Vol: 44, pp. 324-338.
- Mirzaie S., Monajjemi M., Hakhamaneshi M.S, Fathi F. and Jamalán M., (2013). Combined 3D-QSAR modeling and molecular docking study on multi-acting quinazoline derivatives as HER2 kinase inhibitors. *Excli J.*, Vol: 22(12), pp. 30-43.
- Mishra C.S., Kumar Pratyush, Lipin Dev M.S., Joel James, Arun Kumar Thaliyil Veetil and Thankamani V., (2011). A comparative study on Phytochemical screening and antibacterial activity of roots of *Alstonia scholaris* with the roots, leaves and stem bark. *Int. J.Res.Phytochem. Pharmacol.*, Vol:1(2), pp. 77 – 82.
- Mitei Y.C, Ngila J.C., Yeboah S.O., Wessjohann L. and Schmidt J., (2008). NMR, GC–MS and ESI-FTICR-MS profiling of fatty acids and triacylglycerols in some Botswana seed oils, *Journal of the American Oil Chemists' Society*, Vol: 85, pp. 1021-1032.
- Mohod A., Jain S. and Powar A., (2011). “Cashew nut shell waste: availability in small-scale cashew processing industries and its fuel properties for gasification,” *ISRN Renewable Energy*, Article ID 346191, 4 pages.
- Moitessier N., Englebienne P., Lee D., Lawandi J. and Corbeil C.R., (2008). Towards the development of universal, fast and highly accurate docking/scoring methods: a long way to go. *Br. J. Pharmacol.* Vol: 153(Suppl 1): S7–26.
- Montes C.S., Silva D.A., Garcia R.A., Muñiz G.I.B. and Weber J.C. (2011). Calorific Value of *Prosopis africana* and *Balanites aegyptiaca* Wood: Relationships with Tree Growth, Wood Density and Rainfall Gradients in the West African Sahel. *Biomass Bioenergy*, Vol: 35, pp. 346-353.
- Morais T.C., Pinto N.B., Carvalho *et al.*, (2010); “Protective effect of anacardic acids from cashew (*Anacardium occidentale*) on ethanol-induced gastric damage in mice,” *Chemico-Biological Interactions*, Vol: 183(1), pp. 264–269.
- Morais S.M., Katherine A. Silva, Halisson Araujo, Icaro G.P. Viera, Daniela R. Alves, Raquel OS Fontenlle and Artur MS Silva, (2017). Anacardic acid constituents from Cashew nut shell liquid: NMR characterization and the effect of Unsaturation on its biological activities. *Pharmaceuticals Basel*. Vol: 10(1), pp. 1-31

- Morii Y., Matsushita H., Minami A., Kanazawa H., Suzuki T., Subhadhirasakul S., Watanabe K. and Wakatsuki A., (2015). Young coconut juice supplementation results in greater bone mass and bone formation indices in ovariectomized rats: A preliminary study. *Phytother. Res.* Vol: 29, pp. 1950–1955.
- Morris G.M., Goodsell D.S., Halliday R.S., Huey R., Hart W.E., Belew R.K. and Olson A.J. (1998). Automated docking using a Lamarckian genetic algorithm and an empirical binding free energy function. *Journal of Computational Chemistry.* Vol.19(14), pp. 1639– 1662.
- Mossialos E., Ziniel G., Merkur S., Walley T. and McGuire A., (2004). Public Policy and the Austrian pharmaceutical Market: Report for the Main Association of Austrian Social Security Institutions. London: LSE Health and Social Care, The London School of Economics and Political Science.
- Moseman T., (1983). Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *J. Immunol. Methods.* Vol: 65, pp. 55.
- Moser B.R., (2009). Biodiesel production, properties, and feedstocks. In *Vitro Cellular and Developmental Biology – Plant*, Vol: 45, pp. 229-266.
- Moss G.P., Smith P.A.S. and Tavernier D., (1997). IUPAC Compendium of Chemical Terminology. Pure and Applied Chemistry. 67 (2nd ed.). *International Union of Pure and Applied Chemistry.* pp. 1307–1375.
- Murthy B.G.K. and Sivasamban M.A., (1985). Recent trends in CNSL utilization. Cashew Research and Development: proceedings of the International Symposium, Cochin, Kerala, India. Pp.12-15.
- Murthy K.N. and Yadava R.B.R., (1972). Note on the oil and carbohydrate contents of varieties of Cashew nut, *Indian J. Agr. Sci.* Vol: 42(10), pp. 960–961.
- MVO – (2013); Dutch oils and fats industry, Louis Braillelaan 80,2719 EK Zoetermeer, The Netherland, An International and Susceptible Chain.pp. 1-27.
- Nagata J.M., Jew A.R., Kimeu J.M., *et al.*, (2011). Medical pluralism on Mfangano Island: use of medicinal plants among persons living with HIV/AIDS in Suba District, Kenya. *J. Ethnopharmacol.*, Vol: 135, pp. 501-509.

- Nakatani N., Takamori H., Takeda K. and Sakugawa H., (2009). “Transesterification of soybean oil using combusted oyster shell waste as a catalyst.” *Bioresour. Technol.*, Vol. 100(3), pp. 1510–1513.
- NCCLS (1992). Methods for dilution antimicrobial susceptibility tests for bacteria that grow aerobically. 2nd edn., Approved Standard. NCCLS Document M7-A2(M100-S4).
- Nemarundwe N., Ngorima G. and Welford L., (2008). Cash from the commons: improving natural product value chains for poverty alleviation, Available at: 12th biennial conference of the International Association for the Study of Commons (IASC) http://iasc2008.glos.ac.uk/conference%20papers/papers/N/Nemarundwe_219401.pdf.
- Nikaido H., (1996). Multidrug efflux pumps of gram-negative bacteria. *J. Bacteriol.* Vol: 178, pp. 5853-5859.
- Nneli R. and Woyike O., (2008). Antiulcerogenic effects of coconut (*Cocos nucifera*) extract in rats. *Phytother. Res.* Vol: 22, pp. 970–972.
- Nomenclature of Lipids Recommendations, (1977); IUPAC-IUB Commission on Biochemical Nomenclature (CBN), *Eur. J. Biochem*, Vol : 79, pp. 11-21.
- Nugawela P.A. and Oroch R. (2005). Cashew Sub-sector Strategic Framework. Promoting Sub-Sector strategic Framework. Promoting Proper opportunities through Commodities and Service markers. Department for International Development (UK) – Nigeria.)
- Nugroho A.E, Malik A. and Pramono S., (2013). Total phenolic and flavonoid contents and *in vitro* anti-hypertension activity of purified extract of Indonesian cashew leaves (*Anacardium occidentale* L.). *Int Food Res J*, Vol: 20, pp. 299-305.
- Obasi N.L., Egbuonu A.C.C., Ukoha P.O. and Ejikeme P.M., (2010). Comparative phytochemical and antimicrobial screening of some solvent extracts of *Samanea saman* pods. *African journal of pure and applied chemistry.* Vol : 4(9), pp. 206 – 212.
- Obi R.C., Oyi A.R. and Onaolapo J.A., (2005). Antimicrobial Activities of Coconut (*Cocos nucifera* Linn.) oil. IInd Annual National Scientific Conference. Organised by the National Association of Pharmacists in Academia, Ahmadu Bello University, Zaria, Nigeria, 81.
- Olatunji L.A., Okwusidi J.I. and Soladoye A.O., (2005). Antidiabetic Effect of *Anacardium occidentale* Stem-Bark in Fructose-Diabetic Rats. *Pharmaceutical Biology*, Vol: 43, pp. 589-593.

- Oliveira M.S.C., Morais S.M., Magalhaes D.V., Batista W.P.,Vieira I.G.P., Craveiro A.A., Menezes J.E.S.A., Carvalho A.F.U. and Lima G.P.U.. (2010). Antioxidant, Larvicidal and Antioxidant, Larvicidal and Antiacetylcholinesterase activities of Cashew nut shell liquid constituents. *Acta. Trop.* Vol: 117, pp. 165-170.
- Osborn D.B., (1967). "Package Cushioning Systems," In: F. A. Paine, Ed., *Packaging Materials and Containers*, Blackie and Son Ltd., London.
- Oyi A.R., Josiah A Onaolapo and obi R.C., (2010). Formulation and Antimicrobial Studies of Coconut (*Cocos nucifera* Linn.) Oil, *Research Journal of Applied Sciences, Engineering and Technology*, Vol : 2(2), pp. 133-137.
- Pantea Izadi, Mehrdad Noruzinia, Foruzandeh, Fereidooni, Mohammad, Reza Nateghi, (2012). Association of Poor Prognosis Subtypes of Breast Cancer with Estrogen Receptor Alpha Methylation in Iranian Women, *Asian Pacific Journal of Cancer Prevention*, Vol: 13(8), pp. 4113 - 4117.
- Paramashivappa R., Phain K.P., Vithayathil P.J. and Rao A.S., (2001). Method for Isolation of major Phenolic constituents from cashew (*Anacardium occidentale* L.) nutshell liquid. *Journal of Agricultural Food Chemistry*, Vol: 49, pp. 2548-2551.
- Parasal L.S., Srinivasa Rao Tumati, Cyril, Arun Kumar, Srinivasa Prasad chigurupati and Rao G.S., (2011). *In vitro* Antimicrobial Activity of Cashew (*Anacardium occidentale*) Nuts shell liquid Against methicillin Resistant *Staphylococcus aureus* (MRSA) clinical isolates, *Int. J.Pharm Sci*,Vol: 3(4), 436-440.
- Patel N.M. and Patel M.S., (1936). Cashew-nut shell oil and a study of the changes produced in the oil by the action of heat. *Journal of the University of Bombay*, Science: Physical Sciences, Mathematics, Biological Sciences, Medicine, Vol: 5 (2), pp. 114-131.
- Patel R., Santanu Bandyopadhyay, Anuradda Ganesh, (2006). Extraction of cashew (*Anacardium occidentale*) nut shell liquid using supercritical carbon dioxide. *Bioresource Technology*, Vol: 97(6), pp. 847-53.
- Patela R.N., Bandyopadhyayb S. and Ganesh A., (2005). Selective extraction of cardanol and phenols from Cashew nut shells. In: proceedings of the Indian Chemical Engineering Congress; novel separation processes session, Chemcom, New Delhi, India.
- Paul V.J. and Yeddanapalli L.M., (1954). "Olefinic Nature of Anacardic Acid from Indian Cashew-nut Shell Liquid". *Nature*. Vol : 174 (4430), pp. 604.

- Payum T., (2016). GC-MS Analysis of *Mussaenda roxburghii* Hk.f.A Folk Food plant used among Tribes of Arunachel Pradesh, India. *Pharmacognosy Journal*, Vol: 8(4), pp.395-8.
- Peat R., (2003). Coconut Oil. Health and Nutritional Benefits. Shirley's Wellness Ca fé. Holistic Care for People and Animals, pp: 4-11.
- Piddock K.J.V., and Wise R., (1989). Mechanism to resistant to quinilones and clinical perspective, *J. Antimicrob. Chemother.* Vol: 23, pp. 475-483.
- Pietta P., Minoggio M. and Bramati L., (2003). Plant polyphenols: structure, occurrence and n bioactivity. *Stud Nat Prod Chem*, Vol: 28, pp. 257-312.
- Pinhel I., Hills M., Drury S., Salter J., Sumo G., Hem R.A., Bliss J.M., Sestak I., Cuzick J., Barret- Lee p., Harris A., and Dowsett M., (2012). ER and HER2 Expression are Positively Correlated in HER2 Non-overexpressing Breast Cancer. *Breast Cancer Research*. Vol : 14, pp.1-12.
- Prasad L.V., (2220). In: Indian System of Medicine and Homoeopathy Traditional Medicine in Asia. Chaudhury Ranjit Roy, Rafei Uton Muchatar., editors. New Delhi: WHO- Regional Office for South East Asia, pp. 283–286.
- Preetha Anand, Ajaykumar B., Kunnumakara and Bharat B., Aggarwal 2008; Cancer is a preventable Disease that Requires Major lifestynle changes. *Pharm Res.* 25(9): 2097 2116.
- Pritha D.S.J. and Karpagam S., (2018). Antimicrobial activity of Coconut Shell oil, *Int Journal Of Pharma Sciences and Research*. Vol. 9(4), pp. 1000-1004.
- Priya K., Krishan Kumari S. and Vijayakumar M., (2013). *Cyathula prostrata* : A potent source of anticancer agent Dalton's ascites in Swiss Albino mice. *Asian Pacific J Trop Med*, Vol: 6, pp. 776-779.
- Production of Crude Oil including Lease Condensate 2016, US Energy Information Administration. Retrieved 28 May 2017. [http. www.eia.gov/beta/international/data/browser](http://www.eia.gov/beta/international/data/browser).
- Rajeev K.S., Nitesh Jaiswal, Varadaraj Bhat G. and Hitesh Jagani, (2011). Antioxidant and Antimicrobial Activities of *Cocos nucifera* Linn. (Arecaceae) Endocarp Extracts, *Indo Global Journal of Pharmaceutical Sciences*, Vol: 1(4), pp. 354-361.
- Rajesh K.V., Sumathi C.S., Balasubramanian V. and Ramesh N., (2009). Elementary chemical Profiling and antifungal properties of cashew (*Anacardium occidentale* L.) nuts. *Botany Research International*, Vol: 2, pp. 253-257.

- Rajeshwar Y., Gupta M. and Mazumder U.K., (2005). *In vitro* lipid peroxidation and antimicrobial activity of *Mucuna pruriens* seeds. *Iranian J. Pharmacol. Therapeu.* Vol: 4, pp. 32–35.
- Ramakrishna, Varghese, Jayakumar, Mathan and Balasubramanian (1997). Circulating antioxidants in ulcerative colitis and their relationship to disease severity and activity. *J. Gastroenterol. Hepatol.* Vol: 12, pp. 490-494.
- Ramirez J., Brown, Richard; Rainey, Thomas (2015). "A Review of Hydrothermal Liquefaction Bio-Crude Properties and Prospects for Upgrading to Transportation Fuels". *Energies.* Vol: 8 (7), pp. 6765–6794.
- Ramsden, Christopher E., Zamora Daisy, Makriyannis Alexandros, Wood, JodiAnne T., Mann, J. Douglas, Faurot, Keturah R., MacIntosh, Beth A., Majchrzak-Hong Sharon F. and Gross Jacklyn R., (2015). "Diet-induced changes in n-3 and n-6 derived endocannabinoids and reductions in headache pain and psychological distress". *The Journal of Pain.* Vol : 16 (8), pp. 707–716.
- Razali N., Razab R., Junit S.M. and Aziz A.A., (2008). Radical scavenging and reducing properties of extracts of cashew shoots (*Anacardium occidentale*). *Food Chem*, Vol: 111, pp.38-44.
- Reger M.A., Samuel T. Henderson, Cathy Hale, Brenna Cholerton, Laura D. Baker, Watson G.S., Karen Hyde, Darla Chapman and Suzanne Craft. (2004). Effects of beta-hydroxybutyrate on cognition in memory-impaired adults. *Neurobiol Aging.* Vol: 25(3), pp. 311-314.
- Regina and Bailey, (2018). Fats, Steroids, and Other Examples of Lipids, <https://www.thoughtco.com/lipids-373560>
- Ren, (2011). *Renewables 2011 Global Status Report*, 28-33. Retrieved from http://www.ren21.net/Portals/97/documents/GSR/GSR2011_Master18.pdf
- Reynolds S., (1973). Preliminary studies in Western Samoa using various parts of the coconut palm (*Cocos nucifera* L.) as growing media. *Symp. Artif. Media Hortic.* Vol: 37, pp. 1983–1991.
- Ribeiro K.S., Kobayashi S., Beuthe M., Gasca J.,Greene D., Lee D.S., Muromachi Y., Newton P.J., Plotkin S., Sperling D., Wit R. and Zhou P.J., (2007). Transport and its infrastructure. In *Climate Change 2007: Mitigation*. Cambridge University Press, Cambridge, United Kingdom.

- Rico R., Bullo M. and Salas-Salvado J., (2015). Nutritional composition of raw fresh cashew (*Anacardium occidentale* L.) kernels from different origin. *Food Sci Nutr*. Vol: 4(2), pp. 329-38.
- Rinaldi S., Davi O.Silva, Fabiana Bello, Celuta S.Alviano, Daniela S.Alviano, Maria Eline Matheus, and Patricia D Fernandes (2009); Characterization of the antinociceptive and anti-inflammatory activities from *Cocos nucifera* L. (Palmae), *Journal of Ethnopharmacology* Vol. 122, (3): (21), pp. 541-546.
- Ríos J.L. and Recio M.C., (2005). Medicinal plants and antimicrobial activity. *Journal of Ethnopharmacol.*, Vol: 100, pp. 80–84.
- Roberto C.A., (2001). Cocobiodiesel. Coconut methyl ester (CME) as petrodiesel quality enhancer, Dept. Agr. Philippine Coconut Authority. pp.1-37.
- Robert L. and Bradley J.R., (2010). ‘Moisture and total solid analysis’, Food Analysis, Fourth edition, Ed. Suzanne Nielson S, Springer Science + Business Media, USA, ISBN 978-1-4419-1477-4.
- Rodrigues S. and Pinto G.A., (2007). Ultrasound extraction of phenolic compounds from coconut (*Cocos nucifera*) shell powder. *J. Food Eng.* Vol: 80, pp. 869–872.
- Romero C.D., Choph S.E., Buck G., Martinez E., Garcia M. and Bixby L., (2005). Antibacterial properties of common herbal remedies of the southwest. *J. Ethnopharmacol.*, Vol: 99, 253-257.
- Ros E., Tapsell L.C. and Sabate J., (2010). Nuts and berries for heart health. *Curr. Atheroscler Rep.* Vol: 12, pp. 397–406.
- Rosen T. and Fordice D.B., (1994). "Cashew Nut Dermatitis". *Southern Medical Journal*. Vol: 87 (4), pp. 543–546.
- Ryan E., Galvin K., O'Connor T.P., Maguire A.R., and O'Brien N.M., (2006). Fatty acid profile., tocopherol., squalene and phytosterol content of Brazil., pecan., pine., pistachio and cashew nuts. *Int. J. Food Sci. Nutr.* Vol: 57, pp. 219–228.
- Salih A.K. and Fentiman I.S., (2001). Breast cancer prevention: present and future. *Cancer Treat Rev.* Vol: 27(5), pp. 261-273.
- Salil G., Nevin KG. and Rajamohan T., (2010). Arginine rich coconut kernel protein modulates diabetes in alloxan treated rats, *Chemico-Biol Interact.* Vol: 189(1-2), pp.107-111.
- Sanhueza C., Ryan L. and Foxcroft D.R., 2013. Diet and the risk of unipolar depression in adults: systematic review of cohort studies. *J. Hum. Nutr. Diet.* Vol: 26, pp. 56–70.

- Sanjay B., (2013). "Heterogeneous Catalyst derived from Natural Resources for Biodiesel Production : A Review," *Res. J. Chem. Sci.*, Vol. 3(6), pp. 95–101.
- Santana I.A., Ribeiro E.P. and Iguti A.M., (2011). Evaluation of Green Coconut (*Cocos nucifera* L.) Pulp for Use as Milk, Fat and Emulsifier Replacer in Ice Cream. *Procedia Food Science*, Vol: 1, pp. 1447-1553.
- Santos M.L.dos and de Magalhães G.C., (1999). Utilization of cashew nut shell liquid from *Anacardium occidentale* as starting material for organic synthesis: A novel route to lasiodiplodin from cardols. *J. Braz. Chem. Soc.* Vol. 10, pp. 13-20.
- Schipper, (1998); Astrocyte senescence and the pathogenesis of Parkinson's Disease in Handbook of the Aging Brain (Wang, E. and Snyder, D.S, eds) Academic Press, California: pp. 243-257.
- Schwartzmann G., Ratain M.J. and Gragg G.M., (2002). Anticancer drug discovery and development through out the world. *J Clin Oncol.* Vol: 20, pp. 47-57.
- Sertel S., Plinkert P.K. and Efferth T. (2010). Natural products derived from traditional Chinese medicine as novel inhibitors of the epidermal growth factor receptor. *Comb Chem High Throughput Screen*, Vol.13, pp. 849–854
- Service R. F. (2007). "Cellulosic ethanol: Biofuel Researchers Prepare to Reap a New Harvest". *Science*. 315 (5818): 1488–1491.
- Setianto W.B., Smith R.C., Inomata H. and Arai K., (2001). Processing of Cashewnut (*Anacardium occidentale*) and Cashew nut shell liquid with supercritical carbondioxide and water; *The Journal of Supercritical Fluids*, Vol :15 pp. 229 - 237.
- Shalaby (2013). Liquid, Gaseous and Solid Biofuels - Conversion Techniques, Biofuel: Sources, Extraction and Determination, pp. 451-478.
- Shashikumar S. and Chandrashekar H.M., (2014). An analysis of production and marketing of coconut in Tumkur District, India, *Int.J of Current research and Academic Review*, Vol: 2(10), pp. 167-175.
- Shetty P.J., Hegde V. and Gomes L., (2014). Anti-candidal efficacy of denture cleansing tablet, triphala, *Aloe vera*, and cashew leaf on complete dentures of institutionalized elderly. *Journal of Ayurv. Integr. Med.*, Vol: 5, pp. 11-14.
- Shobha S.V., Krishnaswamy P.R. and Ravindranath B., (1992). Phenolic lipid composition during development of cashew. *Phytochem* Vol: 31, pp. 2295–2297.

- Shoeb M., (2006); Anticancer agents from medicinal plants, *Bangladesh J. of pharmacology*, Vol: 1(2), pp. 35-41.
- Shukri M.A.M. and Alan C., (2010). Analysis of phenolics in *Anacardium occidentale* shoot extracts using a reversed-phase high performance liquid chromatography tandem mass spectrometry (RP-HPLC-MS). *J Trop Agric Food Sci*, Vol: 38, pp. 221-230.
- Siddeshwar D. Disale, Pallavi P. Borate and Ghalme R.S., (2013). Studies on isolation, Analysis and Antimicrobial Properties of Coconut Shell oil. *Int. J. of Advanced Scientific and Technical Research* Vol: 3(2), pp. 146-148.
- Silva E.T., Souza D.A., Machado J.C. and Hourston D.J., (2000). Mechanical and Thermal Characterization of Native Brazilian Coir Fiber. *Journal of Applied Polymer Science*, Vol: 76, pp. 1197-1206.
- Silva J.G., Souza I. A., Higino J.S., Siqueira J.P., Pereira J.V. and Pereira M.S.V., (2007). Antimicrobial activity of the Hydroalcoholic extract of *Anacardium occidentale* Linn. Against Multi- Drug resistant strains of *Staphylococcus aureus*. *The Brazilian J. of Pharmacognosy*, Vol: 17, pp. 572- 577.
- Singla R.K., Jaiswal N., Bhat V. and Jagani H., (2011). Antioxidant and Antimicrobial Activities of *Cocos nucifera* Linn. (Arecaceae) Endocarp extracts, *Indo Global Journal of Pharmaceutical Sciences*, Vol: 1(4), pp. 354-361.
- Smith, Rottkamp, Nunomura, Raina and Perry (2000). Oxidative stress in Alzheimer's disease. *Biochem. Biophys. Acta*, Vol: 1502, pp. 139-144.
- Singh P. and Felix B., (2014). In silico Molecular Docking Study of Natural Compounds on wild and Mutated Epidermal Growth Factor Receptor. *Med. Chem. Res.* Vol : 23 (12)
- Sivaramakrishnan K. and Ravikumar P., (2012). Determination of cetane number of biodiesel and its influence on physical properties, *ARPJ Journal of Engineering and Applied Sciences*, Vol. 7 (2), pp. 205-211.
- Sodha R., Gaonkar S., Kolte S. and Padmanabha P. (2015). Antibacterial and Antifungal Activity of Crude Coconut Shell Oil, *International Research Journal of Biological Sciences*, Vol. 4(11), pp. 16-20.
- Sokeng S.D., Kamtchouing P., Jatsati B., *et al.*, (2001). Hypoglycemic activity of *Anacardium occidentale* L., aqueous extracts in normal and Streptozotocin- induced rats. *Diabetes Res.*, Vol: 36, pp. 1-9.

- Sosnowska J. and H Balslev., (2009). American palm ethnomedicine: A meta-analysis, *J. Ethnobiol. Ethnomed.*, 5:43. doi: 10.1186/1746-4269-5-43.
- Spink W.W. and Ferris V. (1945). Quantitative Action of Penicillin Inhibitor from Penicillin-Resistant Strains of *Staphylococci*. *Science*, 102, 221-223.
- Stamos J., Sliwkowski M.X. and Eigenbrot C., (2002). Structure of the epidermal growth factor receptor kinase domain alone and in complex with a 4-anilinoquinazoline inhibitor. *J. Biol. Chem.* Vol :277(48), pp. 46265-46272.
- Stewart and Heales, (2003). Nitric oxide-induced mitochondrial dysfunction: implications for neurodegeneration. *Free Radical Biology and Medicine*, Vol: 34:287-303.
- Stryer and Lubert (1995). "Fatty acid metabolism.". *Biochemistry* (4th ed.). New York: W. H. Freeman and Company. pp. 603–628.
- Subramanian S.S., Joseph K.J.and Nair A.G.R., (1969). Polyphenols from *Anacardium occidentale*. *Phytochemistry*, Pergamon Press, Vol: 8,pp. 673-674.
- Suganya J., Radha M., Naorem D.L. and Nishandhini M., (2014). In Silico docking studies of selected flavonoids - natural healing agents against breast cancer. *Asian Pac J Cancer Prev.* Vol:15(19), pp. 8155-8159.
- Sugunakala S. and Selvaraj S., (2017). Identification of potential inhibitors of epidermal growth factor receptor tyrosine kinase by virtual screening and docking studies. *Int J Pharm Sci Res* Vol: 8(3), pp. 1264-74.
- Sumathi P. and Parvathi A., (2010). Antimicrobial activity of some traditional medicinal plants. *Journal of Medicinal Plants Research*, Vol: 4(4), pp. 316 - 332.
- Syafriani R., Elin Yulinah Sukandar, Tommy Apriantono and Joseph Iskendarso (2014). The Effect of Coconut Water (*Cocos nucifera* L.) and An Isotonic Drink on The Change of Heart Rate Frequency in The Rats Induced Hypertension, *Procedia Chemistry*, Vol: 13, pp. 177 – 180.
- Tan R.R., Culaba A.B., and Purvis M.R., (2004). Carbon balance implications of coconut biodiesel utilization in the Philippine automotive transport sector. *Biomass and Bioenergy*, Vol: 26 (6), pp. 579-585.
- Tang D., Khaleque M.A., Jones E.L., *et al.* (2005). Expression of heat shock proteins and heat shock protein messenger ribonucleic acid in human prostate carcinoma *in vitro* and in tumors *in vivo*. *Cell Stress Chaperones*. Vol: 10(1), pp. 46-58.

- Tarun S., Ramamurthy A., Anand Parul, Saini Malvika., (2015); Medicinal Plants Used In Various Indian Traditional Customs, *Int. J. of Ayurvedic and Herbal Medicine*, Vol: 6(5), pp. 2326 – 2332.
- Tchikaya F.O., Guy Bernard Bantsiele Gisèle Kouakou-Siransy, Jacques Yao Datté, Paul Angoue Yapo, Noel Guedé Zirih, and Michel Atté Offoumou (2011); *Anacardium Occidentale* Linn. (Anacardiaceae) Stem Bark Extract Induces Hypotensive and Cardio-Inhibitory Effects in Experimental Animal Models, *Afr J Tradit Complement Altern Med*. Vol: 8(4), pp. 452–46.
- Tedong, L., Dimo T., Dzeufiet P.D.D., Asongalem A.E., Sokeng D.S., Callard P., Flejou J.F. and Kamtchouing P., (2006). Antihyperglycemic and renal protective activities of *Anacardium occidentale* (Anacardiaceae) leaves in streptozotocin induced diabetic rats. *Afr. J. Trad. Cam.*, Vol: 3(1), pp. 23-35.
- Teixeira R.E., (2012). "Energy-efficient extraction of fuel and chemical feedstocks from algae". *Green Chemistry*. Vol: 14 (2), pp. 419–427.
- Terdong L., Madiraju P., Martineau L.C., Valler D., Arnason J.T. *et al.* (2010). Hydro-ethanolic extract of cashew tree (*Anacardium occidentale*) nut and its principal compound, anacardic acid, stimulate glucose uptake in C₂C₁₂ muscle cells. *Molecular Nutrition and Food Research* Vol: 54, pp. 1753-1762.
- Teresa L. Alleman, Lisa Fouts, and Gina Chupka (2011). Quality Parameters and Chemical Analysis for Biodiesel Produced in the United States, NREL, national laboratory of the U.S. Department of Energy, Office of Energy Efficiency & Renewable Energy, Alliance for Sustainable Energy, LLC, Technical Report NREL/TP -5400-57662.
- Thomas C. and Gustafsson J.A., (2012). Targeting PES1 for restoring the ER α /ER β ratio in breast cancer, *J Clin Invest*. Vol: 122(8), pp. 2771–2773.
- Thomas B.T., Soladoye M.O., Adegboyega T.T, Agu G.C. and Popoola O.D., (2015). Antibacterial and Anti-Inflammatory Activities of *Anacardium occidentale* Leaves and Bark Extracts, *Nigerian Journal of Basic and Applied Science*, Vol: 23(1), pp. 1-6.
- Tilman D., (1981). Wood combustion: Principles, Processes and economics, Academic Press Inc. New York, USA.
- Tiwari P., Bimlesh Kumar, Mandeep Kaur, Gurpreet Kaur, (2011). Phytochemical screening and Extraction : A Review, *Int. Pharmaceutica Scientia*, Vol:1(1), pp. 99-106.

- "The Nomenclature of Lipids. Recommendations, (1976). ". *European Journal of Biochemistry*. 79 (1): 11–21. 1977. doi:10.1111/j.1432-1033.1977.tb11778.x.
- Trevisan M.T., Pfundstein B., Harbner R., Wurtele G., Spiegelhalda B., Bartschtt, Owen R.W., (2006). Characterization of alkyl phenols in Cashew (*Anacardium occidentale*) products assay of their antioxidant capacity. *Food and Chemical Toxicology*. Vol: 44, pp. 188-197.
- Trott O. and Olson A.J., (2010). AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *J Comput Chem*. Vol: 31(2), pp. 455–461.
- Trox J., Vadivel V., Vetter W., Stuetz W., Scherbaum V., Gola U., Nohr D. and Biesalski H.K., (2010). Bioactive compounds in cashew nut (*Anacardium occidentale* L.) kernels: effect of different shelling methods. *J Agric Food Chem.*, Vol: 58(9), pp. 5341-5346.
- Uauy R., Mena P. and Rojas C., (2000). Essential fatty acids in early life: structural and functional role, *Proc Nutr Soc*. Vol: 59(1), pp. 3-15.
- United States Department of Agriculture (USDA), (2008); *National nutrient database for standard reference, Nuts, coconut water*, [Online] Available from: http://www.nal.usda.gov/fnic/foodcomp/cgi-bin/list_nut_edit.pl/.
- Uno I. Maria L. Shigematsu, Tadashi Arai (1982); Primary site of action of ketoconazole on *Candida albicans* Antimicrobial agents and chemotherapy 21 (6);912-918.
- Upston, Kritharides and Stocker, (2003). The role of vitamin E in atherosclerosis. *Prog. Lipid Res.*, Vol: 42, pp. 405-422.
- Venkataraman S., Ramanujam T.R. and Venkatasubbu V.S., (1980). Antifungal activity of the alcoholic extract of coconut shell- *Cocos nucifera* Linn. *J. Ethnopharmacol*. Vol: 2, pp. 291–293.
- Verallo-Rowell V.M., Dillague K.M. and Syah-Tjundawan B.S., (2008). Novel antibacterial and emollient effects of coconut and virgin olive oils in adult atopic dermatitis, *Dermatitis*, Vol: 19, pp. 308-315.
- Verma V., Bhardwah A., Rathi S. and Raja R.B., (2012). Potential Antimicrobial Agent from *Cocos nucifera* mesocarp extract; Development of a New Generation Antibiotic, *Journal of Biological Sciences*, Vol: 1(2), pp. 48-54.
- Verma P.K., Nag SK., and Patil S.K., (2014), Comparative economics of Cashew nut kernel processing technology in Bastar region of India, *Bangladesh J. Agril. Res*. Vol: 39(1), pp. 165-172.

- Viju N., Satheesh S., Vincent S.G.P., (2013). Antibiofilm activity of Coconut (*Cocos nucifera* Linn.) husk fibre extract, *Saudi Journal of Biological Sciences*, Vol: 20,(1), pp. 85-91.
- Vineet S.S., Ming Zhao, Peter Clough, Joseph Yao, Xia Zhong, Mohammad Zaki Memon, Nilay Shah, Edward J. Anthony and Paul S. Fennell, (2016). An overview of advances in biomass gasification, *Energy Environ. Sci.*, Vol: 9, pp. 2939-2977.
- Viriya E.N., Krasae P., Nualpaeng W., Yoosuk B. and Faungnawakij K., (2012). "Biodiesel production over Ca-based solid catalysts derived from industrial wastes," *Fuel*, Vol: 92, (1), pp. 239–244.
- Wagner H., Blatt S. and Rickl V., (1996). Plant drug analysis: a thin layer chromatography atlas. Edition 2. Berlin: Springer Verlag. pp. 384.
- Wang X., Li X. and Chen D., (2011). "Evaluation of antioxidant activity of isoferulic acid *in vitro*", *Natural Product Communications*, Vol:6 (9), pp. 1285 -1288.
- Wang Y., Jun Y., Yanjiang Q., Zhang H. and Xin Lu (2007). Studies on Antioxidant Activity and Chemical Constituents of *Artemisia halodendron*. *Asian Journal of Traditional Medicine*, Vol: 2, pp. 31-32.
- Waraphan Toniti, Nareuthorn Suthiyotha, Pranom Puchadapirom, Ekachai Jenwitheesuk, (2011). Binding Capacity of ER- α , Ligands and SERMs: Comparison of the Human, Dog and Cat, *Asian Pacific J Cancer Prev*, Vol: 12, pp. 2875-2879.
- Watson, W J., Cai and D.Jone, (2000); Diet and Apoptosis. *Annu. Rev.Nutr.*, Vol: 108 pp.153-164.
- Wei W. and Gu H., (2009 a). "Characterisation and utilization of Natural Coconut Fibres Composites," *Materials and Design*, Vol: 30 (7), pp. 2741-2744.
- Wei Z, C. Xu, and B. Li, (2009 b); "Application of waste eggshell as low-cost solid catalyst for biodiesel production." *Bioresour. Technol.*, Vol: 100 (11), pp. 2883–2885.
- William P.J. and Douglas K., (2006). Extraction of plant secondary metabolites in natural products isolation. 2nd edn. Humana Press, New Jersey. Vol: 20, pp. 323-351.
- Winarsi H., Hernayanti and Purwanto A., (2008). Virgin coconut oil (VCO) enriched with Zn as immunostimulator for vaginal *Candidiasis* patient, *Hayati J Biosci*, Vol:15 (4) pp. 135-139.
- Winder D., (1983); Importance of oil in our world today, the christian science monitor, pp.1-2.

- Wu Y., He L.Zhangl., Chen J., Yiz, Zhang J., and lium Pang X., (2011). Anacardic acid (6-Pentadecylsalicylic Acid) inhibits Tumour Angiogenesis by targeting Src/Fak/Rho GT Pases Signalling pathway. *J. Pharmacol. Exp.Ther.* Vol: 339, pp. 403-411.
- Yao L.H., Jiang Y.M., Shi J., Tomás-Barberán F.A., Datta D., Singanusong R. and Chen S.S., (2004). Flavonoids in food and their health benefits. *Plant Food Hum Nutr*, Vol: 59, pp. 113-122.
- Yousuf Z., Iman K., Iftikhar N. and Mirza M.U., (2017). Structure-based virtual screening and molecular docking for the identification of potential multi-targeted inhibitors against breast cancer. *Breast Cancer* (Dove Med Press). Vol: 9, pp. 447-459.
- Yong W.J.W.H., Ge L., Ng Y.F., and Tan S.N., (2009). The chemical composition and biological properties of coconut (*Cocos nucifera* L.) *Molecules*, Vol:14, pp. 5144-5164.
- Yu N.Y., *et al*, (2015). Complementing tissue characterization by integrating transcriptome profiling from the Human Protein Atlas and from the FANTOM5 consortium. *Nucleic Acids Res.* PubMed: 26117540 DOI: 10.1093/nar/gkv608.
- Zagouri F., Sergentanis T.N., Nonni A., *et al*. (2010). HSP90 in the continuum of breast ductal carcinogenesis: evaluation in precursors, preinvasive and ductal carcinoma lesions. *BMC Cancer*. Vol: 10, pp.353.
- Zakaria Z.A., Reezal I., Mat Jais A.M., Somchit M.N., Sulaiman M.R., Marmin A.H.I., Sidek H., Husin S.H., Rahim M.H.A. and Abdul Rahman L.,(2006); The anti-inflammatory, anti-pyretic and wound healing activities of *Cocos nucifera* L. (MATAG types) fresh juice and kernel extract in experimental animals, *Toxicol.*, Vol: 1 pp. 516-526.
- Zeeshan Yousuf, Kanzal Iman, Nauman Iftikhar, and Muhammad Usman Mirza* (2017). (Structure-based virtual screening and molecular docking for the identification of potential multi-targeted inhibitors against breast cancer. *Breast Cancer* (Dove Med Press). Vol: 9, pp. 447–459.
- Zhou W. and Boocock D.B.G., (2006). Phase behavior of the base-catalyzed transesterification of soybean oil. *J. Am. Oil Chem. Soc.* Vol: 83, pp.1041–1045;
- Zimba N., Wren S.and Stucki A., (2005). Three major tree nut oils of southern central Africa: their uses and future as commercial base oils, *International Journal of Aromatherapy*, Vol: 15, pp. 177-182.

Zsoldos Z., Reid D., Simon A., Sadjad S.B. and Johnson A.P., (2007). "eHiTS: a new fast, exhaustive flexible ligand docking system". *Journal of Molecular Graphics & Modelling*. Vol: 26 (1), pp. 198-212.

Zuraida I., Sukarno and Budijanto S., (2011). Antibacterial activity of coconut shell liquid smoke (CS-LS) and its application on fish ball preservation, *Int. Food Research Journal* Vol: (18), pp. 405-410.