

## REFERENCES

- Abbott, W.S. 1925. A method of computing the effectiveness of an insecticide. *J. Eco. Entomol.*, **18**: 265–267.
- Abdel Halim, A.S. and Al Ghadban, A.A. 2005. Chemical composition and insecticidal activity of the volatile oils of leaves and flowers of *Lantana camara* L. cultivated in Egypt. *J. Egypt. Soc. Parasitol.*, **35** (2): 687-698.
- Abdelgaleil, S.A.M., Abdel-Aziz, N.F., Sammour, E.A., El-Bakry, A.M. and Kassem, S.M.I. 2015. Use of Tank-mix Adjuvants to Improve Effectiveness and Persistence of Chlorpyrifos and Cyhalothrin Formulations. *J. Agric. Sci. Tech.*, **17**: 1539-1549.
- Abraham, E.V., Padmanabhan, M.D. 1968. Bionomics and control of the diamondback moth, *Plutella xylostella* Lin. *Indian J. Agric. Sci.*, **38**: 613-619.
- Abuzid, I., Mohamad Roff, M.N., Mansour Salam, Nadia Kermani, Mohd H. Yahaya and Idris, A.B. 2014. Effects of Chinese mustard *Brassica juncea* volatiles on the olfactory responses of *Plutella xylostella*. *J. Sci. Res.*, **22** (4): 584-590.
- Adu-Acheampong, R., Afreh-Nuamah, K., Owusu-Manu, E., Padi, B. 2000. Field trials on the control of cocoa capsids with aqueous neem (*Azadirachta indica* A. Juss) seed extract. Proc. Efficacy and Commercialization of Neem Products in Ghana. October 19 –21, 1999. pp. 12-16.
- Agboka, K., Mawufe, A.K., Tamo, M. and Vidal, S., 2009. Effects of plant extracts and oil emulsions on the maize cob borer *Mussidia nigrivenella* (Lepidoptera: Pyralidae) in laboratory and field experiments. *Intel J. Trop. Insect Sci.*, **29**(4):185-194.
- Agelopoulos, N., Birkett, M.A., Hick, A.J., Hooper, A.M., Pickett, J.A., Pow, E.M., Smart, L.E., Smiley, D.W.M., Wadhams, L.J. and Woodcock, C.M. 1999. Exploiting semiochemicals in insect control. *Pesti. Sci.*, **55**: 225–235.
- Ahmad, A. A., Radovich, J.K.T. and Hue, V.N. 2014. Effect of intercropping three legume species on early growth of sweet corn (*Zea mays*). *HanaiAI / The Food Prov.***10**: 1-6.
- Ahmad, T and Ansari, M.S. 2010. Studies on seasonal abundance of diamondback moth *Plutella xylostella* (Lepidoptera: Yponomeutidae) on cauliflower crop. *J. Plant Protec. Res.*, **50**(3): 280-287.

- Ahuja, D. B., Ahuja, U. R., Srinivas, P., Singh, R. V., Malik, M., Sharma, P. and Bamawale, O. M. 2012. Development of Farmer-led-Integrated management of major pests of cauliflower cultivated in rainy season in India. *J. Agric. Sci.*, **4**(2): 79-90.
- Ajay, T., Banafar, K.N.S., Gauraha, A. K and Chandrakar, M. R. 2016. An analysis of growth in area, production and productivity of major vegetables in Bilaspur district of Chhattisgarh State, India. *Plant Arch.* **16** (2): 797-800.
- Akila, S. and Sundarababu, P. C. 1994. Release of different dose of *Trichogramma* and its effect on internode borer, yield and quality of sugarcane. *Sugarcane* (London). **2**: 22-23.
- Alam, M. M. 1992. Diamondback moth and its natural enemies in Jamaica and some other Caribbean Islands. pp. 233-243. In Talekar, N. S. (ed.). Diamondback moth and other crucifer Pests: Proceedings of the Second International Workshop, Tainan, Taiwan, Asian Vegetable Research and Development Center, Shanhua, Taiwan.
- Alao, F.O. and Adebayo, T.A. 2015. Comparative Efficacy of *Tephrosia vogelii* and *Moringa oleifera* against Insect Pests of Watermelon (*Citrullus lanatus* Thumb). *Inter. Letters of Chem., Phys. and Astron.*, 51: 1-.5.
- Al-Hazimi, H.M. and Haque, S.N. 2002. A new naphthoquinone from *Polygonum aviculare*. *Nat. Prod. Lett.* **16**: 115–118.
- Allahverdizadeh, N. M. and Mohammadi, D. 2016. Bioactivity of *Marrubium vulgare* and *Achillea millefolium* leaf extracts on potato tuber moth *Phthorimaea operculella* Zeller. *Munis Entomol. and Zoology*, 11 (1): 114-122.
- Amoabeng, B.W., Gurr, G.M., Gitau, C.W. and Stevenson, P.C. 2014. Cost: benefit analysis of botanical insecticide use in cabbage: Implications for smallholder farmers in developing countries. *Crop Prot.*, **57**: 71-76.
- Amutha, S. 2014. Phytochemical investigation and in vitro evaluation of Lantana camara seed extracts on selected human pathogenic bacteria. *Int. J. Pharm. Bio. Sci.*, **5**(4): 416 – 421.

- Andow, D.A. 1991. Vegetational diversity and arthropod population response. *Ann. Rev. Entomol.*, **36**: 561-586.
- Andow, D.A. 1991. Vegetational diversity and arthropod population response. *Ann. Rev. Entomol.*, **36**: 561-586.
- Annamalai, S., Y. Ito and T. Saito. 1988. Population fluctuations of the diamondback moth *Plutella xylostella* on cabbages in *Bt* sprayed and unsprayed plots and factors affecting within generation survival of immatures. *Res. Popul. Ecol.*, **30**: -329–342.
- Ansari, M.S., Hussain, B. and Qazi, N.A. 2007. Influence of abiotic environment on the population dynamics of mustard aphid, *Lipaphis erysimi* (Kalt) on Brassica Germplasm. *J. Biol. Sci.*, **7**(6): 993-996.
- Arivoli, S. and Tennyson, S. 2011. Larvicidal and adult emergence inhibition activity of *Abutilon indicum* (Linn.) (Malvaceae) leaf extracts against vector mosquitoes (Diptera: Culicidae). *J. Biopest*, **4**(1): 27 - 35.
- Arivoli, S. and Tennyson, S. 2011. Larvicidal efficacy of *Cleistanthus collinus* (Roxb.) (Euphorbiaceae) leaf extracts against vector mosquitoes (Diptera: Culicidae). *Asian Pacific J. Trop. Biomedic.* **1**: S281- S283.
- Arivoli, S. and Tennyson, S. 2012<sup>a</sup>. Antifeedant activity of plant extracts against *Spodoptera litura* (Fab.) (Lepidoptera: Noctuidae). *American-Eurasian J. Agric. Environ. Sci.*, **12**(6): 764-768.
- Arivoli, S. and Tennyson, S. 2012<sup>b</sup>. Larvicidal Efficacy of *Strychnos nuxvomica* Linn. (Loganiaceae) Leaf extracts against the Filarial Vector *Culex quinquefasciatus* Say (Diptera: Culicidae). *World J. Zool.*, **7**(1): 06 - 11.
- Arivoli, S. and Tennyson, S. 2013<sup>a</sup>. Screening of plant extracts for oviposition activity against *Spodoptera litura* (Fab). (Lepidoptera: Noctuidae). *Intl. J. Fauna and Biol. Studies.*, **1**(1): 20 - 24.
- Arivoli, S. and Tennyson, S. 2013<sup>b</sup>. Antifeedant activity, developmental indices and morphogenetic variations of plant extracts against *Spodoptera litura* (Fab.) (Lepidoptera: Noctuidae). *J. Entomol. Zool. Studies.*, **1** (4): 87 - 96.

- Arivoli, S. and Tennyson, S. 2013°. Ovicidal Activity of Plant Extracts against *Spodoptera Litura* (Fab.) (Lepidoptera: Noctuidae) *Bull. Env. Pharmacol. Life Sci.*, **2** (10): 140-145
- Arivoli, S., John, K., Ravindran, R. and Tennyson, S. 2012. Larvicidal activity of botanicals against the Filarial vector *Culex quinquefasciatus* Say (Diptera: Culicidae). *Intl. J. Res. in Zool.*, **2** (1): 13 - 17.
- Arivoli, S., Tennyson, S. and Martin, J. 2011. Larvicidal efficacy of *Vernonia cinerea* (L.) (Asteraceae) leaf extracts against the filarial vector *Culex quinquefasciatus* Say (Diptera: Culicidae). *J. Biopest.*, **4** (1): 37 - 42.
- Asare-Bediako, E., Addo-Quaye A.A., Mohammed, A. 2010. Control of diamondback poth *Plutella xylostella* on cabbage (*Brassica oleracea* var. *capitata*) using intercropping with non-host crops. *Am. J. Food Technol.*, **5**(4): 269-274.
- AVRDC, 1985. Progress report of Asian Vegetable Research and Development Centre. Shanhua, Taiwan, ROC.
- AVRDC. 1997. Rearing of diamondback moth parasite, AVRDC (Asian Vegetables Research and Development Center) Shanhua, Taiwan, December. 47 - 97.
- AVRDC. 2001. Field Guide: Insect pests of selected Vegetables in Tropical and Subtropical Asia. Publication: 94 -427.
- Ayalew, G. and Ogol, C. K. P. O. 2006. Occurrence of the diamondback moth (*Plutella xylostella* L.) and its parasitoids in Ethiopia: influence of geographical region and agronomic traits. *J. Applied Entomol.*, **130**, 343-348.
- Ayalew, G., J.O. Baumgartner, K.P.O. Callistus and B. Lohr. 2006. Analysis of population dynamics of diamondback moth, *Plutella xylostella* at two sites in central Ethiopia, with particular reference to parasitism. *Biocon. Sci. Tech.*, **16** (6): 607–618.
- Badenes-Perez, F.R., Nault, B.A. and Shelton, A.M., 2006. Dynamics of diamondback moth oviposition in the presence of a highly preferred non-suitable host. *Entomol. Exp. et Appl.*, **120**(1): 23-31.

- Badenes-Perez, F.R., Nault, B.A. and Shelton, A.M., 2006. Dynamics of diamondback moth oviposition in the presence of a highly preferred non-suitable host. *Entomol. Exp. et Appl.*, **120**(1): 23-31.
- Badenes-Perez, F.R., Shelton, A.M. and Nault, B.A. 2004. Evaluating trap crops for diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae). *J. Eco. Entomol.*, **97**: 1365 - 1372.
- Badenes-Perez, F.R., Shelton, A.M. and Nault, B.A. 2004. Evaluating trap crops for diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae). *J. Eco. Entomol.*, **97**: 1365 - 1372.
- Badenes-Perez, F.R., Shelton, A.M. and Nault, B.A., 2005. Using yellow rocket as a trap crop for diamondback moth (Lepidoptera: Plutellidae). *J. Economic Entomol.*, **98**(3): 884-890.
- Bae, S., and Kim, Y. 2004. Host physiological changes due to parasitism of a braconid wasp, *Cotesia plutellae*, on diamondback moth, *Plutella xylostella* L. *Comparative Biochem. Physiol. Part A*, **138**: 39 - 44.
- Bagde, L.V., Borkar, B.D. and Deshmukh, G.A. 2013. Evaluation of insecticidal activity of *Cleistanthus collinus* plant extracts and their fractions against lepidopteran pests. *Int. J. Applied Res.* 3:5–7
- Bakavathiappan, G. A., Baskaran, S., Pavaraj, M and Jeyaparvathi, S. 2012. Effect of *Calotropis procera* leaf extract on *Spodoptera litura* (Fab.). *J. Biopest.*, **5**: 135 -138.
- Balakrishnan, N., Murali Bhaskaran, R.K. and Mahadevan, N.R.2010. Influence of intercrops / trap crops on the preference of major pests of cotton in different IPM modules under rainfed conditions. *J. Biopes.*, 3: 373 -378
- Bandeira, G. N., da Camara, C.A.G., de Moraes, M.M., Barros, R., Muhammad, S. and Akhtar, Y. 2013. Insecticidal activity of *Muntingia calabura* extracts against larvae and pupae of diamondback, *Plutella xylostella* (Lepidoptera; Plutellidae). *J. King Saud Univ. Sci.*, **25**: 83-89.

- Banks, J.E and Ekbom, B.1999. Modelling herbivore movement and colonization: pest management potential of intercropping and trap cropping. *Agric. and Forest Entomol.*, **1**: 165 - 170.
- Barakat, A.A., El-Mahy, A.S., Omaima, K., Moustafa, K.O., Mansour, F.A. and El-hadek, K.M. 2004. Biological effect of *Cassia fistula* (L.) seeds against the cotton leaf worm *Spodoptera littoralis* (Boisd.) with special reference to chemical constituents. *Bull. Entomol. Soc. Egypt, Econ. Ser.*, **30**: 1-14.
- Barre, J.T., Bowden, B.F., Coll, J.C., De Jesus, J., Be la Fuente, V.E., Janairo, G.C. and Ragasa, C.Y. 1997. A bioactive triterpene from *Lantana camara*. *Phytochem.*, **45**: 321 - 324.
- Barroga, S. F. and B. Morallo-Rejesus. 1976. A survey of diamondback moth (*Plutella xylostella* Linn) populations for resistance to insecticides in the Philippines. *Philipp. Plant Indus.* **41**:1-14.
- Baskar, K. and Ignacimuthu, S. 2012. Ovicidal activity of *Atalantia monophylla* (L) Correa against *Helicoverpa armigera* Hubner (Lepidoptera: Noctuidae). *J. Agric. Tech.*, **8**(3): 861-868.
- Baskar, K. and Ignacimuthu, S. 2013. Ovicidal activity of *Couroupita guianensis* (Aubl.) against cotton bollworm *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) *Arch. Phytopathol. Plant. Prot.*, **46** (13):1571–1579.
- Bassole, D and Ouedraogo, L. 2007. Problematique del'utilisation des produits phytosanitaires en conservation des denrées alimentaires et en maraichage urbainet periurbain au Burkina Faso: cas de Bobo Dioulasso, Ouahigouya et Ouagadougou, APIPAC/IFDC, Ouagadougou.
- Bhagat, R.B. and Kulkarni, D.K. 2012. Evaluation of larvicidal and antifeedant potential of three *Jatropha* species against *Spodoptera litura* (Lepidoptera: Noctuidae) and two predators (Coleoptera: Coccinellidae). *Annl. Biolo. Res.*, **3** (6): 2911 - 2916.
- Bhagwat, S.A., Breman, E., Thekaekara, T., Thornton, T.F. and Willis, K.J. 2012. A Battle Lost? Report on two centuries of invasion and management of *Lantana camara* L. in Australia, India and South Africa. *Plos One*, **7**: 1-10.

- Bhargava, B., Agrawal, D.D. and Agrawal, O.P. 2013. Repellent Activity of Essential Oil and Leaf extract of *Lantana camara* L. in laboratory condition. *Intl. J. Theoretical and Appl. Sci.* **5**(1): 170-174.
- Bhatnagar, V.S. and Davies, J.C. 1978. Cropping Entomology. Progress Report (1977- 78). ICRIASAT, Hyderabad, India, pp. 231-235.
- BIS. 1973. Indian standard methods of tests for pesticides and their formulations.[FAD1: Pesticides and Pesticides Residue Analysis] IS: 6940-1982. UDC 632.951:620.1.
- BIS.1982.Indian standard methods of tests for pesticides and their formulations. [FAD1: Pesticides and Pesticides Residue Analysis] IS: 6940-1982. UDC 632.951:620.1.
- Biswas, M.K., De, R.K., Nath, P.S. and Mohasin, M.D. 2004. Influence of different weather factors on the population buildup of vectors of potato virus. *Ann. Pl. Prot. Sci.*, **12**: 352-355.
- Boadi, E., 2004. Assessment of the effects of pesticide use in tomato production on human health, micro-flora dynamics and shelf-life of harvested fruit in Akumadan, MSc thesis, Kwame Nkrumah University of Science and Technology, Kumasi.
- Boo, K.S., Chung, I. B., Han, K. S., Pickett, J. A and Wadhams, J. 1998. Response of the lacewing *Chrysopa cognate* to pheromones of its aphid prey. *J. Chem. Ecol.*, **24**: 631 - 643.
- Boopathi, T., Karuppuchamy, P., Kalyanasundaram, M., Mohankumar, S., Ravi, M and Singh, S.B. 2014. Effect of Botanicals, Fish Oil Rosin Soap and Organic Salt on Eggs of Spiralling Whitefly, *Aleurodicus disperses*. *Indian J. Pl. Prot.*, **42**(1): 86 - 88.
- Boopathi, T., Pathak, K.A., Ngachan, S. V. and Nabajyoti Das. Evaluation of insecticides and biopesticides against diamondback moth, *Plutella xylostella* (L.) on broccoli. *Pest Manag. Horti. Ecosyst.* **16** (1): 69-72.
- Bouchikhi, T.Z, Bendahou, M., Khelil, M.A. 2010. Lutte contre la bruche *Acanthoscelides obtectus* et la mite *Tineola bisselliella* par les huiles essentielles extraites de deux plantes aromatiques d Algerie. *Lebanese Sci. J.*, **11**(1): 55-68.

- Bouda, H., Tapondjou L.A., Fontem D.A., Gumedzoe M.Y. 2001. Effect of essential oils from leaves of *Ageratum conyzoides*, *Lantana camara* and *Chromolaena odorata* on the mortality of *Sitophilus zeamais* (Coleoptera, Curculionidae). *Stored Prod. Res.*, **37**(2): 103 - 109.
- Bowie, M. H., Wratten, S. D. and White, A. J. 1995: Agronomy and phenology of "companion plants" of potential for enhancement of insect biological control. *New Zealand J. Crop and Hortic. Sci.*, **23**: 423-427.
- Broad, S.T., Schellhorn, N.A., Lisson, S.N. and Mendham, N.J. 2008. Host location and oviposition of lepidopteran herbivores in diversified broccoli cropping systems. *Agri. Forest Entomol.*, **10**: 157- 165.
- Broad, S.T., Schellhorn, N.A., Lisson, S.N. and Mendham, N.J. 2008. Host location and oviposition of lepidopteran herbivores in diversified broccoli cropping systems. *Agric. Forest Entomol.*, **10**: 157–165.
- Bruce, T.J. and Cork, A., 2001. Electrophysiological and behavioral responses of female *Helicoverpa armigera* to compounds identified in flowers of African marigold, *Tagetes erecta*. *J. Chem. Ecol.*, **27**(6):1119-1131.
- Bruce, T.J. and Pickett, J.A., 2011. Perception of plant volatile blends by herbivorous insects finding the right mix. *Phytochemistry*, **72**(13):1605-1611.
- Bruce, T.J., Cork, A., 2001. Electrophysiological and behavioral responses of female *Helicoverpa armigera* to compounds identified in flowers of African marigold, *Tagetes erecta*. *J. Chem. Ecol.* **27**(1):119–1131.
- Bruce, T.J.A., Wadhams, L.J., Woodcock, C.M., 2005. Insect host location: a volatile situation. *Trends Plant Sci.* **10**: 269–274.
- Bruce, Y. A., Gounou, S., Chabi-Olaye, A., Smith, H., Schulthess, F., 2004. The effect of neem (*Azadirachta indica* A Juss) oil on oviposition, development and reproductive potentials of *Sesamia calamistis* Hampson (Lepidoptera: Noctuidae) and *Eldana saccharina* Walker (Lepidoptera: Pyralidae). *Agric. and Forest Entomo.*, **6**(3): 223-232.



- Bruce, Y. A., Gounou, S., Chabi-Olaye, A., Smith, H., Schulthess, F. 2004. The effect of neem (*Azadirachta indica* A.Juss.) oil on oviposition, development and reproductive potentials of *Sesamia calamistis* Hampson (Lepidoptera: Noctuidae) and *Eldana saccharina* Walker (Lepidoptera: Pyralidae). *J. Agric. Forest Entomol.*, **6**(3): 223-232.
- Bukovinszky, T., Trefas, H., Van Lenteren, J.C., Vet, L.E.M. and Fremont, J. 2004. Plant competition in pest-suppressive intercropping systems complicates evaluation of herbivore responses. *Agric. Ecosyst. Envir.* **102**(2):185-196.
- Buranday, R.P. and Raros, R.S.1973. Effects of cabbage tomato intercropping on the incidence and oviposition of the diamondback moth, *Plutella xylostella* (L.) *Phillipp. Entomol.***2**: 369-374.
- Calderon, J.I. and Hare, C.J. 1986. In: Diamondback Moth Management (Talekar, N.S. and Griggs,T.D. eds.) Proc. 1st. Intl. Workshop, 1985, AVRDC, Taiwan, pp -289-295.
- Capinera, J. L. 2001. Handbook of vegetable pests, Academic press, San Diego, pp. 729.
- Capinera, J. L. 2009. Diamondback moth, *Plutella xylostella* (L.) (Insecta: Lepidoptera: Plutellidae). IFAS extension (Institute of Food and Agricultural Science) University of Florida.
- Carino, F. A. and B. Morallo-Rejesus. 1982. Isolation and characterization of the insecticidal fraction from *Tithonia diversifolia* (A. Gray) leaves. *Ann. Trop. Agric.* **4**:1-11.
- Carvalho, J.D.S., Bortoli, S.A.D., Thuler, R.T., Goulart, R.M. and Volpe, H.X.L. 2010. Effect of sinigrin applied on brassicae leaves on biological aspects of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae). *Acta Scientiarum. Agronomy*, **32**(1): 15 - 20.
- Chakravarthy, T.1997.Role of Intercropping in cotton based IPM. *Insect Envir.* **2**:131-32.
- Chandra, A., Kandari, L.S., Vikram, S.N., Maikhuri, R.K. and Rao, K.S. 2013. Role of Intercropping on Production and Land Use Efficiency in the Central Himalaya, India. *Environ. We Int. J. Sci. Tech.*, **8**: 105-113.

- Chandramohan, N., 1995. Influence of weather factors on potato tuber moth catches in pheromone trap. *Madras Agric. J.*, 82: 564-564.
- Chapman, J.W., Reynolds, D.R., Smith, A.D., Riley, J.R., Pedgley, D.E. and Woiwod, I.P., 2002. High-altitude migration of the diamondback moth *Plutella xylostella* to the UK: a study using radar, aerial netting, and ground trapping. *Ecological Entomol.*, 27(6): 641-650.
- Charleston, D. S., Gols, R., Hordijk, K. A., Kfir, R., Vet, L. E. and Dicke, M. 2006. Impact of botanical pesticides derived from *Melia azedarach* and *Azadirachta indica* plants on the emission of volatiles that attract parasitoids of the diamondback moth to cabbage plants. *J. Chem. Ecol.*, 32: 325–349.
- Charleston, D. S., Gols, R., Hordijk, K. A., Kfir, R., Vet, L. E. and Dicke, M. 2006. Impact of botanical pesticides derived from *Melia azedarach* and *Azadirachta indica* plants on the emission of volatiles that attract parasitoids of the diamondback moth to cabbage plants. *J. Chem. Eco.*, 32: 325–349.
- Charleston, D.S., Dicke, M., Vet, L.E.M. and Kfir, R., 2004. Integration of biological control and botanical pesticides: evaluation in a tritrophic context. *In: Proceedings of the Fourth International Workshop on the Management of Diamondback moth and other Crucifer Pests.* pp- 207-216.
- Charleston, D.S., Dicke, M., Vet, L.E.M. and Kfir, R., 2004. Integration of biological control and botanical pesticides: evaluation in a tritrophic context. *In: Proceedings of the fourth International workshop on the management of diamondback moth and other Crucifer Pests* pp. 207-216.
- Charleston, D.S., Kfir, R., Vet, L.E.M. and Dicke, M., 2005. Behavioural responses of diamondback moth *Plutella xylostella* (Lepidoptera: Plutellidae) to extracts derived from *Melia azedarach* and *Azadirachta indica*. *Bull. Entomol. Res.*, 95(5): 457-465.
- Chauhan, U., Bhalla, O.P. and Sharma, K.C. 1997. Biology and seasonality of the diamond back moth, *Plutella xylostella* and its parasitoids on cabbage and cauliflower. *Pest Manag. Horti. Ecos.* 3(1): 7-12.

- Chelladurai, M. 1999. Studies on bioefficacy of beta cyfluthrin against *Helicoverpa armigera* (Hub.) and *Spodoptera litura* (Fab.) (Noctuidae: Lepidoptera) on groundnut (*Arachis hypogaea* L.) and determination of residues. M.Sc. (Ag.) Thesis, Tamil Nadu Agric. Univ., Coimbatore, India, 126 pp.
- Chen, C. C., Chang, S., Chen, L. L. and Hou, R. F. 1996. Effects of chinaberry fruit extract on feeding, growth and fecundity of the diamondback moth, *Plutella xylostella* L. (Lepidoptera: Yponomeutidae). *J. Appl. Entomol.*, **120**: 341-345.
- Chennaiyan, V., Sivakami, R. and Jeyasankar, A. 2016. Effect of *Duranta erecta* Linn (Verbenaceae) leaf extracts against armyworm *Spodoptera litura* and Cotton bollworm *Helicoverpa armigera* (Lepidoptera: Noctuidae). *Int. J. Advan. Res. Biol. Sci.*, **3**(2): 311 - 320.
- Chennaiyan, V., Sivakami, R. and Jeyasankar, A. 2016. Effect of *Duranta erecta* Linn (Verbenaceae) leaf extracts against armyworm *Spodoptera litura* and Cotton bollworm *Helicoverpa armigera* (Lepidoptera: Noctuidae). *Int. J. Adv. Res. Biol. Sci.*, **3**(2): 311-320.
- Chin, T. 1974. Studies on seasonal appearance of diamondback moth in relation to environmental factors. *Taiwan Agric. Q.*, **10**:81-84.
- Chisholm, M.D., Underhill, E.W. and Steck, W.F., 1979. Field trapping of the diamondback moth *Plutella xylostella* using synthetic sex attractants. *Envir. Entomol.*, **8**(3): 516-518.
- Chouvalitwongporn, P. and Vattanatangum, A. 1985. Potato tuber moth control in Thailand. Working paper No. 85-14. CIP Region VII. pp. 105-207.
- CIB and RC. 2006. Central Insecticide Board and Registration Committee. <http://cibrc.ni.in/1269/thtc.doc>.
- Cook, S.M., Khan, Z.R. and Pickett, J.A., 2007. The use of push-pull strategies in integrated pest management. *Annu. Rev. Entomol.*, **52**: 375 - 400.
- Cook, S.M., Khan, Z.R., Pickett, J.A., 2007. The use of 'push-pull' strategies in integrated pest management. *Annl. Rev. Entomol.* **52**: 375-400.

- Cork, A., Beevor, P.S., Gough, A.J.E. and Hall, D.R., 1990. Gas chromatography linked to electroantennography: a versatile technique for identifying insect semiochemicals. *In: Chromatography and isolation of insect hormones and pheromones*. Springer, Boston, MA. pp.271-279.
- Corriols, M., Marin, J., Berroteran, J., Lozano, L. M. and Lundberg, I. 2009. Incidence of acute pesticide poisonings in Nicaragua: a public health problem. *Occup. Envir. Med.* **66**: 205-210.
- Crosby, D.G. 1971. Minor insecticides of plant origin. **In: Naturally occurring insecticides**. M. Jacobson and D.G. Crosby (eds.) Marcel Dekker Inc., New York. pp. 171-239.
- Dadang, Ohsawa K, Kato S, Yamamoto I (1996). Insecticidal compound in tuber of *Cyperus rotundus* L. against the diamondback moth larvae. *J. Pesticide Sci.* **21**(4) 444-446.
- Dadang, Riyanto S, Ohsawa K (1998). Lethal and antifeedant substance from rhizome of *Alpinia galanga* Sw. (Zingiberaceae). *J. Pesticide Sci.*, **23**(3): 304-307.
- Dai, J., Deng, J. and Du, J. 2008. Development of bisexual attractants for diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae) based on sex pheromone and host volatiles. *Appl. Entomol. Zool.*, **43** (4): 631–638.
- Dai, J., Deng, J. and Du, J., 2008. Development of bisexual attractants for diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae) based on sex pheromone and host volatiles. *Appl. Entomol. Zool.* **43**(4):631-638.
- Daido, M., Fukamiya, N., Okano, M., Taoahara, K., Hatakoshi, M. and Yamazaki, H., 1993. Antifeedant and insecticidal activity of quassinoids against diamondback moth, *Plutella xylostella*. *Biosci. Biotech. Biochem.*, **57**(2):.244-246.
- Dasbak, M.A.D. and Asiegbu, J.E. 2009. Performance of Pigeon Pea Genotypes Intercropped with Maize under Humid Tropical Ultisol Conditions. *J. Anim. Plant Sci.*, **4**(2): 329-340.
- Dash, A.N., Senapati, B. and Samalo, A.P. 1995. Persistent Toxicity of Neem Derivatives to Green Leafhopper, *Nephotettix virescens* Distant (Cicadellidae: Homoptera) *Indian J. Plant Prot.*, **23**(1): 43-46.

- Deepika, A., 2016. Developing ecological engineering methods and enhancing endomorphages and increasing pest suppression on okra. M. Sc. Thesis, Tamil Nadu Agric. Univ., Coimbatore, Tamil Nadu p-186.
- Del Socorro, A., Gregg, P., Tennant, R. and Moore, C. 2003. Attract-and-kill *Heliothis* for low pressure every season. *Australian Cotton Grower.*, **24**(2): 14 - 19.
- Devanand, P., and Rani, P.U. 2008. Biological potency of certain plant extracts in management of two lepidopteran pests of *Ricinus communis* L. *J. Biopest.*, **1** (2): 170 - 176.
- Dhaliwal, G.S., Vikas Jindal and Dhawan, A.K. 2010. Insect Pest Problems and Crop Losses: Changing Trends. *Indian J. Ecol.* **37**(1): 1-7.
- Diabate, D., Gnago, A.J. and Tano, Y. 2014. Toxicity, antifeedant and repellent effect of *Azadirachta indica* (A. Juss) and *Jatropha carcus* L. aqueous extracts against *Plutella xylostella* (Lepidoptera: Plutellidae). *J. Basic. Appl. Sci. Res.*, **4** (11): 51 - 60.
- Dinesh Prabhu, A., Jyothi, K.N., Prasuna, A.L., Gandhi, G. and Naik, B. 2016. Identification of mosquito repellent compounds in *Chloroxylon swietenia* DC. (Rutaceae) by electrophysiological and behavioural response of *Aedes aegypti*. *Internat. J. Entomol. Res.*, **1**(5): 1 - 4.
- Dua, V.K., Gupta, N.C., Pandey A.C. and Sharma, V.P. 1996. Repellency of *Lantana camara* (Verbenaceae) flowers against *Aedes* mosquitoes. *J. American Mosquito Control Assoc.*, **12**(3): 406 - 408.
- Dua, V.K., Pandey, A.C., Singh, R., Sharma, V.P. and Subbarao, S.K., 2003. Isolation of repellent ingredients from *Lantana camara* (Verbenaceae) flowers and their repellency against *Aedes* mosquitoes. *J. Appl. Entomol.*, **127**(9-10): 509-511.
- Dube, R. 1996. *Neem Kranti*, Shubham Prakashan, Lucknow.
- Duke, R.M., Veale, E.B., Pfeffer, F.M., Kruger, P.E. and Gunnlaugsson, T., 2010. Colorimetric and fluorescent anion sensors: an overview of recent developments in the use of 1, 8-naphthalimide-based chemosensors. *Chem. Soci. Rev.*, **39**(10): 3936-3953.
- Elanchezhyan, K., Baskaran, R.K.M. and Rajavel, D.S. 2008. Influence of intercrops on incidence of major pests of brinjal and their natural enemies. *Ann. Plant Prot. Sci.* **16**(1): 87-91.

- Elumalai, K., Krishnappa, K., Anandan, A., Govindarajan, M. and Mathivanan, T. 2010. Larvicidal and ovicidal activity of seven essential oil against Lepidopteran pest *Spodoptera litura* (Lepidoptera: Noctuidae). *Intl. J. Rec. Sci. Res.*, **1**: 8 - 14.
- El-Wakil, E.A., Mortada Mohamed El-S., Ezzat El-S. and Abdel-Lateef. 2015. GC-MS Investigation of essential oil and antioxidant activity of Egyptian white onion (*Allium cepa* L.). *Int. J. Pharm. Sci. Res.* **6**(3):537 -543.
- El-Zaedi, H., Juan Martínez, T., Angel Calin-S., Francisco, B. and Angel, A. Carbonell-Barrachina. 2016. Volatile composition of essential oils from different aromatic herbs grown in Mediterranean regions of Spain. *Foods*, **5**(41): 1-13.
- Erturk, O., Kara, O., Sezer, E., San, G. 2004. Toxicity effect of some plant extracts on development of larvae of *Plutella xylostella* (L.) (Lepidoptera;Plutellidae). *Ekoloj. Cevre Dergisi.*, **13** (50): 18-22.
- Facknath, S. 1996. Application of Neem extract and intercropping for the control of some cabbage pests in Mauritius. *Proc. Int. Neem Conference*, Queensland, Australia.
- FadimeUzun, A.K.B. and Karaca, İ., 2015. Determination of Oviposition Preference of *Tuta absolutato* Tomato, Pepper and Eggplant. *Asian J. Agric. Food Sci.*, **3**(5):569-578.
- Farag, M., Ahmed, M.H.M., Yousef, H. and Abdel-Rahman, A.A.H. 2011. Repellent and Insecticidal activities of *Melia azedarach* L. against cotton leaf worm, *Spodoptera littoralis* (Boisd.). *Z. Naturforsch.*, **66**: 129 - 135.
- Ferran, A. and Deconchat, M., 1992. Exploration of wheat leaves by *Coccinella septempunctata* (Coccinellidae) larvae. *J. Insect behave.*, **5**(2):147-159.
- Fiedler, A. K., and D. A. Landis. 2007. Attractiveness of Michigan native plants to arthropod natural enemies and herbivores. *Environ. Entomol.* **36**: 751 - 765.
- Fu Wei., Xie, W., Zhang, Z., Wang, S., Wu, Q., Liu, Y., Zhou, X., Zhou, X. and Zhang, Y., 2013. Exploring valid reference genes for quantitative real-time PCR analysis in *Plutella xylostella* (Lepidoptera: Plutellidae). *International journal of biological sciences*, **9**(8): 699-792.

- Furlong, M. J., Wright, D. J. and Dosdall, L. M. 2013. Diamondback moth ecology and management: problems, progress and prospects. *Ann. Rev. Entomol.*, **58**: 517-541.
- Furlong, M. J., Shi, Z. H., Liu, S. S. and Zalucki, M. P. 2004. Evaluation of the impact of natural enemies on *Plutella xylostella* L. (Lepidoptera: Yponomeutidae) populations on commercial Brassica farms. *Agricult. Forest Entomo.*, **6**: 311-322.
- Furlong, M.J., Wright, D.J., and Dosdall, L.M. 2013. Diamondback moth ecology and management: Problems, Progress, and Prospects. *Annu. Rev. Entomol.*, **58**: 517 - 541.
- Gajanana, T.M., Moorthy, P.K., Anupama, H.L., Kumar, G.P. and Raghunath, R., 2004. Economic analysis of integrated pest management in cabbage. *Pest Manag. Hortic. Ecosyst.*, **10**(2): 133-143.
- Gajmer, T., Singh, R., Saini, R.K. and Kalidhar, S.B. 2002. Effect of methanolic extracts of neem (*Azadirachta indica* A. Juss) and bakain (*Melia azedarach* L) seeds on oviposition and egg hatching of *Earias vitella* (Fab.) (Lep., Noctuidae). *J. Appl. Entomol.*, **126**: 238–243.
- Gao CF, Zhang, X. 1997. The fumigating insecticidal action of the essential oil from seeds of the savinjuniper (*Sabina vulgaris* Ant.). *J. Nanjing Agric. Univ.* **20**(3): 50-53.
- Gautam, S., Singh, A.K. and Gautam, R.D. 2010. Olfactory responses of green lacewings, *Chrysoperla* sp. and *Mallada desjardinsi* on mealybug, *Phenacoccus solenopsis* fed on cotton. *Acta Entomol. Sin.*, **53**(5): 497-507.
- Gerard, B.M., 1976. Measuring plant density effects on insect pests in intercropped maize cowpeas. In Intercropping in semi-arid areas; report of a symposium. IDRC, Ottawa, ON, CA.
- Geren, H., Avcioglu, R., Soya, V. and Kir, V. 2008. Intercropping of corn with cowpea and bean: Biomass yield and silage quality. *African J. Biotech.*, **7**(22): 4100-4104.
- Goel, Rajeev and Monica Tiwari. 2004. Effect of intercropping on the incidence of *Lipaphis erysimi* in mustard. *Ann. Pl. Protec. Sci.*, **12** : 435-436.

- Gomez, K.A. and Gomez, A.A. 1984. Statistical procedures for agricultural research 2<sup>nd</sup> ed. John Wiley and Sons, New York, p. 680.
- Gomez, K.A. and Gomez, A.A. 1994. Statistical procedures for Agricultural Research John Wiley and Sons. New York. pp. 207-215.
- Goodwin, S. 1979. Changes in the number in parasitoid complex associated with diamondback moth, *Plutella xylostella* (L.) (Plutellidae: Lepidoptera) in Victoria. *Australian J. of Zoology.*, **27**: 981-989.
- Goto, C., Kasuya, S., Koga, K., Ohtomo, H. and Kagei, N., 1990. Lethal efficacy of extract from *Zingiber officinale* (traditional Chinese medicine) or [6]-shogaol and [6]-gingerol in *Anisakis* larvae in vitro. *Parasitology Res.*, **76**(8): 653-656.
- Goudegnon, A.E., Kirk, A.A., Schiffers, B. and Bordat, D., 2000. Comparative effects of deltamethrin and Neem kernel solution treatments on Diamondback moth and *Cotesia plutellae* (Hym., Braconidae) parasitoid populations in the Cotonou peri-urban area in Benin. *J. Appl. Entomol.*, **124**(3-4): 141-144.
- Govindarajan, M. 2010. Larvicidal efficacy of *Ficus benghalensis* L. plant leaf extracts against *Culex quinquefasciatus* Say, *Aedes aegypti* L. and *Anopheles stephensi* L. (Diptera: Culicidae). *Eur. Rev. for Med. and Pharmacol. Sci.*, **14**: 107-111.
- Govindarajan, M., Mathivanan, T., Elumalai, K., Krishnappa, K. and Anandan, A. 2011. Ovicidal and repellent activities of botanical extracts against *Culex quinquefasciatus*, *Aedes aegypti* and *Anopheles stephensi* (Diptera: Culicidae). *Asian Pac. J. Trop. Biomed.*, **1**(1): 43-48
- Govindarajan. M, Jebanesan, A., Pushpanathan, T. and Samidurai, K. 2008. Studies on effect of *Acalypha indica* L. (Euphorbiaceae) leaf extracts on the malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). *Parasitol. Res.*, **103**: 691-695.
- Govindarajan. M. 2009. Bio efficacy of *Cassia fistula* Linn. (Leguminosae) leaf extract against chikungunya vector, *Aedes aegypti* (Diptera: Culicidae). *Eur. Rev. Med. Pharmacol. Sci.*, **13**: 99-103.



- Grainge, M., S. Ahmed, W. C. Mitchell, and J. W. Hylin. 1984. Plant species reportedly possessing pest-control properties-A database. Resource Systems Institute, East-West Center, Honolulu, Hawaii, U.S.A. p-240.
- Grainge, M., S. Ahmed, W. C. Mitchell, and J. W. Hylin. 1984. Plant species reportedly possessing pest-control properties-A database. Resource Systems Institute, East-West Center, Honolulu, Hawaii, U.S.A. 240 pp.
- Green, J. M. and Green, J. H. 1993. Surfactant Structure and Concentration strongly affect rimsulfuron activity. *Weed Tech.*, **7**: 633-640.
- Grillo-Ravelo, H. and Hernandez-Rodriguez, V. 1994. Biological studies of *Plutella xylostella* L. *Centro-Agricola*. **21**(1):31-41.
- Grzywacz, D., Rossbach, A., Rauf, A., Russel, D.A., Srinivasan, R. and Shelton, A.M. 2010. Current control methods for diamondback moth and other brassica insect pests and the prospects for improved management with lepidopteran-resistant Bt vegetable brassicas in Asia and Africa. *Crop Prot.*, **29**: 68-79.
- Gundannavar, K.P., Giraddi,R.S., Kulkarni, K.A. and Awaknavar, J.S. 2007. Development of Integrated pest management modules for chilli pests. *Karnataka J. Agric. Sci.*, **20** (4):757-760.
- Gupta, P. D. and A. J. Thorsteinson. 1960. Food plant relationships of the diamondback moth, *Plutella maculipennis* (Curt). I. Gustation and olfaction in relation to botanical specificity of the larva. *Entomol. Exp. Appl.* **3**:241-250.
- Gurr, G., Wratten, S.D. and Altieri, M.A. eds., 2004. Ecological engineering for pest management: advances in habitat manipulation for arthropods. CSIRO Publishing. Wellington, Clayton South, Victoria.
- Hammami, H., Aliverdi, A. and Parsa, M.2014. Effectiveness of Clodinafop-Propargyl, Haloxyfop-p-methyl and Difenzoquat-methyl-sulfate Plus Adigor®and Propel™ adjuvants in controlling *Avena ludoviciana* Durieu. *J. Agric. Sci. Tech.*, **16**: 291-299.
- Han, M., Soon- II Kim, Young-Joon Ahn. 2006. Insecticidal and antifeedant activities of medicinal plant extracts against *Attagenus unicolor japonicus* (Coleoptera: Dermestidae). *J. Stor.Product Res.*, **42**: 15-22.

- Hanumantharaya, L., Basavanagoud, K. and Ramegowda, G.K., 2010. Use of green lacewing, *Chrysoperla carnea* (Stephens) and neem seed kernel extract for management of insect pests on cotton. *Karnataka J. Agric. Sci.*, **21**(1):27-32.
- Hasaballah, I.A., Hussein, A and El-Naggar. 2017. Antimicrobial activities of some marine sponges, and its biological, repellent effects against *Culex pipiens* (Diptera: Culicidae). *Annual Res. Rev. Biol.*, **12**(3): 1-14.
- Haseeb, M., Kobori, Y., Amano, H. & Nemoto, H. (2001). Population density of *Plutella xylostella* (Lepidoptera: Plutellidae) and its parasitoid *Cotesia plutellae* (Hymenoptera: Braconidae) on two varieties of cabbage in an urban environment. *Appl. Entomol. Zool.*, **36**: 353–360.
- Hassanali, A., Herren, H., Khan, Z.R., Pickett, J.A. and Woodcock, C.M. 2008. Integrated pest management: the push–pull approach for controlling insect pests and weeds of cereals, and its potential for other agricultural systems including animal husbandry. *Phil. Trans. Royal Soc. London B: Biolo.l Sci.*, **363**: 611-621.
- Hazarika, S., Dhiman, S., Rabha, B., Bhola. R.K. and Singh, L. 2011. Repellent activity of some essential oils against *Simulium* species in India. *J. of Insect Sci.*, **5**: 1-9.
- Heath, R. R., and Dueben, B. D. 1998. Analytical and preparative gas chromatography, pp. 85–126, in J. G. Millar, and K. F. Haynes (eds.). *Methods in Chemical Ecology: Chemical Methods*, vol. 1. Kluwer, New York.
- Helda Morales. 2002. Pest management in traditional tropical agro ecosystems: Lessons for pest prevention research and extension. *Integrated Pest Manage. Rev.*, **7**(3):145-163.
- Hermawan, W., Kajiyama, S.I., Tsukuda, R., Fujisaki, K., Kobayashi, A and Nakasuji, F. 1994. Antifeedant and anti-oviposition activities of the fractions of extract from a tropical plant, *Andrographis paniculata* (Acanthaceae), against the diamondback moth, *Plutella xylostella* (Lepidoptera: Yponomeutidae). *Appl. Entomol. Zool.*, **29**(4): 533-538.
- Hickman, J. M., Lovei, G.L. and Wratten, S. D. 1995: Pollen feeding by adults of the hoverfly *Melanostoma fasciatum* (Diptera: Syrphidae). *New Zealand. J. Zool.*, **22**: 387-392.

- Hokkanen, H. M. 1991. Trap cropping in pest management. *Ann.Rev.Entomol.* **36**: 119-138.
- Holloway, P.J. 1998. Improving Agrochemical Performance: Possible Mechanisms for adjuvancy. In: “*Chemistry and Technology of Agrochemical Formulations*”, (Ed.): Knowles, D. A..Kluwer Academic Publishers. London, pp.232-263.
- Hooks, C.R. and Johnson, M.W., 2002. Lepidopteran pest populations and crop yields in row intercropped broccoli. *Agric. and Forest Entomol.*, **4**(2): 117-125.
- Hou, Y. M. 2001. Control of diamondback moth in greenhouse with sex pheromone lures. *China Bio. Cont.* **17**:121-125.
- Huang, Z., Shi, P., Dai, J. and Du, J. 2004. Protein metabolism in *Spodoptera litura* (F.) is influenced by the botanical insecticide azadirachtin, *Pest. Biochem. Physiol.*, **80**: 2–85.
- Huang, Z., Zhou, F.C., Xu, D., Afzal, M., Bashir, M.H., Ali, S. and Freed, S., 2008. Antifeedant activities of secondary metabolites from *Ajuga nipponensis* against *Plutella xylostella*. *Pakistan J. Botany*, **40**:1983-1992.
- Ibrahim, M.A. and Holopainen, J.K. 2002. *Podisus maculiventris* (Hemiptera: Pentatomidae), a potential biocontrol agent of *Plutella xylostella* is not repelled with limonene treatments on cabbage. International Symposium Improving Biocontrol of *Plutella xylostella*. Montpellier, October 21-24, France.
- Ibrahim, M.A. and Holopanin, J.K., 2004. *Podisus maculiventris* (Hemiptera: Pentatomidae), a potential biocontrol agent of *Plutella xylostella* is not repelled with limonene treatments on cabbage. In: Kirk, A.A., Bordat, D. (Eds.), Improving Bio control of *Plutella xylostella*. Proceedings of the International Symposium, Montpellier, France. CIRAD, pp. 200 - 203.
- Idris, A.B. and Grafius, E. 1993. Differential toxicity of pesticides to *Diadegma insulare* (Hym; Ichneumonidae) and its host, the diamondback moth (Lep; Plutellidae). *J. Eco. Entomol.*, **86**: 529-536.
- Iga, M. 1985. The seasonal prevalence of occurrence and the life tables of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae). *Jap. J. Appl. Entomol. Zool.* **29** (11): 9–125.

- Ikeura, H., Sakura, A. and Tamaki, M. 2013. Repellent Effect of Neem against the Cabbage armyworm on leaf vegetables. *J. Agric. and Sustain.* **4**(1):1-15.
- Indian Horticulture Database. 2014. National Horticulture Board, Ministry of Agriculture, Government of India, No-85, Institutional Area, Sector-18, Gurgaon, India.
- Islam, M. N., Karim, M. A. and Nessa, Z. 1900. Control of the potato tuber moth. *Phthorimaea operculella* (Zeller) (Lepidoptera: Gelechiidac) in the store houses for seed and wart potatoes in Bangladesh. *Bangladesh J. Zool.* **18**: 41-52.
- Isman, M. B., O. Koul, A. Luczynski, and J. Kaminski. 1990. Insecticidal and antifeedent bioactivities of neem oils and their relationship to azadirachtin content. *J. Agric. Food Chem.*, **38**: 1406–1411.
- Isman, M.B., 2006. Botanical insecticides, deterrents, and repellents in modern agriculture and an increasingly regulated world. *Ann. Rev. Entomol.*, **51**: 45-66.
- Isman, M.B., Koul, O.P., Anna Luczynski and Jerzy Kaminskis. 1990. Insecticidal and Antifeedant Bioactivities of Neem Oils and Their Relationship to Azadirachtin Content. *J. Agric. Food Chem.*, **38**: 1406-1411
- Jacobson, M. 1958. Insecticides from plants, a review of the literature, 1941-53. *Agric. Handbook 154*. U.S.D.A., Washington, D. C. p- 229.
- Jacobson, M. 1975. Insecticides from plants a review of the literature, 1954-1971. *Agriculture Handbook 461*, U.S.D.A., Washington, D.C. p-138.
- Jacobson, M. 1989. Botanical insecticides. Past, present and future. In: *Insecticides of Plant Origin*, edited by JT Aranson, BJR Philogène, P Morand, Series No. 387, (American Chemical Society Symposium, Washington DC, USA) 1-10.
- Jalali, S. K. and Singh, S.P., 1993. Susceptibility of various stages of *Trichogrammatoidea armigera* Nagaraja to some pesticides and effect of residues on survival and parasitizing ability. *Bioco. Sci. and Tech.*, **3**(1):21-27.
- Jantan, I., Yalvema, M.F., Ahmad, N.W., Jamal, J.A. 2005. Insecticidal activities of the leaf oils of eight *Cinnamomum* species against *Aedes aegypti* and *Aedes albopictus*. *Pharmaceutical Biol.* **43**: 526–532.

- Javare gowda and Krishna naik. 2007. Antifeedant properties of tree born oil seeds (TBO'S) against teak defoliator, *Hyblaea puera* Cramer. *Karnataka J. Agric. Sci.*, **20**(1): 183 - 184.
- Javier, P. A. 1981. Isolation and bioassay of insecticidal principles from red pepper (*Capsicum annum* L.) and black pepper (*Piper nigrum* L.) against several insect species. MStHesis, University of the Philippines at Los Banos, College, Laguna. p-50.
- Jawonisi, I.O. and Adoga, G.I., 2013. Chemical constituents of essential oil of *Lantana camara* Linn. leaves. *British J. Pharma. Toxic.*, **4**(4):155-157.
- Jayarathnam, K. 1977. Studies on the population dynamics of the diamondback moth, *Plutella xylostella* (Linn.) (Lepidoptera: Yponomeutidae) and crop loss due to the pest in cabbage. Ph.D. thesis. University of Agric. Sciences. Bangalore. pp - 215.
- Jemaa, M.J., Tersim, N. and Khouja, M.L. 2011. Composition and repellent efficacy of essential oil from *Laurus nobilis* against adults of the cigarette beetle *Lasioderma serricornis* (Coleoptera: Anobiidae). *Tunisian J. Plant Prot.* **6**: 29-41
- Jeyasankar, A., Chennaiyan, V. and Sivakami, R. 2016. Evaluating Ecofriendly Botanicals of *Barleria longiflora* Linn. F. (Acanthaceae) against armyworm *Spodoptera litura* Fab. and cotton Bollworm *Helicoverpa armigera* Hübner. *Ann. Res. Rev. Biol.*, **10**(3): 1-9.
- Jeyasankar, A., Chinnamani, T., Chennaiyan, V. and Ramar, G. 2014. Antifeedant activity of *Barleria buxifolia* (Linn.) (Acanthaceae) against *Spodoptera litura* Fabricus and *Helicoverpa armigera* Hubner (Lepidoptera: Noctuidae). *Int. J. Natural Sci. Res.*, **2**(5):78-84.
- Jeyasankar, A., Pramalatha, S. and Elumalai, K. 2012. Biological activities of *Solanum pseudocapsicum* (Solanaceae) cotton bollworm, *Helicoverpa armigera* Hubner and armyworm, *Spodoptera litura* Fabricus (Lepidoptera: Noctuidae). *Asian Pac. J. Trop. Biomed.*, **2**(12):981- 986.
- Joshi, A.K. and Smith, S., 1993. Construction of a cDNA encoding the multifunctional animal fatty acid synthase and expression in *Spodoptera frugiperda* cells using baculoviral vectors. *Bioch. J.*, **296**(1), pp.143-149.

- Joshi, F.L. and Sharma. J. C. 1974. New record of a braconid *Apanteles plutellae* Kurdji. Parasitizing the larvae of *Plutella xylostella* (L.) and *Trichoplusia ni* in Rajasthan. *Indian. J. Entomol.* **36**: 160-162.
- Junshan, Q., Kaoshan, C., Changsong, L., Mei, L. 2008. Toxicity of *Actinidia chinensis* extracts to *Plutella xylostella*. *Allelopathy J.*, **21**(2): 419-424.
- Jyothi, K. N., Prasuna, A. L., Prasad, A. R., Yadav, J. S. 2008. Electrophysiological responses of both sexes of groundnut leaf miner, *Aproaerema modicella* (Lepidoptera: Gelechiidae) to synthetic female sex pheromone blend. *Curr. Sci.*, **94**(5): 629-633.
- Kahono, K., H. Soemori and K.Takahashi. 2004. Seasonal occurrence of *Plutella xylostella* on Jima Island with special reference to their sudden occurrence associated with a typhoon. *App. Entomol. and Zool.*, **39**(1): 119-115.
- Kalita, S. and Bhola, R. K. 2013. A comparative study of repellent effects of dichloromethane extracts of *Lantana camara* L. and *Calotropis procera* Ait. on *Tribolium castaneum* (Herbst) (Coleoptera : Tenebrionidae). *The Clarion.*, **2**(2): 11-16.
- Kalyanasundaram M. 1995. "Bioecology and management of diamondback moth *Plutella xylostella* (Linnaeus) on cauliflower". Ph.D thesis, TNAU, Coimbatore, 138p.
- Kamaraj, C., Rahuman, A.A., Bagavan, A., Elango, G., Zahir, A.A. and Santhoshkumar, T. 2011. Larvicidal and repellent activity of medicinal plant extracts from Eastern Ghats of South India against malaria and filariasis vectors. *Asian Pac. J. Trop. Med.*, **4**(9): 698-705.
- Kamatchi, P.A.C., Maheswaran, R., Ignacimuthu, S. 2016. Evaluation of Larval Toxicity of *Lantana Camara* L. and *Catharanthus Roseus* L. against *Culex Quinquefasciatus* say and *Aedes Aegypti* L. *Entomol. Ornithol Herpetol.*, **5**(1): 1-5.
- Kebede, Y., Gebre-Michael, T. and Balkew, M. 2010. Laboratory and field evaluation of neem (*Azadirachta indica* A. Juss) and chinaberry (*Melia azedarach* L.) oils as repellents against *Phlebotomus orientalis* and *P. bergeroti* (Diptera: Psychodidae) in Ethiopia. *Acta Trop.*, **113**:145- 150.

- Keinmeesuke, P., Vattanatangum, A., Sarnthoy, O., Sayampal, B., Miyata, T., Saito, T., Nakasuji, F. and Sinchaisri, N. 1990. In: Talekar, N.S.(eds). Proceeding of the 2<sup>nd</sup> International Workshop on diamondback moth and other crucifer pests. Asian Vegetable Research and Development Center, Tainan, Taiwan. pp. 309-315.
- Kennedy, J.S. and Impe, G.V. 1995. Effect of neem seed kernel extract in different solvents on two spotted spider mite. *Med. Fac. Landbouww. Rijksuniv. Gent.* **60**(3): 995-1001.
- Khan, F., Mazid, M., Khan, T.A., Patel, H.K. and Chowdhury, R. 2014. Plant derived pesticides in control of lepidopteran insects: Dictum and Directions. *Res. J. Biol.* **2**: 1-10.
- Khan, Z.R. and Pickett, J.A., 2004. The ‘push-pull’ strategy for stem borer management: a case study in exploiting biodiversity and chemical ecology. **In:** Ecological Engineering for Pest Management: Advances in Habitat Manipulation for Arthropods, Ed. G.M, Gurr, S.D., Wratten, M.A., Altieri, pp. 155–64. Wallington, Oxon, UK: CABI.
- Khan, Z.R., Pickett, J.A., van den Berg, J., Wadhams, L.J. and Woodcock, C.M. 2000. Exploiting chemical ecology and species diversity: stem borer and striga control for maize and sorghum in Africa. *Pest Manag. Sci.*, **56**:957–962.
- Klocke, J.A. 1989. Plant compounds as source and models of insect control agents. **In:** Hostettmann, K. (ed.) Economic and Medicinal Plant Research, pp. 103–144. Academic Press, London.
- Kobori, Y. and Amano, H. 2003. Effect of rainfall on a population of the diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae) *Appl. Entomol. Zool.* **38** (2): 249–253.
- Kodjo, T.A., Gbénonchi, M., Sadate, A., Komi, A., Yaovi, G., Dieudonné, M. and Komla, S., 2011. Bio-insecticidal effects of plant extracts and oil emulsions of *Ricinus communis* L. (Malpighiales: Euphorbiaceae) on the diamondback, *Plutella xylostella* L. (Lepidoptera: Plutellidae) under laboratory and semi-field conditions. *J. Appl. Biosci.*, **43**: 2899-2914.

- Kogel, W.J., Koschier, E.H. and Visser, J.H., 1999. Y-tube olfactometer to determine the attractiveness of plant volatiles to western flower thrips. *In: Proceedings of the Section Experimental and applied entomology of the Netherlands Entomol. Soc.*, **10**:131-135.
- Koko, I.S. and Cork, A. 2012. Analysis of field-aged pheromone lures in cotton field. *IOSR J. Agric. Veterinary Sci.*, **1**(1): 1-7.
- Kong, C.H., Wang, P., Zhang, C.X., Zhang, M.X and Hu, F. 2005. Herbicidal potential of allelochemicals from *Lantana camara* against *Eichhornia crassipes* and the alga *Microcystis aeruginosa*. *Weed Res.*, **46**: 290-295.
- Koskor, E., Muljar, R., Drenkhan, K., Karise, R., Bender, A., Viik, E., Luik, A. and Mänd, M., 2009. The chronic effect of the botanical insecticide Neem EC on the pollen forage of the bumble bee *Bombus terrestris* L. *L. Agronomy Res.*, **7**: 341-346.
- Koul, O., Daniewski, W.M., Multani, J.S., Gumulka, M. and Singh, G. 2003. Antifeedant effects of the Limonoids from *Entandrophragma candolei* (Meliaceae) on the gram pod borer, *Helicoverpa armigera* (Lepidoptera: Noctuidae). *J. Agric. Food Chem.* **51**: 7271–7275
- Koul, O., Isman, M.B. and Ketkar, C.M.1990. Properties and uses of neem, *Azadirachta indica*. *Canadian J. Bot.*, **68**: 1-11.
- Koul, O., Suresh walia and Dhaliwal, G. S. 2008. Essential Oils as Green Pesticides: Potential and Constraints. *Biopest., Int.* **4**(1): 63–84.
- Kovendan, K., Murugan, K., Mahesh Kumar, P., Thiyagarajan, P. and John William, S. 2013. Ovicidal, repellent, adulticidal and field evaluations of plant extract against dengue, malaria and filarial vectors. *Parasitol Res.*, **112** (3):1205-19.
- Krishnakumar, N.K., Srinivasan, K., Suman, C.L. and Ramchander, P.R. 1986. Optimum control strategy of cabbage pests from a chemical control trial. *Prog. Hort.*, **18**: 104-110.
- Krishnamoorthy A, Rama N, Mani M, Pattar GL. 2002. Biological control of diamond back moth, *Plutella xylostella* (Lin.) in cabbage; Integrating egg parasitoid, *Trichogrammatoidea bactrae* Nagaraja with trap crop. **In: National symposium on biological control of lepidopterous pests, Bangalore, 19–21 July 2002, pp. 275–276.**



- Krishnamoorthy P.N., Krishna Kumar N.K. and Edward Raja M. 2002, Souvenir of 4<sup>th</sup> World Neem Conference. Mumbai, November 27-30: 60-67.
- Krishnamoorthy, A and M. Mani. 2000. Effect of low temperatures on the Development and survival of *Trichogrammatoidea bactrae*. *Insect Envir.*, **5 (2)**: 78-84.
- Krishnamoorthy, A. 1985. Effect of several pesticides on eggs, larvae and adults of the green lacewing, *Chrysopa scelestes* Banks. *Entomon.*, **10 (1)**: 21–28.
- Krishnamoorthy, A. 2002. Biological control of diamondback moth *Plutella xylostella* (L.): Indian scenario with reference to past and future strategies. Paper presented in international symposium on improving biocontrol of *Plutella xylostella*, Montpellier, 21–24 Oct 2002.
- Krishnamoorthy, A. 2004. Biological control of diamondback moth *Plutella xylostella* (L.) an Indian scenario with reference to past and future strategies. **In:** Proceedings of the International Symposium, 21-24 October, 2002, Montpellier, France, CIRAD, pp. 204-211.
- Krishnamoorthy, P. N., Sannaverappanavar, G. T., Gujar, A. K., Sood, A., Kabitrani, Sankar, K., Laha, Gita Kulashrestha, R. K. Arora and R. Gajendran, 2004. Validation and promotion of IPM in vegetable crops. In: Recent Advances in Integrated Pest Management (Proceedings and Recommendations of the Interactive Workshop on Integrated Pest Management, February 26-28, 2003) (Editors Amerika Singh, T. P., Trivedi, H. R., Sardana, O. P. Sharma and Naved Sabir), pp. 117- 131.
- Krott,S.I.U., Singh, P., Lali, T.S. and Muniappan, R., 1995. Development of a trap cropping system for cabbage in Guam. *Pest Mgmt.Hortic. Ecosys.* **1(1)**:27-35.
- Krupke, C.H., Roitberg, B.D. and Judd, G.J.R. 2002. Field and laboratory responses of male codling moth (Lepidoptera: Tortricidae) to a pheromone-based attract-and-kill strategy. *Envir. Entomol.* **31**: 189–197.
- Kulkarni, R.D. 2002. Formulation of botanical insecticides. *Ph. D. Thesis*, Karnataka University, Dharwad, pp. 83-92

- Kulkarni, U. S., Dadmal, S. M. and Undirwade, D. B. 2016. Ovicidal effects of indigenous plant extracts alone and with triazophos 40 EC on *Spodoptera litura* (F.) *Indian J. Entomol.*, **78** (4): 322-325.
- Kumar, N. K. K., Krishna Kumari, B., Singh, H.S., Ranganath, H.R., Shivakumara, B. and Kalleswaraswamy, C.M. 2006. Pheromone trapping protocols for brinjal shoot and fruit borer, *Leucinodes orbonalis* Guenee (Lepidoptera: Pyralidae): Evaluation of trap design, quantity and dispenser. *J. Hortic. Sci.*, **1**:39-43.
- Kumar, R., Sharma, K.C. and Kumar, V. 2009. Studies on ovicidal effects of some plant extracts against the diamondback moth, *Plutella xylostella* (L.) infesting cauliflower crop. *Biol. Forum – An Int. J.*, **1**(1): 47-50.
- Kumar, V., Eswara Reddy S.G., Urvashi Chauhan, Neeraj Kumar and Bikram Singh. 2015. Chemical composition and larvicidal activity of *Zanthoxylum armatum* against diamondback moth, *Plutella xylostella*, *Nat. Product Res.*, 1-4.
- Kuttalum, S. 1999. Safety of Insecticides to entomophages. *In: Emerging trends in biological control*, K.A. Ali, R.J. Rabindra, P. Karuppuchamy, B. Rajasekaran and J.S. Kennedy (eds.). Tamil Nadu Agric. Univ., Coimbatore-3, India, 213-218.
- Kwame Nkrumah, M. and Mochiah, B. 2011. Onion as a Pest Control Intercrop in Organic Cabbage (*Brassica oleracea*) Production System in Ghana. *Entomol. Bull. Kumasi, Ghana*.
- Lahiri, A. 2004. Inter cropping experiments. IASRI, Library Avenue, New Delhi: 1-8.
- Lal, L. 1988. Potato tuber moth, *Phthorimaea operculella* (Zeller) in North-Eastern hilly regions and a simple method for its control. *Indian J. Agric. Sci.* **58**(2): 130-132.
- Lal, L., 1987. Studies on natural repellents against potato tuber moth (*Phthorimaea operculella* Zeller) in country stores. *Potato Res.*, **30**(2): 329-334.
- Landis, A. D., Stephen D. Wratten and Geoff M. Gurr 2001. Habitat Management to Conserve Natural Enemies of Arthropod Pests in Agriculture. *Ann. Rev. Entomol.* **45**: 1-54
- Landis, D.A., Wratten, S.D. and Gurr, G.M., 2000. Habitat management to conserve natural enemies of arthropod pests in agriculture. *Ann. Rev. Entomol.*, **45**(1):175-201.

- Lanzotti, V., 2006. The analysis of onion and garlic. *J. chromat. A*, **112**(1-2): 3-22.
- Latheef, M.A. and Irwin, R.D. 1983. Seasonal abundance and parasitism of lepidopteran larvae on Brassicae greens in Virginia USA. *J. A. Entomol. Soc.*, **18**(2): 164-168.
- Leatemala, J.A. and Isman, M.B., 2004. Toxicity and antifeedant activity of crude seed extracts of *Annona squamosa* (Annonaceae) against lepidopteran pests and natural enemies. *Int. J. Trop. Insect Sci.*, **24**(2):150-158.
- Lee, J.H. and Kim, S.T. 2001. Use of spider as natural enemies to control rice in Korea. pp. 441-744. Entomology Program, School of Agricultural biotechnology, Seoul National University, Suwon, Korea.
- Leiner, R.C. and Spafford, H., 2016. Oviposition preferences of pickleworm (Lepidoptera: Crambidae) in relation to a potential push-pull cropping management approach. *Envir. Entomol.*, **45**(3):677-684.
- Leskovar, D.I. and Boales, A.K., 1996. Azadirachtin: potential use for controlling lepidopterous insects and increasing marketability of cabbage. *Hort. Sci.*, **31**(3): 405-409.
- Lewis, H.W. and Elvin-Lewis, M.P.F. 1977. Medical Botany. New York: John Willey and Sons. p.515.
- Li, S.N., Kole, R.K. 2001. Investigation on antifeedant and ovipositing-repelling activity of the plant *Corydalis shearerii* against two Lepidoptera insects. *Chinese J. Pest. Sci.*, **3**(2): 55-59.
- Li, Z., Feng, X., Liu, S.S., Minsheng, Y. and Furlong, M.J. 2016. Biology, Ecology and Management of the Diamondback Moth in China. *Annu. Rev. Entomol.*, **61**: 277-96.
- Liang, R. and Yang, M.L., 2008. Insecticidal Activity of *Pedicularis spicata* Pall against *Plutella xylostella*. *Agrochemicals*, **47**(3): 228-230.
- Lim, G. S. 1992. Integrated pest management of DBM; practical reality. **In:** *Diamondback moth and other crucifer pests*, (eds) Talekar, N.S. Proceeding of the 2<sup>nd</sup> International Workshop, Asian Vegetable Research and Development Center, Tania, Taiwan, pp.565-576.

- Lim, G. S., Sivapragasam, A. and Ruwaida, M., 1986. Impact Assessment of *Apanteles plutellae* on diamondback moth using an insecticide check method. In the Proceedings of the Second International Workshop on Diamondback Moth and Other Crucifer Pests, eds. Talekar, N. S., AVRDC, Taiwan, pp. 287-296.
- Lim, G.S. 1982. The biology and effects of parasites on the diamondback moth, *Plutella xylostella* (L.). *Ph.D. Thesis*, University of London, P. 317.
- Lim, G.S. 1986. Biological control of diamondback moth. *Ibid*, **1**: 160-171.
- Lin, S.Y.H., Trumble, J.T. and Kumamoto, J. 1987. Activity of volatile compounds in glandular trichomes of *Lycopersicon* species against two insect herbivores. *J. Chem Ecol.*, **13**(4): 837–850.
- Lingappa S., Basavanagoud K., Kulkarni K.A., Roopa S.P., Kambrekar D.N. 2000. Threat to vegetable production by diamondback moth and its management strategies. *IPM Syst. Agric.*: 235–248.
- Liu, M.Y., Tzeng, Y.J., Sun, C.N. 1982. Insecticide resistance in the diamondback moth. *J. Econ. Entomol.*, **75**(1):153–155.
- Liu, S.S., Wang, X. G., Guo, S.J., He, J. H. and Shi, Z.H. 2000. Seasonal abundance of the parasitoid complex associated with the diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae) in Hangzhou, China. *Bull. Entomol. Res.* **90**: 221–231.
- Liu, T. X., Sparks, A.N. and Chen, J.R.W. 2003. Toxicity, persistence and efficacy of indoxacarb and two other insecticides on *Plutella xylostella* (Lepidoptera: Plutellidae) immatures in cabbage. *International J. Pest Manag.*, **49**(3): 235-241.
- Liu, T., Sparks, J.R., Chen, W., Liang, G.M. and Brister, C. 2002. Toxicity, persistence, and efficacy of indoxacarb on cabbage looper (Lepidoptera: Noctuidae) on cabbage. *J. Eco. Entomol.*, **95**:360-367.
- Liu, Y. B. and Tabashnik, B. E. 1997. Visual determination of sex of diamondback moth larvae. *Can. Entomol.*, **129**:585–586.
- Lokanadhan, S., Muthukrishnan, P. and Jeyaraman, S. 2012. Neem products and their agricultural applications. *J. Biopest.*, **5**: 72-76.

- Loke, W.H, Syed, A.R, Sivapragasam, A., Fauziah, I., Md. Jusoh, M and Hussan AK. 1997. Dynamism in diamondback moth IPM development: The Malaysian experience. **In:** Sivapragasam A, Loke WH, Hussan AK and Lim GS eds. The Management of diamondback moth and other crucifer pests: Proceedings of the Third International Workshop, Kuala Lumpur, Malaysia, 29 October -1 November 1996. pp. 249 -256.
- Lokesh, S. 2013. Genetic basis of diamondback moth, *Plutella xylostella* (L.) resistance to *Bacillus thuringiensis* B. *M.Sc. Thesis*. Tamil Nadu Agricultural University, Coimbatore p-257.
- Lovei, G. L., Hodgson, D. J., MacLeod, A. and Wratten, S. D. 1993. Attractiveness of some novel crops for flower-visiting hover flies (Diptera: Syrphidae): comparisons from two continents. *In:* Corey, S. A; Dall, D. J.; Milne, W. M. *ed. Pest control and sustainable agriculture*. Canberra, CSIRO. pp. 368-370.
- Lund, T., Sæthre, M.G., Nyborg, I., Coulibaly, O. and Rahman, M.H. 2010. 'Farmer field school-IPM impacts on urban and peri-urban vegetable producers in Cotonou, Benin. *Int. J. Trop. Insect Sci.*, **30**(1): 19–31.
- Ma, J., Li, Y. Z., Keller, M., and Ren, S. X. 2005. Functional response and predation of *Nabis kinbergii* (Hemiptera: Nabidae) to *Plutella xylostella* (Lepidoptera: Plutellidae). *Insect Sci.*, **12**: 281-286.
- Magallona, E.D. 1985. Development in diamondback moth management in the Philippines. P 3-15. Distribution and management of diamondback moth of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) on Cabbage in the Central Rift Valley of Ethiopia, M.Sc. Thesis, Haramaya University, Ethiopia.
- Majekodunmi, O., Fatope, Labaran Salihu, Stephen, K., Asante and Yoshio Takeda. 2002. Larvicidal activity of extracts and triterpenoids from *Lantana camara*. *Pharmaceutical Biol.*, **40**(8): 564–567.
- Malarvannan, S., Giridharan, R., Sekar, S., Prabavathy, V.R. and Sudha Nair. 2009. Ovicidal activity of crude extracts of few traditional plants against *Helicoverpa armigera* (Hubner) (Noctuidae: Lepidoptera) *J. Biopest.*, **2**(1): 64-71

- Mandal, S., Rahman, A.M.H., Mamun, M.I.R., Shoeb, M. and Nahar, N. 2012. Method development and validation for estimation of commercially produced sex pheromones in lure. *J. Bangladesh Chem. Soc.*, **25**(2): 180-185.
- Marquis, R.J. and Whelan, C., 1996. Plant morphology and recruitment of the third trophic level: subtle and little-recognized defenses?. *Oikos*,**1**:330-334.
- McCutchen, B.F. and Plapp, F.W. 1988. Monitoring procedure for resistance to synthetic pyrethroids in tobacco bollworm larvae. In: Proc. Beltwide Cotton Prod. Res. Conf. New Orleans, 3-8, January. Natl. Cotton Council of America, Memphis Tenn: 356–358.
- Medina, P., Budia, F., Tirry, L., Smagghe, G. and Vinuela, E., 2001. Compatibility of spinosad, tebufenozide and azadirachtin with eggs and pupae of the predator *Chrysoperla carnea* (Stephens) under laboratory conditions. *Bio. Sci. and Tech.*, **11**(5): 597-610.
- Mehta, D.M. Patel, J.R. and Patel, N.C. 1994. Ovicidal and oviposition deterrent effect of botanicals individually and in combination with endosulfan on *Helicoverpa armigera*. *Indian J. Plant Prot.*, **22**: 215-216.
- Melathopoulos, A.P., Winston, M.L., Whittington, R., Smith, T., Lindberg, C., Mukai, A. and Moore, M., 2000. Comparative laboratory toxicity of neem pesticides to honey bees (Hymenoptera: Apidae), their mite parasites *Varroa jacobsoni* (Acari: Varroidae) and *Acarapis woodi* (Acari: Tarsonemidae), and brood pathogens *Paenibacillus larvae* and *Ascophaera apis*. *J. Econ. Entomol.*, **93**(2):199-209.
- Mendoza-Garcia<sup>1</sup>, E.E., Ortega-Arenas, L.D., Perez-Pacheco, R. and Hernandez, C. R. 2014. Repellency, toxicity, and oviposition inhibition of vegetable extracts against greenhouse whitefly *Trialeurodes vaporariorum* (Westwood) (Hemiptera: Aleyrodidae). *Chilean J. Agric. Res.* **74**(1): 41-48.
- Mensah, C., DiFonzo, C., Nelson, R.L. and Wang, D., 2005. Resistance to soybean aphid in early maturing soybean germplasm. *Crop Sci.*, **45**(6): 2228-2233.
- Mersie, W. and Singh, M. 1987. Allelopathic effect of *Lantana* on some agronomic crops and weeds. *Plant and Soil.*, **98**: 25–30.

- Midega, C.A., Khan, Z.R., Van den Berg, J., Ogol, C.K., Bruce, T.J. and Pickett, J.A. 2009. Non-target effects of the 'push-pull' habitat management strategy: parasitoid activity and soil fauna abundance. *Crop Prot.*, **28**(12):1045-1051.
- Mikami, A. Y. and Ventura, M. U. 2008. Repellent, Antifeedant and Insecticidal Effects of Neem oil on *Microtheca punctigera* Braz. *Arch. Biol. Technol.* **51**(6): 1121-1126.
- Miller, J.R., Cowles, R.S., 1990. Stimulo-deterrent diversion: a concept and its possible application to onion maggot control. *J. Chem. Ecol.* **16**: 3197–3212.
- Mitchell, E. R., Tingle, F. C., Navasero-ward, R.C. and Kehat, M. 1997. Diamondback moth (Lepidoptera: Plutellidae): Parasitism by *Cotesia plutellae* (Hymenoptera: Braconidae) in cabbage. *Florida Entomol.*, **80**: 477- 489.
- Mitchell, E.R, G.Y. Hu, J.S. Okine, and J.E. Carpenter. 1999. Parasitism of diamondback moth (Lepidoptera: Plutellidae) larvae by *Cotesia plutellae* (Hymenoptera: Braconidae) and *Diadegma insulare* (Hymenoptera: Ichneumonidae) in cabbage fields after inundative releases of *C. plutellae*. *J. Entomol. Sci.*, **34**:101-112.
- Mochiah. M. B., Baidoo, P. K., and Owusu-Akyaw, M. 2011. Influence of different nutrient applications on insect populations and damage to cabbage. *J. Appl. Biosci.*, **38**: 2564-2572.
- Mohamad, R.B. and Ismail, M.Y. 1988. Persistence of insecticides against larvae of *Plutella xylostella* (L.). *Insect Sci. Applic.*, **9**(1): 109-112.
- Mohammad, M., Garjan, A.S., and Habib, A. 2013. Ovicidal effect of some insecticides on the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae). *Chilean J. of Agricul. Res.*, **71**(2): 226 -230.
- Mohan, M. and Gujar, G. T. 2003. Local variation in susceptibility of the diamondback moth *Plutella xylostella* (Linnaeus) to insecticides and role of detoxification enzymes. *Crop Protec.*, **22**, 495-504.
- Mohan, S. and Kavitharaghavan, Z. 2008. Studies on the popularization of TNAU stored product insect management kit technology. *Green Farming*, **6**: 53.

- Mohapatra, S., Sawarkar, S.K., Patnaik, H.P. and Senapati, B., 1995. Antifeedant activity of solvent extracts of neem seed kernel against *Spodoptera litura* F. and their persistency against sunlight through encapsulation. *Inter. J. Pest Manage.*, **41**(3): 154-156.
- Molloyres, L.P., Rindlisbacher, A., Winkler, T., Vijaya, K. 1999. Insecticidal natural products: new rocaglamide derivatives from *Aglaia roxburghiana*. *Pesticide Sci.* **55**(4): 494-497.
- Moraes, C.P.D. and Foerster, L.A. 2012. Toxicity and residual control of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) with *Bacillus thuringiensis* Berliner and insecticides. *Ciência Rural.*, **42**(8): 1335-1340.
- Morallo-Rejesus, B. 1982. Botanical Insecticides against the diamondback moth. Department of Entomology, College of Agriculture, University of the Philippines at Los Banos, College, Laguna, Philippines.
- Morallo-Rejesus, B. 1986. Botanical insecticides against the diamondback moth. In: Diamondback moth management, edited by NS Talekar, TD Griggs. Proceedings of 1st International Workshop, Tainan, Taiwan 11-15 March 1985, AVRDC Publication No. 86- 248 (The Asian Vegetable Research and Development Center, Shanhua, Taiwan. 241-255.
- Morallo-Rejesus, B. and Sayaboc, A.S., 1992. Management of diamondback moth with *Cotesia plutellae*: Prospects in the Philippines. In Diamondback moth and other crucifer pests: *In: Proceedings of the Second International Workshop, Tainan, Taiwan, 10-14 December 1990/NS Talekar, editor. Taipei: Asian Vegetable Research and Development Center, Tainan, Taiwan.*
- Morallo-Rejesus. 1975. Insecticidal activity of extracts from *Derris philippinensis*. Youth Research Apprenticeship Activity Report. Society for the Advancement of Research, University of the Philippines at Los Banos.
- Mordue, A.J., Davidson, G., McKinlay, R.G. and Hughes, J. 1995. Observations on azadirachtin for the management of cabbage caterpillar infestations in the field. *Monographs-British Crop Prot. Council*, pp.371-371.



- Morris, M C. and Li, F.Y. 2000. Coriander (*Coriandrum sativum*) "companion plants" can attract hoverflies, and may reduce pest infestation in cabbages. *New Zealand J. Crop Hortic. Sci.*, **28**: 213-217.
- Mote, T.I., Becker, T.A., Renne, P. and Brimhall, G.H., 2001. Chronology of exotic mineralization at El Salvador, Chile, by  $^{40}\text{Ar}/^{39}\text{Ar}$  dating of copper wad and supergene alunite. *Eco. Geology*, **96**(2): 351-366.
- Mpumi, N., Mtei, K., Machunda, R. and Ndakidemi, P.A., 2016. The toxicity, persistence and mode of actions of selected botanical pesticides in Africa against insect pests in common beans, *P. vulgaris*: A Review. *American J. Pl. Sci.*, **7**(1): p.138.
- Msaada, K., Hosni, K., Taarit, M.B., Chahed, T., Kchouk, M.E. and Marzouk, B., 2007. Changes on essential oil composition of coriander (*Coriandrum sativum* L.) fruits during three stages of maturity. *Food Chem.*, **102**(4):1131-1134.
- Mukherjee, U. and Singh, H.N. 2006. Eco-friendly approaches to manage diamondback moth, *Plutella xylostella* (L.) in cauliflower. *J. Appl. Zool. Res.*, **17**: 57-60.
- Murray, B., Isman, M.B., Koul, O., Luczynski, A. and Kaminskis, J. 1990. Insecticidal and antifeedant bioactivities of neem oils and their relationship to azadirachtin content? *J. Agric. Food Chem.*, **38**(6): 1406-14011.
- Murtiningsih, R., P.M. Ridland, E. Sofiari and M.J. Furlong. 2011. Natural mortality of *Plutella xylostella* L. (Lepidoptera: Plutellidae) and *Crociodolomia pavonana* F. (Lepidoptera: Crambidae) in commercial cabbage crops in the highlands of West Java, Indonesia. **In**: Srinivasan. R, Shelton. A.M, Collins. H.L, eds. Proceedings of the sixth international workshop on management of the diamondback moth and other crucifer insect pests, March 21-25, Kasetsart University, Nakhonpathom, Thailand. AVRDC – The world vegetable center, Taiwan. Publication no. 11-755, p. 321.
- Murugesan, S., Rajeshkannan, C., Suresh Babu, D., Sumathi, R and Manivachakam, P. 2012. Identification of insecticidal properties in common weed - *Lantana camara* Linn. by Gas Chromatography and Mass Spectrum (GC-MS-MS). *Adv. Appl. Sci. Res.*, **3**(5): 2754-2759.

- Muthukrishnan, J., Pusphalatha, E. and Kasthuribhai A. 1997. Biological effects of four plant extracts on *Culex quinquefasciatus* Say larval stages. *Insect Sci. Appl.*, **17**(3-4): 389-394.
- Nagarkatti, S, Jayanth, K.P. 1982. Population dynamics of major insect pests of cabbage and of their natural enemies in Bangalore District (India). In Proc. Int. Conf. Plant Pro. Tropics. Malaysian Plant Protection Society, Kulalampur, Malaysia, pp. 325-347.
- Nair, S. and Thomas, J., 2001. Oviposition Deterrence of *Acorus calamus* L. On Melon fly, *Bactrocera cucurbitae* COQ. *J. Tropic. Agric.*, **39**: 149-150.
- National Horticulture Production Database, 2013. Vegetable Crop-wise Area, Production and Productivity Data for Different States of the Country. Ministry of Agriculture, Government of India, No-85, Institutional Area, Sector-18, Gurgaon, India
- Naumann, K., Currie, R.W. Isman, M.B. 1994. Evaluation des effects of a neem insecticide on foraging honey bees and other pollinators. *The Canadian Entomol.* **126**: 225-230.
- Navatha, S. and K.S. Murthy, 2006. Host preference for oviposition and feeding by diamond back moth, *Plutella xylostella* (L.) *Ann. Plant Prot. Sci.*, **14**: 283-286.
- Nayar, J.K. & A.J. Thorsteinson, 1963. Further investigations into the chemical basis of insect-host plant relationships in an oligophagous insect, *Plutella maculipennis* (Curtis) (Lepidoptera: Plutellidae). *Can. J. Zool.*, **41**: 923-929.
- Nayar, K. K. 1992. *General and applied entomology* .TATA Mcgraw-Hill Ltd. New Delhi, PP. 589.
- Nentwig, W. 1998. Weedy plant species and their beneficial arthropods: potential for manipulation in field crops. pp. 49-73 *In* C. H. Picket and R. L. Bugg [eds.], *Enhancing Biological Control*. Univ. of California Press, Berkeley.
- New, T. R. R. 1988. Neuroptera, pp. 249–258, in A. K. Minks and P. Harrewijn (eds.). *Aphids: Their Biology, Natural Enemies and Control*, Vol. 2B. Elsevier, Amsterdam, The Netherlands.

- Nicodemo, D. and Nogueira Couto, R.H., 2004. Use of repellents for honeybees (*Apis mellifera* L.) in vitro in the yellow passion-fruit (*Passiflora edulis* Deg) crop and in confined beef cattle feeders. *J. Venomous Anim. Toxins including Trop. Diseases*, **10**(1): 77-85.
- Noman, M.S., Maleque, M.A., Alam, M.Z., Afroz, S. and Ishii, H.T., 2013. Intercropping mustard with four spice crops suppresses mustard aphid abundance, and increases both crop yield and farm profitability in central Bangladesh. *Int. J. Pest Manag.*, **59**(4):306-313.
- Ntalli N.G. and Menkissoglu-Spiroudi, U. 2011. Pesticides of botanical origin: a promising tool in plant protection, pesticides—formulations, effects, fate. In: Stoytcheva M. (ed.). Pp.1 -24. Pesticides-formulations-effects fate/pesticides of botanical origin a promising tool in plant protection.
- Ntonifor, N.N., Mueller-Harvey, I and Brown, R.H. 2010. Extracts of tropical African spices are active against DBM, *Plutella xylostella*. *J. Food Agric. Environ.*, **8**(2): 498-502.
- Odevole, A.F. and Adebayo, T.A., 2014. Field evaluation of plant extracts for the control of diamondback moth, *Plutella xylostella* (L.) infesting cabbage (*Brassica oleracea* Linn). *Int. Letters of Nat. Sci.*, **11**(2): 164-178.
- Odevole, A.F. and Adebayo, T.A., 2014. Field evaluation of plant extracts for the control of diamond moth (*Plutella xylostella* Linnaeus) infesting Cabbage (*Brassica oleracea* Linn). *Int. Letter Nat. Sci.*, **11**(2).164-178.
- Ogendo, J.O. 2008. Composition and Bioactivity of essential oils of *Lantana camara* L, *Tephrosia vogelii* Hook and *Ocimum americanum* L against major coleopteran pests of stored food grains. (Unpublished PhD. Thesis). Egerton University, Njoro.
- Ogendo, J.O., Belmain, R.S., Deng, A.L., and Musandu, A.A.O. 2004. Effects of insecticidal plant materials *Lantana camara* L and *Tephrosia vogelii* Hook on the quality parameters of stored maize. *The J. Food Tech. Africa*, **9**: 29-36.

- Ogendo, J.O., Belmain, S.R., Deng, A.L. and Walker, D.J. 2003. Comparison of Toxic and Repellant Effects of *Lantana camara* with *Tephrosia vogelii* against *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae) in stored maize grain. *Insect Sci. Appl.*, **23**(2): 127-135.
- Ojha, P. K. and Singh, P. 2003. Effect of intercropping on the incidence of insect pests of cauliflower and its economics under agroclimatic zone-1 Bihar. *Pestol.* **27**(10): 22-25.
- Oke, O.A., Charles, N. C., Ismae, C. and Lesperance, D. 2010. Efficacy of a botanical and biological method to control the diamondback moth (*Plutella xylostella* (L.) in cabbage (*Brassica oleracea* var *capitata* L.) under open field conditions at Anse Boileau, Seychelles. *J. Agric. Extens. Rural Devel.*, **2**(7): 141-143.
- Omkar and Srivastava, S. (2003) Influence of six aphid prey species on development and reproduction of a ladybird beetle, *Coccinella septempunctata*. *Biocontrol.*, **48**(4): 379- 393.
- Omoy, T.R. 1987. Influence of tomato leaf extract on the oviposition of diamondback moth on chinese cabbage. *Bull. Penetitian Hortik.*, **15**: 65- 68.
- Osman, M.Z. and Port, G.R., 1990. Systemic action of neem seed substances against *Pieris brassicae*. *Entomol. Exp. et Applicata*, **54**(3): 297-300.
- Oudhia, P. 2000. Evaluation of some botanicals against orange banded blister beetle (*Zonabris postulate* Thunb.). *Crop Research* (Hisar), **20**(3): 558-559.
- Packiam, M.S., Baskar, K. and Ignacimuthu, S. 2012. Ovicidal activity of botanical oil formulations against *Helicoverpa armigera* Hubner and *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae). *Asian Pacific J. of Trop. Biomed.*, **1**: 1241-1244.
- Padi, B, Adu-Acheampong, R. and Nkansah, A. 2000. Botanical pesticides for the control of cocoa capsids (Heteroptera: Miridae). Proc. 13<sup>th</sup> Int. Cocoa Res. Conf, Kota Kinabalu, Sabah, Malaysia, October, 9-14 pp. 403-413.

- Padi, B., Adu-Acheampong, R., Asamoah, M., Aneani, F. 2003. Screening of neem extracts for the control of cocoa capsids (Heteroptera: Miridae). Proc. INCOPEd 4<sup>th</sup> Int. Seminar, October 19-21, 2003, Accra Ghana. Eds. Akrofi A.Y.; J. B. Ackonor and L. A. A. Ollennu. pp. 44-52.
- Padín, B.S., Fuse, C., Urrutia, I.M and Dalbello, G.M. 2013. Toxicity and repellency of nine medicinal plants against *Tribolium castaneum* in stored wheat. *Bull. Insectol.*, **66**(1): 45-49.
- Padmasheela, N. and Delvi, M. 2002. Antifeedant and mortality effects of neem oil (0.03% Azadirachtin) against III instar grubs of *Oryctes rhinoceros* L. (Coleoptera: Scarabaeidae). *J. Entomol. Res.*, **26**(3): 239-244.
- Pan, W.D., Li, Y.J., Mai, L.T., Ohtani, K.H., Kasai, R.T., Tanaka, O. and Yu, D.Q. 1993a. Studies on triterpenoid constituents of the roots of *Lantana camara*. *Acta Pharm Sini.*, **28**: 40-44.
- Pan, W.D., Mai, L.T., Li, Y.J., Xu, X.L. and Yu, D.Q. 1993b. Studies on the chemical constituents of the leaves of *Lantana camara*. *Acta Pharm Sini.*, **28**: 35-39.
- Pandey, N. D., Sudhakar, T. R. and Tripathi, R. A. 1979. Possibility of plant materials in pest control. Abstracts of papers presented in the workshop Futurology on use of chemicals in agriculture with particular reference to future trends in pest control. Coimbatore. India, P.18.
- Panji, H. R. 1964. Some observations on the insecticidal activities of the fruit of Darek-*Melia azedarach* (L). *Res. Bull. Punj. Univ. N. S. Sci.* **15**: 4345 - 4346.
- Passos, J.L., Luiz C.A.B., Antonio J. D., Alvarenga, E.S., Silva, C.M. and Barreto, R.W. 2012. Chemical characterization of volatile compounds of *Lantana camara* L. and *L. radula* Sw. and their antifungal activity. *Molecules.*, **17**: 11447-11455.
- Patel, J. R., Patel, C.C., S.N. Patel, V.B. Patel and M.G. Patel. 1993. Bioefficacy of some plant products against mustard saw fly, armyworm and diamondback moth. *Indian J. Plant Protec.*, **21**(2): 240-241.

- Patel, J.R.; Patel, C.C.; Patel, S.N.; Patel, V.C. and Patel, M.G. 1993. Bioefficacy of some plant products against mustard sawfly, army worm and diamond back moth. *Indian J. Pl. Prot.*, **21** (2): 240-241.
- Patel, R.K. and Yadav, D.N., 1992. Impact of intercropping marigold on *Heliothis armigera* Hubner and its natural enemies in seed crop of tobacco. *Tobacco Res.*, **18**(1/2): 65-72.
- Patel, Z.P. and Patel, J.R. 1996. Effect of botanicals on the behavior response and on growth of the jassid, *Amrasca biguttula biguttula* Ishida. *Indian J. Plant Prot.*, **24**(1/2): 28-32.
- Pathak, H., Saurabh, M., Satish, C. and Silawat, J. 2014. Field study for the effectiveness of some plants leaf extracts against insect *Eutectona macheralis* or Teak skeletonizer in forest nursery of Indore, Madhya Pradesh. *American J. Agric. Forestry*. **2**(4):110-113
- Patil, A.L., Prasanna, P.M. and Sannaveerappanavar, V.T. 2009. Evaluation of seed and leaf extracts and seed oils on the physiological development of cabbage diamondback moth, *Plutella xylostella* L. *Karnataka J. Agric. Sci.*, **22**(3): 685-687.
- Patil, S.R., Basavanagoud, K. and Nandihalli, B.S. 2003. Ovipositional repellent property of plant extracts against diamondback moth. *Karnataka J. Agril. Sci.*, **16** (2): 249-253.
- Paul, D. and Sohkhlet, M.D. 2012. Antifeedant, repellent and growth regulatory effects of four plants extracts on *Pieris Brassiceae* Larvae (Lepidoptera: Pieridae). Open access scientific reports-485., **1**(10):1-5.
- Pavela, R. and Herda, G., 2007. Repellent effects of pongam oil on settlement and oviposition of the common greenhouse whitefly *Trialeurodes vaporariorum* on chrysanthemum. *Insect Sci.*, **14**(3): 219-224.
- Pavela, R., 2009. Effectiveness of some botanical insecticides against *Spodoptera littoralis* Boisduvala (Lepidoptera: Noctuidae), *Myzus persicae* Sulzer (Hemiptera: Aphididae) and *Tetranychus urticae* Koch (Acari: Tetranychidae). *Plant Prot. Sci.*, **45**: 161–167.

- Pearson, L.J., Pearson, L. And Pearson, C.J. 2010. Sustainable urban agriculture: stock take and opportunities. *Int. J. Agric. Sustain.*, **8**:7–19.
- Pedigo, L.P. 1999. Entomology and Pest Management. Englewood Cliffs, NJ: Prentice- Hall.
- Peng, Y.F. 2004. Antifeeding activities of alcohol extracts from 10 species of plants on the larvae of *Plutella xylostella* and *Pieris rapae*. *J. Hubei. Agric. College*. **24**(2): 90-93.
- Perez, M.P., Fernandez, L.D., Guirado, O.A.A., Capote, R.V., Aguilar, G.G., 1998. Actividade molusquicida del paraiso (*Melia azedarach* L.) sobre *Lymnaea cubensis*, molusco vector de Fasciolosis. *Revista de Saude Publica* **32**: 262–266.
- Phattharaphan, N., Pitiyont, B. and Visetson, S. 2010. Potential of *Stemona* sp. for *Plutella xylostella* control. *J. Biopest.*, **3**(1): 278-281.
- Pickett, J.A., Woodcock, C.M., Midega, C.A. and Khan, Z.R., 2014. Push–pull farming systems. *Curr. Opinion in Biotech.*, **26**: 125-132.
- Pimsamarn, S., Jamjanya, T. and Boonyarat, D., 1990. Antifeedant bioassay for the diamondback moth, *Plutella xylostella* L. In: *Agricultural Biotechnology Conference*, Bangkok (Thailand).
- Pipithsangchan, S. and Morallo-Rejesus, B. 2005. Insecticidal activity of diosgenin isolated from three species of grape ginger (*Costus* spp.) on the diamondback moth, *Plutella xylostella* (L.) *The Philipp. Agric. Sci.*, **88** (3): 317-327.
- Pivnick, K.A., Jarvis, B.J., Slater, G.P., Gillott, C. and Underhill, E.W. 1990. Attraction of the diamondback moth (Lepidoptera: Plutellidae) to volatiles of oriental mustard: the influence of age, sex, and prior exposure to mates and host plants. *Environ. Entomol.*, **19**(3): 704-709.
- Polis, G. A., Myers, C. A. and Holt, D. 1989. The ecology and evolution of intraguild predation: Potential competitors that ate each other. *Ann. Rev. Ecol. Syst.* **20**: 297- 330.
- Pooja, S., Khan, M.S. and Neha, K. 2015. Impact of botanical insecticides on the stingless bees, *Tetragonula iridipennis*. and the honey bees, *Apis mellifera* L. adults bees (Hymenoptera: Apidae). *The Bioscan.*, **10**(4): 1461-1463.

- Potter, C. 1952. An improved laboratory apparatus for applying direct sprays and surface films with data on the electrostatic charge on atomized spray fluids. *Ann. of Appl. Biolo.*, **39**(1): 1-28.
- Potter, T.L. and Fagerson, I.S., 1990. Composition of coriander leaf volatiles. *J. Agric. and Food Chem.*, **38**(11): 2054-2056.
- Pradhan, R.B. 1987. Control of Potato tuber moth by Weeds Report of National Potato Development Program (HMGINISATA). Lalitpur, Nepal. 18 pp.
- Prakash, A., Rao, J. and Nandagopal, V., 2008. Future of botanical pesticides in rice, wheat, pulses and vegetables pest management. *J. Biopest.*, **1**(2): 154-169.
- Prakash, V.G. 2013. Studies on pheromone dispensers. M.Sc., Thesis in Agricultural Entomology, Tamil Nadu Agricultural University, Coimbatore - 641 003.
- Prasad, A. and Purohit, S. 2009. Evaluation of the Morphological Abnormalities in the 4th instar Larva of *Helicoverpa armigera* (Hub.) on application of leaf extract of *Lantana camara* (L.). *World J. Zoology*, **4**(4): 253-255.
- Prasad, S. K. 1963. Quantitative estimation of damage to crucifers caused by cabbage worm, cabbage looper, diamondback moth and cabbage aphid. *Indian J. Entomol.* **25**: 242-59.
- Prasannakumar, B.R., Regupathi, I. and Murugesan, T., 2009. An optimization study on microwave irradiated decomposition of phenol in the presence of H<sub>2</sub>O<sub>2</sub>. *J. Chem. Tech. Biotech.*, **84**(1): 83-91.
- Prasannakumar, N.R., Chakravarthy, A.K., Naveen, A.H. and Narasimhamurthy, T.N., 2011. Influence of weather parameters on pheromone traps catches of selected lepidopterous insects pests on vegetable crops. *Curr. Biotic*, **4**(4):442-452.
- Prasuna, A. L., Jyothi, K.N., Prasad, A.R., Yadav, J. S. and Padmanaban, B. 2008. Olfactory responses of banana pseudostem weevil, *Odoiporus longicollis* Olivier (Coleoptera: Curculionidae) to semiochemicals from consepecifics and host plant. *Current Sci.*, **94** (7): 896 - 900.



- Priesner, E., Witzgall, P. and Voerman, S. 1986. Field attraction response of raspberry clearwing moths, *Pennisethia hylaeiformis* Lasp. (Lepidoptera: Sesiidae), to candidate pheromone chemicals. *J. Appl. Entomol.* **102**: 195–210.
- Proffit, M., Birgersson, G., Bengtsson, M., Reis, R., Witzgall, P. and Lima, E., 2011. Attraction and oviposition of *Tuta absoluta* females in response to tomato leaf volatiles. *J. Chem. Ecol.*, **37**(6):565-574.
- Pyke, B., Rice, M., Sabine, B., Zalucki, M.P., 1987. The push–pull strategy behavioural control of *Heliothis*. *Aus. Cotton Grow.* (May–July): 7–9.
- Radha, R. and Susheela, P. 2014. Efficacy of plant extracts on the toxicity, ovipositional deterrence and damage assessment of the cowpea weevil, *Callosobruchus maculatus* (Coleoptera: Bruchidae). *J. Entomol. Zool. Studies.*, **2**(3): 16-20.
- Raghuram, K., Madhumathi, T. and Krishnayya, P.V. 2013. Bioefficacy and persistent toxicity of certain insecticides against rice weevil, *Sitophilus oryzae* (Linn.) (Curculionidae: Coleoptera). *Pest. Res. J.*, **25**(1): 66-69.
- Rahman, K.A. 1944. Prevention of damage to stored potatoes by the potato tuber moth. *Curr. Sci.*, **13**: 133-134.
- Rajan, S.D. 2013. Mode of action of *Lantana camara* extracts on Enzymes aspartate amino transferase and alanine amino transferase activity in target and nontarget organisms. *The Bioscan.*, **8**(2): 681-683.
- Rajender Prasad. 2004. Transformation of Data. IASRI, Library Avenue, New Delhi: 1-11.
- Rajesh, K V and Suman, K V. 2006. Phytochemical and termiticidal study of *Lantana camara* var. *aculeate* leaves. *Fitoterapia*, **77**: 466–468.
- Raman, K.V. and Booth, R.H., 1984. Integrated control of potato moth in rustic potato stores. In: *Proc. 6th Symp. Int. Soc. Trop. Root Crops* : 509-515.
- Rani, P.U. and Reddy, P.R. 2009. Toxic and antifeedant activities of *Sterculia foetida* (L.) seed crude extract against *Spodoptera litura* and *Achaea janata* (L.). *J. Biopest.*, **2** (2): 161-164.

- Rao, M.S., Rao, R.C. A., Srinivas, K., Pratibha, G., Vidyasekhar, S.M., Sreevani, G., and Venkateswarlu, B. 2012. Intercropping for Management of insect pests of castor, *Ricinus communis*, in the Semi-Arid Tropics of India. *J. Insect Sci.*, **12**(14): 1-10.
- Ray, A.K. and Puri, M.K. 2006. Modeling H Factor-Kappa Number for Kraft Pulping of *Lantana camara* plant- An Experimental Investigation. *Adv. Bio Catalytics and Protein Eng.*, **15**: 1–62.
- Razmjoo, M., Jafari, M., Shams, M., Zand, A.J. and Jafarpour, M., 2013. Sensitivity evaluation diamond back moth *Plutella xylostella* L. (Lepidoptera; Plutellidae) to extract the bitter olive *Melia azedarach* L. (Meliaceae). *Intern. J. Agric. Crop Sci.*, **5**(13): 1453.
- Reddy, G. V. P. and Guerrero, A. 2000a. Pheromone-based integrated pest management to control the diamondback moth, *Plutella xylostella* (L.) in cabbage fields. *Pest Manag. Sci.*, **56**: 882–888.
- Reddy, G. V. P. and Guerrero, A. 2000b. Behavioral responses of the diamondback moth to green leaf volatiles of *Brassica oleracea* subsp. *capitata*. *J. Agric. Food Chem.*, **48**:6025–6029.
- Reddy, G.P. and Urs, K.D., 1991. Growth regulator activity of the xerophytic perennial plant, *Agave cantala* Roxb. on diamondback moth, *Plutella xylostella* (Lepidoptera: Yponomeutidae). *Int. J. Trop. Insect Sci.*, **12**(4):439-442.
- Reddy, G.V.P. holopainen, J. K. and Guerrero, A. 2002. Olfactory responses of *plutella xylostella* natural enemies to host pheromone, larval frass, and green leaf cabbage volatiles. *J. Chem. Ecol.*, **28**(1): 131-143.
- Regupathy, A. 1996. Insecticide resistance in diamondback moth (DBM), *Plutella xylostella* (L.): Status and prospects for its management in India. In Diamondback moth and other crucifer pests: Proceedings of third international workshop, Kualalumpur. pp. 233-239.
- Rehman, J., Ghulam Jilani, Mir Ajab Khan, Rafiq Masih and Sadia Kanvil. 2009. Repellent and oviposition deterrent effects of Indigenous plant extracts to peach fruit fly, *Bactrocera zonata* Saunders (Diptera: Tephritidae). *Pakistan J. Zool.*, **41** (2): 101-108.

- Rembold H., Czoppelt C. 1981. Evaluation of insect growth regulators from *Azadirachta indica* (neem) using rearing tests on honey bee larvae, *Mitt. Dtsch. Ges. Allg. Angew. Entomol.* **3**: 196–198.
- Rembold H., Sharma G.K., Czoppelt C., Schmutterer H. 1980. Evidence of growth disruption in insects without feeding inhibition by neem seed fractions, *Z. Pflanzenkd. Pflanzenschutz.* **87**: 290–297.
- Ridland, P. M. and Endersby, N. M. 2011. Some Australian populations of diamondback moth, *Plutella xylostella* (L.) show reduced susceptibility to fipronil. In: Srinivasan, R., Shelton, A. M. and Collins, H. L. (eds.), Sixth international workshop on management of the diamondback moth and other crucifer insect pests. pp. 21-25. Nakhon Pathom, Thailand.
- Rockstein, M. 1978. *Biochemistry of Insects*. New York: Academic Press. 649 p.
- Root, R.B. 1973. Organization of a plant-arthropod association in simple and diverse habitats: the fauna of collards (*Brassica oleracea*). *Ecol. Monographs*, **43**: 95 – 124.
- Rosaiah, B. and Reddy, A.S. 1993. Utility of botanicals and biocides as additives to insecticides in *Helicoverpa armigera* Hubner management in cotton. Paper presented at the *World Neem Conference*, Bangalore, 24-28 February 1997.
- Rotimi, J. and Evbuomwan C.O. 2012. Deterrent effects of citrus peel oils on oviposition and adult emergence of the cowpea weevil, *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae). *Adv. Appl. Sci. Res.*, **3** (6): 3545-3550.
- Roy, S., Mukhopadhyay, A. and Gurusubramanian, G., 2010. Field efficacy of a biopesticide prepared from *Clerodendrum viscosum* Vent. (Verbenaceae) against two major tea pests in the sub Himalayan tea plantation of North Bengal, India. *J. Pest. Sci.*, **83**(4): 371-377.
- Rushtapakornchai, W. and Vattanatangum, A. 1985. Present status of insecticidal control of diamondback moth, *Plutella xylostella*, in Thailand. In Griggs, T.D., ed., diamondback moth management Proceedings of the first international workshop, Tainan, Taiwan, 11-15 March. Asian Vegetable Research and Development Center, Shanhua, Taiwan, 307-312.

- Sahayaraj, K and Kombiah, P. 2009. Olfactory responses of the banana weevil, *Odoiporus longicollis* (Olivier) (Coleoptera: Curculionidae) against pseudostem and its crude extract. *J. of Biopesticides*, **2**(2): 173 – 176.
- Sardana, H.R. and Tanwar, R.K. 2008. Adoptable IPM technology for vegetable crops. **In:** Insect Pest and Disease Management, Daya Publishing House, pp. 1-19.
- Schmutterer, H., 1990. Properties and potential of natural pesticides from the neem tree, *Azadirachta indica*. *Ann. Rev. Entomol.*, **35**(1): 271-297.
- Scholz, B. and Parker, N., 2004. Evaluations of different releases rates of *Trichogramma pretiosum* against *Helicoverpa armigera* eggs in sorghum and cotton. In 11th Australian Cotton Conference Proceedings.
- Secoy, D.M. and Smith, A.E. 1983. Use of plants in control of agricultural and domestic pests. *Eco. Botany*, **37**: 28-57.
- Seenivasan, N., Sridhar, R. P. and Gnanamurthy, P. 2003. Efficacy of some plant extract against *Plutella xylostella* on cabbage. *South Indian Hortic.*, **51**: 183-185.
- Seljasen, R. and Meadow, R. 2006. Effects of neem on oviposition and egg and larval development of *Mamestra brassicae* L: Dose response, residual activity, repellent effect and systemic activity in cabbage plants. *Crop Protec.*, **25**: 338–345.
- Selvamuthukumar, T. and Arivudainambi. 2010. Dose dependent differential anti insect activity of lactone glycoside, a potent plant derived molecule. *J. Biopest.*, **3** (1): 259-264.
- Selvaraj, C. 2015. Biopesticidal properties of *Strychnus nux-vomica* against diamond back moth, *Plutella xylostella* (Linn.) M.Sc., Thesis, Department of Agricultural Entomology, CPPS, TNAU, Coimbatore-3.
- Senthilkumar, S., Murugesan, K., Vijayalakshmi, B., Monisha, M., Suresh Babu, D., Lakshmidhevi, R. and Manivachakam, P. 2012. Insecticidal Properties of certain flora based on ethno botanical records against teak defoliator, *H. puera* Cramer (Lepidoptera: Hybaeidae). *Europ. J. Exp. Biol.*, **2** (3): 513-519.

- Senthilnathan, S., KalaivanI, K., Murugan, K. and Chung, P.G., 2005. The toxicity and physiological effect of neem limonoids on *Cnaphalocrocis medinalis* (Guenée) the rice leaf folder, *Pest. Biochem. Physiol.*, **81**: 113–122.
- Sharma, A. and Gupta, R. 2009. Biological activity of some plant extracts against *Pieris brassicae* (Linn.) *J. Biopest.*, **2** (1): 26-31.
- Sharma, A., Gupta, R. and Reecha. 2011. Repellent effect of some plant extracts against *Pieris brassicae* (Linn). *Intel. J. Farm Sci.*, **1**(2): 72-78.
- Sharma, A., Kaushal, P., Sharma, K.C. and Kumar, R. 2006. Bio-efficacy of some plant products against Diamondback Moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae). *J. Entomol. Res.*, 30(3): 213-217.
- Sharma, D. and Abrol, D.P. 2005. Contact toxicity of some insecticides to honeybee *Apis mellifera* (L.) and *Apis cerana* (F.). *J. Asia-Pacific Entomol.*, **8**(1): 113-115.
- Sharma, D. C., Rani, S. and Kashyap, N. P. 1997. Oviposition deterrence and ovicidal properties of some plant extracts against potato tuber moth, *Phthorimaea operculella* (Zeller) *Pesticide Res. J.*, **9**: 241-246.
- Sharma, K.C and Bhalla, O.P. 1991. Predatory potential of syrphid species on different aphids of cruciferous crops in mid hill regions of Himachal Pradesh. *Indian J. Pl. Prot.* **19**: 73-75.
- Sharma, O.P., Makkar, H.P.S., Dawra, R.K. and Negi, S.S. 1981. A review of the toxicity of *Lantana camara* (Linn.) in animals. *Clin Toxicol.*, **18**: 1077–1094.
- Sharma, O.P., Singh, A and Sharma, S. 2000. Levels of lantadenes, bioactive pentacyclic triterpenoids in young and mature leaves of *Lantana camara* var. *aculeata*. *Fitoterapia*, **71**: 487-491.
- Sharma, O.P., Vaid, J., Pattabhi, V. and Bhutani, K.K., 1992. Biological action of lantadene C, a new hepatotoxicant from *Lantana camara* var. *aculeata*. *J. Biochem. Mol. Toxic.*, **7**(2):73-79.

- Sharma, R., Peshin, R., Shankar, U., Kaul, V. and Sharma, S., 2015. Impact evaluation indicators of an Integrated Pest Management program in vegetable crops in the subtropical region of Jammu and Kashmir, India. *Crop Prot.*, **67**:191-199.
- Sharma, R.K. 1999. Efficacy of neem products against storage pests in maize. *Ann. Agri. Res.*, **20**: 198-201.
- Sharma, S., Senrunga, A. and Singh, A.K. 2014. Toxic effect of neem, *Azadirachta indica* (A. Juss.) foliage extracts against diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) *J. Biopest.*, 7:99-105.
- Shelton, A. M. and Badenes-Perez, F.R. 2006. Concepts and applications of trap cropping in pest management. *Ann. Rev. Entomol.*, **51**:285–308.
- Shelton, A.M. and Nault, B.A. 2004. Dead-end trap cropping: a technique to improve management of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Plutellidae). *Crop Prot.* **23**: 497–503.
- Shelton, A.M., R.J. Cooley, M.K. Kroening, W.T. Wilsey, and S.D. Eigenbrode. 1991. Comparative analysis of two rearing procedures for diamondback moth (Lepidoptera: Plutellidae). *J. Entomol. Sci.* **26**:17-26.
- Shettima, A. Y., Karumi, Y., Sodipo, O. A, Usman, H. and Tijjani, M. A. 2013. Gas Chromatography–Mass Spectrometry (GC-MS) analysis of bioactive components of ethyl acetate root extract of *Guiera senegalensis* J.F. Gmel. *J. Appl. Pharmaceutical Sci.*, **3** (3):146-150.
- Shinde, S. T. and Shetgar, S. S. 2011. Persistence and residual toxicity of different insecticides against larvae of *Earias vittella* on okra. *Indian J. Plant Prot.*, **39**(1): 29-34.
- Shinde, S.T. and Shetgar, S.S., 2011. Persistence and residual toxicity of different insecticides against larvae of *Earias vittella* on Okra. *Indian J. Plant Prot.*, **39** (1): 29-34.
- Shin-Foon, C. and Yu-Tong, Q. 1993. Experiments on the application of botanical insecticides for the control of diamondback moth in South China. *J. Appl. Entomol.*, **116**(1-5): 479-486.

- Simberloff, D. and Von Holle, B. 1999. Positive interactions of non indigenous species: invasional melt down? *Biol. Invasions.*, **1**: 21-32.
- Simmonds, M.S.J., Manlove, J.D., Blaney, W.M. and Khambay, B.P.S., 2000. Effect of Botanical Insecticides on the Foraging and Feeding Behavior of the Coccinellid Predator *Cryptolaemus montrouzieri*. *Phytoparasitica*, **28**(2): 99-101.
- Sinchaisri, N., Roongsook, D. and Chungsamarnyart, N., 1991. Insecticide activity of plant crude-extracts on diamondback moth larvae. Witthayasan Kasetsart sakha, Faculty of Agriculture. Dept. of Entomology Kasetsart Univ., Bangkok Thailand.
- Singh, B. and Chaubey, T. 2013. Vegetable research in India: An overview. *Progressive Horti.*, **45** (1): 9-35.
- Singh, K.M. and Singh, M.P. 2008. Insecticidal activity of *Trichilia connaroides* (W. and A.) *bentilezen* (Meliaceae) against some common vegetable pests. *Indian J. Entomol.*, **70**(4): 341-345.
- Singh, M., Tamma, R.V. and Nigg, H.N. 1989. HPLC identification of allelopathic compounds from *Lantana camara*. *J. Chem. Ecol.*, **15**: 81-89.
- Singh, S.P., Jalali, S.K., Bhumannavar, B.S., Bhakthavtsalam, and Pushpalatha, N.A., 1994. Production and Use of *Chrysopid* Predators. *Tech. Bull.*, Project Directorate of Biological Control, Bangalore, India pp-10-28.
- Sivapragasam A, Ito, Y. and Saito, T. 1988. Population fluctuations of the diamondback moth, *Plutella xylostella* (L.) on cabbages in *Bacillus thuringiensis* sprayed and non-sprayed plots and factors affecting within-generation survival of immatures. *Res. on Popul. Ecol.*, **30**(2):329-342.
- Sivaraman, G., M. Gabriel Paulraj, S. Ignacimuthu, N. A. Al-Dhabi. 2014. Bioefficacy of *Cleome viscosa* L. and *Sinapis alba* L. seed extracts against *Helicoverpa armigera* (Hubner) (Lepidoptera: Noctuidae). *Int. J. Pure Appl. Zool.*, **2** (3): 211-217.
- Sivaraman, G., Paulraj, M.G., Ignacimuthu, S. and Al-Dhabi, N.A. 2014. Bio efficacy of seed extracts of *Strychnos nux-vomica* and *Semicarpus anacardium* against *Helicoverpa armigera* (Hubner) (Lepidoptera: Noctuidae). *Intl. J. Agric. Food Sci.*, **4** (2): 73-77.

- Smith, T. J. and Villet, M. H. 2004. Parasitoids associated with the diamondback moth, *Plutella xylostella* (L.), in the Eastern Cape, South Africa. In: Endersby, N. M. and Ridland, P. M. (eds.), the management of diamondback moth and other crucifer pests. Proceedings of the Fourth International Workshop, Department of Natural Resources and Environment. Melbourne, Australia. pp. 249-253.
- Somali, S., and Sharma, N., 2010. Insect Growth Regulatory Activity of *Adiantum Capillus Veneris* against *Plutella Xylostella* and *Aphis Craccivora* in Ethanol and Methanol. *Res. J. Agric. and Biol. Sci.*, **6** (6): 785-790.
- Sow, G. and Diarra, K. 2013. Laboratory evaluation of toxicity of *Bacillus thuringiensis*, neem oil and methamidophos against *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) larvae. *Int. J. Biol. Chem. Sci.*, **7**(4): 1524-1533.
- Sreekanth, M., Babu, T. R., Sultan, M.A. and Rao, B. N. 2000. Evaluation of certain new insecticides against lepidopteran pests of cabbage. *Int. Pest Cont.*, **42**(4): 134-137.
- Srimongkolchai, W., Vichitbandha, P. and Thitiya Pung. 2010. Toxicity of crude extracts from *Lantana camara* on *Tetranychus urticae*. In: Weerachai Phutdhawong, (Eds). The first Kamphaengsaen International Natural Products Symposium (KINS-2010) October 23-24, Swissotel Le Concorde Hotel, Bangkok, Thailand. P-313.
- Srinivasan, K and Krishna Moorthy. P.N. 1991. Pest management in crucifers. In Annual Report. 1987. Indian Institute of Horticultural Research, Bangalore, India. Indian mustard as a trap crop for management of major lepidopterous pests on cabbage. *Tropical Pest Mgt.*, **37**: 26- 32.
- Srivastava, S., Prasad, R.D. and Singh, R.P. 2011. Antifeedant Activity of Essential Oil and Carbazole Derivatives and of *Murraya koenigii* (L) spreng Leaves against *Spodoptera litura* (Fab.). *Pesticide Res. J.*, **23**(2):160-163.
- Stanley, J., Chandrasekaran, S., Preetha, G, and Kuttalam, S. 2010. Toxicity of diafenthiuron to honey bees in laboratory, semi-field and field conditions. *Pest Manag. Sci.* **66**(5):505-510.



- Starr, C. and Taggart, R., 2001. *Biology: The Unity and Diversity of Life*. Pacific Grove (CA): Brooks/Cole. Google Scholar.
- Strong, D.R., Lawton, J.H. and Southwood, S.R., 1984. *Insects on plants. Community patterns and mechanisms*. Blackwell Scientific Publications.
- Suckling, D.M., Gibb, A.R., Daly, J.M., Rogers, D.J. and Walker, G.P. 2002. Improving the pheromone lure for diamondback moth. *New Zealand Plant Prot.*, **55**: 182 - 187.
- Suganthy, M., Kuttalam, S. and Chandrasekaran, S. 2010. Compatibility of Confidence® (Imidacloprid 17.8% SL) with some chemical and botanical pesticides on cotton, bhendi and chilli. *Madrass Agric. J.*, **97** (1-3): 73-74,
- Sukthamrong. A., Subhadrabandhu, S., Reutrakul, V., Sagwansupyakorn, C., Chandra-prasong, C. and Tuntiwachuttikul, C. 1981. Research on identification and production of diosgenin produce plant for *Opium popy* substitute in the high land of Northern Thailand, Bangkok, Thailand, Kasetsart University. p.31
- Sundufu, A.J., Guangwen, L. and Shoushan, H. 2006. Electrophysiology and behavioural feedback of diamondback moth, *Plutella xylostella* (L.) (Lep.: Plutellidae) to volatiles from a non-host plant, *Lantana camara* L. (Verbenaceae var. *aculeate*), *J. Essential Oil Bearing Pl.*, **9**:1-16.
- Surulivelu, T. 2006. Guide for cotton pest management. Central Institute for cotton Research, Regional station, Coimbatore. pp 1-55.
- Swaminathan. R., Hansa Jat and T. Hussain. 2010. Side effects of a few botanicals on the aphidophagous Coccinellids. *J Biopest.*, **3** (1): 081 - 084.
- Swingle, W.T. 1941. A Chinese insecticidal plant, *Tripterygium wilfordii*, introduced into the United States. *Science*, 93:60-61.
- Symondson, W. O., Sunderland, K. D. and Greenstone, M. H. 2002. Can generalist predators be effective biocontrol agents? *Ann. Rev. Entomol.* **47**:561-594.
- Taha, A.K., Osman, H.E., Sidahmed, O.A.A. 2011. Larvicidal effects of some plant extracts against *Anopheles arabiensis* Patton larvae (Diptera: Culicidae). *J. Sci. Technol.*, **12**: 67-74.

- Talekar, N. S. and Shelton, A. M. 1993. Biology, ecology and management of the diamondback moth. *Ann.Rev. Entomol.*, **38**: 275-301.
- Talekar, N.S. 1992. Management of diamondback moth and other crucifer pests. **In:** Proc. 2nd Int. Workshop, Asian Vegetable Research Development Center: Taiwan. p. 603.
- Talekar, N.S. and Shelton, A.M. 1993. Biology, ecology, and management of the diamondback moth. *Ann. Rev. Entomol.* **38**: 275-301.
- Talukder, F.A. and Howse, P.E. 1994. Repellent, toxic and food protectant effects of pithraj, *Aphanamixis polystachya* extracts against pulse beetle, *Callosobruchus chinensis* in storage. *J. Chem. Ecol.*, **20**(4): 899-908.
- Tamo, C., Ricard, I., Held, M., Davison, A.C. and Turlings, T.C., 2006. A comparison of naive and conditioned responses of three generalist endoparasitoids of lepidopteran larvae to host-induced plant odours. *Animal Bio.*, **56**(2):205-220.
- Tandon, P. and Sirohi, A. 2009. Laboratory assessment of the repellent properties of ethanolic extracts of four plants against *Raphidopalpa foveicollis* Lucas (Coleoptera: Chrysomelidae). *Int. J. Sustain. Crop Prod.*, **4**: 1-5.
- Thompson, W.R. 1946. A catalogue of the parasites and predators of insect pest, 17 Vols. Commonwealth Agricultural Bureaux, Farnham Royal, UK.
- Torres, A. L., Barros, R., Oliveira, J. V. 2001. Efeito de plantas no desenvolvimento de *Plutella xylostella* (L.) (Lepidoptera: Plutellidae). *Neotrop. Entomol.* **30**: 151-156.
- Torres, A.L., Barros, R. and Oliveira, J.V.D., 2001. Effects of plant aqueous extracts on the development of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae). *Neotropical Entomol.*, **30**(1): 151-156.
- Toth, M. and Ujvary, I., 2007. Differences in host-plant related chemical communication of the flea beetles *Phyllotreta cruciferae* Goeze and *Ph. vittula* Redtenbacher (Coleoptera, Chrysomelidae). *Acta Phytopathol. Entomol. Hungarica*, **42**(2): 343-352.

- Toth, M., Csonka, E., Bakcsa, F., Benedek, P., Szarukan, I., Gomboc, S., Toshova, T., Subcheve, M. and Ujvary, U. Species spectrum of flea beetles. (*Phyllotreta* spp., Coleoptera: Chrysomelidae) attracted to Allyl-Isothiocyanate baited Traps. *Z. Naturforsch.* **62**: 772-778.
- Turlings, T.C. and Benrey, B., 1998. Effects of plant metabolites on the behavior and development of parasitic wasps. *Ecoscience*, **5**(3):321-333.
- Tyler-Julian, K., Funderburk, J., Frantz, G. and Mellinger, C., 2014. Evaluation of a push-pull strategy for the management of *Frankliniella bispinosa* (Thysanoptera: Thripidae) in bell peppers. *Environ. Entomol.*, **43**(5): 1364-1378.
- Uijtewaal, B. 2006. Development of sustainable control of diamondback moth, *Plutella xylostella* (L.) in cabbage and cauliflower by public-private-partnership published in 'Science and Technology Policy for Development, Dialogues at the Interface' by Louk Box and Rutger Engelhard (ed.) Anthem press, London, UK.
- Uma, M.S. and Kumar, A.R.V. 2009. Comparative efficacy of plant extracts at different time intervals against diamondback moth, *Plutella xylostella* (L.). *Pest Manag. Horti. Ecosys.* **15**(2):158-160.
- Uthamasamy, S., M. Kannan, K. Senguttuvan and S.A. Jayaprakash. 2011. Status, damage potential and management of diamondback moth, *Plutella xylostella* (L.) in Tamil Nadu, India. In Srinivasan, R, Shelton, A.M, Collins, H.L, eds. *Proceedings of the sixth international workshop on management of the diamondback moth and other crucifer insect pests*, 21-25 March, Kasetsart University, Thailand. AVRDC – The world vegetable center, Taiwan. Publication no. 11-755, p. 321.
- Van Langenhove, H.J, Cornelis, C.P, Schamp, N.M. 1991. Identification of volatiles emitted during the blanching process of brussels sprouts and cauliflower. *J. Sci. Food Agric.* **55**(3): 483
- Vattikonda, S.R., Nageswara Rao Amanchi and Sabita Raja, S. 2014. Antifeedant activity of FORS Kolin, an extract of *Coleus forskohlii*, against *Papilio demoleus* L. (Lepidoptera: Papilionidae) larvae. *European J. Exp. Biol.*, **4** (1): 237-241.

- Venugopal Rao, N., Sekhar, P. Raja, Venkataiah, M., Rajasri, M. 1995. Influence of habitat on *Helicoverpa armigera* (Hubner) in cotton ecosystem' *Indian J. Plant Protection*, **23**: 122–125.
- Verkerk, R. H. J. and Wright, D. J. 1997. Field-based studies with the diamondback moth tritrophic system in Cameron Highlands of Malaysia: implications for pest management. *Inter. J. of Pest Man.*, **43**: 27-33.
- Verkerk, R.H.J and Wright, D.J. 1996. Multitrophic interactions and management of the diamondback moth a review. *Bull Entomol Res.*, **86**: 205–16.
- Verma, R.K. and Verma, S.K., 2006. Phytochemical and termiticidal study of *Lantana camara* var. *aculeata* leaves. *Fitoterapia*, **77**(6): 466-468.
- Vet, L.E., Lenteren, J.V., Heymans, M. and Meelis, E., 1983. An airflow olfactometer for measuring olfactory responses of hymenopterous parasitoids and other small insects. *Phys. Entomol.*, **8**(1): 97-106.
- Vinson, S. B. 1981. Habitat location. In Nordlund, D. A., Jones, R. L., and Lewis, W. J. (eds.), *Semiochemicals: Their Role in Pest Control*, John Wiley, New York, pp. 51-78.
- Vinuela, E., Adan, A., Smagghe, G., Gonzalez, M., Ma, P., Medina, F., Budia, H. and Del Estal, P. 2000. Laboratory effects of ingestion of azadirachtin by Two Pests (*Ceratitis capitata* and *Spodoptera exigua*) and three natural enemies (*Chrysoperla carnea*, *Opius concolor* and *Podisus maculiventris*). *Biocontrol Sci. and Tech.*, **10**(2): 165-177.
- Visetson, S., Milne, M. and Milne, J. 2001. Toxicity of 4, 11-selinnadien-3-one from nut sedge (*Cyperus rotundus* L.) tuber extracts to diamondback moth larvae (*Plutella xylostella* L.), detoxification mechanisms and toxicity to non target species. *Kasetsart J. Nat Sci.*, **35**: 284-292.
- Visser, J.H., 1979. Electroantennogram responses of the Colorado beetle, *Leptinotarsa decemlineata*, to plant volatiles. *Entomol. Exp. et Appl.*, **25**: 86–97.
- Vuorinen, T., Nerg, A.-M., Ibrahim, M.A., Reddy, G.V.P. and Holopainen, J.K. 2004. Emission of *Plutella xylostella* induced compounds from cabbages grown at elevated CO<sub>2</sub> and orientation behavior of the natural enemies. *Pl. Physio.*, **135**: 1984–1992.

- Wahundeniya, I. (1989) Effect of botanicals for the control of potato tuber moth (*Phthorimaea operculella*) in storage. In: Integrated Pest Management in Tropical and Sub- Tropical Cropping Systems (Summaries). 8-15 February 1989. Bad Durkheim, Germany, p. 90.
- Wakeil, El. N. E.2013. Botanical pesticides and their mode of action. *Gesunde Pflanzen*. **65**:125-149.
- Wambua, L.M., Deng, A. L. Ogendo, J.O., Owuoch, J. and P.K. Bett. 2011. Toxic, Antifeedant and repellent activity of aqueous crude extracts of *Tephrosia vogelii* Hook on the larval stages of *Helicoverpa armigera* Hübner. *Baraton Interdiscip. Res. J.*, **1**(1): 19-29.
- Wei, H., Hou, Y., Yang, G., Fu, J., You, M. 2005. Evaluation of non-host plant ethanol extracts against *Plutella xylostella* population. *J. Appl. Ecol.*, **16**(6): 1086-1089.
- Wendorf, M. und Schüler, C. 1992. Versuch über die systemische Wirkung von Neemextrakten auf *Plutella xylostella*. In: Kleeberg, H.: Practice Oriented Results on Use and Production of Neem-Ingredients. Proceedings of the 1<sup>st</sup> Workshop, Wetzlar, S. 45 - 51.
- Weseloh, R. M. 1981. Host location by parasitoids. In :Nordlund, D. A., Jones, R. L., and Lewis, W. J. (eds.), *Semiochemicals: Their Role in Pest Control*, John Wiley, New York, pp. 79-96.
- White, A. J., Wratten, S. D., Berry, N.A. and Weigmann, U. 1995. Habitat manipulation to enhance biological control of Brassica pests by hover flies (Diptera: Syrphidae). *J. Eco. Entomo.*, **88**: 1171-1176.
- Whitman, D.W. 1988. Plant natural products as parasitoid curing agents. In: *Biologically Active Natural Products-Potential use in Agriculture*. Ed. By Curler, H.G. Washington, and D.C.; USA: A.C.S. Publication, 387-396.
- Whitman, D.W. and Eller, F.J. 1992. Orientation of *Microplitis croceipes* (Hymenoptera: Braconidae) to green leaf volatiles: dose-response curves. *J. Chem. Ecol.*, **18**: 743-753.
- Wright, D.P. 1963. Antifeeding compound for insect control. *Adv. Chem. Ser.***34**:124-39.

- Wu, T.S., Leu, Y.L., Chan, Y.Y., Wu, P.L., Kuoh, C.S., Wu, S.J and Wang, Y. 1997. Tetranortriterpenoid insect antifeedants from *Severinia buxifolia*. *Phytochemistry*, **45**(7): 1393-1398.
- Xavier, V.M., Dejair, M., Picanço, M.C., Leandro, B., Silva, G.A. and Benevenute, J.S., 2010. Impact of Botanical Insecticides on Indigenous Stingless Bees (Hymenoptera: Apidae) *Sociobiology*, **56**(3): 11-17.
- Xu, H.X., Lu, Z.X., Chen, J.M., Chen, L.Z., Yu, X.P. 2006. Bioactivities of alkaloids extracted from *Tripterygium wilfordii* against the larvae of diamond-backed moth, *Plutella xylostella*. *Acta Agri. Zhejiangensis*. **18**(5): 348-350.
- Xu, J., Shelton A.M., Xianian C. 2001. Comparison of *Diadegma insulare* (Hymenoptera: Ichneumonidae) and *Microplitis plutellae* (Hymenoptera: Braconidae) as biological control agents of *P. xylostella* (Lepidoptera: Plutellidae): field parasitism, insecticide, susceptibility, and host searching. *J. Econ. Entomol.* **94** (1): 14–20.
- Xu, X. R. 2006. Trace insecticidal active constituents from *Pharbitis Purpurea* (L.)Voigh and study on its application. M.Sc. Thesis in Agricultural Entomology and Pest Control. Globe Thesis, China.
- Yamada, H. and Umeya, K. 1972. Seasonal changes in wing length and fecundity of the diamondback moth, *Plutella xylostella* (L.). (In Japanese with English summary). *Jpn. J. Appl. Entomol. Zool.* **16**:180-186.
- Yamuna, B.G., Yogananda, S. B., Denesh, G., Prashanth Kumar, M.K. and Ranjini, T. N. 2015. Growth and yield of maize as influenced by maize based intercropping system of Southern dry zone of Karnataka. *The Ecoscan*. **7**: 335-339.
- Yang, M., Rui Liang, Fengxia Hao. 2011. Insecticidal, Antifeedant and growth-inhibition activities of different extracts from *Pedicularis spicata* against *Plutella xylostella* (L.). **In:** Egui Zhu and Sabo Sambath (Eds.) Information Technology and Agricultural Engineering, 2011 (ICITAE, 2011) pp: 425-432.
- Yang, M., Xiaomei, M.A. and Fengxia Hao. 2011. Insecticidal activity of extract from *Cynanchi auriculati* against agricultural Pests. **In:** Egui Zhu and Sabo Sambath (Eds.) Information Technology and Agricultural Engineering, (ICITAE, 2011): pp.419-424.

- Yankanchi, S. R. 2003. Studies on the insecticidal properties of certain plant extracts. *Ph. D. Thesis*, Karnatak University, Dharwad, 56-68 pp.
- Yuan, Z. and Hu, P.X. 2012. Repellent, Antifeedant, and Toxic activities of *Lantana camara* leaf extract against *Reticulitermes flavipes* (Isoptera: Rhinotermitidae). *J. Econ. Entomol.* **105**(6): 2115-2121.
- Zalucki, M.P., Shabbir Silva, A.R., Adamson, D., Shu-Sheng, L., Furlong, M.L., 2012. Estimating the economic cost of one of the world's major insect pests, *Plutella xylostella* (Lepidoptera: Plutellidae), Just how long is a piece of string? *J. Eco. Entomol.* **105**: 1115 - 1129.
- Zar, J. H. 1999. Biostatistical Analysis, Prentice Hall, Englewood Cliffs, New Jersey. pp. 25-350.
- Zhang, G., Wang, Y., Xu, H., Wu, G. and Zhao, S. 2000. Isolation and identification of extraction of *Stellera chamaejasme*. *J. Anhui Agri. College*, **27**(4): 345-347.
- Zhang, M., Bing, L., Chen, S., Liang, G. and Pang, X. 2004. Repellent and oviposition deterrent activities of the essential oil from *Mikania micrantha* and its compounds on *Plutella xylostella*. *Entomol. Sinica.* **11**(1): 37-45.
- Zhou, H. 2012. Use of intercropping and infochemical releasers to control aphids in wheat (Ph.D. Thesis). Gembloux, Belgium, University of Liege, Gembloux Agro-Bio Tech, p.259.