

## REFERENCES

---

- Agnihotri, S., Singh, S.K., Jain, M., Sharma, M., Sharma, A.K. and Chaturvedi, H.C. (2004). *In vitro* cloning of female and male *Carica papaya* through tips of shoots and inflorescences. *Indian Journal of Biotechnology*, 3, 235-240.
- Ahmad, N., Fazal, H., Ayaz, M., Abbasi, B.H., Mohammad, I. and Fazal, L. (2011). Dengue fever treatment with *Carica papaya* leaves extracts. *Asian Pacific Journal of Tropical Biomedicine*, 1(4), 330-333.
- Akhila, S. and Vijayalakshmi, N.G. (2015). Phytochemical Studies on *Carica papaya* Leaf Juice. *International Journal of Pharmaceutical Science Res.* 6(2), 880-883.
- Alahakoon, A. M. A. Y., Dayananda, A. G. M. L. K, Yakandawala, D., Sooriyapathirana, S. D. S. S. (2013). A low cost PCR diagnostic assay for determining the sexes of papaya (*Carica papaya* L.) seedlings. *Book of Abstracts of the Peradeniya University Research Sessions, Sri Lanka*, 17.
- Ambasta, S.K. and Kumari, S. (2013). Efficient procedure for clonal propagation for clonal propagation of *CARICA PAPAYA* L. via shoot tip explant. *Indian Journal of Plant Science*, 2, 24-33.
- Anonymous. (2016). National Horticulture Board.
- Anonymous. TNAU, Coimbatore.
- Anuradha, Sehrawat, S.K., Poonia, A.K., Kajla, S. and Bhat, S. (2016). Production of strawberry plant by *in vitro* propagation. *Research on Crops*, 17(3), 545-549.
- Ara, N., Moniruzzaman, M., Begum, F., Moniruzzaman, M. and Khaton, R. (2016). Genetic divergence analysis in papaya (*Carica papaya* L.) genotypes. *Bangladesh Journal of Agricultural Research*, 41(4), 647-656.
- Arumuganathan, K. and Earle, E.D. (1991). Nuclear DNA content of some important plant species. *Plant Molecular Biology Reporter*, 9(3), 208-218.

- Asudi, G.O., Ombwara, F.K., Rimberia, F.K., Nyende, A.B., Ateka, E.M. and Wamocho, L.S.(2013). Evaluating Diversity Among Kenyan Papaya Germplasm using simple sequence repeat markers. *African Journal of Food, Agriculture, Nutrition and Development*, 13, 7307-7324.
- Bhat Z.A., Dhillon S.W., Rashid R., Bhat A.J, Dar A.W., Ganaie Y.M. (2010).The role of Molecular Markers in Improvement of Fruit Crops. *Notulae Scientia Biologicae*, 2 (2), 22-30.
- Bhattacharya, J. and Khuspe, S.S. (2001). *In vitro* and *in vivo* germination of papaya (*Carica papaya* L.) seeds. *Scientia Horticulturae*, 91, 39-49.
- Bindu, B. (2015). Micro Propagation of Papaya Variety CO-5. *International Journal of Research in Agriculture and Forestry*, 2(2), 46-49.
- Caple, A.D. and Cheah, K.T. (2016). Micropropagation of Hermaphrodite *Carica papaya* L. ‘Rainbow’ Seedlings via Axillary Bud Pathway. College of Tropical Agriculture and Human Resources. Bio-12.
- Chan, L.K. and Teo, C.K.H. (1994). Culture of papaya explant in solid liquid media sequence as a rapid method of producing multiple shoots. *Pertanika Journal of Tropical Agricultural Science*. 17, 103-106.
- Chan, Y.K., Paull, R.E. (2008) Caricaceae: *Carica papaya* L., papaya In: Janick J, Paull, R.E. (eds) The encyclopedia of fruits & nuts. CABI, London, pp 237-247
- Chand, L., Sharma, S. and Kajla, S. (2014). *In vitro* Seed germination studies in Citrus Rootstocks. *Annals of Agri-Bio Research*, 19(2), 290-294.
- Chandrika, U.G., Jansz, E.R., Wickramasinghe, S.N. and Warnasuriya, N. (2003). Carotenoids in yellow- and red-fleshed papaya (*Carica papaya* L.). *Journal of the Science of Food and Agriculture*, 83(12), 1187-1288.
- Chaturvedi, K., Bommisetty, P., Pattanaik, A., Chinnaiyan,V., Ramachandra, D.M. and Chennareddy, A. (2014). PCR detection assay for sex determination in papaya using SCAR marker. *Acta Botanica Croatica*, 73 (2), 291–298.
- Chen, M.H., Wang, P.J. and Maeda, E. (1987). Somatic embryogenesis and plant regeneration in *Carica papaya* L. tissue culture derived from root explants. *Plant Cell reports*, 6, 348-351.

- Choudhary, D., Kajla, S., Poonia, A.K., Brar, B., Surekha, and Duhan, J.S. (2015). Molecular assessment of genetic stability using ISSR and RAPD markers in *in vitro* multiplied copies of commercial banana cv. Robusta. *Indian Journal of Biotechnology*, 14, 420-424.
- Choudhary, D., Kajla, S., Poonia, A.K., Duhan, J.S., Kumar, A. and Kharab, P. (2014). An efficient micropropagation protocol for *Musa paradisiaca* cv. Robusta: A commercial cultivar. *Annals of Biology*, 30(1), 25-31.
- Davis, M. and Ying, Z. (2004). Development of papaya breeding lines with transgenic resistance to Papaya ringspot virus. *Plant Disease*, 88, 358-362.
- Deputy, J.C., Ming, R., Ma, H., Liu, Z., Fitch, M.M.M., Wang, R., Manshardt, R. and Stiles, J.I. (2002). Molecular markers for sex determination in papaya. *Theoretical and Applied Genetics*, 106, 107-111.
- Devi, K.D., Punyarani, K., Singh, N.S. and Devi, H.S. (2013). An efficient protocol for total DNA extraction from the members of order Zingiberales-suitable for diverse PCR based downstream applications. *Springerplus*, 2, 669.
- Drew, R.A. (1987). The effects of media composition and cultural conditions on *in vitro* root initiation and growth of papaya (*Carica papaya* L.). *Journal of Horticultural Science*, 62, 551-6.
- Drew, R.A., McComb, J.A., Considine, J.A. (1993). Rhizogenesis and root growth of *Carica papaya* L. *in vitro* in relation to auxin sensitive phases and use of riboflavin. *Plant Cell Tissue and Organ Culture*, 33, 1-7.
- Drew, R.A., O'Brien, C.M. and Magdalita, P.M. (1998). Development of interspecific *Carica* hybrids. *Acta Horticulturae*, 461, 285-292.
- Ellis, R.H., Hong, T.D. and Roberts, E.H. (1991). Effect of storage temperature and moisture on the germination of papaya seeds. *Seed Science Research*, 1(1), 69-72.
- Fernando, J.A., Melo, M. and Soares, M.K.M. (2001). Anatomy of somatic embryogenesis in *Carica papaya* L. *Brazilian Archives of Biology and Technology*, 44, 247-255.
- Gaikwad, A.V., Singh, S.K. and Gilhotra, R. (2017). Plant Tissue Culture-A Review. *Journal of Pharmaceutical Research and Education*, 2(1), 217-220.

- Gangopadhyay, G., Roy, S.K., Ghose, K., Poddar, R., Bandyopadhyay, T., Basu, D. and Mukherjee, K.K. (2007). Sex detection of *Carica papaya* and *Cycas circinalis* in pre-flowering stage by ISSR and RAPD. *Current science*, 92, 524-526.
- Gangopadhyay, G., Roy, S.K., Ghose, K., Poddar, R., Bandyopadhyay, T., Basu, D. and Mukherjee, K.K. (2007). Sex detection of *Carica papaya* and *Cycas circinalis* in pre-flowering stage by ISSR and RAPD. *Current Science*, 92, 524-526.
- Gatambia E.K, Kihurani W.A, Rimberia K.F. and Waiganjo M.M. (2016). *In vitro* Meristem Culture for Rapid Regeneration of Papaya Plantlets in Liquid Media. *Annual Research & Review in Biology* 9(1), 1-7.
- Geneve, R.L., Kester, S.T. and Pomper, K.W. (2007). Cytokinin habituation for autonomous shoot initiation in pawpaw (*Asimina triloba*). *Acta Horticulturae*, 738, 371-374.
- George, E.F. and Sherrington, P.D. (1984). Plant Propagation by Tissue Culture. Handbook and Directory of Commercial Laboratories. Exegetics Ltd., Edington.
- Giordani, R. and Siepai, O.M. (1991). Antifungal action of *Carica papaya* latex isolation of fungal cell wall hydrolysing enzymes. *Mycoses*, 34, 469-477.
- Giovanni, C.B. and Victor, N. (2007) A SCAR marker for the sex types determination in Colombian genotypes of *Carica papaya*. *Euphytica*, 153, 215-220.
- Grover, A. and Sharma, P.C. (2016). Development and use of molecular markers: past and present. *Critical Review of Biotechnology*, 36(2), 290-302.
- Grover,A. and Sharma, P.C. (2014). Development and use of molecular markers:past and present. *Critical Reviews in Biotechnology*, 36(2), 290-302.
- Homhuan, S., Kijwijan, B., Wangsomnuk, P., Bodhipadma, K. and Leung, D.W.M. (2008). Variation of plant derived from indirect somatic embryogenesis in cotyledon explants of papaya. *Science Asia*, 34, 347-352.
- Huang, H., Layne, D.R. and Kubisiak, T.L. (2000). RAPD inheritance and diversity in pawpaw(*Asimina triloba*). *Journal of the American Society for Horticultural Science*, 125(4), 454-459.

- Huang, S., Do, J., Mahalanabis, M., Fan, A., Zhao, L., Jepeal, L., Singh, S.K. and Klapperich, C.M. (2013). Low cost extraction and isothermal amplification of DNA for infectious diarrhea diagnosis. *PLoS One*, 8(3), e60059.
- Jain, S.M. (1997). Micropropagation of selected somaclones of *Begonia* and *Saintpaulia*. *Journal of Biosciences*, 22(5), 585-592.
- Joshi, P. and Dhawan, V. (2007). Assessment of genetic fidelity of micropropagated *Swertia chirayita* plantlets by ISSR marker assay. *Biologia Plantarum*, 51(1), 22-26.
- Joshi, S.P., Gupta, V.S., Aggarawal, P.K., Ranjekar, P.K. and Brar, D.S. (2000). Genetic diversity and phylogenetic relationship as revealed by intersimple sequence repeat (ISSR) polymorphism in the genus *Oryza*. *Theoretical and Applied Genetics*, 100, 1311-1320.
- Kaithy, A., Ashmore, S.E. and Drew, R.A. (2008). Assessment of genetic and epigenetic changes following cryopreservation in papaya. *Plant Cell Reports*, 27, 1529-1539.
- Kaity, A., Ashmore, S.E. and Drew, R.A. (2009). Field performance evaluation and genetic integrity assessment of cryopreserved papaya clones. *Plant Cell Reports*, 28, 1421-1430.
- Kanth N, Singh K.A. and Syamal M.M. (2017). Effect of Media pH on Shoot Proliferation of Papaya (*Carica papaya* L.). *International Journal of Current Microbiology Applied Science*, 6(10), 1633-1637.
- Kore, P.N., Patel, M.J., Desai, A.S., Sakure, A.A., Patel, D.A. and Acharya, R.R. (2018). Genetic Divergence Analysis in Papaya (*Carica papaya* L.) Genotypes using Molecular Markers. *International Journal of Agriculture, Environment and Biotechnology*, 11(1), 93-96.
- Kumar, N.S. and Devi, (2017). The surprising health benefits of papaya seeds: A review. *Journal of Pharmacognosy and Phytochemistry*, 6(1), 424-429.
- Kyndt, T., Droogenbroeck, B.V., Haegeman, A., Ruiz, I.R. and Gheysen, G. (2006). Cross-species microsatellite amplification in *Vasconcellea* and related genera and their use in germplasm classification. *Genome*, 49(7), 786-798.

- Lai C, Yeh S. and Yang J. (2000). Enhancement of papaya axillary shoot proliferation *in vitro* by controlling the available ethylene. *Botanical Bulletin of Academia Sinica*, 41, 203-212.
- Lai, C-C., Yu, T-A. and Yeh, S-D.(1998). Enhancement of *in vitro* growth of papaya multishoots by aeration. *Plant Cell, Tissue and Organ Culture*, 53, 221-225.
- Lakshmanan, V., Venkataramareddy, S.R. and Neelwarne, B. (2007). Molecular analysis of genetic stability in long-term micropropagated shoots of banana using RAPD and ISSR markers. *Electronic Journal of Biotechnology*, 10(1).
- Larkin, P.J. and Scowcroft, W.R. (1981). Somaclonal variation-a novel source of variability from cell cultures for plant improvement. *Theoretical and Applied Genetics*, 60(4), 197-214.
- Lemos, E.G.M., Silva, C.L.S.P. and Zaidan, H.A. (2002). Identification of sex in *Carica papaya* L. *Euphytica*, 12, 179-184.
- Lin, C-M. and Yang, J-S. (2001). Papaya somatic embryo induction from fruit-bearing field plants: Effects of root –supporting material and position of the rooting plants. *Acta Horticulture* 560, 489-492.
- Litz, R.E. (1986). Papaya (*Carica papaya* L.) Biotechnology in Agriculture and Forestry. *Springer-Verlay*, 1, 220-232.
- Litz, R.E. and Conover, R.A. (1983). High-frequency somatic embryogenesis from *Carica* suspension cultures. *Annals of Botany*, 51, 683-686.
- Madarbokus, S. and Sanmukhiya, V.M.R. (2012). Identification of genetic diversity among papaya varieties in Mauritius using morphological and molecular markers. *International Journal of Life Sciences biotechnology and Pharma Research*, 1(4), 153-163.
- Magdalita, P.M., Godwin, I.D., Drew, R.A. and Adkins, S.W. (1997). Effect of ethylene and culture environment on development of papaya nodal cultures. *Plant Cell, Tissue and Organ Culture*, 49(2), 93–100.
- Magdalita, P.M., Laurena, A.C., Yabut-Perez, B.M., Botella, J.R., Tecson-Mendoza, E.M. and Villegas, V.N. (2002). Progress in the development of transgenic papaya: Transformation of Solo papaya using acc synthase antisense construct. *Acta Horticulturae*, 575, 171-176.

- McCubbin, M.J. and Staden, J.V. (2003). A modified technique for *in vitro* propagation of papaya (*Carica papaya* L.). *South African Journal of Botany*, 69(3), 287-291.
- Mengarda, L.H.G., Lopes, J.C., Zanotti, R.F. and Alexandre R.S. (2015). Diversity analysis of papaya (*Carica papaya* L.) genotypes related to seed quality. *Australian Journal of Crop Science*, 9(3), 223-231.
- Milewicz, M. and Sawicki, J.(2013). Sex-linked markers in dioecious plants. *Plant Omics Journal*, 6(2), 144-149.
- Morton, J.F. (1987). Papaya.: Fruits of Warm Climates, Creative Resource Systems Inc. Miami FL, 336-346.
- Mumo, N.N., Rimberia, F.K., Mamati, G.E. and Kihurani, A.W. (2013). In vitro regeneration of selected Kenyan papaya (*Carica papaya* L.) lines through shoot tip culture. *African Journal of Biotechnology*, 12(49), 6826-6832.
- Murashige, T., Skoog, F. (1962). A revised medium for rapid growth and biossays of tobacco tissue cultures. *Physiological Plantarum* , 15, 473-497.
- Nageswara-Rao, M., Kwit, C., Agarwal, S., Patton, M.T., Skeen, J.A., Yuan, J.S., Manshardt, R.M. and Stewart, C.N. Jr. (2013). Sensitivity of a real-time PCR method for the detection of transgenes in a mixture of transgenic and non-transgenic seeds of papaya (*Carica papaya* L.). *BMC Biotechnology*, 1(13), 69.
- Niroshini, E., Everard, J.M.D.T., Karunanayake, E.H. and Tirimanne, T.L.S. (2008). Detection of sequence characterized amplified region (SCAR) markers linked to sex expression in *Carica papaya*. *Journal of the national Science Foundation of Sri Lanka*, 36(2), 145-150.
- Nishina, M., Zee, F., Ebesu, R., Arakaki, A., Hamasaki, R., Fuduka, S., Nagata, N., Chia, C.L., Nishijima, W., Mau, R. and Uchida, R. (2000) Papaya production in Hawaii. Fruits and Nuts, College of Tropical Agriculture and Human Resources (CTAHR), University of Hawaii, Manao. 1-8.
- Oche, O., Rosemary, A., Ohn, O.J., Chidi,E., Rebecca,S.M. and Vincent, U.A. (2017). Chemical constituents and Nutrient Composition of *Carica papaya* and

- Vernonia amygdalina leaf extracts. *Journal of Complementary and Alternative Medical Research*, 2(1), 1-8.
- Okeniyi, J.A., Ogunlesi, T.A., Oyelami, O.A. and Adeyemi, L.A. (2007). Effectiveness of dried *Carica papaya* seeds against human intestinal parasitosis: A pilot study. *Journal of Medicinal Food*, 10, 194-196.
- Oliveira, E.J., Amorim, V.B.O., Dantas, J.L.L., Matos, E.L.S., Costa, J.L., Silva, D., Castellen, M. and Padua, J. G. (2010). Polymorphism of microsatellite in papaya (*Carica papaya* L.). *Plant Molecular Biology Reporter*, 28, 519-530.
- Paran, I. and Michelmore, R. (1993). Development of reliable PCR based markers linked to Downy mildew resistance genes in lettuce. *Theoretical and Applied Genetics*, 85, 985- 993.
- Parasnis, A.S., Ramakrishna, W., Chowdari, K.V., Gupta, V.S. and Ranjekar, P.K.(2000). A highly reliable sex diagnostic PCR assay for mass screening of papaya seedlings. *Molecular breeding*, 6, 337-344.
- Pérez L.P., Montesinos Y.P., Olmedo, J.G., Sánchez, R.R., Montenegro, O.N., Rodriguez, R.B., Ribalta O.H., Escriba, R.C.R., Daniels, D. and Kosky, R.G. (2015). Effects of different culture conditions (photoautotrophic, photomixotrophic) and the auxin indole-butyric acid on the *in vitro* acclimatization of papaya (*Carica papaya* L. var. Red Maradol) plants using zeolite as support. *African Journal of Biotechnology* , 14(35), 2622-2635.
- Perez, A., Reyes, M.N. and Cuevas, J. (1980). Germination of two papaya varieties: effect of seed aeration, K-treatment, removal of sarcotesta, high temperature, soaking in distilled water, and age of seed. *Journal of Agricultural University of Puerto Rico*, 64, 173-180.
- Pesqueira, M.C. and Farfan, J.N. (2016). Genetic diversity and structure of wild populations of *Carica papaya* in Northern Mesoamerica inferred by nuclear microsatellites and chloroplast markers. *Annals of Botany*, 118, 1293–1306.
- Pomper, K.W., Crabtree, S.B., Brown, S.P., Jones, S.C., Bonney, T.M. and Layne, D.R. (2003). Assessment of genetic diversity of pawpaw varieties with inter-simple sequence repeat markers. *Journal of American Society for Horticultural Science*, 128, 521–525.



- Ramos, H.C., Pereira, M.G., Goncalves, L.S., Berilli, A.P., Pinto, F.O. and Ribeiro, E.H. (2012). Multivariate analysis to determine the genetic distance among backcross papaya (*Carica papaya*) progenies. *Genetics and molecular research*, 11(2), 1280-95.
- Reddy, S.R., Krishna, R.B. and Reddy, K.J. (2012). Sex determination of Papaya (*Carica papaya*) at seedling stage through RAPD Markers. *Research in Biotechnology*, 3(1), 21-28.
- Reed, C.F. (1976). Information summaries on 1000 economic plants. Typescripts submitted to the USDA. Available online: [http://www.hort.purdue.edu/newcrop/duke\\_energy/Carica\\_papaya.html](http://www.hort.purdue.edu/newcrop/duke_energy/Carica_papaya.html) 71.
- Reuveni, O., Shlesinger, D. R. and Lavi, U. (1990). In vitro clonal propagation of dioecious *Carica papaya*. *Plant Cell, Tissue and Organ Culture*, 20(1), 41–46
- Rodriguez, J., Rodriguez, P., Gonzalez, M.E. and Gomez, P.M. (2010). Molecular characterization of Cuban endemism *Carica cubensis* Solms using random amplified polymorphic DNA (RAPD) markers. *Agricultural Sciences*, 1(3), 95-101.
- Rohman, M.M., Islam, M.N., Alam, M.S., Ahmad, M.R. and Paul, T.K. (2007). Lateral bud culture of papaya (*Carica papaya*) for clonal propagation. *Biotechnology*, 6(3), 339-343.
- Roy K.P, Roy K.S. and Hakim L.M. (2012). Propagation of Papaya (*Carica Papaya* L.) Cv. Shahi through *in vitro* Culture. *Bangladesh Journal of Botany*, 41(2), 191-195.
- Sabara, P. and Vakharia, D. (2018) Genetic diversity study in papaya (*Carica papaya* L.) cultivars using RAPD and ISSR markers. *Indian Journal of Biotechnology* ,17,101-109.
- Salvi, N.D., George, L. and Espen, S. (2002). Micropropagation and field evaluation of micropropagated plants of turmeric. *Plant Cell Tissue and Organ Culture*, 68(2), 143-151.
- Samanmalie, L.G.I., Basnayake, B.M.V.S., Rohini, A. and Indika, K.G.G. (2017). Developing a Tissue Culture Protocol for production of planting material of

- papaya (*Carica papaya* L.) hybrid. *Annals of Sri Lanka Department of Agriculture*, 19(2), 45-52.
- Samson, J.A. (1986) Mango, avocado and papaya. In: *Tropical Fruits*, Longman Scientific Inc., New York, 185-221.
- Saran, P.L., Choudhary, R., Solanki, I.S., Patil, P. and Kumar, S. (2015). Genetic variability and relationship studies in new Indian papaya (*Carica papaya* L.) germplasm using morphological and molecular markers. *Turkish Journal of Agriculture and Forestry*, 39, 310-321.
- Saravanan, S., Sarvesan, R. and Vinod, M.S. (2011). Identification of DNA elements involved in somaclonal variants of *Rauvolfia serpentina* (L.) arising from indirect organogenesis as evaluated by ISSR analysis. *Indian Journal of Science and Technology*, 4(10), 1241-1245.
- Saxena, S., Singh, V.K. and Verma, S. (2016). PCR mediated detection of sex and PaLCuV infection in papaya - A review. *Journal of Applied Horticulture*, 18(1), 80-84.
- Sengupta, S., Das, B., Acharyya, P., Prasad, M. and Ghose, T.K. (2014). Genetic diversity analysis in a set of Caricaceae accessions using resistance gene analogues. *BMC Genetics*, 15, 137.
- Sengupta, S., Das, B., Prasad, M., Acharyya, P. and Ghose, T.K. (2013). A comparative survey of genetic diversity among a set of Caricaceae accessions using microsatellite markers. *Springerplus*, 2, 345.
- Setargie, A., Mekbib F. and Abraha, E. (2015). *In vitro* Propagation of Papaya (*Carica papaya* L.). *World Journal of Agricultural Sciences*, 11 (2), 84-88.
- Shivkumar, P., Shamprasad, P., Rohini, B. and Peter, A. (2014). Molecular Diversity Analysis and Sex Determination in papaya (*Carica papaya* L.) using molecular markers. *The Bioscan*, 9(4), 1815-1820.
- Shobhana, K.M., Vasug, C., Aswath, C., Radhika, V. and Reddy L. (2012). Genetic relationship among papaya (*Carica papaya*) and wild papaya (*Vasconcellea* species) using RAPD and ISSR markers. *Indian Journal of Agricultural Science*, 82, 366-69.

- Sika, K.C., Kefela, T., Sagbadja, H.A., Ahoton, L., Saidou, A., Moussa, L.B., Baptiste, L.J., Kotconi, S.O. and Gachomo, E.W. (2015). A simple and efficient genomic DNA extraction protocol for large scale genetic analyses of plant biological systems. *Plant Gene*, 1, 43-45.
- Silva (2016). Short Communication: In vitro response of papaya (*Carica papaya*) to plant growth regulators. *Nusantara Bioscience*, 8(1), 77-82.
- Silva, J.T.(2014). Callus induction in papaya (*Carica papaya* L.) and synseed production for low temperature storage and cryopreservation. *Folia Horticulture*, 26(2), 155-162.
- Singh, A.K., Bajpai, A. and Singh, A. (2006). Assessment of genetic diversity in papaya (*Carica papaya*) cultivars in northern plains. *Indian Journal of Agricultural Science*, 76(11), 692-694.
- Singh, G. (2014). Molecular Characterization in fruit crops-A review. *International Journal of Agricultural Sciences and Veterinary Medicine*, 2(3), 81-101.
- Sobir, Sujiprihati, S. and Pandia, E.C. (2008). Development of SCAR Marker for Detection of Sex Expression in Papaya (*Carica papaya* L.) from Several Genetic Backgrounds. *Indonesian Journal of Agronomy*, 36 (3), 236 –240.
- Somsri, S. and Bussabakornkul, S. (2007). Identification of certain papaya cultivars and sex identification in papaya by DNA amplification fingerprinting (DAF). *Acta Horticulture*, 738,171-82.
- Somsri, S., Fletcher, R.J., Jobin, M., Drew, R., Lawson, W. and Graham. M.W. (1998). Developing molecular markers for sex prediction in papaya (*Carica papaya* L.). *Acta Horticulturae*, 461, 141-148.
- Sondur, S.N., Manshardt, R.M. and Stiles, J.I. (1996). A genetic map of papaya based on randomly amplified polymorphic DNA markers. *Theoretical and Applied Genetics*, 93, 547-553.
- Soni, A., Prakash, J., Singh, S. K., Goswami, A. K. and Dhakar, S. (2017). Morphological Markers Related to Sex Expression in Papaya (*Carica papaya* L.). *International Journal of Pure and Applied Bioscience*, 5 (4), 526-531.
- Storey, W.B. (1953). Genetics of papaya. *Journal of Heredity*, 44, 70-78.

- Storey, W.B. (1976). Papaya. In: Simmonds NW (Ed) Evolution of Crop Plants. Longman Inc. New York, 21-24.
- Sudha, R., Balamohan, T.N., Soorianathasundaram, K. and Manivannan, N. (2014). Molecular diversity analysis in F<sub>3</sub> intergenic population of papaya (*Carica papaya* L.). *Journal of Horticulture Science*, 9(1), 1-4.
- Sudha, R., Singh, D.R., Sankaran, M., Singh, S., Damodaran, V. and Simachalam, P. (2013). Genetic Diversity Analysis of papaya (*Carica papaya* L.) genotypes in Andaman Islands using morphological and molecular markers. *African Journal of Agricultural Research*, 8, 5187-5192.
- Sztuba and Solinska, J. (2005). Molecular markers systems and their application in plant breeding, *Kosmos*, 54, 227-238.
- Tetsushi, H., Sadao, K., Masahiko, Y. and Hiroshi, F. (2008). Mass production of papaya (*Carica papaya* L.) saplings using shoot tip culture for commercial use. *South Pacific Studies*, 28(2), 87-95.
- Urasaki, N., Tarora, K., Uehara, T., Chinen, I., Teuchi, R. and Tokumoto, M. (2002b). Rapid and highly reliable sex-diagnostic PCR assay for papaya (*Carica papaya* L.). *Breeding Science*, 52, 333-335.
- Urasaki, N., Tokumoto, M., Tarora, K., Ban, Y., Kyano, T., Tanaka, H., Oku, H., Chinen, I. and Terauchi, R. (2002a). A male and hermaphrodite specific RAPD marker for papaya (*Carica papaya* L.). *Theoretical and Applied Genetics*, 104, 281-285.
- Vyas, P.B., Gol, N.B. and Rao, T.V.R. (2014). Postharvest Quality Maintenance of Papaya fruit Using Polysaccharide- Based Edible Coatings. *International Journal of Fruit Science*, 14(1), 81-94.
- Warnakula, W.A.D.L.R., Kottearachchi, N.S. and Yakandawala, K. (2017). Morphological, SSR and ISSR marker based genetic diversity assessment of mountain papaya germplasm in comparison with *Carica papaya*. *Journal of National Science Foundation of Sri Lanka*, 45 (3), 225-264.

- Wilson, A.J. and Critchley, A.T. (1998). Studies on *Gracilaria gracilis* (Stackhouse) Steentoft, Irvine and Farnham and *Gracilaria aculeata* (Hering) Papenfuss from southern Africa. II. Agar production. *South African Journal of Botany*, 64(2), 110-115.
- Winnar, W.D. (1988). Clonal propagation of papaya *in vitro*. *Plant Cell, Tissue and Organ Culture*, 12(3), 305-310.
- WU, K., Zeng, S., Chen, Z. and Duan, J. (2012). *In vitro* mass propagation of hermaphroditic *Carica papaya* CV. Meizhonghong. *Pakistan Journal of Botany*, 44(5), 1669-1676.
- Xin, Z. and Chen, J. (2012). A high throughput DNA extraction method with high yield and quality. *Plant methods*, 8(26), 1-7.
- Yang, J-S., Yu, T-A., Cheng, Y-H. and Yeh, S-D. (1996). Transgenic papaya plants from *Agrobacterium*-mediated transformation of petioles of *in vitro* propagated multishoots. *Plant Cell Reports*, 15, 459-464.
- Yoke-Kqueen, C., Yee-Tyan, C., Siew-Ping, K. and Son, R. (2011). Development of multiplex-PCR for Genetically Modified Organism (GMO) detection targeting EPSPS and Cry1Ab genes in soy and maize samples. *International Food Research Journal*, 18, 515-522.
- Yu, T.A., Yeh, S.D., Cheng, Y.H., Yang, J.S. (2000). Efficient rooting for establishment of papaya plantlets by micropropagation. *Plant Cell Tissue and Organ Culture*, 61, 29-35.

## LIST OF PUBLICATION

- ❖ Panwar, S., Kajla, S., Poonia, A.K. and Salar, R.K. (2017). Optimization of DNA extraction protocol in various varieties of papaya for genotyping and molecular diagnosis. *Biotech Today*, 7(2), 69-73.

### **Conferences and workshop attended**

- ❖ Hands On Training Bioinformatics facility, Department of Bio and Nano Technology, GJU, Hisar 6<sup>th</sup>- 7<sup>th</sup> march, 2014 “Bioinformatics Tools & Techniques for Gene and Protein Analysis”
- ❖ National Conference on Biotechnology 2016 Dept. of Biotechnology, CDLU, Sirsa 11-12 February 2016 Poster presentation on the topic “Validation of sequence characterized amplified region marker for identification of female plants in *carica papaya* L.
- ❖ International conference on Advances in Plant & Microbial Biotechnology PMB-2017 dept. of Biotechnology, JIIT, Noida (Poster presentation)