

---

## REFERECEES

- Abou-Zeit, H.M. and S.A. Abdel-Latif, (2014). Effect of gamma irradiation on biochemical and antioxidant defense system in wheat (*Triticum aestivum* L.) seedlings. *Int.J.Adc.Res.*2(8):287-300.
- Adamu, A. K. and H. Aliyu, (2007). Morphological effects of sodium azide on tomato (*Lycopersicon esculentum* Mill). *Sci. World J.* 2(4): 9-12.
- Afify, A.M.R. and M.A. Shousha, (1988). Effect of low dose irradiation on soybean protein solubility, trypsin inhibitor activity and protein patterns separated by polyacrylamide gel electrophoresis. *J.Agric food Chem.*36(4): 810-813.
- Afify, A.M.R., M.M. Rashed, E.A. Mahmoud and H.S. El-Beltagi, (2011). Effect of gamma radiation on protein profile, protein fraction and solubility of three oil seeds: Soybean, Peanut and Sesame. *Not.Bot.Horti. Agrobo.*39(2):90-98.
- Ahloowalia, B.S. and M. Maluszynski, (2001). Induced mutations; a new paradigm in plant breeding. *Euphytica.* 118:167-173.
- Ahloowalia, B.S., M. Maluszynski and K. Nictherlein, (2004). Global impact of mutation-derived varieties. *Euphytica.* 135:187-204.
- Ahloowalia, B.S., M. Maluszynski, K. Nictherlein, L. Van Zanten E. Weck, (1998) Induced mutations and in vitro culture techniques for improvements of horticultural plants. *Crop Productivity and Sustainability.* 405-412.
- Akasaka, Y., H. Daimon and M. Mii, (2000). Improved plant regeneration from cultured leaf segments in peanut (*Arachis hypogaea* L.) by limited exposure to thidiazuron. *Plant Sci.*156:169–175.
- Akiyoshi, D.E., R.O. Morris and R. Hinz, (1983). Cytokinin/auxin balance in crown gall tumors is regulated by specific loci in the T-DNA. *Proc. Natl. Acad. Sci. USA* 80: 407-411.
- Akshatha, K.R., H.M. Chandrashekhar, Somashekharappa and J. Soufframanien (2017). Effect of gamma irradiation on germination, growth, and biochemical parameters of *Terminalia arjuna* Roxb. *Radiat Prot. Environ.* 36:38-44.

- 
- Ali, A., S. Naz S, Sarwar S. Alam and J. Iqbal, (2007). *In vitro* induced mutations for screening of red rot (*Colletotrichum falcatum*) resistance in sugarcane (*Saccharum officinarum*). *Pakistan J.Bot.*39: 1979 -1994.
- Al-Qurainy, F. and S. Khan, (2009) Mutagenic effects of sodium azide and its application in crop improvement. *World Appl.Sci J.* 6:1589–1601.
- Al-Qurainy, F., F. Al-Hemaid and M. Ashraf, (2011). Detection of sodium azide –induced mutagenicity in the regenerated shoots of *Artemisia annual* L. using internal transcribed spacer (ITS) sequences of nrDNA. *Pak. J. Bot.* 43(4): 2183-2186.
- Al-Safadi, B., Z. Ayyoubi, D. Jawdat (2000). The effect of gamma irradiation on potato micro tuber production *in vitro*. – *Plant Cell Tissue Organ Cult.* 61: 183-187.
- Al-Safadi, B.P. and W. Simon, (1990). The effects of gamma irradiation on the growth and cytology of carrot (*Daucus carota* L.) tissue culture. *Environ. Exp. Bot.* 30(3):361-371.
- Ammirato, P.V.(1984)..*Handbook of plant cell culture*.
- Anonymous. (2014). The Wealth of India: Raw Materials', PID, CSIR, New Delhi.
- Anuradha, T.S., S.K. Jami, R.S. Datla and P.B. Kirti, (2006). Genetic transformation of peanut (*Arachis hypogaea* L.) using cotyledonary node as explant and a promoterless gus nptII fusion gene based vector. *J. Biosci.*, 31: 235–246.
- Arcioni, S., F. Damiani, F. Paslocci and F. Pupilli (2001), Somatic hybridization in crop improvement II; in *Biotechnol. Agric. For.*49:356–371.
- Arnison, P. and G. Boll, (1974). Isoenzymes in cell cultures of bush bean (*Phaseolus vulgaris* cv. Contender): isoenzymatic changea during the callus culture cycle and differences between stock cultures. - *Can. J. Bot.*52: 2621–2629, 1974.
- Arulbalachandran, D. and L. Mullainathan, (2009). Changes on Protein and Methionine Content of Black Gram (*Vigna mungo* (L.) Hepper) Induced by Gamma Rays and EMS. *Amer.Eur. J.Sci.Res.*4 (2): 68-72.
- Arunyanart, S. and S. Soontronyatara, (2002). Mutation induction by  $\gamma$  and X-ray irradiation in tissue cultured lotus. *Plant Cell Tissue Organ Cult.* 70:119–122.
- Ashburner, M. (1990). *Drosophila: a laboratory handbook*. Cold Spring Harbor Laboratory Press, *Cold Spring Horbor, NY*.
-

- 
- Asylin-Ozudogru, E., Y. Ozden-Tokatli and A. Akcin, (2005). Effect of silver nitrate on multiple shoot formation of Virginia-type peanut through shoot tip culture. *In vitro Cell Dev. Biol. Plant.* 41: 151–156.
- Atreya, C.D., J.P. Rao and N.C. Subramanian, (1984). *In Vitro* regeneration of peanut (*Arachis hypogaea* L.) plantlets from embryo axes and cotyledon segments. *Plant Sci.Lett.*33:373-383.
- Auty, S.G (2005). Mutational studies in mung (*Vigna radiata* (L.) Wilczek), Ph.D. Thesis. University of Pune, Pune (MS), India.
- Bagnoli, F., M. Capuana and M.L. Racchi, (1998). Developmental changes of catalase and superoxide dismutase isoenzymes in zygotic & somatic embryos of horse chestnut, *Aust J Plant Physiol.*, 25(909).
- Bajaj, Y.P.S. (1970). Effects of gamma-irradiation on growth, RNA, protein and nitrogen contents of bean callus cultures. *Ann. Bot.* 34: 1089-1096.
- Bajaj, Y.P.S., A.W. Saettler and M.W. Adams, (1970). Gamma irradiation studies on seedlings and callus tissue culture *Phaseolus vulgaris* L. *Rad. Bot.* 10:119-124.
- Baker, C. and Wetzstein, (1992). Somatic embryogenesis and plant regeneration from leaflet of peanut (*Arachis hypogaea* L.). *Plant Cell Rep.* 11:71-75.
- Baker, C.M. and H.Y. Wetzstein, (1998). Leaflet development, induction time and medium influence somatic embryogenesis in peanut (*Arachis hypogaea* L.). *Plant cell Rep.* 17: 925-92
- Baker, C.M., A. Burns and H.Y. Wetzstein, (1994). Influence of photoperiod and medium formulation on peanut somatic embryogenesis. *Plant Cell Rep.* 13: 159-163.
- Baker, C.M., R.E. Durham, R.A. Burns, W.A. Parrott and H.Y. Wetzstein, (1995). High frequency somatic embryogenesis in peanut (*Arachis hypogaea* L.) using mature dry seed. *Plant Cell Rep.* 15: 38-42.
- Banerjee, P. (2013). Somatic embryogenesis and plantlet regeneration in three high yielding varieties of *Arachis hypogaea* L. *Indian Journal of Plant Sciences* 2(2) 28-34.

- 
- Banerjee, S., S. Banyopadhyay and P.D. Ghosh, (1988). Cotyledonary node culture and multiple shoot formation in peanut. Evidences for somatic embryogenesis. *Curr.Sci.*57:252-255.
- Bano, Z., S. Rajarathanam and B.D. Mohanty, (1991). Somatic embryogenesis in cotyledon culture of tea (*Thea sinensis* L.). *J.Hort.Sci.*66:465-470.
- Barna, K.S. and A.K. Wakhlu, (1994). Whole plant regeneration of *Cicer arietinum* from callus cultures via organogenesis. *Plant Cell Pep.* 13:510-513.
- Basha, S. M. M., J. P. Cherry and C. T. Young, (1976). Changes in free amino acids, carbohydrates, and proteins of maturing seeds from various peanut (*Arachis hypogaea* L.) cultivars. *Cereal Chem.* 53: 586-597.
- Basu, A., U. Sethu and S.P. Mukherjee, (1989). Regulation of cell proliferation and morphogenesis by amino acids in *Brassica* tissue cultures and its correlation with threonine deaminase. *Plant Cell Ref.*8:333-335.
- Behera, M., J. Panigrahi, R.R. Mishra and S.P. Rath , (2012). Analysis of EMS induced *in vitro* mutants of *Asteracantha longifolia* (L.) Nees using RAPD markers . *Ind. J. Biotechnol.*11:39-47.
- Bhanumathi, P., M. Ganesan and N. Jayabalan, (2005). A simple and improved protocol for direct and indirect somatic embryogenesis of peanut (*Arachis hypogaea* L.). *J. Agric. Technol.*, 1: 327–344.
- Bharal, S. and A. Rashid, (1990). Isolation of protoplast from stem and hypocotyl of the legume *Vigna sinensis* and some factors affecting their regeneration. *Protoplasma*.102:307-309.
- Bhat, C.R. (2001). Quasi-random maximum simulated likelihood estimation of the mixed multinomial logit model. *Transp. Res. Part B* **35**:677–693.
- Biswas, M.K., R. Dutt, U.K. Roy, R. Islam and M. Hossain, (2009). Development and evaluation of *in vitro* somaclonal variation in strawberry for improved horticulture traits. *Scientia. Horticulturae.*122:409-416.
- Bolbhat, S.N. (2011). Studies on induced mutations in horse gram (*Macrotyloma uniflorum* (Lam.) Verdc). doctoral diss., University of Pune, Pune (MS), India, M.Sc.
-

- 
- 
- Bottino, N.R. (1974). The fatty acids of antarctic phytoplankton and euphausiids. Fatty acid exchange among trophic levels of the Ross sea. *Marine Biol.* 2:197-204.
- Bottino, P.J. (1975). The Potential of genetic manipulation. Plant Cell Cultures for plant breeding, *Rad. Bot.* 15: 1-16.
- Bouchenak, M. and M. Lamri-Senhadji, (2013). Nutritional quality of legumes, and their role in cardio metabolic risk prevention: a review. *J Med Food* 16: 1–14.
- Boudoin, J. and A. Maquet, (1999). Improvement of protein and amino acid contents in seeds of food legumes. A case study in Phaseolus. *Biotechnol. Agr. Society Environ.* 3(4): 220-224.
- Braverman, (1975). Aseptic culture of soybean and peanut embryogenic axis to improve photosanitation of plant introductions. *Seed Sci.Tech.*3:725-729.
- Broertjes, C. and A.M. van Harten, (1988). Applied Mutation Breeding for Vegetatively Propagated Crops. *Elsevier, Amsterdam.*
- Brown, D.C.W. and T.A. Thorpe, (1995). Crop improvement through tissue culture. *World J. Microbiol & Biotechnol.* 11: 409-415.
- Callum, C.M., L. Comai, E.A. Greene and S. Henihoff, (2000). Targeted screening for induced mutations, *Nat Biotechnol*, 18:455-457.
- Carrillo, C.G. and A. Mata, (2000). Succession of esterase and peroxidase isoenzyme associated with the *in vitro* sugarcane tissue differentiation and shoot induction. *Biotechnol. Aplicada.* 17: 225-230.
- Chahal, G.S. and S.S. Gosal, (2002). Principles and Procedures of Plant Breeding. *Alpha Sci. Int.Ltd.* pp: 399-412.
- Chaleff, R. S. and M. F. Parsons, (1978). Direct selection in vitro for herbicide-resistant mutants of *Nicotiana tabacum*. *Proc. Natl. Acad. Sci. USA* 75: 5104-5107.
- Chandrasekhar, T. (2001). Studies on micropropagation of medicinal plants. *Tulophora indica* (Burm. F.) Merrill ad *Hemidesmus indicus* (L) R.B.R. Ph.D. Thesis submitted to Sri Venkateswara University, Tirupati, India.

- 
- Chandrashekhar, K. R., H. M. Somashekharappa and J. Soufmanien, (2013). Effect of gamma irradiation on germination, growth, and biochemical parameters of *Terminalia arjuna* Roxb. *Radiation Protection and Environment.* 36(1): 38-44.
- Changalrayan, K., S.S. Satheya and S. Hajra, (1994). Somatic embryogenesis from mature embryo-derived leaflets of peanut (*Arachis hypogaea* L.). *Plant Cell Rep.* 13:578-581.
- Chaomei, Z. and Yalin, M (1993). Radiation induced changes in enzymes of wheat during seed germination and seedling growth. *Acta Agrie.Nucleate Sinica.* 7(2):93-97.
- Chaudhuri, S.K. (2002). A simple and reliable method to detect gamma irradiated lentil (*Lens culinaris* Medik.) seeds by germination efficiency and seedling growth test. *Radiation Physic and Chemis.* 64: 131–136.
- Chawla, (1991). Regeneration potentiality and isoenzyme variation during morphogenesis of barely callus. *Biol. Plantarum.* 33:175-180.
- Chawla, H.S. (1989). Regeneration responses of callus from different explants and changes in isozymes during morphogenesis in wheat. *Biol. Plant.*, 31, 121-125.
- Cheng, M., D.C.H. His and G.C. Philips, (1992). *In vitro* regeneration of valencia type peanut (*Arachis hypogaea* L.) from cultured petioles, epicotyl sections and other seedling explants. *Peanut Sci.* 19:82-87.
- Cheng, X.Y., M.W. Gao, Z.Q. Liang and K.Z. Liu, (1990). Effect of mutagenic treatments on somaclonal variation in wheat (*Triticum aestivum* L.). *Plant Breeding.* 105:47-52.
- Chengalrayan, K., V.. Mhaske and S. Hazra, (1995). *In vitro* regulation of morphogenesis in peanut (*Arachis hypogaea* L.). *Plant Sci.* 110:259–268
- Chengalrayan, K., V.B. Mhaske and S. Hazra, (1997). High-frequency conversion of abnormal peanut somatic embryos. *Plant Cell Rep.* 16: 783-786.
- Chiou, Y.Y., C.S. Hsu, F.Z. Tyan and T.T. Tsai, (1988). Physical and chemical study of proteins in various groundnut cultivars grown in Taiwan. *J.Chin. Agri. Chem.Soci.* 26(2): 189-196.
- Chopra, V.L. and R.P. Sharma, (1985). Induced mutations in crop improvement. In: V.L. Chopra Ed. Genetic Manipulation for crop improvement. *Oxford and IBH Publishing Co. New Delhi.*
-

- 
- Clung, C.R. (1997). Regulation of catalases in Arabidopsis. *Free Radical Biology & Med.*, 23 (489).
- Coe, E.H. and M.G. Neuffer, (1977). In: Spragues, G.F. (Ed). The genetics of Corn improvement. *Agron.* 18:157-223.
- Colijin, C.M., A.J. Kool and H.J.J. Nijkamp, (1979). An effective chemical mutagenesis for Petunia hybrid cell suspension cultures. *Theory. Appl. Genet.* 55: 101-106.
- Cove, D.J. (1993). Mutant analysis, a key tool for the study of metabolism and development. *Plant J.* 3(2): 303-308.
- Dalton, D.A., C.J. Post and L. Langeberg, (1991). Effects of ambient oxygen and fixed nitrogen on concentration of glutathione, ascorbate, and associated enzymes in soybean root nodules. *Plant Physiol.* 96: 812–818.
- Daniela Marele , (2008). The effect of chemical Mutagen Agents on Soybean (Type Agat), in culture *in vitro* Analele Universității din oradea, Fascicula: Protecția Mediului. 8: 95-98.
- Das, A., S.S. Gosal, J.S. Sidhu and H.S. Dhaliwas, (2000). Induction mutations for heat tolerance in potato by using In vitro culture and radiation. *Euphytica.* 114: 201-209.
- Das, S. and K.K. Mukarjee, (1995). Comparative study on seed proteins of Ipomoea. *Seed Sci Technol.* 23: 501-509.
- Dehpour, A.A., M. Gholampur, P. Rahdary, M.R.J. Taubaghi and S.M.M. Hamdi, (2011). Effect of gamma irradiation and salt stress on germination, callus, protein and proline in rice (*Oryza sativa* L.). *Iranian J. of Plant Physiol.* 1(4): 251-256.
- Delbreil, B. and M. jullien, (1994). Evidence of in vitro induced mutation which improves somatic embryogenesis in *Asparagus officinalis* L.- *Plant Cell Rep.* 13:372-376.
- Devreux, M. and F. Saccardo, (1971). Mutazioni sperimentabossevate su piante aploidi di tobacco ottenute per culture *In vitro* de anter irradiate Attiass. *Genet. Ital.* 16:69-71.
- Dey, M., Kalia, S., Ghosh, S. and Guha-Mukherjee, S. (1998). Biochemical and molecular basis of differentiation in plant tissue culture. *Curr. Sci.*, 1998, 74, 591–596.
- Diamon, H. and Mii (1991). Multiple shoot formation and plant regeneration from cotyledonary node in peanut (*Arachis hypogaea* L.). *Japan J.Breed.* 41:461-466.

- 
- Dietz, A., U. Kutsehera and P.M. Ray, (1990). Auxin enhancement of mRNAs in epidermis and internal tissue of the pea stem and its significance for control of elongation. *Plant Physiol.* 93: 432-438.
- Dita, M.A., N. Rispail, E. Prats, D. Rubiales and K.B. Singh, (2006) Biotechnology approaches to overcome biotic and abiotic stress constraints in legumes. *Euphytica.* 147:1–24.
- Dogbevi, M. K., C. Vachon, and M. Lacroix, (1999b). Physico-chemical properties of dry red kidney bean proteins and natural microflora as affected by gamma irradiation. *J. Food Sci.* 64: 540–542.
- Donini, P. and A. Sonnino, (1998). Somaclonal Variation and Induced Mutations in Crop Improvement, S.M. Jain, D.S. Brar, B.S. Ahloowalia, eds., Kluwer Academic Publishers, Dordrecht, 255-291.
- Durham, R.E. and W.A. Parrott (1992). Repetitive somatic embryogenesis from peanut cultures in liquid medium. *Plant Cell Rep.* 11:122-125.
- Durzan, D. J., V. Chalupa, A. J. Mia, (1976). Growth and metabolism of cell and tissue of Jack pine (*Pinus banksiana*). Changes in amino acids in callus and in seedlings of similar genetic origin. *Can. J. Bot.* 54: 468 - 482.
- Duskova, J, M. Sovova, J. Dusek, Z. Opatrny and L. Opletal, (1993). The effect of ionizing irradiation on the tissue culture of *Coronilla varia*. *Bio. Plant.* 35 (2): 223-228.
- Eapen, S and L. George, (1993). Somatic embryogenesis in peanut. Influence of growth regulators and sugars. *Plant Cell Tissue and Org Cult.* 35:151-156.
- Eapen, S. and L. George, (1993a). Somatic embryogenesis in peanut: Influence of growth regulators and sugars. *Plant Cell Tiss. Org. Cul.* 35:151-156.
- Eapen, S. and L. George, (1993b). Plant regeneration from leaf discs of peanut and pigeonpea: influence of benzyl adenine, indole acetic acid and indole acetic acid-amino acid conjugates. *Plant Cell Tiss. Org. Cul.* 35:223-227.
- Eapen, S. and L. George, (1994). Plantlet regeneration from leaf discs of peanut and pigeon pea: influence of benzyl adenine, indole acetic acid, amino acid conjugates. *Plant Cell Tissue Org Cult.* 35:223-227.

- 
- Eapen, S. and L.George, (1994). Agrobacterium tumefaciens mediated gene transfer in peanut (*Arachis hypogaea* L.). *Plant Cell Report.* 13(10):582-586
- Echart-Almeid, C. and S. Cavalli-Molina, (2000). Hordein variation in Brazilian barley varieties (*Hordeum vulgare* L.) and wild barley (*H. euclastion* Steud. and *H. stenostachye* Godr.). *Genet. Mol. Biol.* 23:425- 433.
- El-Beltagi, H.S., O.K. Ahmed and W. El-Desouky. 2011. Effect of low doses  $\gamma$ -irradiation on oxidative stress and secondary metabolites production of Rosemary (*Rosmarinus officinalis* L.) callus culture. *Rad.Phys.Chem.* 80: 968- 976.
- England, S. and S. Seifter, (1990). Precipitation techniques. *Methods Enzymol.* 182: 285-300.
- Engler, D.E. And R.G.Grogan, (1982) Protoplast regeneration. *California Agriculture. Aug.* 18-19.
- Eriksson, T. (1967). Cell cultures of *Haplopappus gracilis* as testing material for radionimetric compounds. *Hereditas.* 57: 127-148.
- Evans, D.A. (1989). Somaclonal variation genetic basis breeding applications. *Review,* 5:46-50.
- Evans, D.A., W.R. Sharp and H.P. Medina-Filho, (1984). Plants, Genetic variation, Cell culture techniques, Plant genetics, Somaclonal variation, Hybridity, Cultured cells, Phenotypicratis, Chromosomes. *American J.Bot.* 71(6):759-774.
- Evans, D.A., W.R. Sharp, P.V. Ammirato and Yamada, (1983). Hand-book of Plant Tissue Culture, Vol (1). Techniques for propagation and Breeding , Macmillian, New York.
- Filippov, M., D. Miroshnichenko, D. Vernikovskaya and S. Dolgov, (2006). The effect of auxins, time exposure to auxin and genotypes on somatic embryogenesis from mature embryos of wheat. *Plant Cell Tiss Org Cult* 84:192-201.
- Fitch, M.M. and R.M. Mansharot, (1990). Somatic embryogenesis and plant regeneration from immature zygotic embryos of papaya (*Carica papaya* L.). *Plant Cell Rep.* 9:320-324.
- Flick, C.E., D.A. Evans and W.R. Sharp, (1983). Organogenesis. In hand book of plant cell culture, vol.1. Techniques for propagation and breeding.
- Food and Agricultural Organization, (2011). Report- FAOSTAT Production.

- 
- Franklin, C.I., T.N. Trieu, R.A. Gonzales and R.A. Dixon, (1991). Plant regeneration from seedling explants of green bean (*Phaseolus vulgaris* L) via organogenesis. *Plant cell, tissue and org. cult.* 24(3), 199-206.
- Franszet, P.F., N.C.A. De-Ruijter and J.H.N. Schel, (1989). Isozymes as biochemical and cytochemical markers in embryogenic callus cultures of maize (*Zea mays* L.). *Plant Cell Rep.* 8: 67-70.
- Fratini, R and M.L. Ruiz, (2003). A rooting procedure for lentil (*Lens culinaris* Medik.) and other hypogeous legumes (pea, chickpea and *Lathyrus*) based on explant polarity. *Plant Cell Rep.* 21: 726–732.
- Freese, E. (1963). In molecular genetics, Part I, Academic Press, New York. p. 207-269.
- Fry, S.C. (1986). Cross linking of matrix polymers in the growing cell walls of angiosperms. *Annual Review of Plant Physiol.*(37):165-186.
- Fujii, T. and S. Tano, (1996). Mutagenic activities of EMS on somatic (M1) and recessive (M2) mutations in the soybean test system. *Environ. Exp. Bot.* 26:191-195.
- Fuller, M.P., E.M.R. Metwali, M.H. Eed and A.J. Jellings, (2006). Evaluation of abiotic stress resistance in mutated populations of cauliflower (*Brassica oleracea* var. *botrytis*). *Plant Cell Tiss Org Cult.* 86:239–248.
- Gagliardi, R.F., G.P. Pacheco, S.P. Cocolilo, J.F.M. Valls and E. Mansur, (2000). *In vitro* plant regeneration from seed explants of wild groundnut species (Genus *Arachis*, Section *Extranervosae*). *Biodivers Conserv.* 9: 943–951.
- Gaj, M.D. (2002). Stimulation of somatic embryo formation by mutagens and darkness in culture of immature zygotic embryos of *Arabidopsis thaliana* (L.) Heynh. *Plant Growth Regul.* 37:93-98.
- Ganesan, M., P. Bhanumathi and N. Jayabalan, (2005). Mutagenic effect of sodium azide on somatic embryo regeneration and root growth of cotton (*Gossypium hirsutum* L. CV. SVPR2). *J. Agri. Technol.* 1(2): 365-380.
- Ganesh, R., A. Sharma, A. Joshi, G.C. Nanawati and M.M. Simlot, (1993). Callus culture from sesame seed explants. *Ann. Agric. Res.*14(4):388-391.

- 
- Gao, M.W., Q.H. Cai and Z.Q. Liang, (1992) *In vitro* culture of hybrid Indica rice combined with mutagenesis. - *Plant Breed.* 108:104-110.
- Gao, X, D. Yang, D. Cao, M. Ao, X. Sui, Q. Wang, J. Kimatu and L. Wang, (2010). *In vitro* micro propagation of Freesia hybrid and the assessment of genetic and epigenetic stability in regenerated plantlets. *J. Plant Growth Regulators.* 29:257-267.
- Gavazzi, G., C. Tonelli, G. Todesco, E. Arreghini, F. Raffaldi, F. Vecchio, G. Barbuzzik, M.G. Biasini and F. Sala, (1987). Somaclonal variation versus chemically induced mutagenesis in tomato (*L. esculentum L.*) *Theor. Appl. Genet.* 74 : 733 - 738.
- Gebre, H., K. Khan and A. Foster, (1986). Barley cultivar identification by polyacrylamide gel electrophoresis of hordein proteins: Catalog of cultivars. *Crop Sci.* 12:545-560.
- Geier, T. (1989). An improved type of 'Kohleria' obtained through *in vitro* chemical mutagenesis. *Mutat. Breeding Newslett.* 34:7-8.
- Genkov, T. and I. Ivanova, (1995). Effect of cytokinin-active phenylurea derivatives on shoot multiplication, peroxidase and superoxide dismutase activities of *in vitro* cultured carnation. *Bulg. J. Plant Physiol.*, 21, 73-83.
- Gilchrist, E. and G. Haughn, (2010). Reverse genetics techniques: engineering loss and gain of gene function in plants. *Brief. Functional Genomics* 9:103-110.
- Gill, R. and P.K. Saxena, (1992). Direct somatic embryogenesis and regeneration of plants from seedling explants of peanut (*Arachis hypogaea L.*): Promotive role of thidiazuron. *Can. J. Bot.* 70: 1186-1192.
- Giller, K.E., G. Cadish and C. Palm, (2002). The north –south divide organic wastes or recourses for nutrient management. *Agronomy*. 22:703-709.
- Giridharan, M.P. and S. S. Balakrishnan, (1992). Gamma ray induced variability in vegetative and floral characteristics of ginger. *Ind. Cocoa Arecaunt and Spices Journal.* 15(3):68-72.
- Goggle, J.E. (1983). The effect of radiation at the tissue level. In: Biological effects of radiations, *Taylor and Francis Ltd, London.*89-109.
- Goldberg, D. and K. Bridges, (1987) somatic presentation of desnessiue illness in primary care. *J.R.col Gen practoccas.*(36): 9-11.

- 
- Gomez, J.K. and A.A Gomez, (1976). Statistical procedures for Agricultural Research with Emphasis on Rice. The international Rice Research instituted .*Los.Baios Philippines*.294.
- Gordon, S.A. (1958). Intracellular localization of the tryptophane indole acetate enzyme system. *Plant Physiol.*33:23-27.
- Gottschalk, W. and G. Wolff, (1983). Induced mutation in plant breeding. Monograph on theoretical and applied genetics. *Springer Verlag*.
- Goud, J.V. (1967). Induced mutations in bread wheat. *Ind. J. Genet.*, 27: 40-55.
- Greene, E.A., C.A. Codmo and N.E. Taylor, (2003). Spectrum of chemically induced mutations from a large scale reverse genetic screen in *Arabidopsis*, *genetic*. 164: 731-740.
- Gregory, W.C. (1956). Induction of useful mutants in peanut. Symposium on Biology and Genetics. In *Plant Breeding, Brookhaven*, 9: 177-190.
- Gulati, A. and A.K. Jaiwal, (1994). Plant regeneration from cotyledonary node explants of mung bean (*Vigna radiate* [L.] Wilczek). *Plant Cell Rep.* 13: 523-527.
- Gunckel, J.E. and A.H. Sparrow, (1954). Aberrant growth in plants induced by ionizing radiation. *Brookhaven Symp. Biol.* 6, 252–279.
- Gunckel, J.E. and A.H. Sparrow, (1961). Ionizing radiation: Biochemical, Physiological and Morphological aspects of their effects on plants. In: *Encycl. Plant Physiol. (ed.) W. Ruhland. XVI: pp. 555-611, Springer-verlag, Berlin.*
- Gupta, A.S., R.P. Webb, A.S. Holaday, R.D. Allen, (1993). Over expression of Dismutase Protects Plants from Oxidative Stress (Induction of Ascorbate Peroxidase in Superoxide Dismutase-Over expressing Plants)10.1104/103.4.1.067
- Gupta, M.N., V. Laxmi, V.S. Dixit and S.N. Srivastava, (1982). Gamma ray induced variability in *Costus speciosus*. *Progress in Horticulture*. 14(4): 193-197.
- Gupta, N. and P.S. Srivastava, (1996). *In vitro* regeneration and isozyme patterns in *Zizyphus mauritiana*. *Plant Biochem.Biotechnol.* 5:87-90.

- 
- 
- Hameed, A., T.M. Shah, B.M. Atta, N. Iqbal, M.A. Haq and H. Ali, (2009). Comparative Seed Storage Protein Profiling Of Kabuli Chickpea Genotypes. *Pac J Bot.* 41(2): 703-710.
- Hangarter, R.P., R. Griesbach, B. Martin and N. Norman, (1979). The use of IAA conjugates in plant tissue culture. *Plant Physiol.* 63: 117.
- Harborne, J.B. (1998). Phytochemical methods: A guide to modern techniques of plant analysis. 3<sup>rd</sup> Edition. Chapman and Hall Pub. London, UK.
- Haris, A., B. Abdullah, A. Subaedah and K. Jusoff, (2013). Gamma ray radiation mutant rice on local aged dwarf. *Middle-East Journal of Scientific Res.* 15(8): 1160-1164.
- Haughn, G. and C.R. Somerville, (1987). Selection of herbicide resistance at the whole plant level. In: Lebaron HM, Humma RO, Honeycut RC, Duesing JH (eds) Application of biotechnology to agricultural chemistry. *American Chemical Society, Easton, PA.* pp;98-107.
- Hausman, J.F. (1993). Changes in peroxidase activity, auxin level and ethylene production during root formation by poplar shoots raised *in vitro*.-*Plant Growth Regul.* 13: 263–268.
- Hazra, S., S.S. Sathaye and A.F. Mascarenhas, (1989). Direct somatic embryogenesis in peanut (*Arachis hypogaea* L.). *Biotechnology.* 7:949-951.
- Hazra, P., T.K. Maity and A.R. Mandal, (1987), Effect of foliar application of micronutrients on growth and yield of okra (*Abelmoschus esculentus* L.). *Prog. Hort.* 19: 219-222.
- Heatley, M.E. and R.H. Smith, (1996). Whole plant regeneration from shoot apex of *Arachis hypogaea* L.. *In vitro cell Dev.Biol.* 32:115-128.
- Heinz D.J. and G.W.P. Mee, (1971). Cytogenetic and enzymatic variation in saccharum species hybrid clones derived from callus tissue. *Amer J.Bot.,* 58:257-262.
- Heinz, D., J.M. Krishnamurthi, L.G. Nickell and A. Maretzkilg, (1977). Cell tissue and organ culture in sugarcane improvement. In: applied and fundamental aspects of plant cell tissue and organ culture (Eds.) Reinert, J. and Y.P.S. Bajaj. *Springer Verlag, Berlin.*

- 
- Hell, K.G. (1983). Survival of *Nicotiana tobacum* L. cv Winsconsin-38 plants regenerated from gamma irradiated tissue cultures. *Environ. Exp. Bot.* 23:134-142.
- Hoffmann, N.E., R. Raja, R.L. Nelson and S.S. Korban, (2004). Mutagenesis of embryogenic cultures of soybean and detecting polymorphism using RAPD markers, *Biol. Plant.* 48:173-177.
- Holston, R.D., M. Sugh and F.C. Steward, (1965). Direct and indirect effects of radiation on plant cells, their relation to growth and growth induction. *Nature.* 208 :850-856.
- Hong -Mei Qin, Yong-Qing Wang and Chun – Xia Hou, (2011). Effect of ethyl methane sulfonate (EMS) in *in vitro* mutation on anther derived embryos in loquat (*Eriobotrya japonica* Lindl.). *Afri.J.Agri. Res.*6(11): 2450-2455.
- Hoque, N.I., S. Muhibub, R.H. Sarker, M.M. Haque and A.S. Islam, (1992). Callus induction and plantlet regeneration from different explants of *Arachis hypogaea* L. *Plant tissue culture* .1(1):1-4.
- Horsch, R.B., J.E.N.L. Hoffman, D.S.G. Rogers and R.T. Fraley, (1985). A simple and general method for transferring genes into plants. *Sci.*65:761-767.
- Hossain and M. Hossain, (1996). *In vitro* morphogenetic responses of *Peltophorum pterocarpum* following phytohormonal and gamma irradiation treatments. In : Plant Tissue culture (Eds.) A. S. Islam. Oxford and IBH Publishing Coo. Pvt. Ltd. Pp. 34-36.
- Huitema, J. B. M., W. Preil and Dejong, (1991). Methods for selection of low temperature tolerant mutants of *Chrysanthemum morifolium* Ramat. Using irradiated cell suspension cultures. *Plant Breeding.* 107 : 135-140.
- Hutabarat, D. (1986). Gamma ray induced effects on plant regeneration from callus in Echinocereous species (Cactaceae) and *in vitro* culture for plant improvement *IAEA Vienna*.
- Huystee, R.B. and W. L. Cairns, (1980). Appraisal of studies on induction of peroxidase and associated porphyrin metabolism. *The Botanical Review.*46(4):429-446.

- 
- Ibrahim, R.K., A. Bruneau and B. Bantignies, (1998). Plant *O*-methyltransferases: molecular analysis, common signature and classification. *Plant Mol Biol* 36: 1-10.
- Ibrahim, S.M.M., L.S. Taha and M.M. Farahat, (2010). Influence of foliar application of protein on growth , flowering and chemical composition of *Helichrysumbracteatum* plants under different irrigation intervals. *Ozean J. ApplSci.*3(1):143-155.
- Ignacimuthu, S. and S. Arockiadass, (1993). Induced protein and isozyme variation in *Vigna radiata* var. PS-16; *Madras Agri. Journal*. 80, 252-254.
- Illingworth, J.E. (1968). Peanut plants from single de-embryonated cotyledons *Hort. Sci.* 238 : 275-276.
- Iqbal, M.M., F. Nazir, J. Iqbal S. Tehrim and Y. Zafar, (2011). *In vitro* micropropagation of peanut (*Arachis hypogaea* L.) through direct somatic embryogenesis and callus culture. *Int.J.Agric Biol*,13:811-814.
- Iqbal, S.H., A. Ghafoor and N. Ayub, (2005). Relationship between SDS-PAGE markers and Ascochyta blight in chickpea, *Pakistan Journal of Botany*.37 (1), 2005, 87-96.
- Isabel, N., L. Tremblay, M. Michaud, F.D. Tremblay and J. Bousquet, (1993). RAPD's as an aid to evaluate the genetic integrity of somatic embryogenesis derived population of *Picea marina*. *TherAppl Genet.*, 86: 81-87.
- ishfaq, M., I.A. Nasir, N. Mahmood and M.saleem, (2012). *in vitro* induction of mutation in tomato (*Lycopersicon esculentum* L.) cv. roma by using chemical mutagens. *Special Issue March Pak J. Bot.*, 44: 311-314.
- Jabeen N. and B. Mirza, (2002). Ethyl methane sulphonate genetic variability in *Capsicum annuum*. *Asian Journal of Plant Sciences*, 1 (4):425-428.
- Jacobs, M. (2005). Comparaison de l'action mutagen d'agents alkylants des radiations gamma chez *Arabidopsis thaliana*. *Radiat. Bot.* 9: 251–268.
- Jacobsen, H.J. 1991. Somatic embryogenesis in seed legumes: the possible role of soluble auxin receptors. *Israel Journal of Botany*. 40: 2, 139-143.
- Jain, R.K., N. Mahachadani, D.R. Sharma and J.B. Chowdhury, (1984). Effect of gamma radiation, gibberellic acid on growth and shoot regeneration in callus cultures of *Datura innoxia*. *Curr.Sci.* 53:700-701.

- 
- Jain, S., M. Sarriche, H. Durand and G. Tiraby, (1990). Production of polysaccharidases by a cellulase-pectinase hyperproducing mutant (Pol6) of *Penicillium occitanis*. *Enzyme Microb. Technol* 12:691–696.
- Jain, S.M. (2001). Tissue culture derived variation in crop improvement. *Euphytica*. 118:153-166.
- Jain, S.M. (2005). Major mutation-assisted plant breeding programs supported by FAO/IAEA. *Plant Cell Tissue and Organ Culture*. ano82: 113–123.
- Jan, S., T. Parween and T.O. Siddiqi, (2012). Effect of gamma radiation on morphological, biochemical, and physiological aspects of plants and plant products. *Environmental Reviews*. 20(1): 17-39.
- Jander, G., S.R. Baerson, J.A. Hudak, K.A. Gonzalez, K. Gruys and R.L. Last, (2003). Ethyl methane sulfonate saturation mutagenesis in *Arabidopsis* to determine frequency of herbicide resistance. *Plant Physiol*. 131, 139–146.
- Javid, A., A. Ghafoor and R. Anwar (2004). Seed storage protein electrophoresis in groundnut for evaluating genetic diversity. *Pak.J. Bot.* 36: 87-96.
- Javis, B.C. and S. Yasmin, (1987). Plant growth regulators and adventitious root development in relation to auxin. *Biologia Plantarum*. 29: 189-198.
- Jayabalan, N. and G.R. Rao, (1983). Estimation of chemical substances in the fruits of egg plant. *Indian J. Bot*. 6: 55 -57.
- Jha, S.S. and D. Ohri, (1996). Phylogenetic relationships of *Cajanus cajan* (L.) Millsp. (*pigeonpea*) and its wild relatives based on seed protein profiles, *Genetic Resources and Crop Evolution*, 43(3):275-281.
- Joersbo, M., J.M. Andersen, F.T. Okksls and R. Rajagopal, (1989). Isoperoxidases as markers of embryogenesis in carrot cell suspension cultures. *Physiol Plant*, (76).
- John, S. J. and S. Guha-Mukherjee, (1997). In *Plant Molecular Biology and Biotechnology* (eds Tewary, K. K. and Singhal, G. S.), Narosa Publishing House, New Delhi. 17-28.

- 
- Joseph, S., T. Girish, S.G. Nair and K. Vasudevan, (1999b). Induction and recovery of acyanogenic mutants in cassava. In: Balagopalan C, Nayar TVR, Sundaresan S, Premkumar T, Lakshmi KR (eds) Tropical tuber crops in food security and nutrition. *Oxford and IBH, New Delhi*, pp 124–127.
- Joshi, M., K. Sujatha and S. Hazra, (2008). Effect of TDZ and 2,4-D on somatic embryogenesis and in vitro development. *Plant Cell Org. Cult.* 94:85-90.
- Kaeppler, S.M, H.F. Kaepler and Y. Rhee, (2000). Epigenetic aspects of somaclonal variation in plants. *Plant.Mol.Bio.* 43:179-188.
- Kakani, A., G. Li, Z. Peng, (2009). Role of AUX1 in the control of organ identity during *in vitro* organogenesis and in mediating tissue specific auxin and cytokinin interaction in *Arabidopsis*. *Planta*, 229: 645-657.
- Kakati, P., S.C. Deka, D. Kotoki, S. Saikia, (2010). Effect of traditional methods of processing on the nutrient contents and some antinutritional factors in newly developed cultivars of green gram [*Vigna radiata* (L.) Wilezek] and black gram (*Vigna mungo* (L.) Hopper] of Assam, India. *International Food Research Journal*, 17: 377-384.
- Kamada, H. and H. Harada, (1984). Changes in Endogenous Amino Acid Compositions during Somatic Embryogenesis in *Daucus carota* L. *Plant Cell Physiol.*, 1984, 25, 27–38.
- Kanmegene G and N.D. Omokoio, (2003). Changes in phenol content and peroxidase activity during in vitro organogenesis in *Xanthosoma sagittifolium* L. *Plant Growth Regul.* 40( 123).
- Kanyand, M., A. Dessai and C.S. Prakash, (1994). Thiadiazuron promotes high frequency regeneration of peanut (*Arachis hypogaea* L.) plants *in vitro*. *Plant Cell Rep.* 14: 1-5.
- Karl, H.K. and K. Hahlbrock, (1977). 4-Coumarate:CoA ligase from cell suspension cultures of *Petroselinum hortense* Hoffm. Partial purification, substrate specificity, and further properties. *Archives of Biochem. Biophys.* 184(1):237-248.

- 
- Karmarkar, V.M., V.M. Kulkarni, P. Suprasanna, V.A. Bapat and P.S. Rao, (2001). Radiosensitivity of *in vivo* and *in vitro* cultures of banana cv. Basrai. *Fruits*, 56: 67-74.
- Kartha, K.K., K. Pahl, N.L. Leung and L.A. Mroginski,(1981). Plant regeneration from meristems of grain legumes: soybean, cowpea, peanut, chickpea, and bean. *Canadian Journal of Botany*, 59(9), 1671-1679.
- Kasumi, M., Y. Takatsu, T. Manabe and M. Hayashi, (2001). The effects of irradiating gladiolus (*Gladiolus grandiflora* Hort.) cormels with gamma rays on callus formation, somatic embryogenesis and flower color variations in the regenerated plants. *J.Jpn.Soc.Hortic.Sci* 70:126-128.
- Kaur, S. and H.S. Rattanpal, (2010). Effect of mutagens on in vitro seed germination and growth of rough lemon (*Citrus jambhiri*) seedlings. *Ind. J. Agri.Sci.* 80 (9): 773-776.
- Kaur, Sukhjit, (2015). Effect of mutagens on regeneration and growth of in vitro grown epicotyl segments of rough lemon seedlings (*Citrus jambhiri* Lush.). *Journal of Applied and Natural Science*, 7 (1): 459-465.
- Kavera and H.L. Nadaf, (2017). Genetic improvement for yield through induced mutagenesis in groundnut (*Arachis hypogaea* L.). *Legume Res.* 40(1): 32-35.
- Kavers, C., J.F. Hausman, O. Faivre-Rampant, D. Evers and T. Gaspar, (1997) Hormonal control of adventitious rooting: progress and questions. *Angewandte Botanik*. 71:71-79.
- Kerkadzi, I.G. (1985). Induced mutations in subtropical crops. V. Biological and genetic effect of treating citrus with gamma-radiation. *Subtrop Kul.* 4:104-108.
- kevers, C., M. Coumans, W. De greef, M. Hofinger and T. Gaspar, (1981a). Habituation in sugarbeet callus: auxin content, auxin protectors, peroxidase pattern and inhibitors. *Physiol. Plant.* 51, 281-286.
- kevers, C., M. Coumans, W. De greef, M. Jacobs and T. Gaspar, (1981b) Organogenesis in habituated sugarbeet callus: Auxin content and protectors, peroxidase pattern and inhibitors. *Z. Pflanzenphysiol.* 101, 79-87.

- 
- Khan, I.A., U.D. Muhammad, N. Seema, S. Yasmin, S. Bibi, S. Raza and A. Khatri, (2009). Genetic variability in sugarcane plantlets developed through *in vitro* mutagenesis. *Pak. J.Bot.* 41(1): 153-166.
- Khan, S. and B.A. Siddiqui, (1995). Mutation genetic studies in mungbean. I. Variability components and genetic parameters. *Thai. J. Agric.* 28: 113- 124.
- Kharkwal, M.C. (1998). Induced mutation for improvement of protein in chickpea (*Cicer arietinum L.*) *Inadian J. Genet.* 58(1):61-68.
- Kharkwal, M.C. and Q.Y. Shu, (2009).The Role of Induced Mutations in World Food Security,pp.33-38.in Q.Y. Shu,(ed.)*Induced Plant Mutations in the Genomics Era*, Food and Agriculture Organization of the United Nations. Rome Italy.
- Khatri, A., I.A. Khan, M.A. Siddiqui, S. Raza and G.S. Nizamani, (2005). Evaluation of high yielding mutants of *Brassica juncea* cv. S-9 developed through gamma rays and EMS. *Pak. J. Bot.* 37(2): 279-284.
- Khawale RN, Yeramilli V and Sing SK (2007). Molecular marker assisted selection of in vitro chemical mutagen induced grapevine mutants, *Curr. Sci.* 92:1056- 1060.
- Khokhar, R. (1998). ‘Studies on mutagen induced variability in Kinnow mandarin. M Sc., thesis. Punjab Agricultural University, Ludhiana.
- Kiece, V. and Latvijaso (1964). Effect of radio active cobalt irradiation on the meristematic cells of rye and wheat. PSR. *Zinatnu Akad Vestis.* 1:4-41.
- Kim, J.H., M.H. Baek, B.Y. Chung, S.G. Wi and J.S. Kim, (2004). Alterations in the photosynthetic pigments and antioxidant machineries of red pepper (*Capsicum annuum L.*) seedlings from gamma-irradiated seeds. *J. Plant Biol.* 47: 314-321.
- Kim, S.L., A. Berhow J.T. Kim, H.Y. Chi, S.J. Lee and I.M. Chung, (2006). Evaluation of soyasaponin, isoflavone, protein, lipid, and free sugar accumulation in developing soybean seeds. *J Agric Food Chem.* 54: 10003-10010.
- Kim, Y., K.S. Schumaker and J.K. Zhu, (2003). EMS mutagenesis of Arabidopsis, in methods in molecular biology Arabidopsis protocols, 323(2). *edited by J sadines & JJ Sanchez (Human press inc.,Totova NT).*

- 
- King, P.J. (1984). Mutagenesis of cultured cells. In: Cell Cultured and Somatic cell genetic of plants, Vol. 1. (ed.) Vasil IK, Academic Press, New York, pp.547 - 551.
- Kiong, A., A. Ling Pick, S.H. Grace Lai and A.R. Harun, (2008). Physiological responses of *Orthosiphon stamineus* plantlets to gamma irradiation. *American Jougrnal of Applied Sciences* 2(2) : 135-149.
- Kocher, G. (1996). Molecular markers and genome mapping. In: Current Status of Agricultural Biotechnology in Indonesia (Darussamin A., ed.), AARD, Jakarta, pp. 89-108.
- Kodym, A. (2003). Physical and chemical mutagenesis. In: Plant Functional Genomics. *Methods in Molecular Biology*. 236:189-203.
- Konzak, C. F., I.M. Wickhan, D.E. Kock and M. J. Kock, (1972). Some advances in methods of mutagen treatment. In Induced Mutations and Plant Improvement ( Proc. meeting Buenos Aires, FAO/IAEA, Nov.1970), IAEA, Vienna. 95-119.
- Kormutak A, T. Salaj, R. Matusova and B. Vookova (2003). Biochemistry of zygotic and somatic embryogenesis in Silver fir. *Acta Biol Cracovien Series Bot*, 45 ( 59).
- Kovacs, E. and A. Keresztes. (2002). Effect of gamma and UV-B/C radiation on plant cell. *Micron*, 33: 199-210.
- Kpoviessia, D.S.S., F. Gbaguidia, J. Gbenoua, G. Accrombessia, M. Moudachiroua, E. Rozetd, P. Hubertd and J.Q. Leclercq, (2008).Validation of a method for the determination of sterols and triterpenes in the aerial part of *Justiciaanselliana* (Nees) T. Anders by capillary gas chromatography. *Journal of Pharmaceutical and Biomedical Analysis*, 48(4),1127-1135.
- Kpoviessia, D.S.S., F. Gbaguidia, J. Gbenoua, G. Accrombessia, M. Moudachiroua, E. Rozetd, P. Hubertd and J.Q. Leclercq, (2008). Validation of a method for the determination of sterols and triterpenes in the aerial part of *Justicia anselliana* (Nees) T. Anders by capillary gas chromatography. *J Pharm Biomed Anal* (2008). 48: 1127-1135.
- Krapovickas, A. and M.C. Gregory, (1994). Taxonomy del genero *Arachis* (Leguminosae). *Bonplandia*.(8):1-186.

- 
- Krsnik, R.M., H. Cipicic and D. Hagege, (1999). Isoesterases related to cell differentiation in plant tissue culture, *Client Biol Int.* 119 ( 587).
- Kuehnert, C.C. (1962). Cytological and morphological changes induced in tomato as a result of thermal neutron irradiation. *Radiat. Bot.* 2:81-88.
- Kulkarni, V.M., V.M. Karmarkar, T.R. Ganapathi and V.A. Barat, (2000). Radio sensitivity of callus and cell cultures and RAPD characterization of variants in banana (*Musa spp.*). *DAE-BRNS Sym.Mumbai*, 315-320.
- Kumar, G., and P. Rai, (2005). EMS Induced genetic Variability in soy bean (*Glycine max*). *The Nucleus* 48:46-51.
- Kumar, P.R. and K. Das, (1974). An induced cup leaf mutant in *Brassica campestris* var.Brown sarson. *Indian J. Genet. Plant Breeding*. 31:565-568.
- Kuzin, A.M. (1956). Effect of gamma irradiation on Giza-117 Barley. In: Proceedings of the 4th conference on Nuclear Sciences and Applications Vol.2. (Eds.) Sahahine, A.H., T.M. Sharabash and S.S. Gaweesh. Pp.497-498.
- Ladizinsky, G. (1979). Species relationships in the genus Lens as indicated by seed protein electrophoresis. *Bot Gaz.* 140: 449-451.
- Laemmli, U.K. (1970). Cleavage of structural protein during the assembly of the head of bacteriophage T4. *Nature*, 227: 680-685.
- Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nat.* 227, 680-685.
- Lal, G. M., B. Toms and S.S. Lal, (2009). Mutagenic sensitivity in early generation in blackgram. *Asian J. Agric. Sci.* 1: 9-11.
- Laneri, U., R. Franconi, P. Altavista, (1990). Somatic mutagenesis of Gerbera jamesonii hybrid. Irradiation and *in vitro* cultures. *Acta Hort.* 280:395-402.
- Lazzeri, P.A., D.F. Hildebrand and G.B. Collins, (1987). Soybean somatic embryogenesis. Effect of hormones and culture manipulation. *Plant Cell Tiss. Org. Cult.* 10:197-208.
- Lee, J.H. and S.Y. Lee, (2002). Selection of stable mutants from cultured rice anthers treated with ethyl methane sulfonic acid. *Plant Cell Tiss Organ Cult* 71(2):165–171.

- 
- Lee, K.S., M. Van Duren and R. Morpurgo, R.(1997). Somatic embryogenesis in cassava.a tool for mutation breeding In Ahloowalia, B.S.(ed): Improvement of Basic Food Crops in Africa Through Plant Breeding, Inducing the use of Induced Mutations. International Atomic Energy Agency, Vienna Pp 55-60.
- Lee, S.Y., J.I. Cheong and T.S. Kim, (2003). Production of doubled haploids through anther culture of M1 rice plants derived from mutagenized fertilized egg cells. *Plant Cell Rep* 22:218-223.
- Lee, Y.I., I.S. Lee, and Y.P. Lim, (2002).Variation in swede potato regenerates from gamma ray irradiated embryo genic callus. *J Plant Biotech* 4:163-170.
- Letham, D.S. (1974). Regulators of cell division in plant tissues. XX. The cytokinins of coconut milk. *Physiol Plant* 32: 66-70
- Levy, A. and A. Ashri, (1974). Differential physiological sensitivity of peanut varieties to seed treatment with the mutagens ethidium bromide. MNNG and sodium azide. *Rad.bot.*13:369-373.
- Li, Z., R.L. Jarret, R.N. Pittman and J.W. Demski, (1994). Shoot organogenesis from cultured seed explants of peanut (*Arachis hypogaea* L.) using thidiazuron. *In Vitro Plant* 30:187-191.
- Ling, A. P. K., Chia, J. Y., Hussein, S. and Harun, A. R.(2008). Physiological responses of *Citrus sinensis* to gamma irradiation. *World Appl. Sci.J.*, 5 (1), 12-19.
- Linsmaier, E. M. and F. Skoog, (1965). Organic growth factor requirement of tobacco tissue culture. *Physiol. Plant.* 18: 100-127.
- Little, E.L., Z.V. Magbanua and W.A. Porrot, (2000). A protocol for repetitive somatic embryogenesis from immature peanut epicotyls. *Plant cell Rep.* 19:351-357.
- Loggini, B., A. Scartazza, E. Brugnoli, and F. Navari-Izzo, (1999). Antioxidative defense system, pigment composition, and photosynthetic efficiency in two wheat cultivars subjected to drought. *Plant Physiology*.119:1091-1099.
- Lottel, P.C. (1959). Radiation damage in shoot apices of concord grape. *Am. J. Bot.* 46 :103-109.

- 
- Lowry, O.H., N.J. Rosebrough, A.L. Farr and R.J. Randall, (1951) *J.Biol.Chem* 193: 265 (The original method).
- Lowry, O.H., N.J. Rosenbrough, A.L. Farr and R.J. Randall, (1951). Protein measurement with the folin phenol reagent. *J.Biol.Chem.* 193:265-275.
- Lundqvist, U. (1992). Mutation Research in Barley. Doctoral Thesis, The Swedish University of Agricultural Sciences, Svalov and Uppsala, Sweden, pp. 1-283.
- Lydon, R. F. and D. Francis, (1992). Plant and organ development. *Plant Mol. Biol.*, 1992, 19, 51-68.
- Macdonald, N.V., M.D. Newsholme and D.S. Ingram, (1988). The biological effects of gamma irradiation on secondary embryoids of *Brassica napus* sp. Oleifera Metzg. (Sinsk) Winter oil seed rape. *New Phytol.* 110:255-259.
- MacKenzie, D.I. (2005). Was it there? dealing with imperfect detection for species presence/absence data. *Aust. N. Z. J. Stat.* 47(1), 2005, 65-74.
- Maity, S. (2016). Rapid *in vitro* propagation of different varieties of *Arachis hypogaea* L. Through shoot apex culture. *CIB Tech J.Biotech.*5(2): 19-26.
- Malikarjuna, M.J.N., T. Reena, D.C. Sastri and J.P. Moss, (1996). Somatic embryogenesis in pigeon pea (*Cajanus cajan* L.). *Ind. J.Exp.Biol.* 34 : 282-284.
- Mandal, A.K.A., D. Chakrabarty and S.K. Datta, (2000). Application of *in vitro* techniques in mutation breeding of *Chrysanthemum*. -*Plant Cell Tissue Organ Cult.* 60: 33-38.
- Mandal, S. and R.K. Mandalm, (2000). Seed storage proteins and approaches for improvement of their nutritioned quality by genetic engineering. *Current Sci.* 79(5): 576-589.
- Mandal, S., A.M. Badigannavar, D.M. Kale and G.S.S. Murty, (2007). Induction of genetic variability in a disease resistant groundnut breeding line. *BARC News let.*, 285:237-246.
- Mansur, E.A., C. Lacorte, C. de Freitas, V.G. de Oliveira, D.E. Timmerman, A.R. Cordeiro, A.R., (1993). Regulation of transformation efficiency of peanut (*Arachis hypogaea* L.) explants by *Agrobacterium tumefaciens*. *Plant ScL*, 89:93-99.

- 
- Maria Laura Viudoz, Hebe Yolanda Ray, Ana Maria Gonzales and Luis Amado Mroginski,(2004). Somatic embryogenesis and plantlet regeneration through leaf culture in *Arachis glabrata*. *ACTA.Physio.Plantarum.*26 (1):59-66.
- Masanga, J., S. Ommeh, R. Kasili and A. Alakonya, (2015). An optimized protocol for high frequency regeneration of selected groundnut (*Arachis hypogaea* L) varieties from East Africa using cotyledons. *Scinzer. J. Agri. Biol. Sci.*, 1(1): 20-24.
- Mashenkov, A. (1986). Induced mutation process as a source of new mutants. *Maize Genetics Cooperation Newsletter*. 60:70-71.
- Matand, K., N. Wu, H. Wu, E. Tucker and K. Love (2013). More improvement peanut (*Arachis hypogaea* L.) protocol for direct shoot organogenesis in mature dry-cotyledonary and root tissues. *J.Biotech.Res*;5:24-34.
- Mathews, H. (1987). Morphogenic response from in vitro cultured seedling explants of mungbean (*Vigna radiata* L.Wilczek). *Plant Cell Tissue Organ Cult*. 11: 233–240.
- McCallum, C.M., L. Comai, E.A. Greene and S. Henihoff, (2000a). Targeted screening for induced mutations. *Nat. Biotechnol.* 18:455-457.
- McCallum, C.M., L. Comai, E.A. Greene and S. Henihoff, (2000b). Targeted Induced Local Lesions IN Genomes (TILLING) for plant functional genomics. *Plant Physiol.* 123: 439-442.
- McCready, R.M., J. Guggolz, V. Silviera, H.S. Owens, (1950). Determination of starch and amylose in vegetables. *Anal. Chem.* 22:1156-1158.
- Mckently, A.H. (1995). Effect of genotype on somatic embryogenesis from axes of mature peanut embryos. *Plant Cell Tiss. And Org. Cult.* 42 : 251-254.
- Mckently, A.H., G. A. Moore, A. Wang and H. Doostdar. (1993). *In vitro Cell Dev. Biol.* 29 A : 65A.
- Mckently, A.H., G.A. Moore and Gardner, (1991). Regeneration of peanut and perennial peanut from cultured leaf tissue. *Crop Sci.* 31 : 833-837.
- Mckently, A.H. (1990). Direct somatic embryogenesis from axes of mature peanut embryos. *In vitro Dev. Biol.* 27 : 197-200.

- 
- Mckently, A.H. (1991). Direct somatic embryogenesis from axes of mature peanut embryos. *In vitro: Cell Dev. Biol.* 27P: 197-200.
- Mckently, A.H. (1995). Somatic embryogenesis in peanut. In: Bajaj (ed) Biotechnology of agriculture and forestry, Vol.31, somatic embryogenesis and synthetic seed II. Springer Verlag, Berlin, Heidelberg, New York, pp.228-237.
- McKently, A.H., G. A. Moore, H. Doostdar and R. P. Niedz, (1995). *Agrobacterium*-mediated transformation of peanut (*Arachis hypogaea* L.) embryo axes and the development of transgenic plants. *Plant Cell Rep.* 14(11):699-703.
- Mckently, A.H., G.A. Moore and F.P. Gardner, (1990). *In vitro* plant regeneration of peanut from seed explants. *Crop Sci.* 30:192-196.
- McKently, A.H., G.A. Moore and F.P. Gardner, (1991). Regeneration of peanut and perennial peanut from cultured leaf tissue. *Crop Science* 31: 833-837.
- Mee, G.W.P., L. Nickell and D.J. Gandheinz, (1969). Chemical mutagens – their effect on cells in suspension culture. T-8 Ann. Rep. Exp. Sta. Hawaiian sugar planters association.
- Mehandjiev, A., G. Kosturkova and M. Mihov, (2001). Enrichment of *Pisum sativum* gene resources through combined use of physical and chemical mutagens. *Israel J. Plant Sci.* 49(4):279-284.
- Mehrian, S.K., R. Heidari1 and F. Rahmani (2015). Effect of silver nanoparticles on free amino acids content and antioxidant defense system of tomato plants. *Ind. J. Plant Physiol.* 20(3):257-263.
- Mei, S., Y. Wu, Y. Zhang, B.M. Liu, J.Y. Jiang and Z.L. Yu, (2007). Mutation of rice (*Oryza sativa* L.) LOX-1/2 near-isogenic lines with ion beam implantation and study of their storability. *Nuc. Inst. Meth. Physics Res. Sec. B: Beam Interac. Mat. Atoms.* 265: 495-500.
- Melchers, G. and L. Bergman, Untersuchungen an Kulturen von haploiden Geweben von *Antirrhinum majus*. *Ber. Dtsch. Bot. Ges.* 78: 21–29, 1959.

- 
- Metwali, E.M.R., M.P. Fuller, S.M.H. Gowayed, O.A.H. Almaghrabi and Y.Y. Mosleh, (2013). Evaluation and selection of barley genotypes under optimum salt stress condition using tissue culture techniques and SDS-PAGE gel electrophoresis. *J. Food Agriculture & Environ.* 11 (3&4):1386-1394.
- Mhatre, M., V.A. Bapat and P.S. Rao, (1985). Micropropagation and protoplasts culture of peanut. *Curr. Sci.* 54 : 1052-1056.
- Micke, A., B. Donni and M. Maluszynski, (1990). Induced mutations for crop improvement. *Mutat. Breed. Rev.* 7: 1-2.
- Mienie, C.M.S. and R.E.T. Terblanche, (2013). Somatic embryogenesis of groundnut (*Arachis hypogaea* L.): A comparison of four South African genotypes. *South Afr. J. Plant and Soil.* 17(4):175-176.
- Minocha, J.L. and T.J. Arnason, (1962). Mutagenic effectiveness of ethyl methane sulfonate in barley. *Nature*, 196: 499.
- Mohamed, M.F., D.P. Coyne and P.E. Read, (1996). Enhancement effect of CPPU on differentiation of somatic embryoids in common beans (*Phaseolus vulgaris* L.). *PGRSA-Qarterly*, 24: 3, 97-103.
- Momtaz, O.A., F. Ashraf, H. Ayman, A. Diab and A. Hanafy, (2007). Comparative analysis of amino acid between transgenic and non transgenic egyptian cotton (*Gossypium barbadense*) Lines under Different Salt Stress Conditions. *American-Euro. J.Agro. Environ. Sci.* 2(1):06-15.
- Moore S. and W. H. Stein, (1948). Photometric ninhydrin method for use in the chromatography of amino acids. *J. Biol. Chem.* 176:367-388.
- Moustafa, R. A. K., D. R. Duncan, J. M. Widholm, (1989). The effect of gamma radiation and N-ethyl-N-nitrosourea on cultured maize callus growth and plant regeneration. *Plant Cell, Tissue and Organ Culture.* 17:121–132.
- Mroginski, L. A., K.K. Kartha and J.P. Shyluk, (1981). Regeneration of peanut (*Arachis hypogaea* L.) plants by in vitro culture of immature leaves. *Can. J. Bot.* 59 : 826-830.

- 
- Mroginski, L. A., K.K. Kartha and J.P. Shyluk, (1981). Regeneration of peanut (*Arachis hypogaea* L.) plants by *in vitro* culture of immature leaves. *Can. J. Bot.* 59 : 826-830.
- Mroginski, L.A, K.K. Kartha and J.P. Shyluk, (1990). Regeneration of Peanut plants by in vitro culture of immature leaves. *Can J. Bot.* 59 : 826 - 830.
- Mukhopadhyay, A. and S.S. Bhojwani, (1978). Shoot bud differentiation in tissue cultures of leguminous plants. *Z.Pflanzen Physiol.* 88:263-268.
- Mukhtar, A.A. (2009). Performance of three groundnut (*Arachis hypogaea* L.) varieties as affected by basin size and plant population at Kadawa. Ph.D. Dissertation Submitted to post graduate school, Ahmadu Bello University, Zaria pp 173.
- Muller, J. H. (1927). Artificial transmutation of the gene. *Sci.* 66:84-87.
- Muniappan,V., S. Palanivel and S. Parvathi, (2016). Impact of Ethyl Methane sulphonate on M<sub>1</sub> attributes of Groundnut with special emphasis of amino acid profiling. *J. Adv.App.Sci.Res.* Feb:100-108.
- Muniappan,V., S. Palanivel, S. Parvathi, M.B.Viswanathan and R. Rajesh (2016). Analysis of seed proteins in groundnut cultivars (*Arachis hypogaea* L.). *Int.J. Eng. Res. App.* 6 (7) :06-10.
- Murashige, T. (1974). Plant propagation through tissue cultures. *Ann. Rev. Plant Physiol.* 25, 135 - 166.
- Murashige, T. and F. Skoog, (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant.* 15: 473-497.
- Murch, S.J. and P.K. Saxena, (1997). Modulation of mineral and free fatty acid profiles during thidiazuron mediated somatic embryogenesis in peanuts (*Arachis hypogaea* L.). *J. Plant Phys.* 151: 358-361.
- Murthy, B.N.S., K. Parveen and Saxena, (1994). Somatic embryogenesis in peanut (*Arachis hypogaea* L.). Stimulation of direct differentiation of somatic embryos by forchlorfenuron. *Plant Cell Reports.* 14 : 145-150.

- 
- Musoke, C., P. Rubaihayo and M. Magambo. (1999). Gamma rays and ethyl methane sulphonate in In vitro induced Fusarium wilt resistant mutant bananas. *African Crop Sci. J.* 7: 313-320.
- Muthusamy, A. K. Vansanth, D. Sivasanjari, B.R. Chandrasekar and N. Jaybalan, (2007). Effect of mutagens on somatic plant regeneration in groundnut. *Biological planetarium.* 51(3):430-435.
- Nadgauda, R.S., S.S. Khuspe and A.F. Mascarenhas, (1982). Isolation of high curcumin variants of turmeric by tissue culture. VIth Annual symposium on plantation crops, Central plantation Crops Research Institute, Kasargod Dec. 15-18. P.15.
- Naidu, R.A., H. Bottenberg, P. Subrahmanyam, F.M. Kimmins, D.J. Robinson and J. Tharesh, (1999). Epidemiology of ground rosette virus disease, current status and future research needs. *Ann.Appl. Biol.* 132:525-548.
- Nakamura, T. and E. Maeda, (1989). Scanning electron microscope study on Japonica type rice callus cultures with emphasis on plantlet initiation. *Japan J. Crop. Sci.*, 58: 395-403.
- Nalini, R., V.R.K. Reddy and K.N. Pushpalatha, (1993). Induced mutation in barley and wheat polygenic variability for different quantitative characters. *Adv. In Biosci.* 12(1) :29-40.
- Narasimhalu, S.B. and G.M. Reddy, (1984). *In vitro* flowering and plant formation from cotyledons of groundnut (*Arachis hypogaea* L.).*Theoretical and Applied Genetics*, 69:87 -91.
- Narasimhulu, S.B. and G.M. Reddy, (1983). Plantlet regeneration from different callus cultures of *Arachis hypogaea* L. *Plant Sci. Lett.* 31: 147-153.
- Narasimhulu, S.B. and G.M. Reddy, (1983). Plantlet regeneration from different callus cultures of *Arachis hypogaea* L. *Plant Sci. Lett.* 31: 147-153.
- Nazir. F., M.L.Hassan, Z. Akram, M.M. Javed, S. Ali, G.M. Ali and Y. Zafar, (2011). *In vitro* regeneration of Pakistani peanut (*Arachis hypogaea* L.) varieties using de-embryonated coteledony explants. *Afri.J. Biotechnol.* 10(43):8599-8604.

- 
- Negrutiu, I. (1990). *In vitro* mutagenesis, In Plant Cell Line Selection:Procedures and Applications, Dix, P.J. (Ed.) (pp. 19 - 38), Weinheim, Germany: VCH Publishers.
- Nickell, L.G. and D.J. Heinz, (1993). Potential of cell and tissue culture techniques as aids in economic plant improvement. In: Genes, Enzymes and populations. (Ed.: Srb, A.M.). New York. Plenum. 109-128.
- Nielson, K.A and I.B. Hansen, (1992). Appearance of extra-cellular proteins associated with somatic embryogenesis in suspension cultures of barley (*Hordeum vulgare* L.). *J Plant Physiol*, 139 (4):489-497.
- Nilan, R. A., E. G. Sideris, S. A. Kleinhof, C. Sander, and C. F. Konzak, (1973). Azide -a potent mutagen. *Mutar. Res.* 17: 142-144.
- Nilan, R.A. (1981). Induced gene and chromosome mutants. *Philos. Trans. R. Soc. Lond. Ser. B* 292: 457- 466.
- Nisar, M., A. Ghafoor, R.M. Khan, H. Ahmad, A.A. Qureshi and H. Ali (2007). Genetic Diversity and Geographic Relationship among local and Exotic Chickpea Germplasm. *Pak. J. Bot.* 39(5): 1575-1581.
- Nitsch, J. P. and C. Nitsch, (1969). Haploid Plants from pollen grains. *Science* 163: 85-87.
- Nitsch, J.P. (1972). Haploid plants from pollen. *Z. Pflanzen Ruchtung*. 67:3-38.
- Nitsch, J.P., C. Nitsch and S. Hamon, (1969). Production de Nicotiana diploids a partr de cals haploids cultivars *in vitro* C R Acad. *Sci. Paris D.* 269:1275-1278.
- Novak, F.J. and A. Micke, (1987). *In vitro* mutants technology for crop improvement in developing countries. *Sabrawo*. 19: 82-85.
- Novak, F.J., S. Daskalon, H. Brunner, M. Nesticky, R. Afza, M. Dolezzelova, S. Lucretti, A. Herichova and T. Hermelil (1988). Somatic embryogenesis in maize and comparison of genetic variability induced by gamma radiation and tissue culture technique. *Plant Breeding*. 101: 66-79.
- Novak, F.J., T. Hermelin and S. Daskalov, (1986). *In vitro* mutagenesis in maize. In Genetic manipulation in plant breeding (Eds.) Horn W., C.J. Jensen, W. Odenbach and O. Schieder. Walter de Gruyter & Co, Berlin, New York.

- 
- Oiejniczak, J. and H. Patyna, (1986). Influence of combined treatment of N-nitroso-N-methylurea and sodium azide on physiological injury and genetic effect in Triticale. *Genet polan*, 64:94.
- Ojomo, A.O., O. Omuetu and J.A. Raji, (1979). Studies in induced mutation in cowpea: the variation in protein content following ionizing radiation. *Nig.J.Appl.Sci.* 21:61-64.
- Olejniczak, J. (1986).The genetic variability in Maize (*Zea mays L.*) induced by mutagens; effect of combined doses of N-nitroso-N-metholurea, sodium azide and gamma rays in maize (*Zea mays L.*). *Genet Pol.* 27(1-2): 55-65.
- Olsen, O., X. Wang and D. Von Wettstein, (1993). Sodium azide mutagenesis: preferential generation of A-T G-C transitions in the barley Ant18 gene. *Proceedings of National Academy of Sciences of the U.S.A.* 90:8043-8047.
- Omar, M.S., F.J. Novak and H. Brunner, (1989). *In vitro* action of ethyl methane sulphonate on banana shoots tips. *Scientia Horticulture*, 40: 283-295.
- Orton, T.J. (1985). Model system for biotechnological applications in vegetable crop improvements. *The forest Chronicles*.61:429-435.
- Owais, W. and A. Kleinhofs, (1988). Metabolic activation of the mutagen azide in biological systems. *Mutat Res.* 197(2):313–323.
- Owoseni , A .A. and T. Ogunnusi, (2006). Antimicrobial effects of three selected chewing stick extracts on *Lactobacillus* species. *Int. J. of Tropical Medicine.* 1 (3): 103-106.
- Ozias, A.P., W.F. Anderson and A.C. Halbrook, (1992). Somatic embryogenesis in *Arachis hypogaea* L – effect of genotype and comparison. - *Plant Sci.* 83: 103-111.
- Ozias-Akins, (1989). Plant regeneration from immature embryos of peanut. *Plant Cell. Rep.* 8 : 217-218.
- Ozias-Akins, P., W.F. Anderson and C.C. Holbrook, (1992). Somatic embryogenesis in *Arachis hypogaea* L.: genotype comparison. *Plant Sci.* 83:103–111.
- Pacheco, G., R.F. Gagliardi and L.A. Carneiro, (2008a). Plant regeneration in *Arachis stenosperma* Krapov. and W.C. Gregory from roots and calluses derived from leaflets of in vitro plants. *In vitro Cell Dev Biol Plant* 44:14-17.

- 
- Palai, S.K., G.R. Rout, S. Samantaray and P. Das, (2000). Biochemical changes during in vitro organogenesis in *Zingiber officinale* Rosa. *J.Plant.Biol.*, 27 (153).
- Palanivel, S. (1998). *In vitro* studies on groundnut (*Arachis hypogaea* L.) for crop improvement – Ph.D. Thesis, Bharathidasan University, Tiruchirappalli.
- Palanivel, S. and N. Jayabalan (2000). Correlative effect of adenine sulphate and benzyl amino purine on the regeneration potentiality in cotyledonary explants of groundnut (*Arachis hypogaea* L.). *Plant.Biotech.* 2(1):21-24.
- Palanivel, S. and N. Jayabalan, (2002). Direct multiple shoot induction from different mature seed explants of groundnut (*Arachis hypogaea* L.) *Philippines J. Sci.*, 131: 127–131.
- Palanivel, S., S. Parvathi and N. Jayabalan (2001). *In vitro* culture of mature embryo axes of groundnut (*Arachis hypogaea* L.). *J.Ind. Bot.Soc.* 80:15-18.
- Palanivel, S., S. Parvathi and N. Jayabalan, (2002). Callus induction and plantlet regeneration from mature cotyledonary segments of groundnut (*Arachis hypogaea* L.). *J. Plant Biol.*, 45: 22-29.
- Palanivel, S., S. Parvathi And V.Muniappan, (2014). Induced Somatic Embryogenesis in Groundnut (*Arachis Hypogaea* L.). National Level Conference on Recent Innovation and Future Trends in Biology, Department of Botany, National College (Autonomous), Trichy .pp:47-55
- Palanivel, S., S. Parvathi, V. Muniappan, C. Deepa, and A. Abuthahir, (2014). *Arachis hypogaea* L. Direct organogenesis and SDS-PAGE analysis in groundnut. *British.J. Biotech*, 4(6) :720-732.
- Pandey, K.N., P.S. Sabharwal and T.R. Kempc, (1978). Cell division factors (cytokinins) from irradiated plant tissue. *Nature*. 271: 449-450.
- Parrot, W.A, (1991a). Auxin stimulated somatic embryogenesis from immature cotyledons of white Clover. *Plant Cell Rep.* 10 : 17-21.
- Parrot, W.A., S.A. Merkle. And E.G. Williams, (1992b). Somatic embryogenesis: Potential for use in propagation and gene transfer systems. In: Murray DR (Eds) Advanced Methods in Plant Breeding and Biotechnology. *CAB International, Oxford*. pp: 158 - 200.

- 
- Parrott, W.A., M.A. Bailey, R.E. Durham and M.V. Mathews, (1992). In biotechnology and crop improvement in Asia, edited by JP Moss (*ICRISAT, Patancheru*); 115.
- Patade, V.Y. and P. Suprasanna, (2009) An *in vitro* radiation induced mutagenesis-selection system for salinity tolerance in sugarcane. *Sugar Tech.* 11(3):246-251.
- Pawar, B.D., A.S. Jadhav, A.A. Kale, V.P. Chimote and S.V. Pawar, (2012). Zeatin induced direct *in vitro* shoot regeneration in Tomato (*Solanum lycopersicum* L.). *The Bioscan.* 7(2): 247-250.
- Pelc, S.R. and A. Howard, (1955). The effect of fractional x-ray doses on DNA synthesis and growth in *Vicia faba* roots. In : Progress in radiation biology. (Eds.) Mitchell Holmes, I. Smith and X. Oliver, Boyd, Edinburgh. Pp. 8-11.
- Pierik, R.L.M. (1987). *In vitro* Culture of Higher Plants. The Hague: Martinus Nijhoff Publishers.
- Pittman, R.N., D.J. Banks, J.S. Kirby, E.D. Mitchell and P.E. Richardson, 1983. *In vitro* culture of immature peanut (*Arachis sp.*) leaves. Morphogenesis and plantlet regeneration. *Peanut Sci.* 10 : 21-25.
- Pius J, L. George, S. Eapen and P.S. Rao, (1994). Evaluation of somaclonal and mutagen induced variation in finger millet. *Plant Breeding.* 112:239-243.
- Ponsamuel, J., D.V. Huhman, B.G. Cassidy and D. Post-Beittenmiller, (1998). *In vitro* regeneration via caulogenesis and brassin-induced shoot conversion of dormant buds from plumular explants of peanut (*Arachis hypogaea* L. cv 'Okrun'). *Plant Cell Rep.*, 17: 373-378.
- Popescu, A.N., V.S. Isac, M.S. Coman and M.S. Radulescu, (1997). Somaclonal variation in plants regenerated by organogenesis from callus culture of strawberry (*Fragaria x ananassa*). *Acta Hortic.* 439:89–96.
- Pramanik, S., S.S. Raychaudhuri and S. Chakraborty, (1995). Changes in esterase and superoxide dismutase isozymes during *in vitro* morphogenesis in *Plantago ovata* Forssk. *Plant Cell, Tissue Organ Cult.* 44(123).

- 
- Preil, W., J.B.M. Huitema and J. Dejong, (1991). Methods for selection of low temperature tolerant mutants of *Chrysanthamum morifolium* Ramat using irradiated cell suspension cultures. 11 Preservation in vitro under low temperature stress. *Plant Breeding.* 107 : 131-134.
- Quang, V.D., T.D. Guy and P. Phai, (1988). Mutagenesis and screening method for salt tolerance in rice by anther culture. *Genome* 30, *Supplemental.* 1: 459.
- Rabei Metwali E. M., M.P. Fuller, S.M.H. Gowayed , O.A.H. Almaghrabi and Y.Y. Mosleh, (2013). Evaluation and selection of barley genotypes under optimum salt stress condition using tissue culture techniques and SDS-PAGE gel electrophoresis. *J. Food Agri.Environ.*11 (3&4):1386-1394.
- Radhakrishnan, T. (1996). *In vitro* studies in the genus *Arachis*. Ph. D. thesis submitted to the University of Saurashtra, Rajkot, India.
- Radhakrishnan,T., T.G.K. Murthy, K. Chandran and A. Bandyopadhyay, (2001). Somatic embryogenesis in *Arachis hypogaea*: revisited. *Aust. J. Bot.*,49: 753-759.
- Rahimi, M. M. and A. Bahrani, (2011). Effect of gamma irradiation on qualitative and quantitative characteristics of Canola (*Brassica napusL.*). *Middle-East J. of Sci. Res.* 8(2): 519-525.
- Raja Rani, A. and G. Padmaja, (2005). A protocol for high frequency plant conversion rom somatic embryos of peanut (*Arachis hypogaea L.*)cv DRG-12) *J. Plant Biotech.* 7(3): 187-193.
- Raju, E.C. and J.J. Shah, (1980). Effect of gamma irradiation on morphology of leaf and shoot apex of ginger , turmeric and mango ginger. *Proc. Ind. Acad. Sci.* 89(3) : 173-178.
- Ramagopal, S. (1990). Protein polymorphism in sugarcane revealed by two dimensional gel analysis. United States Department of Agriculture, Agricultural Research Service, Experiment Station, Hawaiian Sugar Planters' Association Aiea USA. Originals.79(3):297-304.
- Ramawat, K.G., R. Raj Bhansali and H.C. Arya, (1997). Differentiation of *Crotalaria L.* callus culture, *Phytomorphology.* 27:303-307.

- 
- Rani, A.S. and G.M. Reddy, (1996). Multiple shoot regeneration from de-embryonated cotyledons of cultivated and wild species of *Arachis*. *J Genet Breed.* 50: 351-355.
- Rao, H.K. and S. Narayanasamy, (1975). Effect of Gamma irradiation on cell proliferation and regeneration in explanted tissues of pigeon pea (*Cajanus cajan* L.). *Radiat. Bot.* 15 : 301-305.
- Rao, S.R. and D. Rao, (1983). Gamma ray induced physiological variabilities in black gram (*Vigna mungo* L.). *Ind. J. Bot.* 6(2): 40-44.
- Ratnam, S.V. and K.V. Madhava Rao, 1994. Gamma ray induced morphological chimeras in sunflower. *J. Ind. Bot.Soc.* 73 : 185-188.
- Raveh, D. (1983). True breeding tobacco lines with new morphological phenotypes obtained from X-irradiated protoplasts. *Plant Cell Rep.* 2:51-54.
- Ray, H.Y., A.M. Scocchi and A.M. Gonzalez, (2000). Plant regeneration in *Arachis pintoi* (Leguminosae) through leaf culture. *Plant Cell Rep.* 19:856-862.
- Rayle, D.L., C.W. Ross and N. Robinson (1982). Estimation of osmotic parameters accompanying zeatin-induced growth of detached cucumber cotyledons. *Plant Physiol.* 70: 1634-1636.
- Rehman, A., M.L. Das, M.A.R. Howlidar, and M.A. Mansur, (1987). Promising mutants in *Brassica campestris*. *Mutation Breeding Newsletter.* 29: 14-15.
- Reinert, J. and Y.P.S. Bajaj, (1976). Application and fundamental aspects of plant cell, tissue and organ culture. *J.Exp.Bot.* 27:144-147.
- Rey, H.Y. and L.A. Mroginski, (2006). Somatic embryogenesis and plantlet regeneration in diploid and triploid *Arachis pintoi*. *Biologia Plantarum* 50(1): 152-155.
- Ricardo, M and A. Ando, (1998). Effect of gamma radiation and sodium azide on quantitative characters in rice (*Oryza sativa* L.). *Genetic. Mol.Biol.* 21(1):244-251.
- Roberts, D. R., B.S. Filtin, D.T. Webb, F. Webster and B.S. Sutton, (1990). Abscisic acid and indole- 3-butyric acid regulation of maturation and accumulation of storage proteins in somatic embryos of interior spruce. *Physiol Plant.* 78: 355-360.
- Rodrigo, R.L., H.A. Alvis, and T.A. Neto, (2004). *In vitro* mutation of Chrysanthemum morifolium (*Dendranthema grandifolia*). *Plant Cell Tiss. Org.* 77:103-106.

- 
- Roja Rani, A., P. Venkateswarlu, G. Padmaja, K. Venkatesh and Nimala Baburao, (2009). Changes in protein composition and protein phosphorylation during somatic embryogenesis and plant regeneration in peanut (*Arachishypogaea* L.)African Journal of Biotechnology. 8 (15): 3472-3478.
- Roja Rani, A., V. D. Reddy, P. Prakash Babu and G. Padmaja, (2005). Changes in protein profiles associated with somatic embryogenesis in peanut. *Biologia. Plantarum.* 49(3):347-354.
- Ronchi, V. N., M.A. Caligo, M. Nozzolini and G. Luccarini, (1984). Stimulation of carrot somatic embryogenesis by proline and serine. *Plant Cell Rep.*, 3(5):210-214.
- Roy, J. H.H. Yeoh, and C.S. Loh, (2004). Induced mutation in cassava using somatic embryo and identification of mutant plants with altered starch yield and composition. *Plant Cell Rep.* 23:91-98.
- Roy, P and J. Kochba, (1973). Stimulation of differentiation in orange (*Citrus sinensis*) ovular callus in relation to irradiation of the media. *Radiat. Bot.* 13 : 97-103.
- Rubin, B.A. and L.V. Metlitsky, (1956). A study of the action of ionizing radiation on the metabolism of potato tubers in relation to the problem of the all year round storage. Proc 2nd Inter. Conf. peaceful uses of At. Energy 27 : 437-443.
- Sabitharani, and G.M. Reddy, (1996). Induction of somatic embryogenesis from young leaflets of cultivated and wild species of groundnut. *Ind. J. Exp. Biol.* 34 : 569-571.
- Sadashiv, B.N. and D.N. Kondiram, (2012). Physiological, biochemical and enzymological studies in horsegram (*Macrotyloma uniflorum*). *Int.J. Adv.Sci.Tech. Res.* 2(6):679-689.
- Sadasivam, S. and A. Manikam, (1992). Biochem. methods for agricultural sci., Wiley Eastern Limited, New Delhi, India.
- Saha, P., S.S. Raychaudhuri, A. Chakraborty and M. Sudarshan, (2010). PIXE analysis of trace elements in relation to chlorophyll concentration in *Plantago ovata* Forsk. *Appl. Rad. Isot.* 68: 444–449.

- 
- Salim, K., F. Al-Qurainy and F. Anwar, (2009). Sodium Azide: a Chemical Mutagen for Enhancement of Agronomic Traits of Crop Plants. Environ. We Int. J. Sci. Tech. 4:1-21.
- Samantaray, S., G.R. Rout and P.Das (1999). Changes in isozyme patterns during in vitro regeneration from cotyledon explants of *Brassica* species. *Biol Plant*, 42 (169).
- Sander, C. and F.J. Muchlbauer, (1977). Mutagenic effect of sodium azide and gamma irradiation in *Pisum*. *Environ. Exp. Bot.*, 38:43-47
- Saunders, B. S.. A.G. Holmes-Siedle and B.P. Stack, (1964). Peroxidase. The Properties and Uses of Versatile Enzymes and Some Related Catalysts. Butterworths. London.
- Saxena, P. K., K.A. Malik and R. Gill, (1992). Induction by thidiazuron of somatic embryogenesis in intact seedlings of peanut. *Planta* 187:421–424.
- Scandalios, J.G. (1974). Isoenzyme in development and differentiation .*Ann Rev Physiol.* 25:225-258.
- Scowcroft, W.R., R.I.S. Brettell, S.A. Ryan, P.A. Davies and M.A. Pallotta, (1987) Somaclonal variation and genomic flux. Plant Tissue and Cell Culture. *Alan R. Liss. Inc. Pp.* 275-286.
- Seferoglu, S., H.G. Seferoglu, F.E. Tekintasa and F. Baltab, (2006). Biochemical composition influenced by different location in Uzun pistachio CV. (*Pistacia vera* L.) grown in Turkey, *Journal of Food Composition and Analysis*. 19(5): 461-465.
- Seitz, M.H. stalker and C.C. Green, (1987). Genetic variation for regenerative responses in immature leaflet cultures of cultivated peanut (*Arachis hypogaea* L.). *Plant Breeding*. 98 : 104-110.
- Sellars, R.M., G.M. Southward and G.C. Phillips, (1990). Adventitious somatic embryogenesis from cultured immature zygotic embryos of peanut and soybeans.*Crop Sci.*30:408-414.
- Sen, J., S. Kalia, and S. Guha-Mukherjee, (2002). Level of endogenous free amino acids during various stages of culture of *Vigna mungo* (L.) Hepper-Somatic embryogenesis, organogenesis and plant regeneration. *Curr. Sci.* 82: 459-433.

- 
- Senapati, S.K. and G.R. Rout, (2008). *In vitro* mutagenesis of rose with ethyl methane sulphonate (EMS) and early selection using RAPD markers, *Adv Hortic Sci.*22: 218 - 222.
- Sethi, U. and S. Guha-Mukherjee, (1990). Biochemistry and molecular biology of competence of plant cell differentiation and regeneration *in vitro*-a review. *Curr. Sci.*59:308-311.
- Shah, T.M., J.I. Mirza, M.A. Haq and B.M. Ata. (2008). Induced genetic variability in chickpea (*Cicer arietinum* L.) II. Comparative mutagenic effectiveness and efficiency of physical and chemical mutagens. *Pak. J. Bot.* 40(2): 605-613.
- Shama Rao, H.K and S. Narayanaswamy, (1975). Effect of gamma irradiation on cell proliferation and regeneration in explanted tissues of pigeon pea, *Cajanus cajan* (L) Mills P. *Radiat. Bot.* 15: 301–305.
- Sharp, R.E., O. Osonubi, W.A, Wood, and W.J. Davies, (1979). A simple instrument for measuring leaf extension in grasses, and its application in the study of the effects of water stress on maize and sorghum. *Ann. Bot.* 44, 35-45.
- Shirsat, R. K; Mohrir, M. N; Kare, M. A. and Bhuktar (2010). Induced mutations in Horsegram: mutagenic Efficiency and Effectiveness. Research in Science and Technology, 2(7): 20-23.
- Sidark and S. Suess, (1973). Effect of low doses of gamma radiation on the growth and yield of two varieties of tomato. *Radiat. Bot.* 13:309-314.
- Siddiqui, S.H. and M. Javed, (1982). Mutation breeding in sugarcane (*Saccharum sp. Hybrid*) by gamma irradiation of cuttings and tissue culture. In: induced mutations in vegetatively propagated plants II. Proc. IAEA, Vienna. Pp.155-166.
- Silveira,V., C. Santa-Catarina, T. S. Balbuena, F. M. S. Moraes, C. A. O. Ricart, M. V. Sousa, M. P. Guerra, W. Handro and E. I. S. Floh, (2008). Endogenous abscisic acid and protein contents during seed development of *Araucaria angustifolia*. *Biologia. Plantarum.* 52(1): 101-104.
- Singh, U. and B. Singh, (1992). Tropical grain legumes as important human foods. *Econ Bot.* 46:310-321.

- 
- 
- Skoog, F. and C.O. Miller (1987). Chemical regulation of growth and organ formation in plant tissue culture *in vitro*. *Symp.Soc. Exp. Biol.* 11: 118-131.
- Skoog, F. and C.O. Miller, (1957). Chemical regulation of growth and organ formation in plant tissue culture *in vitro*. *Symp.Soc.Exp.Biol.* 11:118-131.
- Smatt J, (1994). The groundnut in farming systems and the rural economy; a global view. Chapman and Hall, London . pp.664-669.
- Smith, C.J. (1995). Carbohydrate chemistry (Second Edition). Plant biochemistry and Molecular biology Chichester; *John Wiley and Sons* pp 73-111.
- Solanki, I.S. and Sharma, (1994). Mutagenic effectiveness and efficiency of gamma rays, ethylene imine and N-nitroso-N-ethyl urea in macrosperma lentil (*Lens culinaris* Medik.). *Ind.J.Genetic.* 54(1):72-76.
- Sreedhar, M., C. Anurag, M. Aparna, K.D. Pavan, R.K. Singhal and P. Venu-Babu, (2013). Influence of  $\gamma$ -radiation stress on scavenging enzyme activity and cell ultra structure in groundnut (*Arachis hypogaea* L.).*Adv. Applied Sci. Res.*, 4(2):35-44.
- Stadler, L.J. (1930). Some genetic effects of X-rays in plants. *Journ. Hered.* 21, 2–19.
- Stefaniak, B. (1994). Somatic embryogenesis and plantlet regeneration of gladiolus (*Gladiolus hort*).*Plant Cell Rep.* 13:386-389.
- Stirn S and H.J. Jacobsen, (1987). Marker proteins for embryogenic differentiation patterns in pea callus, *Plant Cell Reports*. 6 (1):50-54.
- Stirn, S., A.P.S. Mordhorst, Fuchs and H. Lorz, (1995). Molecular and biochemical markers for embryogenic potential & regenerative capacity of barley (*Hordeum vulgare* L.) *Cell Culture Plant Sci.* 106 (2):195-206.
- Strid, A., W.S. Chow and J.M. Anderson, (1990). Effects of supplementary gamma irradiation on photosynthesis in *Pisum sativum*. *Biochem.*, 1020: 260–268.
- Subuthi, P.K., B.K. Mohapatra and S.K. Sinha, (1991). Use of pollen traits for early detection of induced micro mutations in wheat. *Indian J. Genet.* 5 (1): 101-111.
- Sugiyama, M. (1999). Organogenesis *in vitro*. *Current Opinion in Plant Biol.* 2: 61-64.
- Sung, Z.R. (1976). Mutagenesis of cultured plant cells. *Genetics*. 84: 51-57.

- 
- Svetleva D.L., and P. Crino, (2005). Effect of ethyl methanesulfonate (EMS) and N-nitroso-N-ethyl urea (ENU) on callus growth of common bean. *J Centr Euro Agric.* 6:59-64.
- Swanson, E.B., M.J. Herrgesell, F.M. Arnoldo, D.W. Slippell and R.S.C. Wrong, (1989). Microspore mutagenesis and selection canola plants with field tolerance to the imidazolinones.- *Plant Tissue Cult.* 9:113-120,
- Syano, K. (1974). Correlation between induction of auxin non requiring tobacco callus and increase in inhibitor(s) of IAA-destruction activity. *Plant Cell Physiol.* 20 (1974) 29.
- Taha, F.S. and S.S. Mohamed, (2004). Effect of different denaturating methods on lipid-protein complex formation. *LWT - Food Sci. and Technol.* 37(1): 99-104.
- Talukdar, D. (2010). Allozyme variations in leaf esterase and root peroxidase isozymes and linkage with dwarfing genes in induced dwarf mutants of grass pea (*Lathyrus sativus* L.). *Int. J. Genetics and Mol.Biol.* 2(6):112-120.
- Tanksley S.D. and R.A. Jones. (1981). Application of alcohol dehydrogenase allozymes in testing the genetic purity of F1hybrids of tomato. *Hort. Sci.*, 16: 179-181.
- Tautorus, T.E., L.C. Fowke and D.I. Dunstan, (1991). Induction of somatic embryogenesis in conifers. *Can.J. Bot.* 69:1873-1899.
- Thorpe, T. A. and T. Murashige, (1970). Some histochemical changes underlying shoot initiation in tobacco callus cultures. *Can. J. Bot.* 48,277 -285 (1970).
- Thorpe, T.A. (1980). Organogenesis in vitro. Structural, physiological, and biochemical aspects. *Int Rev Cytol Suppl* 11A:71-112.
- Tiwari, S. and R. Tuli, (2009). Multiple shoot regeneration in seed-derived immature leaflet explants of peanut (*Arachis hypogaea* L.) *Scientia Horticult.* 121: 223-227.
- Tubiana, M., M.D.R. Arriagada, and M.D.D. Sarrazin, (1986). Human cancer natural history, radiation induced immune depression and post-operative radiation therapy. *Int. J. of Rad. Onc. Bio. Physics.* 12(4), 477-485.
- Turkan, A.D., K.M. Khawar, C.Y. Ciftci and S. Ozcan (2006). Effects of mutagenic Sodium Azide (NaN<sub>3</sub>) on in vitro development of four pea (*Pisum sativum* L.) cultivars. *Int. J. Agric. Biol.* 8(3): 349-351.

- 
- Turna, (2003). Variation of some morphological and electrophoretic characters of 11 populations of Scots pine in Turkey, Israel Journal of Plant Sciences, Volume 51.
- Ukai, Y. (1988). Effect of gamma ray irradiation on growth of calli derived from mature embryos or seeds in barley. *Japan J. Breeding*. 38:292-300.
- Ullah, I., I.A. Khan, H. Ahmad, S. Gafoor, S. Gul, I. Muhammad and M. Ilyas. 2010. Seed storage protein profile of rice varieties commonly grown in Pakistan. *Asian J. Agri. Sci.*,2: 120-123.
- Vajranabhaiah, S.N., M.G. purushotham, P.C. Reddy and A.H. Prakash, (1993). Regeneration potential of hypocotyls derived long term callus cultures in groundnut (*Arachis hypogaea* L.) Cv TMV-2. *Curr. Sci.* 65: 806-807.
- Vajranabhaiah, S.N., M.G. Purusotham, P.C. Reddy and A.H. Prakash, (1993). Regeneration potential of hypocotyl derived long term callus cultures in groundnut (*Arachis hypogaea* L.) cv TMV-2. *Curr Sci.* 65: 806–807.
- Van Harten, A.M. (1998). Mutation Breeding: Theory and Practical Applications. *Cambridge University Press, Cambridge, UK*.
- Van K, K.S. Kim, B.K. Ha, T.H. Jun, H.J. Jung, M.Y. Kim and S.H. Lee, (2005). Molecular marker characterization of a supernodulating soybean mutant, SS2-2. *Kor. J. Breed.* 37:35-42.
- Van, K., H.J. Jang, Y.E. Jang and S.H. Lee, (2008). Regeneration of plants from EMS-treated immature embryo cultures in soybean (*Glycine max* (L.) Merr.). *J. Crop Sci.Biotechnol.* 11:119-126.
- Vardhini, B.V. and S.S. Rao, (1998). Effect of brassinosteroids on growth, metabolite content and yield of *Arachis hypogaea*. *Phytochemistry*. 48:927-930.
- Venkatachalam, P. (2000). Mutagenic agents stimulate *in vitro* regeneration in peanut. *Agricell Rep.* 34:30.
- Venkatachalam P, P.B. Kavi Kishor and N. Jayabalan, (1997). High frequency somatic embryogenesis and efficient plant regeneration from hypocotyls explants of groundnut (*Arachis hypogaea* L.). *Curr. Sci.* 72: 271-275.

- 
- Venkatachalam, P. (1996). Tissue culture, mutational and genetic studies in groundnut (*Arachis hypogaea* L.) to develop cultivar for high yield, oil content and disease resistance. Ph.D. Thesis, Bharathidasan University, Indian.
- Venkatachalam, P. and Jayabal, N. (1997). Effect of gamma rays on some qualitative and quantitative characters in *Zinnia elegans* Jacq. *Ind. J. Genetic.* 57 (3): 255-261.
- Venkatachalam, P. and N. Jayabal, (1997). Selection and regeneration of groundnut plants resistant to the pathotoxic culture filtrate of *Cercosporidium personatum* through tissue culture technology. *Appl Biochem. Biotechnol.* 61(3):351–364.
- Venkatachalam, P. and N. Jayabal, (1996). Mutagenic effectiveness and efficiency of gamma rays, EMS sodium azide treatments in groundnut (*Arachis hypogaea* L) *Int. J. Mendel* 13: 49-50.
- Venkatachalam, P. and N. Jayabal, (1996). Selection and regeneration of groundnut plants resistant to the pathotoxic culture filtrate of *Cercosporidium personatum* through tissue culture technology. *Appl. Biochem. Biotechnol.* 61: 351-364.
- Venkatachalam, P., N. Geetha and N. Jayabal, (1998). Influence of growth regulators on plant regeneration from epicotyl and hypocotyl cultures of two groundnut (*Arachis hypogaea* L.) cultivars. *J Plant Bio.*141 : 1-8.
- Venkatachalam, P., A. Subramaniapillai and N. Jayabal, (1996). *In vitro* callus culture and plant regeneration from different explants of groundnut (*Arachis hypogaea* L.). *Breeding Sci.* 46: 315-320.
- Venkatachalam, P., A.S. Pillai and N. Jayabal, (1994). Plant regeneration from cultured apical meristems of groundnut (*Arachis hypogaea* L.). *Proc Nat Acad Sci Ind.* 64: 99- 103.
- Venkatachalam, P., N. Geetha, A. Khandelwal, M.S. Shaila and G. Lakshmi Sita, (1999b). Induction of direct somatic embryogenesis and plant regeneration from mature cotyledon explants of *Arachis hypogaea* L. *J. Curr. Sci.* 77:269-273.
- Venkatachalam, P., N. Geetha, K. Sankara Rao, N. Jayabal, A and S. Saravanababu, (1999a). BAP regulated direct shoot organogenesis from cultured seedling explants of groundnut (*Arachis hypogaea* L.). *Ind. J. of experimental Biol.* pp. 807-812.
-

- 
- Venkatachalam, P., N. Geetha, P. Priya, G. Rajaseger and N. Jayabalan, (2000). High frequency plantlet regeneration from hypocotyl explants of tomato (*Lycopersicon esculentum* Mill.). *Plant cell biotech and Mol - biology.* 1 (3&4): 95 - 100.
- Venkatachalam, P., P.B. Kavikishore and N. Jayabalan, (1997). High frequency of somatic embryogenesis and efficient plant regeneration from hypocotyl explants of groundnut (*Arachis hypogaea L.*). *Curr. Sci.* 72: 271-275.
- Venkateswaran, s. and C.R. Partanen, (1966). A Comparative study of the effects of gamma radiation on organized and disorganized growth of tobacco. *Radiat. Bot.* 6: 13-20.
- Verghese, T.M. and V. Kour (1991). Micropropagation of *Alibizzia lebbeck* Benth. *Acta Hortic,* 289:161-162.
- Verma, A. (2009). Response of groundnut varieties to plant growth regulator (BAP) to induce direct organogenesis. *World J Agric Sci,* 5: 313–317.
- Victor, J.R., S.J. Murch, S. Krishnaraj and P.K. Saxan (1999). Somatic embryogenesis and organogenesis in peanut. The roll of thiadiazuron and N6-Benzyl amino purine in the production of plant organogenesis plant growth regulators, 28:9-15.
- Viswanathan, P., V.R.K. Reddy and R. Asir, (1994). Induced quantitative variability in triticale. *J. Ind. Bot. Soc.* 73:217-220.
- Wan, Y., D.R. Duncan, A.L. Rayburn, J.F. Petolino and J.M. Widholm. (1991). The use of antimicrotubule erbicides for the production of doubled haploid plants from anther derived maize callus. *Theor. Appl. Genetic.* 81 (2) : 205-211.
- Wang, A.S., D.S.K. Cheng, J.B. Milck and T.C. Yang, (1988). Effect of x-rays irradiation on maize inbred line B73 tissue cultures and regenerated plants. *Crop Sci.* 28:358-362.
- Wang., J.S., L.X. Qiao, L.S. Zhao, P. Wang, B.T. Guo, L.X. Liu and J.M. Sui, (2015). Performance of peanut mutants and their offspring generated from mixed high-energy particle field radiation and tissue culture. *Genetics and Mol. Res.* 14 (3): 10837-10848.

- 
- Waqar, A., Wasim, A. Farooqi and A. Sattar (Jr) (1992). Effect of gamma irradiation on the morphology of Kinnow seedlings. *Proc First Intl. Seminar on Citriculture in Pakistan*, 2-5.
- Weber, G. and K.G. Lark, (1990). Quantitative measurement of the ability of different mutagens to induce mutation to maltose utilization in suspension culture of soybean (*Glycinemax*). *Genetics*. 96:213-222
- Werry, P.A. and K.M. Sioffelson, (1981). Radiation stimulated increase of plating efficiency of free plant cells. *Theory. And App. Genet.* 59: 391-393.
- Wetherell, D. F. and D.K. Dougall, (1976). Sources of Nitrogen Supporting Growth and Embryogenesis in Cultured Wild Carrot Tissue. *Physiol. Plant.* 37(2): 97–103.
- Wetzstesin, H.Y. and C.M. Baker, (1993). The relationship between somatic embryo morphology and conversion in peanut (*Arachis hypogaea* L.). *Plant Sci.* 92: 81-89.
- Wilcox, J.R., J.F. Cavins and N.C. Nielsen, (1984). Genetic alteration of soybean oil composition by a chemical mutagens. *J. Am. Oil Chem. Soc.* 61: 97-100.
- Williams, E.G. and G. Maheswaran, (1986). Somatic embryogenesis: factors influencing coordinated behaviour of cells as an embryogenic group. *Annals of Botany*, 57: 443-462.
- Wolter, K.E. and J.C. Gordon, (1975). Peroxidases as indicators of growth and differentiation in Aspen Callus cultures . *Physiol. Plant*,33:219-233.
- Wongpiyasatid, A., S. Chotechuen and P. Hormchan, (2000). Induced mutations in mungbean breeding regional yield trail of mungbean mutant lines. *Kasetsart J. Nat. Sci.* 34: 443-449.
- Wu, W.G, G.R. Liu and X.J. Yang, (2005). Applications of the mutation in connection with *in vitro* culture for plant breeding. *Chin. Agric. Sci. Bull.* 21: 197-201.
- Xavier Serrat, Roger Esteban, Nathalie Guibourt, Luisa Moysset, Salvador Nogues and Eric Lalanne, (2014). EMS mutagenesis in mature seed-derived rice calli as a new method for rapidly obtaining TILLING mutant populations. *Plant Methods*.10:5.
- Yeoh, H.H., Y.C.Wee and L.Watson, (1984). Systematic variation in leaf amino acid compositions of leguminous plants. *Phytochemistry* 23: 2227-2229.

- 
- 
- Zhang, B.H. (2000). Regulation of plant growth regulators on cotton somatic embryogenesis and plant regeneration. *Biochemistry* 39:15-67.
- Zhang, Z.Y., D.P. Coyne and A. Mitra (1997). Factors affecting Agrobacterium-mediated transformation of common bean. *Journal of the American Society for Horticultural Science*, 122: 3, 300-305.
- Zhao, M., J. Sui, L. Qiao, L. Tan and J. Wang (2012). An efficient regeneration system for peanut: Somatic embryogenesis from embryonic leaflets. *J. Food. Agri. Enviro.* 10 (2) ; 527-531.