
References

REFERENCES

- Abbasi, B.H., Saxena, P.K., Murch, S.J. and Liu, C.Z. (2007). *Echinacea* Biotechnology: Challenges and opportunities, *In vitro Cellular and Developmental Biology, Plant*, 43(6): 481-492.
- Ahloowalia, B.S., Prakash, J., Savangikar, V.A. and Savangikar, C. (2002). Plant tissue culture. Paper read at Technical Meeting organized by the Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, 26-30 August 2002, at Vienna.
- Ajithkumar, D. and Seeni, S. (1998). Rapid clonal multiplication through *in vitro* axillary shoot proliferation of *Aegle marmelos* (L) Corr, A Medicinal Tree. *Plant Cell Reports*, 17: 422-426.
- Al-Khayri, J.M., Huang, F.H. and Morelock, T.E. (1991). Regeneration of spinach from leaf callus. *Horticulture Science*. 26: 913–914.
- Ali Mohammad, (2008). Pharmacognosy (pharmacognosy & phytochemistry), CBS publisher and distributors, 1: 653.
- Ammirato, P.V. (1983). Embryogenesis. In: Hand book of plant cell culture. VoU. Techniques or propagation and breeding. Evans, D.A., Sharp, W.R., Ammirato, P.V. and Yamada. Y. [Eds.]. *Mac Millan*, New York. 82-123.
- Amoo, S.O., Finnie, J.F. and Staden J.V. (2011). The role of meta-topolins in alleviating micropropagation problems. *Plant Growth Regulation*. 63: 197-206.
- Andrew Marston, (2007). Role of advances in chromatographic techniques in Phyto chemistry. *Phyto chemistry*, 68: 2785-2797.

- Anis, M., Husain, M.K., Faisal, M., Shahzad, A., Ahmad, N., Siddique, I. and Khan H. (2009). *In vitro* approaches for plant regeneration and conservation of some medicinal plants. In: Kumar A, Sopory SK, (Eds). *Recent advances in plant biotechnology & its application*. New Delhi: IK International P. Ltd. pp. 397–410.
- Anis, M., Husain, M.K., Siddique. (2011). Biotechnological approaches for the conservation of forestry species. In: Jenkins JA. (Eds) *Forest decline Causes and impact*. USA; *Nova Science Publishers Inc*, pp.1-39.
- Anonymous., (1976). *The wealth of India* In: *Raw materials*, vol. X. New Delhi: Publications and Information Directorate. CSIR, New Delhi.
- Anoop Badoni, and Chauhan, J.S. (2011). Some of cheaper Alternative to MS media for *in vitro* culture of Potato. *Libyan Agriculture Research Center Journal International*, 2(4): 161-167.
- Anwar, H., Hossain, T., Raihanali, M. and Rahman, S.M. (2005). Effect of different carbon sources on *in vitro* regeneration of Indian Penny wort (*Centella asiatica* L.). *Pakistan Journal of Biological Science*, 8(7): 963-965.
- Arokiasamy, S. and Ignacimuthu, S. (1998). Plant regeneration from mature leaves and roots of *Eryngium foetidum* L. A food flavouring agent. *Current science.*, 75(7): 664-666.
- Arokiasamy, S., Varghese, G. and Ignacimuthu, S. (2000). High frequency regeneration of chick pea (*Cicer arietinum* L.) plantlets from leaf callus. *Phytomorphology*, 50 (4): 297-302.
- Arumugam, S. and Rao, M.V. (1996). *In vitro* production of plantlets from cotyledonary node cultures of *Aegle marmelos* L. *Corr. Advances in plant sciences*. 9(2): 181-186.

- Arumugam, P., Gruber, S., Tanaka, K., Haering, C.H., Mechtler, K. and Nasmyth, K. (2003). ATP hydrolysis is required for cohesin's association with chromosomes. *Current Biology*, 13(22): 1941-53.
- Arunkumar, S. and Muthuselvam, M. (2009). Analysis of Phytochemical constituents and antimicrobial activities of *Aloe vera* L. against clinical pathogens. *World Journal of agricultural sciences*, 5(5): 572-576.
- Babu, K.N., Samsudeen, K. and Ratnambal, M.J. (1992). *In vitro* plant regeneration from leaf-derived callus in ginger. *Plant cell tissue and organ culture*, 29: 71-74.
- Benjamin, B.D. and Mulchandani, N.B. (1973). Studies in biosynthesis of secondary constituents in tissue cultures of *Tylophora indica*. *Planta Medica*. 23: 394-397.
- Benjamin, B.D. and Mulchandani, N.B. (1976). Effect of gamma irradiation on biosynthetic potential of callus cultures of *Tylophora indica*. *Planta Medica*, 29: 27-40.
- Bera, T.K. and Roy, S.C. (1993). Micropropagation of *Tylophora indica* multiple shoot formation from mature leaf explant without callus formation intervention. *Botanical Bulletin of Academia*, 34: 83-87.
- Berkov, S., Pavlov, A., Georgiev, V., Bastida, J., Burrus, M. and Ilieva, M. (2009). Alkaloid synthesis and accumulation in *Leucosium aestivum* *in vitro* cultures. *Natural product communications*, 4(3): 359-364.
- Bernier, G., Kinet, J.M., Jacquard, A., Havelange, A. and Bodson, (1977). Cytokinin as a possible component of the floral stimulus in *Sinapis alba*. *Plant Physiology*, 60: 282-285.
- Bhavan, B.V., Leung, A.Y. and Foster, S. (1992). Selected Medicinal Plants of India. Tata Press, Bombay.

- Bhojwani, S.S. and Razdan, M.K. (1996). Plant tissue culture: theory and practice, Revised edition *Elsevier*, pp. 7: 767. ISBN 0444816232 A few pages are available in Google books.
- Bhojwani, S.S. and Razdan, M.K. (1982). Plant Tissue Culture: Theory and Practice. *Elsevier Science Publication*, Amsterdam, 1-520.
- Bhojwani, S.S. (1980). *In vitro* propagation of garlic by shoot proliferation. *Science Horticulture*. 13: 47-52.
- Bilkey, P.C. and Cocking, E.C. (1981). Increased plant vigor by *in vitro* propagation of *Saintpaulia ionantha* Wendl. from sub-epidermal tissue. *Horticulture Science*, 16:643–644.
- Bridgen, M.P. (1994). A review of plant embryo culture. *Horticulture Science*, 29: 1243-1245.
- Brink, J.A., Woodward, B.R. and Da Silva, E.J. (1998). Biotechnology: a tool for development in Africa. *Electronic Journal of Biotechnology*. 1(3): 142-151.
- Bush, G.A., Jacoby, A. and Medeiros, A. (1995). A functional classification scheme for beta-lactamases and its correlation with molecular structure. *Antimicrobial agents and chemotherapy*, 39:1211-1233.
- Chandrasekhar, T., Hussian, M.T., Gopal, G.R. and Rao, J.V.S. (2006). Somatic embryogenesis of *Tylophora indica* (Burm. f.) Merrill. An important medicinal plant. *International Journal of Applied Sciences & Engineering*, 4: 33–40.
- Chaudhuri, K. N., Ghosh, B. and Jha, S. (2004). The root: a potential new source of competent cells for high-frequency regeneration in *Tylophora indica*. *Plant Cell Reports*, 22(10): 73-740.

- Chopra, I.C., Chopra, R.N. and Nayar, S.L. (1986). Glossary of Indian medicinal plants, CSIR, New Delhi, pp. 5-10.
- Chopra, R.S., Nayar, S.L. and Chopra, I.C. (1956). Glossary of Indian Medicinal plants. Publication and information Directorate. CSIR, New Delhi, India. 470.
- Christianson, M.L. and Warnick. (1983). Competence and determination in the process of *in vitro* shoot organogenesis. *Development Biology*, 95(2): 288-93.
- Collin, H.A. (2001). Secondary Product formation in plant tissue cultures. *Plant Growth Regulation*, 34: 119-134.
- Cong, Z., Meiling, Q., Qinglong, S., Shan, Z. and Ruonong, F. (2007). *Journal of pharmaceutical and biomedical analysis*, 44: 464.
- CSIR, (2003). The wealth of India: a dictionary of Indian raw materials and industrial products, *Council of Scientific and Industrial Research*, New Delhi, 10: 398-399.
- Dahleen, L.S. (1995). Improved plant regeneration from barley callus cultures by increased copper levels. *Plant cell tissue and organ culture*, 43(3): 267-269.
- Dan, Y. and Reichert, N. A. (1998). Organogenic regeneration of soybean from hypocotyle explants. *In Vitro Cellular & Developmental Biology-Plant*, 34: 14-21.
- Dat, J.F., Foyer, C.H. and Scott, I.M. (1998). Changes in salicylic acid and antioxidants during induced thermotolerance in mustard seedlings. *Plant Physiology*, 118(4): 1455-61.
- Deb, C.R. and Pongener, A. (2010). Search of alternative substratum for agar in plant tissue culture. *Current Science*. 98: 99-102.

- Debeaujon, I. and Branchard, M. (1993). Somatic embryogenesis in Cucurbitaceae. *Plant cell tissue and organ culture*, 34: 209-215.
- De-Fatima, A., Modolo, L.V., Conegero, L.S., Pilli, R.A., Ferreira, C.V., Kohn, L.K. and de-Carvalho, J.E. (2006). Lactones and their derivatives: biological activities, mechanisms of action and potential leads for drug design. *Current Medicinal chemistry*, 13: 3371-3384.
- Demo, P., Kuria, P., Nyenda, A.B. and Kahangi, EM. 2008. Table sugar as an alternative low cost medium component for *in vitro* micropropagation of potato (*Solanum tuberosum* L.). *African Journal of Biotechnology*, 7: 2578-2854.
- Devi, P., Nagarajan, M., Christina, A.J.M., Meera, R. and Merlin, N.J. (2009). GC-MS analysis of *Euphorbia longan* leaves. *International Journal of Pharmaceutical Research and Development*, 8: 1-4.
- Dhanalakshmi, S. and Stephan, R. (2014). Low cost media options for the production of banana (*Musa paradisiaca* L.) through plant tissue culture. *Journal of Academia and industrial research*, 2: 509-512.
- Dickens, C.W.S. and Van Staden, J. (1985). *In vitro* flowering and fruit of soybean explants. *Journal of plant physiology*, 120: 83-86.
- Dutta, M.K. (1999). Absorption Spectroscopic Methods. In: M. K. Dutta, *Spectroscopy*. New Delhi: Sarup and Sons. pp. 6-12.
- Escobar, R., Hern Andez, C., Larrahondo, N., Ospina, G., Restrepo, J., Mu Noz, L., Tohme, J. and Roca, W. (2006). Tissue culture for farmers: participatory adaptation of low-input cassava propagation in Colombia. *Experimental Agriculture*, 42: 103-120.

- Escobar, R.H., Hernández, C.M., Larrahondo, N., Ospina, G., Restrepo, J., Munoz L, Thome, J. and Roca, W.M. (2005). Tissue culture for farmers: Participatory adaptation of low-input cassava propagation in Colombia. *Experimental Agriculture*, 42: 103-120.
- Faisal, M., Naseem, A. and Anis, M. (2007). An efficient micropropagation system for *Tylophora indica*: an endangered, medicinally important plant. *Plant Biotechnology Reports*, 1(3): 55-161.
- Faisal, M., Singh, S. and Anis, M. (2005). In-vitro Regeneration and plant establishment of *Tylophora indica* (Burm F.) Merrill: Petiole callus culture *In-Vitro* cellular. *Developmental biology*, 41(4): 511-515.
- Faisal, M. and Anis, M. (2005). An efficient in vitro method for mass propagation of *Tylophora indica*. *Biologia Plantarum*, 49: 257-260.
- Faisal, M. and Anis, M. (2003). Rapid mass propagation of *Tylophora indica* Merrill via leaf callus culture. *Plant Cell Tissue and Organ Culture*, 75: 125–129.
- FAO, (1993). Agricultural Biotechnology in the Developing World. FAO Research and Technology Paper 6. Food and Agriculture Organization of the United Nations, Rome, Italy.
- FAO, (2000). How appropriate is currently available biotechnologies in the crop sector for food production and agriculture in developing countries, Proceedings of the electronic forum on biotechnology in food and agriculture: Conference 1, March 20 - May 26, Food and Agriculture Organization of the United Nations, Rome, Italy.
- Franklin, C.I., Trieu, T.N., Gonzales, R.A. and Dixon, R.A. (1991). Plant regeneration from seedling explants of green bean (*Phaseolus vulgaris* L.) via organogenesis. *Plant Cell Tissue and Organ Culture*, 24: 199-206.

- Gamborg, O.L. and Phillips, G.C. (1995). Media preparation and handling. In: Plant Cell, Tissue and Organ Culture - Fundamental Methods. Gamborg, O.L. and G.C. Phillips (Eds.). *Springer-Verlag*, Berlin. 21-34.
- Gamborg, O.L., Miller, R.A. and Ojima, K. (1968). Nutrient requirements of suspension cultures of soybean root cells. *Experimental Cell Research*, 50: 151-158.
- Ganapathi, T.R., Mohan, J.S., Suprasanna, P., Bapat, V.A. and Rao, P.S. (1995). A low cost strategy for *in vitro* propagation of Banana. *Current Science*, 68: 646-665.
- Garland, P. and Stolz, L.P. (1981). Micropropagation of *Pissrdi plum*. *Annals of botany*, 48: 387-389.
- Gasper, T., Kevers, C., Penel, C., Greppin, H., Devid, M., Thore, A. and Trevor, A. (1996). Plant hormones and plant growth regulations in plant tissue culture. *In vitro Cellular & Development Biology – Plant*, 32 (4): 272-289.
- George, E.F., Hall, M.A. and Klerk, G.D. (2008). Plant propagation by tissue culture. Springer Ltd, Netherland, 1(3-9): 55-9.
- Gitonga, N.M., Ombori O., Murithi K.S.D. and Ngugi, M. (2010). Low technology tissue culture materials for initiation and multiplication of banana plants. *Africa Crop Science*, 18(4): 243-251.
- Gopalakrishnan, C., Shankar Narayan, D. and Kameswaran, L. (1980). Pharmacological investigations of Tylophorine, the major alkaloid of *Tylophora indica*. *Indian Journal of Medicinal Research*, 69: 513-520.
- Gopalakrishnan, C., Shankarnarayan, D., Kameswaran, L. and Natarajan, S. (1979). Pharmacological investigation of Tylophorine, *Indian Journal of Medicinal Research*, 69: 513-520.

- Gore, K.V., Rao, K. and Guruswamy, M.N. (1980). Physiological studies with *Tylophora asthmatica* in bronchial asthma. *Indian Journal of Medicinal Research*, 71: 144-148.
- Govindhari, T.R., Vishwanathan, N. and Radhakrishnan, J. (1975). Tylophora Alkaloids. *Journal of the Indian Chemical Society*, 3: 1-9.
- Grace, O.M., Light, M.E., Lindsey, K.L., Moholland, D.A., Staden, J.V. and Jader, A.K. (2002). Antibacterial activity and isolation of antibacterial compounds from fruit of the traditional African medicinal plant, *Kigelia africana*, 68: 220-222.
- Gupta, A.K. (2003). Quality standards of Indian medicinal plants. *Indian Council Medical Research*, 1: 221-225.
- Harborne, J.B. (1998). Methods of plant analysis. In: *Phytochemical Methods*. J.B. Harborne London: Chapman & Hall, pp.7-21.
- Huang, X., Gao, S., Fan, L., Yu, S. and Liang, X. (2004). Cytotoxic alkaloids from the roots of *Tylophora atrofoliculata*. *Planta medica*, 70: 441-445.
- Haznagy-Radnal, E., Czige, S. and Mathe, I. (2007). TLC and GC analysis of the essential oils of *Stachys* species. *Journal of Planar Chromatography*, 20: 189-196.
- Henry, R., Owen, Donnba, W. and Raymond miller, A. (1991). Culture medium pH is influenced by basal medium, carbohydrate source, gelling agent, Activated Charcoal, and medium storage method. *Plant cell reports*, 10: 583-586.
- Hicks, G.S. (1994). Shoot induction and organogenesis *in vitro*: a developmental perspective. *In vitro and cellular developmental biology*, 30: 10-15.

- Horvath, E., Szalai, G. and Janda, T. (2007). Induction of abiotic stress tolerance by salicylic acid signaling. *Journal of Plant Growth Regulators*, 26(3): 290-300.
- Hosoki, T. and Sagawa, Y. (1977). Clonal Propagation of ginger (*Zingiber officinale* Rose.) through tissue culture. *Horticulture Science*, 12: 451-452.
- Hossain, M., Islam, R., Islam, A. and Joarder, O.I. (1995). Direct organogenesis in cultured hypocotyl explants of *Aegle marmelos* Corr. *Plant Tissue Culture*, 5(1): 21-25.
- Hossain, M., Islam, R., Karim, M.R., Joarder, O.I. and Biswas, B.K. (1994). Regeneration of plantlets from *in vitro* cultured cotyledons of *Aegle marmelos* Corr. (Rutaceae). *Scientia Horticulturae*, 57(4): 315-321.
- Hossain, M., Karim, M. R., Islam, R. Z. and Joarder, O. I. (1993). Plant regeneration from nucellar tissues of *Aegle marmelos* through organogenesis. *Plant cell Tissue Organ Culture*, 34: 199-203.
- Islam, R., Hossain, M., Karim, M.R. and Joarder, O.I. (1995). Regeneration of *Aegle marmelos* (L.) Corr. plants *in vitro* from callus cultures of embryonic tissues. *Current Science*, 69 (6): 494-495.
- Janda, T., Szalai, G., Tari, I., Páldi, E. (1999). Hydroponic treatment with salicylic acid decreases the effect of chilling injury in maize (*Zeamays* L.) plants. *Planta*, 208(2): 175-80.
- Jayanthi, M. and Mandal, P.K. (2001). Plant regeneration through somatic embryogenesis and RAPD analysis of regenerated plantlets in *Tylophora indica* (Burm. f.) Merrill: *in vitro*. *Cellular & Developmental Biology-Plant*, 37: 576–580.
- Jumin, H. B. and Ahmad, M. (1999). High-frequency *in vitro* flowering of *Murraya paniculata* (L.) Jack. *Plant cell reports*, 18(9): 764–768.

- Jumin, H.B. and Nito, N. (1995). Embryogenic protoplast cultures of orange Jessamine (*Murraya paniculata*) and their regeneration on plant flowering *in vitro*. *Plant Cell Tissue and Organ Culture*, 41: 277-279.
- Jumin, H.B. and Nito, N. (1996a). *In vitro* flowering of *Fortunella hindsii* (camp). *Plant Cell Tissue and Organ Culture*, 7, 15: 484-488.
- Jumin, H.B. and Nito, N. (1996b). *In vitro* flowering of orange Jessamine (*Murraya paniculata* L. Jack). *Experientia*, 52: 268-272.
- Kalimuthu, K. and Jayaraman, S. (2012). Morphogenetic callus and multiple shoot regeneration; and thin layer chromatography studies of *Tylophora indica* (Burm. F.) Merrill. *Journal of medicinal plants research*, 6(37): 5094- 5098.
- Kaur, R., Gautam, H. and Sharma, D.R. (2005). A low cost strategy for micropropagation of strawberry (*Fragaria ananassa*) cv. Chandler. Proceedings of the VII International Symposium on Temperate Zone Fruits in the Tropics and Subtropics. *Acta Horticulturae*, 10: 129-133.
- Krishna Reddy, B., Anjaneyulu, E., Ramgopal, M., Vaidyanath, K., Hemalatha, S. and Balaji, M. (2010). An efficient protocol for shoot bud induction and regeneration of *Tylophora indica*, an endangered medicinal plant. *Current Trends Biotechnology Pharmacology*, 4: 922–929.
- Kirtikar, K.R. and Basu, B.D. (1991). Indian medicinal plants, (2nd Eds). Periodic expert book agency, New Delhi.
- Kirtikar, K.R. and Basu, B.D. (1975). Indian medicinal plants. Vol. I. Delhi. M/S Ishen Sing Mahendra Pal Singh. pp. 622-625.
- Kodym, A. and Francisco, J.Z.A. (2004). Low-cost alternatives for the micropropagation of banana. *Plant Cell, Tissue and Organ Culture*, 66: 67-71.

- Kodym, A. and Zapata-Arias, F.J. (2001). Low cost alternatives for the micropropagation of banana. *Plant Cell, Tissue and Organ Culture*, 66: 67-71.
- Kothari, L.L., Chandra, N. and Sharma, V.K. (1991). Multiple shoot formation from cotyledonary nodes and shoot apex culture *Glycine max* (L.) Merrill. Soybean. *Rice Genetics Newsletter*, 18: 148-149.
- Kubota, C., Kakizaki, N., Kozai, T., Kasahara, K. and Nemoto, J. (2001). Growth and net photosynthetic rate of tomato plantlets during photoautotrophic and photomixotrophic micropropagation. *Horticulture Science*, 36: 49-52.
- Kumar, L., Sing, S.P. and Pahuja, S.S. (1985). Studies on vegetative reproduction rate of water hyacinth and water chest nut. *Indian Journal Agriculture Research*, 19: 54-58.
- Kumar, V.A., Kumar, A. and Kumar, J. (1995). *In vitro* flowering and pod formation in cauliflower (*Brassica oleracea* var botrytis). *Current Science*, 69(6): 543-545.
- Kumaraswamy, M., Balasubramanya, S. and Anuradha, M. (2009). *In vitro* multiplication of patchouli through direct organogenesis. *African Journal of Biotechnology*, 9(14): 2069-2075.
- Kusumi, K., Yaeno, T., Kojo, K., Hirayama, M. and Hirokawa, D. (2006). The role of salicylic acid in the glutathione-mediated protection against photo oxidative in rice. *Physiologia Plantarum*, 128: 651-61.
- Lane, W.D. (1979). *In vitro* propagation of *Spiraea bumalda* and *Prunus cistena* from shoot apices. *Canadian Journal of plant science*, 59: 1025-1029.
- Lang, A. (1987). *Nicotiana*. In: Handbook of flowering. Halevy, A.H. (Eds). CRC Press.

- Lima, G.P., Compos R.A., Willadino L.G., Camara T. and Vianello, F. (2012). Polymaines gelling agents in tissue culture micropropagation of medicinal plant and bioreactor. *Agricultural and biological science journal*, 51(3): 952-978.
- Litz, R.E. and Gray, D.J. (1992). Organogenesis and somatic embryogenesis. In: *Biotechnology of Perennial Fruit Crops, Biotechnology in Agriculture*. Hammerschlag, F.A. and Litz, R.E. (eds). CAB International, Wallingford, UK. 3-34.
- Lolkema, P.C. (1985). Copper resistance in higher plants. Ph.D. Thesis, Free University Press.
- Luo, J.P., Jiang, S.T. and Pan, L.J. (2001). Enhanced somatic embryogenesis by salicylic acid of *Astragalus adsurgens* Pall.: relationship with H₂O₂ production and H₂O₂-metabolizing enzyme activities. *Plant Science*, 161(1):125-32.
- Malamy, J., Carr, J.P., Klessig, D.F. and Raskin, I. (1990). Salicylic acid: A likely endogenous signal in the resistance response of tobacco to viral infection. *Science*, 250(4983): 1001-4.
- Mangunwidjaja, D.S., Kardono, S.R. and Iswantini L.B.S.D. (2006). Gas chromatography and Gas Chromatography-Mass Spectrometry analysis of Indonesian *Croton tiglium* seeds. *Journal of Applied Science*, 6: 1576-1580.
- Manjula, S., Job, A. and Nair, G.M. (2000). Somatic embryogenesis from leaf derived callus of *Tylophora indica* (Burm. f.) Merrill. *Indian Journal of Experimental Biology*, 38(10): 1069-1072.
- Maria Jancy Rani, P., Kannan, P.S.M., Kumaravel, S. (2011). GC-MS Analysis of *Lantana camara* L. Leaves. *Journal of pharmaceutical research and drug design*, 2(11): 63-66.

- Maliro, M.F.A. and Lameck, G. (2004). Potential of cassava flour as a gelling agent for plant tissue culture. Bunda college of Agriculture; Lilongwe. *African Journal Biotechnology*, 3(4): 244-274.
- Mathews, H.V and Rao, P.S. (1984). *In vitro* response of black pepper (*Piper nigrum*). *Current Science*, 53: 183-186.
- McDaniel, C.N., Sangry, H.K. and Singer, S.R. (1989). Node counting in axillary buds of *Nicotiana tabaccum* CV Wisconsin 38, a day-neutral plant. *American Journal of Botany*, 76: 403-408.
- McNicol, R. J. and Graham, J. (1990). *In vitro* regeneration of *Rubus* from leaf and stem segments. *Plant Cell, Tissue and Organ Culture*, 21: 40-45.
- Mehrotra, S., Goel, M., Kukreja, A. and Mishra, B. (2007). Efficiency of liquid culture systems over conventional micro-propagation: A progress towards commercialization. *African Journal of Biotechnololgy*, 6: 1484-1492.
- Merlin, N.J., Parthasarathy, V., Manavalan, R. and Kumaravel. S. (2009). Chemical Investigation of Aerial Parts of *Gmelina asiatica* Linn by GC-MS. *Pharmacognosy Research*, 1(3): 152-156.
- Merc, J. and Pahner, J.H. (1978). *Journal of experimental Botany*, 367-373.
- Merc, J. and Pahner, J.H. (1982). *American Journal Botany*, 69 : 768-775.
- Metraux, J. P., Signer, H., Ryals, J., Ward, E., Wyss-Benz, M. and Gaudin, J. (1990).
- Increase in salicylic acid at the onset of systemic acquired resistance in cucumber. *Science*, 250: 1004-1006.
- Mulchandani, N.B., Iyer, S.S. and Badheka, L.P. (1971). Structure of Tylophorinidine: a new potential antitumor alkaloid from *Tylophora indica*. *Chemistry India*, 19: 505-506.

- Murashige, T. and Skoog, F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue culture. *Physiologia Plantarum*, 15: 473-497.
- Nagamori, E. and Kobayashi, T. (2001). Viscous additive improves micropropagation in liquid medium, *Journal of Bioscience and Bioengineering*, 91(3): 283-287.
- Nadgauda, R.S., Mascarenhas, A. F. and Madhusoodanan, K. (1983). Colnial Multiplication of Cardamom (*Elettaria Cardamomum*. Maton) by Tissue culture. *Journal Plantation Crops*, 11(1): 60-64.
- Nojiri, H., Sugimori, M., Yamane, H., Nishimura, Y., Yamada, A., Shibuya, N., Kodama, O., Murofushi, N. and Omori, T. (1996). Involvement of Jasmonic acid in elicitor-induced phytoalexin production in suspension-cultured rice cells. *Plant Physiology*, 110(2): 387-92.
- Ogita, S., Miyazaki, J., Godo, T. and Kato, Y. (2009). Possibility for selective accumulation of polyphenolics in tissue cultures of senna (*Lychnissenno Siebold et Zucc.*). *Natural Product Communications*, 4(3): 377-380.
- Ohira, K., Makoto, I. and Ojima, K. (1976). Thiamine requirements of various plant cells in suspension culture. *Plant Cell Tissue and Organ Culture*, 17(3): 583-590.
- Ogero, K., Gitonga, N.M, Maina, M., Ombori, O. and Ngugi, M. (2012). Cost-effective nutrient sources for tissue culture of Cassava (*Manihot esculenta* Crantz). *African Journal of Biotechnology*, 11(66): 12964-12973.
- Patil, M.S., Ramaswamy, N.M. and Sree Rangasamy, S.R. (1993). *In vitro* flowering in sunflower (*Helianthus annus* L.). *Current Science*, 65(7): 565-566.

- Pati, P.K., Sharma, M. and Ahuja, P.S. (2008). Rose protoplast isolation and culture and heterokaryon selection by immobilization in extra thin alginate film. *Protoplasma* 233: 165–171.
- Patra, A., Rai, B., Rout, G.R. and Das, F. (1998). Successful plant regeneration from callus cultures of *Centella asiatica* (Linn) Urban. *Plant growth Regulators*, 24: 13-16.
- Pattnaik, S.K. and Chand, P.K. (1996). Artificial seeds as an aid to clone white mulberry. In: Abstracts of the International Workshop on Bio encapsulation, Potsdam, Germany, pp. 165-168.
- Pierik, R.L.M. (1989). *In Vitro* Culture of Higher Plants. Martinus Nijhoff Publications, Dordrecht.
- Prakash, S., Hoque, M.I. and Brinks, T. (2004). Low cost options for tissue culture technology in developing countries: culture media and containers. Proceedings of the Technical meeting organized by the joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Aug. 26-30, Vienna, pp. 29-40.
- Prakash, S. (1993). Production of ginger and turmeric through tissue culture methods and investigations into making tissue culture propagation less expensive. Ph.D. Thesis. Bangalore University. Bangalore polymer film culture vessel in micropropagation. *Acta Horticulture*. 230: 73-80.
- Praveen Kumar, P., Kumaravel, S. and Lalitha, C. (2010). Screening of antioxidant activity, total phenolics and GC-MS study of *Vitex negundo*. *African Journal of Biochemistry Research*, 4(7): 191-195.
- Punitha, P. and Yogendra Kumar, B. (1992). Plant regeneration from leaf and hypocotyl explants of *Glycine wightii* (W and A) Verde Var longicauda. *Japan Journal of Breeding*, 42: 1-5.

- Purohit, S.D., Singhvi, A. and Tak, K. (1996). Biochemical characteristic of differentiating callus cultures of *Feronia limonia* L. *Acta. Physiologia plantarum*, 18(1): 47-52.
- Quiroz-Figueroa, F., Mendez-Zeel, M. (2001). Picomolar concentration of salicylates induce cellular growth and enhance somatic embryogenesis in *Coffea arabica* tissue culture. *Plant Cell Reproduction*, 20(8): 679-89.
- Rajavel, L. and Stephan, R. (2014). Low Cost *In Vitro* Propagation of *Tylophora indica* (Burm f.) Merrill., using different Carbon Sources. *Journal of Academia and Industrial Research*, 3(5): 221-224.
- Rao, K.V., Wilson, R.A. and Cummings, B. (1971). Alkaloids of *Tylophora*. 3 New alkaloids of *Tylophora indica* (Burm. f.) Merrill and *Tylophora dalzellii* Hook. *Journal of Pharmaceutical sciences*, 60(11): 1725-1726.
- Rao, P.S. and Narayana Swami, S. (1972). Morphogenetic investigation in callus cultures of *Tylophora inidca*. *Plant Physiology*, 27: 271-276.
- Rao, P.S. and Narayana Swami, S. (1970). Differentiation ex ovule of embryos and plantlets in stem tissue cultures of *Tylophora indica*. *Plant Physiology*, 23: 140-144.
- Rao, L.U., Rao, I.V.R. and Narang, V. (1980). Somatic embryogenesis and regeneration of plants in the bamboo *Dendrocalamus strictus*. *Plant Cell Reproduction*, 4: 191-194.
- Rathore, M.S., Dagla, H.R., Singh, M. and Shekhawat, N.S. (2008). Rational Development of *in vitro* Methods for Conservation, Propagation and Characterization of *Caralluma edulis*. *World Journal of Agricultural Science*, 4(1): 121-124.

- Rawat, V. and Upadhyaya, K. (2013). Evaluation of antimicrobial activity and preliminary phytochemical screening of *Mesua ferrea* seeds extract. *Journal of Natural Products*, 6: 17-26.
- Redenbaugh, K. (1993). Introduction. In: Synseeds: applications of synthetic seeds to crop improvement, Redenbaugh, K. (ed), CRC Press, Boca Raton, FL, 3-10.
- Reddy, B.G. and Reddy, M.S. (1999). Effect of integrated nutrient management on soil available micro nutrients in maize-soybean cropping system. *Journal of Research Angrau*, 27: 24-28.
- Reinert, J. (1958). Morphogenesis und ihre Kontrolle an Gewebekulturen aus Carotten. *Naturwissenschaften*, 45: 344-345.
- Roca, W.M. (1984). Cassava. In: Sharp, W.R., Evans, D.A., Ammirato, P.V. and Yamada, Y. (eds) Handbook of plant cell culture, Volume 2. New York: Macmillan, pp. 269-301.
- Roca, W.M., Rodriguez, A., Patena, L.F., Barba, R.C. and Toro, J.C. (1980). Improvement of a propagation technique for cassava using single leaf-bud cuttings: A preliminary report. *Cassava Newsletter*, 8: 4-5.
- Santana, M.A., Romay, G., Matehus, J., Vicente-Villardón, J.L. and Demey J.R. (2009). A simple and low-cost strategy for micropropagation of cassava (*Manihot esculenta* Crantz). *African Journal of Biotechnology*, 8(16): 3789-3897.
- Sarasan, V., Thomas, E., Lawrence, B. and Nair, G.M. (1993). Plant regeneration in *Piper longum* L. (Piperaceae) through direct and indirect adventitious shoot development. *Journal of Spices and Aromatic Crops*, 2(1&2): 34-40.

- Saraswati, S., Kanaujia, P.K., Kumar, S., Kumar, R., Abdulqader, A. and Alhaider. (2013). Tylophorine, a phenanthroindolizidine alkaloid isolated from *Tylophora indica* extracts anti-angiogenic and antitumor activity by targeting vascular endothelial growth factor receptor 2-mediated angiogenesis. *Molecular Cancer*, 12: 82.
- Sarumathy, K., Vijayayakanthia, T. and Dhana Rajan, M.S. (2011). A Protective effect of *Caesalpinia sappan* (CS) on acetaminophen induced Nephrotoxicity and oxidative stress in male *albino* rats. *Journal of Pharmacology and Toxicology*; 1(2): 11-21.
- Sathish Kumar, M., and Manimegalai, S., (2008). Evaluation of Larvicidal Effect of *Lantana Camara* Linn. Against Mosquito Species *Aedes aegypti* and *Culex quinquefasciatus*. *Advances in Biological Research*, 2(3-4): 39-43.
- Savangikar, V.A., Savangikar C., Daga, R.S. and Pathak, S. (2002). Reduction in cost in micropropagation: Achievements and further prospects, Proceedings of 1st International symposium liquid system for *in vitro* mass propagation of plants, May 29-June 2, Norway, 3-8.
- Savangikar, V. (2004). Role of low cost options in tissue culture. Proceedings of a Technical Meeting organized by the Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture Vienna: International Atomic Energy Agency, 11-16.
- Scorza, R. and Janick, J. (1980). *In vitro* flowering of *Passiflora suberosa* L. *Journal of the American society of Horticulture science*, 105: 982-997.
- Sharifi, A., Moshtaghi, N. and Bagheri, A. (2010). Agar alternatives for micropropagation of African violet (*Saintpaulia ionantha*). *African Journal of Biotechnology*, 9(54): 9199-9203.

- Sharma, N. and Chandel, K.P.S. (1992). Effects of ascorbic acid on axillary shoot induction in *Tylophora indica* (Burm. f) Merrill. *Plant Cell Tissue Organ Culture*, 29: 109-113.
- Sharma, V.K. and Kothari, J.L. (1991). Shoot tip culture for micropropagation of soybean. *Journal of Indian Botanical Society*, 70: 431-432.
- Shivpuri, D.N., Menon, M.P. and Prakash, D. (1968). Preliminary studies in *Tylophora indica* in the treatment of asthma and allergic rhinitis. *The journal of the Association of the Physicians India*, 16(1): 9-15.
- Shivpuri, D.N., Singhal, S.C. and Prakash, D. (1972). Treatment of asthma with an alcoholic extract of *Tylophora indica* - a cross-over, double-blind study. *Ann Allergy*, 30(7): 407-412.
- Siddiq Ibrahim, A., Ahmad Bustamam, A., Manal Mohammed, E., Syam, M.I., Mohamed Yousif, M., Abdelbasit Adam, Alhaj N.A. and Rasedee Abdullah. (2009). GC-MS determination of bioactive components and antibacterial properties of *Goniothalamus umbrosus* extracts. *The African Journal of Biotechnology*, 8(14): 3336-3340.
- Singh, S.K. (2013). *Aegle marmelos* protects hepatocytes from paracetamol induced hepatotoxicity. *Indian Journal of Science and Research*, 4(1): 53-56.
- Sivakumar, G., Alagumanian, S. and Rao, M.V. (2006). High frequency *in vitro* multiplication of *Centella asiatica*: An important industrial medicinal herb. *Engineering in Life Sciences*, 6(6): 597-601.
- Sivaprakash, N., Pental, D. and Bhalla Sarin, N. (1994). Regeneration of pigeon pea (*Cajanus cajan*) from cotyledonary node via multiple shoot formation. *Plant Cell Reproduction*, 13:623-627.

- Sood, H. and Chauhan, R.S. (2009). Development of a low cost micropropagation technology for an endangered medicinal herb (*Picrorhiza kurroa*) of North-Western Himalayas. *Plant Sciences*, 4: 21-31.
- Sridharan, S., Meena, V., Kavitha, V. and Agnel Arul John Nayagam. (2011). GC-MS study and phytochemical profiling of *Mimosa pudica* Linn. *Journal of Pharmaceutical Research*, 4(3): 741-742.
- Stephan, R. and Jayabalan, N. (1998). *In vitro* flowering and seed setting formation of coriander (*Coriandrum sativum* L.). *Current Science*, 74(3): 195-197.
- Stephan, R. and Jayabalan, N. (2000). Artificial seed production in coriander (*Coriandrum sativum* L.). *Plant Tissue Culture*, 10(1): 45-49.
- Stewart, F.C., Mapes, M.O. and Mears, K. (1958). Growth and organized development of cultured cells II. Organization in culture grown from freely suspended cells. *American Journal of Botany*, 45: 705-708.
- Strobel, N.E., and Kuc, A. (1995). Chemical and biological inducers of systemic acquired resistance to pathogens protect cucumber and tobacco from damage caused by paraquat and cupric chloride. *Phytopathology*. 85: 1306–1310.
- Tauquer, A., Abbasi, N.A., Hafiz, I. and Ali, A. (2007). Comparison of sucrose and sorbitol as main carbon energy sources in micropropagation of peach root stock GF-677. *Pakistan Journal Botany*, 39(4): 1269-1275.
- Thomas, T.D. and Phili, B. (2005). Thiadiazuron induced high frequency shoot organogenesis for leaf derived callus of a medicinal climber *Tylophora indica*. *In vitro cell development biology- Plant*, 41: 124-128.
- Thomas, T.D. (2006). Effect of sugars, gibberellic acid and abscisic acid on somatic embryogenesis in *Tylophora indica* (Burm. f.) Merrill. *Chinese Journal of Biotechnology*, 22(3): 465-471.

- Tisserat, B., Esan, B.B. and Murashige, T. (1979). Somatic embryogenesis in angiosperms. *Horticultural Reviews*, 1:1-78.
- Tonk, F., Giachino, R., Sönmez, Ç., Yüce, S., Bayram, E. and Das, T. (2011). Characterization of Various *Hypericum perforatum* Clones by Hypericin and RAPD analysis. *International Journal of Agriculture & Biology*, 13(1): 31-37.
- Torres, K.C. (1989). Tissue Culture Techniques for Horticultural Crops. Van Nostrand Reinhold, New York.
- Trigiano, R.N. and Gray, D.J. (2000). Plant Tissue Culture Concepts and Laboratory Exercises: CRC Press, Washington, USA.
- Tyagi, R.K., Agrawal, A., Mahalaskmi, C., Hussain, Z. and Tyagi, H. (2007). Low-cost media for *in vitro* conservation of turmeric (*Curcuma longa* L.) and genetic stability assessment using RAPD markers. *In Vitro Cellular and Developmental Biology-Plant* 43: 51-58.
- Venkatachalam, P., Geetha, N. and Jayabalan, N. (1998). Influence of growth regulation on plant regeneration from epicotyl cultures of two groundnut (*Arachis hypogea* L.) cultivars. *Journal of Plant Biology*, 41: 1-8.
- Varrier, P.K., Nambiar, V. P. K. and Ramankutty, C. (1994). *Tylophora indica* Indian medicinal plants—a compendium of 500 species. 5; New Delhi: *Orient Longman*, 66-68.
- Vasil, I.K. and Thorpe, T.A. (1998). editor. Plant cell and tissue culture. Dordrecht: *Kluwer Academic Publishers*.
- Vasil, I. and Thorpe. (1994). Studies on clonal propagation, cell behavior and plant modification in variety of plant species. In: Plant cell and tissue culture. Dordrecht, *Kluwer Academic Publishers*.

- Vasil, V. and Vasil, I.K. (1981). Somatic embryogenesis and plant regeneration from suspension cultures of pearl, *Pennisetum americanum*. *Annals of Botany*, 47: 669-678.
- Vijaya Chitra, D.S. and Padmaja, G. (2001). Seasonal influence on axillary bud sprouting and micropropagation of elite cultivars of *Mulberry*. *Science Horticulturae*, 92: 55-68.
- Wealth of India, (1969). NISCOM, CSIR publications, Vol-(VI), 398-402.
- Widholm, J.M. and Rick, S. (1982). Shoot regeneration from *Glycine cannescens* tissue culture. *Plant Cell Reports*, 2: 19-20.
- Williams, E.G. and Maheswaran, C. (1986). Somatic embryogenesis: Factors influencing coordinated behavior of cell as an embryogenic group. *Annals of Botany*, 57: 443-462.
- Write, M.S., Kochba, S.M. and Hinchee, M.A. (1986). Plant regeneration by organogenesis in *Glycine max* (L.) Merr. *Plant Cell Reports*, 5: 150-154.
- Yazaki, K., Sugiyama, A., Morita, M. and Shitan, N. (2008). Secondary transport as an efficient membrane transport mechanism for plant secondary metabolites. *Phytochemistry Reviews*, 7: 513-524.
- Yi-Zeng Liang., Peishan Xie. and Kelvin Chan, (2004). Quality control of herbal medicines. *Journal of Chromatography*, 812:53-70.
- Zapata, A. (2001). Cost reduction in tissue culture of banana. International Atom Energy Labs. Agriculture and Biotechnology Lab Austria.