

# CONTENTS

<b>Chapter No.</b>	<b>Title</b>	<b>Page No.</b>
I	Introduction	1
II	Review of Literature	8
III	Materials and Methods	25
IV	Results	54
V	Discussion	120
VI	Summary and Conclusion	148
	References	151
	Publications	

## LIST OF TABLES

Table No.	Title	Page No
3.1	Conventional MS (Murashige & Skoog, 1962) medium composition	47
3.2	List of different low-cost macro nutrient alternatives	48
3.3	List of different low-cost micro nutrient alternatives	49
3.4	List of different low-cost Iron source alternatives	50
3.5	List of different low-cost Vitamin source alternatives	50
3.6	List of different low-cost Carbon source alternatives	51
3.7	List of different low-cost growth regulator alternatives	52
3.8	List of different low-cost Solidifying agent alternatives	53
4.1	Effect of different concentration of low cost macro nutrient and fixed conventional MS macro salts on morphogenic response of <i>Tylophora indica</i> Shoot tip and node explants	79
4.2	Effect of different concentration of low cost micro nutrient and fixed conventional MS micro salts on morphogenic response of <i>Tylophora indica</i> Shoot tip and node explants with standardize low cost macro nutrients	80
4.3	Effect of different concentration of low cost Iron source and fixed conventional MS iron source on morphogenic response of <i>Tylophora indica</i> Shoot tip and node explants with standardize low cost and conventional macro, micro nutrients	81
4.4	Effect of different concentration low cost vitamin and fixed conventional MS vitamins on morphogenic response of <i>Tylophora indica</i> Shoot tip and node explants with standardize low cost + conventional macro, micro and iron source	82
4.5	Effect of different concentration of low cost carbon source and fixed conventional MS carbon source on morphogenic response of <i>Tylophora indica</i> Shoot tip and node explants with standardize low cost + conventional macro, micro, iron and vitamin	83
4.6	Effect of different concentration of low cost growth regulators and fixed conventional growth regulators on morphogenic response of <i>Tylophora indica</i> Shoot tip and node explants with standardize low cost and conventional nutrients	84

4.7	Effect of different concentration low cost solidifying agent and conventional agar-agar on morphogenic response of <i>Tylophora indica</i> Shoot tip and node explants with standardize low cost and conventional nutrients	85
4.8	Low cost tissue culture techniques for <i>Tylophora indica</i> medium composition / glassware / instruments	86
4.9	Comparative cost analysis of low cost medium and conventional medium composition as price quotation of 2015-16	87
4.10	Comparative cost analysis of low cost and conventional glass ware and instruments used for tissue culture as price quotation of 2015-16	88
4.11	Effect of Low cost medium supplemented with different concentration of Auxin and Cytokine on shoot regeneration of <i>Tylophora indica</i> in shoot tip and nodal explant	89
4.12	Effect of Low cost medium supplemented with different concentration of Cytokinin on shoot elongation of <i>Tylophora indica</i> shoot tip and nodal explant	90
4.13	Effect of Low cost medium supplemented with different concentration of Auxins on Root induction of <i>Tylophora indica</i>	91
4.14	Effect of Low cost medium supplemented with different concentration of NAA, IAA, IBA, and 2,4-D (2.0mg/l) on Callus induction of <i>Tylophora indica</i> in Leaf, Node and Internode explants	92
4.15	Effect of Low cost medium supplemented with different concentration IAA, NAA, 2,4-D and BAP (1.0 mg/l) on Indirect shoot regeneration of <i>Tylophora indica</i> in Leaf, Node and Internode explants	93
4.16	Effect of Low cost medium supplemented with different concentration of Auxin on Root induction of <i>Tylophora indica</i> indirect regenerated shoots	94
4.17	Effect of low cost medium supplemented with different concentration of IAA, NAA, 2,4-Din combination of BAP 1.0 mg/l Somatic embryogenesis on leaf and node explants of <i>Tylophora indica</i>	95
4.18	Effect of Low cost medium supplemented with different concentration of IBA, NAA and Kinetin 0.5mg/l on somatic embryo maturation from the embryonic calli of <i>Tylophora indica</i>	96

4.19	Effect of Low cost medium supplemented with different concentration of GA3 in combination of IBA, IAA, 2,4-D, IBA on <i>in vitro</i> flowering of <i>Tylophora indica</i> shoot tip and nodal explant	97
4.20	Effect of Low cost media supplemented with different concentration of Kin, and BAP combination of IAA+2,4-D (2.0+1.0 mg/l) on Mass Callus induction of <i>Tylophora indica</i> in Leaf, Node, Internode explants	98
4.21	Effect of different concentration of elicitors (Jasmonic acid, Salicylic acid and Copper Sulphate) and in combination of fixed growth regulators (IAA 2.5 mg/l; 2,4-D- 2.0 mg/l) on high frequency phenolic production in suspension cultures of <i>Tylophora indica</i> leaf callus	99
4.22	Qualitative Phytochemical screening of different solvent extract of <i>Tylophora indica in vivo</i> leaf material	100
4.23	Qualitative Phytochemical screening of different solvent extract of <i>Tylophora indica</i> leaf callus	101
4.24	GC-MS analysis revealed the presence of phyto chemical components on <i>in vivo / in vitro</i> leaf extract of <i>Tylophora indica</i>	101

## LIST OF THE FIGURES

Figure No.	Title	Page No.
4.1	Habitat of <i>Tylophora indica</i> (Burm. f.) Merrill	105
4.2	Low cost medium supplemented with different concentration of growth regulators on Direct Shoot regeneration of <i>Tylophora indica</i> shoot tip explants	106
4.3	Low cost medium supplemented with different concentration of growth regulated on Direct Shoot regeneration of <i>Tylophora indica</i> in Node explants	107
4.4	Low cost medium supplemented with different growth regulators on in direct Regeneration from <i>Tylophora indica</i> leaf explant	108
4.5	Low cost medium supplemented with different growth regulators on in direct Regeneration from <i>Tylophora indica</i> node explant	109
4.6	Low cost medium supplemented with different growth regulators on in direct regeneration from <i>Tylophora indica</i> internode explant	110
4.7	Low cost medium supplemented with different growth regulators on indirect somatic embryogenesis induction from <i>Tylophora indica</i> leaf explant	111
4.8	Low cost medium supplemented with different growth regulators on direct somatic embryogenesis induction from <i>Tylophora indica</i> node explant	112
4.9	Low cost medium supplement with different concentration of growth regulators on <i>in vitro</i> flowering of <i>Tylophora indica</i> Shoot tip explant	113
4.10	Low cost medium supplement with different concentration of growth regulators on <i>in vitro</i> flowering of <i>Tylophora indica</i> node explant	114

4.11	Low cost medium supplemented with different elicitors (Jasmonic acid, Salicylic acid and Copper sulphate) on mass callus induction from <i>Tylophora indica</i> secondary metabolite production	115
4.12	GC-MS analysis from <i>in vivo</i> leaf extract of <i>Tylophora indica</i>	116
4.13	GC-MS analysis from <i>in vitro</i> callus extract of <i>Tylophora indica</i>	117
4.14	Effect of low cost compost mixture for hardening direct regenerated plantlets of <i>Tylophora indica</i>	118
4.15	Effect of compost mixture for hardening callus regenerated plantlets of <i>Tylophora indica</i>	119

## **ABBREVIATIONS**

MS	-	Murashige and Skoog medium
IAA	-	Indole-3 Acetic acid
NAA	-	$\alpha$ -Naphthalene Acetic acid
IBA	-	Indole-3-Butyric acid
2,4-D	-	2,4-Dichlorophenoxy acetic acid
BAP	-	6-Benzylaminopurine
KIN	-	Kinetin
W/V	-	Weight/Volume
Mg/l	-	milligram/Liter
GC-MS	-	Gas Chromatography-Mass Spectrometry
RT	-	Retention time
mM	-	Milli Molar
EDTA	-	Ethylene diamine tetra acetic acid
FAO	-	Food and Agriculture Organization
N	-	Nitrogen
K	-	Phosphorus
K	-	Potassium
Ca	-	Calcium
Mg	-	Magnesium
S	-	Sulphur

AR	-	Analytical Reagent
LR	-	Laboratory Reagent
NaOH	-	Sodium Hydroxide
HCL	-	Hydrochloric acid
RO	-	Reverse Osmosis
HgCl <sub>2</sub>	-	Mercuric Chloride
FeCl <sub>3</sub>	-	Ferric Chloride
H <sub>2</sub> SO <sub>4</sub>	-	Sulphuric acid
Rs	-	Rupees
D	-	Days
JA	-	Jasmonic acid
SA	-	Salicylic acid
B-boran	-	Boric acid