

List of Table

Table	Title
5.1	Effect of various stabilizers and their concentration on particle size and size distribution
5.2	Effect of stirring time on particle size and size distribution (Batch NF 3)
5.3	Effect of ratio of beads on particle size and size distribution
5.4	3^2 Full factorial design layout
5.5	Summary of results of regression analysis
6.1	Effect of various stabilizers on particle size and size distribution
6.2	Effect of stirring time on particle size and size distribution (Batch NM 5)
6.3	Effect of ratio of beads on particle size and size distribution
6.4	3^3 full factorial design lay out
6.5	Summary of results of regression analysis
7.1	Effect of various stabilizers on particle size and size distribution
7.2	For 3^3 full factorial design lay out
7.3	Summary of results of regression analysis

List of Figure

Figure	Title
2.1	Nifedipine
2.2	Nimodipine
2.3	Nitrendipine
2.4	Hypromellose
2.5	Hydroxypropyl cellulose
2.6	Poly ethylene glycol
2.7	Polyvinyl alcohol
2.8	PVP-K 30
2.9	Polysorbate 80
2.10	Sodium lauryl sulfate
5.1	Effect of various stabilizers and their concentration on particle size and size distribution
5.2	Effect of stirring time on particle size and size distribution (Batch NF 3)
5.3	Response surface plot of effect drug to stabilizer ratio (X_1) and % V/V of milling media (X_2) on particle size distribution
5.4	Particle size graph of batch optimized nanosuspension NF 15 (A) and pure drug (B)
5.5	Response surface plot of effect of drug to stabilizer ratio (X_1) and % V/V of milling media (X_2) on drug release
5.6	DSC tharmogram of pure Nifedipine (A) and optimized nanosuspension (B)
5.7	Release profile of pure drug, and optimized nanosuspension formulation in deionized water (0.05% polysorbate 20)
6.1	Effect of various stabilizers on particle size and size distribution
6.2	Effect of stirring time on particle size and size distribution (Batch NM 5)
6.3	Response surface plot of effect drug to stabilizer ratio (X_1) and Stabilizer to Stabilizer (%) (X_2) on particle size distribution
6.4	Response surface plot of effect drug to stabilizer ratio (X_1) and % V/V of Milling Media (X_3) on particle size distribution
6.5	Response surface plot of effect stabilizer to stabilizer (%) (X_2) and % V/V of milling media (X_3) on particle size distribution
6.6	Particle size distribution batch NM 39
6.7	DSC tharmogram of pure Nimodipine (A) and Otimized nanosuspension (B)
6.8	Release profiles of pure drug and optimized nanosuspension
7.1	Effect of various stabilizers on particle size and size distribution

List of Tables and Figures

- 7.2 Response surface plot of effect concentration of drug (mg/ml) (X_1) and drug to stabilizer ratio (X_2) on particle size distribution
- 7.3 Response surface plot of effect concentration of drug (mg/ml) (X_1) and stirring speed (X_3) on particle size distribution
- 7.4 Response surface plot of effect drug to stabilizer ratio (X_2) and stirring speed (X_3) on particle size distribution
- 7.5 Particle size distribution batch NT 19
- 7.6 DSC study of Nitrendipine nanosuspension (158.22°C) (A), Nitrendipine pure drug (160.02°C) (B)
- 7.7 Release profiles of pure drug, and optimized nanosuspension formulation in water containing 0.1M hydrochloric acid and 0.1% SDS