
LIST OF TABLES

Table No.	TITLE	Page No.
Table:5.1	Percentage yield of different leaf extracts of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> and <i>Amaranthus tricolor</i>	97
Table:5.2	Preliminary phytochemical investigations of different leaf extract of <i>Raphinus sativus</i> . Linn.,	98
Table:5.3	Preliminary phytochemical investigations of different leaf extracts of <i>Moringa oleifera</i> . Lam.,	99
Table:5.4	Preliminary phytochemical investigations of different leaf extracts of <i>Amaranthus tricolor</i> .	100
Table:5.5	Effect of <i>R.Sativus</i> leaf extracts on regenerated glandular epithelium width, capillary density, volume of collagen content & surface epithelium.	105
Table:5.6	Effect of <i>Raphinus sativus</i> leaf extracts on ulcer index, gastric juice volume, free acidity and total acidity in pylorus ligated rats.	108
Table:5.7	Effect of <i>Raphinus sativus</i> leaf extracts on mucin content and total proteins in pylorus ligated rats.	109
Table:5.8	Effect of <i>Raphinus sativus</i> leaf extracts on ulcer index in ethanol induced gastric ulcers.	110
Table:5.9	Effect of <i>Raphinus sativus</i> leaf extracts on mucin content, ulcer index and total proteins in indomethacin induced gastric ulcers.	114
Table:5.10	Effect of <i>Raphinus sativus</i> leaf extracts on glutathione (GSH) levels and catalase activity in indomethacin induced ulcers.	115

Table:5.11	Effect of <i>Raphinus sativus</i> leaf extracts on ulcer index in Ischemia-reperfusion induced gastric ulcers.	116
Table:5.12	Effect of <i>Raphinus sativus</i> leaf extracts on ulcer index in cysteamine induced duodenal ulcers	118
Table:5.13	Effect of <i>Moringa oleifera</i> leaf extracts on regenerated glandular epithelium width, capillary density, vol. of collagen content and surface epithelium.	122
Table:5.14	Effect of <i>Moringa oleifera</i> leaf extracts on ulcer index, gastric juice volume, free acidity and total acidity in pylorus ligated rats.	124
Table:5.15	Effect of <i>Moringa oleifera</i> on mucin content and total proteins in pylorus ligated rats.	125
Table:5.16	Effect of <i>Moringa oleifera</i> leaf extracts on ulcer index in ethanol induced gastric ulcers	126
Table:5.17	Effect of <i>Moringa oleifera</i> leaf extracts on mucin content, ulcer index and total proteins in indomethacin induced gastric ulcer model.	128
Table:5.18	Effect of <i>Moringa oleifera</i> leaf extracts on glutathione (GSH) levels and catalase activity in indomethacin induced ulcers	129
Table:5.19	Effect of <i>Moringa oleifera</i> leaf extracts on ulcer index in ischemia-reperfusion induced gastric ulcers	130
Table:5.20	Effect of <i>Moringa oleifera</i> leaf extracts on ulcer index in cysteamine induced duodenal ulcers	131
Table:5.21	Effect of <i>A.Tricolor</i> leaf extracts on regenerated glandular epithelium width, capillary density, vol. of collagen content & surface epithelium.	134

Table:5.22	Effect of <i>Amaranthus tricolor</i> leaf extracts on ulcer index, gastric juice volume, free acidity, and total acidity in pylorus ligated rats.	136
Table:5.23	Effect of <i>Amaranthus tricolor</i> leaf extracts on mucin content and total proteins in pylorus ligated rats.	137
Table:5.24	Effect of <i>Amaranthus tricolor</i> leaf extracts on ulcer index in ethanol induced gastric ulcers	138
Table:5.25	Effect of <i>Amaranthus tricolor</i> leaf extracts on ulcer index, mucin content and total proteins in indomethacin induced gastric ulcer in rats.	140
Table:5.26	Effect of <i>Amaranthus tricolor</i> leaf extracts on glutathione (GSH) levels and catalase activity in indomethacin induced ulcers	141
Table:5.27	Effect of <i>Amaranthus tricolor</i> leaf extracts on ulcer index in ischemia-reperfusion induced gastric ulcers	142
Table:5.28	Effect of <i>Amaranthus tricolor</i> leaf extracts on ulcer index in cysteamine induced duodenal ulcers	143
Table:5.29	$H^+K^+ATPase$ inhibition, DPPH free radical scavenging and nitric oxide scavenging activity of the compounds isolated from the ethylacetate leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> and <i>Amaranthus tricolor</i>	180
Table:5.30	Effect of PHF on ulcer index in indomethacin induced, ethanol induced and ischemia-reperfusion induced gastric ulcers	182

LIST OF FIGURES

Figure- No.	TITLE	Page No
Fig :3.1	Photographs of the leaves of <i>Raphinus sativus</i> . Linn	16
Fig :3.2	Photographs of the leaves of <i>Moringa oleifera</i> . Lam	25
Fig :3.3	Photographs of the leaves of <i>Amaranthus tricolor</i> . Linn	34
Fig :3.4	Diagrammatic response of gastric cytoprotective mechanisms.	48
Fig :3.5	A model of the pathogenesis of peptic ulcer	51
Fig :3.6	NSAID induced damage by dual insult mechanism	51
Fig :5.1	Effect of <i>Raphinus sativus</i> leaf extracts on ulcer index in acetic acid induced gastric ulcer model in rats	102
Fig :5.2	Effect of <i>Moringa oleifera</i> leaf extracts on ulcer index in acetic acid induced gastric ulcer model in rats	121
Fig :5.3	Effect of <i>Amaranthus tricolor</i> leaf extracts on ulcer index in acetic acid induced gastric ulcer model in rats	133
Fig :5.4	Photograph showing TLC separation of ethylacetate fractions of leaves of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> and <i>Amaranthus tricolor</i> under day light	145
Fig :5.5	UV spectra of the isolated compounds from the ethylacetate leaf fractions of <i>Raphinus sativus</i> .	147
Fig :5.6	UV spectra of the compounds isolated from the ethylacetate leaf fractions of <i>Moringa oleifera</i>	148

Fig :5.7	UV spectra of the compounds isolated from the ethylacetate leaf fractions of <i>Amaranthus tricolor</i>	149
Fig :5.8	The HPLC chromatograms of compound-1 & 2 isolated from the ethylacetate leaf fractions of <i>Raphinus sativus</i>	151
Fig :5.9	The HPLC chromatograms of compound-1 & 2 isolated from the ethylacetate leaf fractions of <i>Moringa oleifera</i>	152
Fig:5.10	The HPLC chromatograms of compound-1 & 2 isolated from ethylacetate leaf fractions of <i>Amaranthus tricolor</i>	153
Fig:5.11	FTIR spectra of Compound-1 & 2 isolated from ethylacetate leaf fractions of <i>Raphinus sativus</i>	155
Fig:5.12	FTIR spectra of Compound-1 & 2 isolated from ethylacetate leaf fractions of <i>Moringa oleifera</i>	157
Fig:5.13	FTIR spectra of Compound-1 & 2 isolated from ethylacetate leaf fractions of <i>Amaranthus tricolor</i>	159
Fig:5.14	NMR spectra of Compound-1 isolated from ethylacetate leaf fractions of <i>Raphinus sativus</i>	162
Fig:5.15	NMR spectra of Compound-2 isolated from ethylacetate leaf fractions of <i>Raphinus sativus</i>	163
Fig:5.16	NMR spectra of Compound-1 isolated from ethylacetate leaf fractions of <i>Moringa oleifera</i>	165
Fig:5.17	NMR spectra of Compound-2 isolated from ethylacetate leaf fractions of <i>Moringa oleifera</i>	166

Fig:5.18	NMR spectra of Compound-1 and Compound-2 isolated from ethylacetate leaf fractions of <i>Amaranthus tricolor</i>	168
Fig:5.19	Mass spectra of the Compound-1 & 2 isolated from <i>Raphinus sativus</i> ethylacetate leaf fractions in positive ESI mode with probable structure	170
Fig:5.20	Mass spectra of the Compound-1 & 2 isolated from <i>Moringa oleifera</i> ethylacetate leaf fractions in positive ESI mode with probable structure.	172
Fig:5.21	Mass spectra of the Compound-1 & 2 isolated from <i>Amaranthus tricolor</i> ethylacetate leaf fractions in negative ESI mode with probable structure	174
Fig:5.22	DPPH scavenging activity of the compounds isolated from ethylacetate leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> , <i>Amaranthus tricolor</i> and Ascorbic acid	181
Fig:5.23	Nitric oxide scavenging activity of the compounds isolated from ethylacetate leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> , <i>Amaranthus tricolor</i> and Ascorbic acid	181

ILLUSTRATIONS

Plate- No.	TITLE	Page No
Plate-5.1	Photographs of the stomachs of rats treated with ranitidine and leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> & <i>Amaranthus tricolor</i> in acetic acid induced ulcers.	103
Plate-5.2	Sections stained with H&E showing the regenerated glandular epithelium width of stomach specimen of rats treated with ranitidine & ethylacetate leaf fractions of the selected plants in acetic acid induced ulcer.	104
Plate-5.3	Photographs of the stomachs of rats treated with Omeprazole & leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> & <i>Amaranthus tricolor</i> in pylorus ligation induced ulcer model.	107
Plate-5.4	Photographs of the stomachs of rats treated with ranitidine & leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> & <i>Amaranthus tricolor</i> in ethanol induced ulcer.	111
Plate-5.5	Photographs of the stomachs of rats treated with Misoprostol & leaf fractions of <i>R.sativus</i> , <i>M.oleifera</i> & <i>A. tricolor</i> in indomethacin induced gastric ulcer.	113

Plate-5.6	Photographs of the stomachs of rats treated with Ranitidine & leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> & <i>Amaranthus tricolor</i> in ischemia-reperfusion induced gastric ulcers model.	117
Plate-5.7	Photographs of the stomachs of rats treated with Ranitidine & leaf fractions of <i>Raphinus sativus</i> , <i>Moringa oleifera</i> & <i>Amaranthus tricolor</i> in cysteamine induced duodenal ulcer	119
Plate-5.8	LC-MS/MS chromatograms of Compound-1 & 2 isolated from the ethylacetate fractions of <i>Raphinus sativus</i>	175
Plate-5.9	LC-MS/MS chromatograms of Compound-1 & 2 isolated from the ethylacetate fractions of <i>Moringa oleifera</i>	176
Plate-5.10	LC-MS/MS chromatograms of Compound-1 & 2 isolated from the ethylacetate fractions of <i>Amaranthus tricolor</i>	177

LIST OF ABBREVIATIONS USED

ANOVA	: Analysis of variance
AT	: <i>Amaranthus tricolor</i>
Avg.	: Average
BSA	: Bovine serum albumin
CC	: Column chromatography
CDCL ₃	: Deuteriated chloroform
CD ₃ OD	: Deuteriated di-methyl sulfoxide
CMC	: Carboxy methyl cellulose
CPCSEA	: Committee for the purpose of supervision of experimentation on animals
DPPH	: 2-2-diphenyl-1-picrylhydrazyl
DTNB	: 5-5-di-thio-bis-2-nitro benzoic acid
ECL	: Enterochromaffin like
GERD	: Gastrointestinal reflux disorder
G.I.T	: Gastrointestinal tract
GSH	: Glutathione sulfhydryls
HCL	: Hydrochloric acid
H&E	: Hematoxylin and Eosin
HPLC	: High performance liquid chromatography
H ₂ O ₂	: Hydrogen per oxide
LC-MS	: Liquid Chromatography with Tandem Mass Spectrometry
MO	: <i>Moringa oleifera</i>
NSAID's	: Non steroidal anti-inflammatory drugs
NaOH	: Sodium hydroxide

O.D.	: Optical density
OECD	: Organization for economic co-operation and development
PAS	Periodic acid Schiff's stain
PG	Prostaglandins
PHF	: Polyherbal formulation
p.o	Per oral
RS	: <i>Raphinus sativus</i>
R.T.	: Retention time
µg	: Microgram
µL	: Microliter
µM	: micromolar
mM	: Millimolar
mL	: Milliliter
mpk	: milligram per kilogram
N	: Normality
S.E.M	: Standard error mean
TLC	: Thin Layer Chromatography
UV	: Ultra violet spectra
UI	: Ulcer index
FTIR	: Fourier transformer infrared spectroscopy
NMR	: Nuclear magnetic resonance spectroscopy
NO	: Nitric oxide
Sl. No.	: Serial number
m/z	: mass to charge ratio
